



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
WASHINGTON, DC 20460

OFFICE OF CHEMICAL SAFETY
AND POLLUTION PREVENTION

June 29, 2021

Rebecca M. Horton
Consultant/Agent for AMBRANDS
Registrations by Design, Inc.
PO Box 1019
Salem, VA 24153-1019

Subject: Label Amendment and Registration Review Label Mitigation for
Hydramethylnon – Added language from Hydramethylnon Interim Decision and
two sublabels (consumer and commercial) in addition to master label
Product Name: Amdro Fire Ant Bait Yard Treatment
EPA Registration Number: 73342-5
Application Date: 03/25/2020
Decision Number: 565176

Dear Ms. Horton:

The amended label referred to above, submitted in connection with registration under the Federal Insecticide, Fungicide and Rodenticide Act, as amended, is acceptable. This approval does not affect any conditions that were previously imposed on this registration. You continue to be subject to existing conditions on your registration and any deadlines connected with them.

The Agency, in accordance with the Federal Insecticide, Fungicide and Rodenticide Act (FIFRA), as amended, has completed reviewing all of the information submitted with your application to support the Registration Review of the above referenced product in connection with the Hydramethylnon Interim Decision, and has concluded that your submission is acceptable.

A stamped copy of your labeling is enclosed for your records. This labeling supersedes all previously accepted labeling. The next label printing of this product must use this labeling unless subsequent changes have been approved. You must submit one copy of the final printed labeling before you release the product for shipment with the new labeling. In accordance with 40 CFR 152.130(c), you may distribute or sell this product under the previously approved labeling for 12 months from the date of this letter. After 12 months, you may only distribute or sell this product if it bears this new revised labeling or subsequently approved labeling. "To distribute or sell" is defined under FIFRA section 2(gg) and its implementing regulation at 40 CFR 152.3.

Should you wish to add/retain a reference to the company's website on your label, then please be aware that the website becomes labeling under the Federal Insecticide Fungicide and Rodenticide Act and is subject to review by the Agency. If the website is false or misleading, the product would be misbranded and unlawful to sell or distribute under FIFRA section 12(a)(1)(E). 40

CFR 156.10(a)(5) list examples of statements EPA may consider false or misleading. In addition, regardless of whether a website is referenced on your product's label, claims made on the website may not substantially differ from those claims approved through the registration process. Therefore, should the Agency find or if it is brought to our attention that a website contains false or misleading statements or claims substantially differing from the EPA approved registration, the website will be referred to the EPA's Office of Enforcement and Compliance.

Your release for shipment of the product constitutes acceptance of these conditions. If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA section 6. If you have any questions, you may contact Robert Mitchell at 703-347-0404 or via email at mitchell.robert@epa.gov.

Sincerely,

A handwritten signature in black ink, appearing to read "Elizabeth Fertich". The signature is written in a cursive style with a large initial "E".

Elizabeth Fertich
Product Manager 4
Invertebrate-Vertebrate Branch 1
Registration Division
Office of Pesticide Programs

Enclosure

{NOTE TO REVIEWER [] indicates alternative or optional wording. { } indicates notes to Reviewer that will not appear on the final label}

{MASTER LABEL}

{The following mode of action banner will be featured on commercial packaging only}

Hydramethylnon	GROUP	20	INSECTICIDE
----------------	-------	----	-------------

AMDRO® Fire Ant Bait Yard Treatment

{Additional Brand Name: AMDRO® Fire Ant Bait Broadcast Yard Treatment}

{Optional Marketing Statements:}

KILLS FIRE ANTS

IMPORTED AND NATIVE AND OTHER ANTS

KILLS THE QUEEN

DESTROYS THE MOUND

AMDRO Fire Ant Bait Broadcast Yard Treatment is highly attractive to imported and native fire ants, and other listed ants.

For Broadcast Application To Large Infested Areas

[5 lb.] Treats Up To 10,000 sq. ft.

[2 lb.] Treats Up To 4,000 sq. ft.

[2.5 lb.] Treats Up to 5,000 sq. ft.

[5.5 lb.] Treats Up to 11,000 sq. ft.

[7.5 lb.] Treats Up to 15,000 sq. ft.

[11 lb.] Treats Up to 22,000 sq. ft.

Easy to Apply with any standard broadcast spreader

Kills fire ants throughout the entire yard

Destroys visible and hidden mounds[!]

Starts to Kill Ants Immediately

Do not mound treat with this product. It is intended for broadcast treatment only.

This product is NOT for use as a mound treatment. For mound treatment, use Amdro Fire Ant Bait.

Amdro Fire Ant Bait Yard Treatment is specifically formulated for broadcast use – It is NOT for use as a Mound Treatment. For mound treatment, use Amdro Fire Ant Bait.

For broadcast treatment only...do not use on mounds.

Not intended for use on individual mounds. Use Amdro Fire Ant Bait for mound treatment.

[5.5 lb.] Covers 11,000 sq. ft.

[5 lb.] Covers 10,000 sq. ft.

[2 lb.] Covers 4,000 sq. ft.

[2.5 lb.] Covers 5,000 sq. ft.

[7.5 lb.] Covers 15,000 sq. ft.

[11 lb.] Covers 22,000 sq. ft.

Provides Season Long Control

Provides Seasonal Control

Control Up To A Season

Prevents New Mounds From Forming

Prevents New Mound Formation

Broadcast Over 11,000 sq. ft. {5.5 lb. packaging}

Broadcast Over 10,000 sq. ft. {5 lb. packaging}

Broadcast Over 4,000 sq. ft. {2 lb. packaging}

Broadcast Over 5,000 sq. ft. {2.5 lb. packaging}

Broadcast Over 15,000 sq. ft. {7.5 lb. packaging}

Broadcast Over 22,000 sq. ft. {11 lb. packaging}


Up to 3 Months Fire Ant Control

Fast Acting Bait – Kills the Queen Fast

Convenient new shaker bag {when packaged accordingly}

Tear notch at either end to open {when packaged accordingly}

Resealable bag {when packaged accordingly}



Active Ingredient:	By Weight:
Hydramethylnon:.....	0.036%
(CAS No. 67485-29-4)	
Other Ingredients:	99.964%
Total:	100.000%

**KEEP OUT OF REACH OF CHILDREN
CAUTION**

See Back/Side/Other Panel(s) for Additional Precautionary Statements

Net Weight: 2 LB (.9 kg) / 2.5 LB (1.13 kg) / 5 LB (2.27 kg) / 5.5 LB (2.5 kg) / 7.5 LB (3.4 kg) / 11 LB (5.0 kg)

{back/side/other panels}

**PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS AND DOMESTIC ANIMALS
CAUTION**

Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco, or using the toilet.

{when labeled for commercial use – Sublabel B – the following PPE & User Safety Requirements and Recommendations will be included}

Personal Protective Equipment (PPE)

Applicators and other handlers must wear:

- Long-sleeve shirt and long pants
- Socks and shoes

User Safety Requirements

Follow manufacturer’s instructions for cleaning/maintaining PPE. If no such instructions for washables exist, use detergent and hot water. Keep and wash PPE separately from other laundry.

User Safety Recommendations

Users should wash hands before eating, drinking, chewing gum, using tobacco, or using the toilet. Users should remove clothing/PPE immediately if pesticide gets inside, then wash thoroughly and put on clean clothing. Users should remove PPE immediately after handling this product. As soon as possible, wash thoroughly and change into clean clothing.

ENVIRONMENTAL HAZARDS

This pesticide is toxic to fish and aquatic invertebrates. Do not apply directly to water. Do not contaminate water when disposing of equipment washwaters. Do not apply when weather conditions favor drift from target areas. To protect the environment, do not allow pesticide to enter or run off into storm drains, drainage ditches, gutters or surface waters. Applying this product in calm weather when rain is not predicted for the next 24 hours will help to ensure that wind or rain does not blow or wash pesticide off the treatment area. Sweeping any product that lands on a driveway, sidewalk, or street, back onto the treated area of the lawn or garden will help to prevent run off to water bodies or drainage systems.

HOW AMDRO FIRE ANT BAIT YARD TREATMENT WORKS:

1. This product is a bait. Worker ants carry it into the mound as food for the colony.
2. They eat it and feed it to the queen. It starts to kill ants immediately.
3. In about a week the queen is dead, which destroys the mound.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Wash hands with soap and water promptly after use.

Keep people and pets out of the area during application. Avoid making applications if it is likely to rain within 24 hours of application, except when applying directly adjacent to a structure that is permanently protected from rainfall by a covering, overhang, awning, or other structure. Do not apply granules to impervious surfaces.

{when labeled for commercial use – Sublabel B – the following Resistance Management Recommendations will be included}

Resistance Management Recommendations: For resistance management, Amdro Fire Ant Bait Yard Treatment contains a Group 20 insecticide. Any ant population may contain individuals naturally resistant to Amdro Fire Ant Bait Yard Treatment and other Group 20 insecticides. The resistant individuals may dominate the insect population if this group of insecticides is used repeatedly in the same fields. Appropriate resistance-management strategies should be followed.

To delay insecticide resistance, take the following steps:

Rotate the use of Amdro Fire Ant Bait Yard Treatment or other Group 20 insecticides within a growing season, or among growing seasons, with different groups that control the same pests.

Adopt an integrated pest management program for insecticide use that includes scouting, uses historical information related to pesticide use, crop rotation, record keeping, and which considers cultural, biological and other chemical control practices.

Monitor after application for unexpected target pest survival. If the level of survival suggests the presence of resistance, consult with your local university specialist or certified pest control advisor.

Contact your local extension specialist or certified crop advisor for any additional pesticide resistance-management and/or IPM recommendations for the specific site and pest problems in your area.

For further information or to report suspected resistance contact 1-800-265-0761.

Outdoor Use:

For large infested areas: Using this convenient shaker bag, rotary broadcast spreader or hand held granular spreader, broadcast this product at 5 lb. per 5,000 (heavy infestations) to 10,000 (light infestations) sq. ft. (11 lb. per 11,000 to 22,000 sq. ft.; 7.5 lb. per 7,500 to 15,000 sq. ft.; 5.5 lb. per 5,500 to 11,000 sq. ft.; 2.5 lb. per 2,500 to 5,000 sq. ft.) For best results, apply when ants are active (typically when soil temperature is greater than 60°F). Do not exceed four broadcast applications per year. Observe a minimum retreatment interval for broadcast applications of 30 days.

This product controls imported and native fire ants and other ants, such as harvester ants and bigheaded ants. This product is for use ONLY on lawns, landscaped areas, [golf courses, commercial grounds, parks and other noncropland areas,] as well as on grounds surrounding poultry houses (excluding runs and ranges) or corrals and other animal holding areas. Avoid direct exposure of animals to this product.

Application Tips:

- For best results, apply in early morning or late afternoon when ants are most active.
- Do not apply when ground is soaking wet or when heavy rains are expected. Do not water-in after application. [No need to water-in after application.]
- For convenient application to individual mounds, use AMDRO Fire Ant Bait.

Do not graze or feed treated lawn or sod clippings to livestock.

{when labeled for consumer use – Sublabel A – the following statement will be included}
 This product is not for use on vegetable or other food crops, timber or plants grown for sale or other commercial use, or for commercial seed production, or for research purposes.

{when labeled for commercial use – Sublabel B – the following statement will be included}
 This product is not for use on vegetable or other food crops.

SUGGESTED SPREADER SETTINGS

DROP SPREADERS	SETTING
Scotts AccuGreen® 1000	8.0
Scotts AccuGreen® 2000	8.5
Scotts AccuGreen® 3000	8.5
BROADCAST SPREADERS	
Scotts SpeedyGreen® 2000	6.5
Scotts SpeedyGreen® 3000	6.0
Sta-Green® 4500	5.5
Vigoro® 4300	5.0
Craftsman® Model 486.19710	4.5
EZ Spread® Model SB5500 (Precision Products Inc.)	5.0
HAND HELD SPREADERS	
Scotts HandyGreen® II	3.5
Ortho® Whirlybird®	3.0
Earthway EV-N-SPRED® Model 2700-A	3.0

[Alternate Spreader Settings]

SPREADER	SPREADER SETTINGS	
	11 lbs./ 22,000 sq. ft.⁽¹⁾ (light infestations)	11 lbs./ 11,000 sq. ft.⁽²⁾ (heavy infestations)
DROP SPREADERS:		
Scotts® AccuGreen® 1000	7	8.5
Scotts® AccuGreen® 2000	8	9
Scotts® AccuGreen® 3000	8	9
BROADCAST SPREADERS:		
Scotts® SpeedyGreen® 2000	5.5	7
Scotts® SpeedyGreen® 3000	5.5	6.5

Sta-Green® 4500	5	5.5
Vigoro® 4300	4.5	5.5
Craftsman® Model 486.19710	4	4.5
EZ Spread® Model SB5500 (Precision Products Inc.)	4.5	5.5

HAND HELD SPREADERS:

Scotts® HandyGreen® II	3	4
Ortho® Whirlybird®	2	4
Earthway EV-N-SPRED® Model 2700-A	2.5	3

Note: Spreader settings given are approximate and variation can occur between identical models. User should calibrate spreader by accurately weighing a few pounds into your spreader and applying to a measured area. Then adjust spreader setting if necessary to assure correct rate of application.

- ⁽¹⁾ [5 lbs./10,000 sq. ft. – or – 7.5 lbs./15,000 sq. ft. – or – 5.5 lbs./11,000 sq. ft. or – 2.5 lbs./5,000 sq. ft – as appropriate to package size]
- ⁽²⁾ [5 lbs./5,000 sq. ft. – or – 7.5 lbs./7,500 sq. ft. – or – 5.5 lbs./5,500 sq. ft. – 2.5 lbs./2,500 sq. ft – as appropriate to package size]

STORAGE and DISPOSAL {commercial use packaging}

Prohibitions: Do not contaminate water, food, or feed by storage or disposal. Open dumping is prohibited.

Pesticide Storage: Store in cool, dry, secure place and keep container tightly closed. Store container away from pets. This product is formulated in oil bait. Prolonged exposure to air may turn oil rancid and reduce the attractiveness of the bait. Use within 3 months after opening.

Pesticide Disposal: Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

Container Handling: Nonrefillable container. *If empty* - Do not reuse or refill this container. {Plastic} Triple rinse (or equivalent). Then offer for recycling or reconditioning if available, or puncture and dispose of in a sanitary landfill, or by incineration, or if allowed by state or local authorities, by burning. If burned, stay out of smoke. {Paper} Completely empty bag into application equipment. Then dispose of empty bag in a sanitary landfill, or by incineration, or if allowed by state or local authorities, by burning. If burned, stay out of smoke.

General: Consult Federal, state or local disposal authorities for approved alternative procedure.

STORAGE AND DISPOSAL {consumer use packaging}

PESTICIDE STORAGE: Store in cool, dry, secure place and keep container closed. Store container away from children and pets. For best results use within 3 months after the package has been opened.

PESTICIDE DISPOSAL: *If partially filled* – Call your local solid waste agency for disposal instructions. Never place unused product down any indoor or outdoor drain.

CONTAINER HANDLING: Nonrefillable container. *If empty* – Do not reuse or refill this container. Place in trash or offer for recycling if available.

NOTICE: To the extent consistent with applicable law, Seller makes no warranty, expressed or implied, concerning the use of this product other than indicated on the label. To the extent consistent with applicable law, Buyer assumes all risk of use and/or handling of this material when such use and/or handling is contrary to label instructions.

In case of an emergency endangering life or property involving this product, call [collect], day or night, 1-800-265-0761.


AccuGreen® HandyGreen® Ortho® Scotts® SpeedyGreen® Whirlybird® are registered trademarks of OMS Investments, Inc.

For more information, please visit our web site at www.amdro.com

Manufactured for:
AMBRANDS
1000 Parkwood Circle, Suite 700
Atlanta, GA 30339

{Batch Code to be added at production}
{**OPTIONAL GRAPHICS FEATURED ON LABEL**}





{SUBLABEL A – CONSUMER USE}

AMDRO® Fire Ant Bait Yard Treatment

{Additional Brand Name: AMDRO® Fire Ant Bait Broadcast Yard Treatment}

{Optional Marketing Statements:}

KILLS FIRE ANTS

IMPORTED AND NATIVE AND OTHER ANTS

KILLS THE QUEEN

DESTROYS THE MOUND

AMDRO Fire Ant Bait Broadcast Yard Treatment is highly attractive to imported and native fire ants, and other listed ants.

For Broadcast Application To Large Infested Areas

[5 lb.] Treats Up To 10,000 sq. ft.

[2 lb.] Treats Up To 4,000 sq. ft.

[2.5 lb.] Treats Up to 5,000 sq. ft.

[5.5 lb.] Treats Up to 11,000 sq. ft.

[7.5 lb.] Treats Up to 15,000 sq. ft.

[11 lb.] Treats Up to 22,000 sq. ft.

Easy to Apply with any standard broadcast spreader

Kills fire ants throughout the entire yard

Destroys visible and hidden mounds[!]

Starts to Kill Ants Immediately

Do not mound treat with this product. It is intended for broadcast treatment only.

This product is NOT for use as a mound treatment. For mound treatment, use Amdro Fire Ant Bait.

Amdro Fire Ant Bait Yard Treatment is specifically formulated for broadcast use – It is NOT for use as a Mound Treatment. For mound treatment, use Amdro Fire Ant Bait.

For broadcast treatment only...do not use on mounds.

Not intended for use on individual mounds. Use Amdro Fire Ant Bait for mound treatment.

[5.5 lb.] Covers 11,000 sq. ft.

[5 lb.] Covers 10,000 sq. ft.

[2 lb.] Covers 4,000 sq. ft.

[2.5 lb.] Covers 5,000 sq. ft.

[7.5 lb.] Covers 15,000 sq. ft.

[11 lb.] Covers 22,000 sq. ft.

Provides Season Long Control

Provides Seasonal Control

Control Up To A Season

Prevents New Mounds From Forming

Prevents New Mound Formation

Broadcast Over 11,000 sq. ft. {5.5 lb. packaging}

Broadcast Over 10,000 sq. ft. {5 lb. packaging}

Broadcast Over 4,000 sq. ft. {2 lb. packaging}

Broadcast Over 5,000 sq. ft. {2.5 lb. packaging}

Broadcast Over 15,000 sq. ft. {7.5 lb. packaging}

Broadcast Over 22,000 sq. ft. {11 lb. packaging}

Up to 3 Months Fire Ant Control

Fast Acting Bait – Kills the Queen Fast

Convenient new shaker bag {when packaged accordingly}

Tear notch at either end to open {when packaged accordingly}

Resealable bag {when packaged accordingly}

Active Ingredient:	By Weight:
Hydramethylnon:.....	0.036%
(CAS No. 67485-29-4)	
Other Ingredients:	99.964%
Total:	100.000%

**KEEP OUT OF REACH OF CHILDREN
CAUTION**

See Back/Side/Other Panel(s) for Additional Precautionary Statements

Net Weight: 2 LB (.9 kg) / 2.5 LB (1.13 kg) / 5 LB (2.27 kg) / 5.5 LB (2.5 kg) / 7.5 LB (3.4 kg) / 11 LB (5.0 kg)

{back/side/other panels}

**PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS AND DOMESTIC ANIMALS**

CAUTION: Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco, or using the toilet.

ENVIRONMENTAL HAZARDS

This pesticide is toxic to fish and aquatic invertebrates. Do not apply directly to water. Do not contaminate water when disposing of equipment washwaters. Do not apply when weather conditions favor drift from target areas. To protect the environment, do not allow pesticide to enter or run off into storm drains, drainage ditches, gutters or surface waters. Applying this product in calm weather when rain is not predicted for the next 24 hours will help to ensure that wind or rain does not blow or wash pesticide off the treatment area. Sweeping any product that lands on a driveway, sidewalk, or street, back onto the treated area of the lawn or garden will help to prevent run off to water bodies or drainage systems.

HOW AMDRO FIRE ANT BAIT YARD TREATMENT WORKS:

1. This product is a bait. Worker ants carry it into the mound as food for the colony.
2. They eat it and feed it to the queen. It starts to kill ants immediately.
3. In about a week the queen is dead, which destroys the mound.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Wash hands with soap and water promptly after use.

Keep people and pets out of the area during application. Avoid making applications if it is likely to rain within 24 hours of application, except when applying directly adjacent to a structure that is permanently protected from rainfall by a covering, overhang, awning, or other structure. Do not apply granules to impervious surfaces.

Outdoor Use:

For large infested areas: Using this convenient shaker bag, rotary broadcast spreader or hand held granular spreader, broadcast this product at 5 lb. per 5,000 (heavy infestations) to 10,000 (light infestations) sq. ft. (11 lb. per 11,000 to 22,000 sq. ft.; 7.5 lb. per 7,500 to 15,000 sq. ft.; 5.5 lb. per 5,500 to 11,000 sq. ft.; 2.5 lb. per 2,500 to 5,000 sq. ft.) For best results, apply when ants are active (typically when soil temperature is greater than 60°F). Do not exceed four broadcast applications per year. Observe a minimum retreatment interval for broadcast applications of 30 days.

This product controls imported and native fire ants and other ants, such as harvester ants and bigheaded ants. This product is for use ONLY on lawns, landscaped areas, as well as on grounds surrounding poultry houses (excluding runs and ranges) or corrals and other animal holding areas. Avoid direct exposure of animals to this product.

Application Tips:

- For best results, apply in early morning or late afternoon when ants are most active.
- Do not apply when ground is soaking wet or when heavy rains are expected. Do not water-in after application. [No need to water-in after application.]
- For convenient application to individual mounds, use AMDRO Fire Ant Bait.

Do not graze or feed treated lawn or sod clippings to livestock.

This product is not for use on vegetable or other food crops, timber or plants grown for sale or other commercial use, or for commercial seed production, or for research purposes.

SUGGESTED SPREADER SETTINGS

DROP SPREADERS	SETTING
Scotts AccuGreen® 1000	8.0
Scotts AccuGreen® 2000	8.5
Scotts AccuGreen® 3000	8.5
BROADCAST SPREADERS	
Scotts SpeedyGreen® 2000	6.5
Scotts SpeedyGreen® 3000	6.0
Sta-Green® 4500	5.5
Vigoro® 4300	5.0
Craftsman® Model 486.19710	4.5
EZ Spread® Model SB5500 (Precision Products Inc.)	5.0
HAND HELD SPREADERS	
Scotts HandyGreen® II	3.5
Ortho® Whirlybird®	3.0
Earthway EV-N-SPRED® Model 2700-A	3.0

[Alternate Spreader Settings]

SPREADER	SPREADER SETTINGS	
	11 lbs./ 22,000 sq. ft. ⁽¹⁾ (light infestations)	11 lbs./ 11,000 sq. ft. ⁽²⁾ (heavy infestations)
DROP SPREADERS:		
Scotts® AccuGreen® 1000	7	8.5
Scotts® AccuGreen® 2000	8	9
Scotts® AccuGreen® 3000	8	9
BROADCAST SPREADERS:		
Scotts® SpeedyGreen® 2000	5.5	7
Scotts® SpeedyGreen® 3000	5.5	6.5
Sta-Green® 4500	5	5.5
Vigoro® 4300	4.5	5.5
Craftsman® Model 486.19710	4	4.5
EZ Spread® Model SB5500 (Precision Products Inc.)	4.5	5.5
HAND HELD SPREADERS:		
Scotts® HandyGreen® II	3	4
Ortho® Whirlybird®	2	4
Earthway EV-N-SPRED® Model 2700-A	2.5	3

Note: Spreader settings given are approximate and variation can occur between identical models. User should calibrate spreader by accurately weighing a few pounds into your spreader and applying to a measured area. Then adjust spreader setting if necessary to assure correct rate of application.

⁽¹⁾ [5 lbs./10,000 sq. ft. – or – 7.5 lbs./15,000 sq. ft. – or – 5.5 lbs./11,000 sq. ft. or – 2.5 lbs./5,000 sq. ft – as appropriate to package size]

⁽²⁾ [5 lbs./5,000 sq. ft. – or – 7.5 lbs./7,500 sq. ft. – or – 5.5 lbs./5,500 sq. ft. – 2.5 lbs./2,500 sq. ft – as appropriate to package size]

STORAGE AND DISPOSAL

PESTICIDE STORAGE: Store in cool, dry, secure place and keep container closed. Store container away from children and pets. For best results use within 3 months after the package has been opened.

PESTICIDE DISPOSAL: *If partially filled* – Call your local solid waste agency for disposal instructions. Never place unused product down any indoor or outdoor drain.

CONTAINER HANDLING: Nonrefillable container. *If empty* – Do not reuse or refill this container. Place in trash or offer for recycling if available.

NOTICE: To the extent consistent with applicable law, Seller makes no warranty, expressed or implied, concerning the use of this product other than indicated on the label. To the extent consistent with applicable law, Buyer assumes all risk of use and/or handling of this material when such use and/or handling is contrary to label instructions.

In case of an emergency endangering life or property involving this product, call [collect], day or night, 1-800-265-0761.

AccuGreen® HandyGreen® Ortho® Scotts® SpeedyGreen® Whirlybird® are registered trademarks of OMS Investments, Inc.

For more information, please visit our web site at www.amdro.com

Manufactured for:
AMBRANDS
1000 Parkwood Circle, Suite 700
Atlanta, GA 30339

{Batch Code to be added at production}

{SUBLABEL B – COMMERCIAL USE}

Hydramethylnon	GROUP	20	INSECTICIDE
----------------	-------	----	-------------

AMDRO® Fire Ant Bait Yard Treatment

{Additional Brand Name: AMDRO® Fire Ant Bait Broadcast Yard Treatment}

{Optional Marketing Statements:}

KILLS FIRE ANTS

IMPORTED AND NATIVE AND OTHER ANTS

KILLS THE QUEEN

DESTROYS THE MOUND

AMDRO Fire Ant Bait Broadcast Yard Treatment is highly attractive to imported and native fire ants, and other listed ants.

For Broadcast Application To Large Infested Areas

[5 lb.] Treats Up To 10,000 sq. ft.

[2 lb.] Treats Up To 4,000 sq. ft.

[2.5 lb.] Treats Up to 5,000 sq. ft.

[5.5 lb.] Treats Up to 11,000 sq. ft.

[7.5 lb.] Treats Up to 15,000 sq. ft.

[11 lb.] Treats Up to 22,000 sq. ft.

Easy to Apply with any standard broadcast spreader

Kills fire ants throughout the entire yard

Destroys visible and hidden mounds[!]

Starts to Kill Ants Immediately

Do not mound treat with this product. It is intended for broadcast treatment only.

This product is NOT for use as a mound treatment. For mound treatment, use Amdro Fire Ant Bait.

Amdro Fire Ant Bait Yard Treatment is specifically formulated for broadcast use – It is NOT for use as a Mound Treatment. For mound treatment, use Amdro Fire Ant Bait.

For broadcast treatment only...do not use on mounds.

Not intended for use on individual mounds. Use Amdro Fire Ant Bait for mound treatment.

[5.5 lb.] Covers 11,000 sq. ft.

[5 lb.] Covers 10,000 sq. ft.

[2 lb.] Covers 4,000 sq. ft.

[2.5 lb.] Covers 5,000 sq. ft.

[7.5 lb.] Covers 15,000 sq. ft.

[11 lb.] Covers 22,000 sq. ft.

Provides Season Long Control

Provides Seasonal Control

Control Up To A Season

Prevents New Mounds From Forming

Prevents New Mound Formation

Broadcast Over 11,000 sq. ft. {5.5 lb. packaging}

Broadcast Over 10,000 sq. ft. {5 lb. packaging}

Broadcast Over 4,000 sq. ft. {2 lb. packaging}

Broadcast Over 5,000 sq. ft. {2.5 lb. packaging}

Broadcast Over 15,000 sq. ft. {7.5 lb. packaging}

Broadcast Over 22,000 sq. ft. {11 lb. packaging}

Up to 3 Months Fire Ant Control

Fast Acting Bait – Kills the Queen Fast

Convenient new shaker bag {when packaged accordingly}

Tear notch at either end to open {when packaged accordingly}

Resealable bag {when packaged accordingly}

Active Ingredient:	By Weight:
Hydramethylnon:.....	0.036%
(CAS No. 67485-29-4)	
Other Ingredients:	99.964%
Total:	100.000%

**KEEP OUT OF REACH OF CHILDREN
CAUTION**

See Back/Side/Other Panel(s) for Additional Precautionary Statements

Net Weight: 2 LB (.9 kg) / 2.5 LB (1.13 kg) / 5 LB (2.27 kg) / 5.5 LB (2.5 kg) / 7.5 LB (3.4 kg) / 11 LB (5.0 kg)

{back/side/other panels}

**PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS AND DOMESTIC ANIMALS
CAUTION**

Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco, or using the toilet.

Personal Protective Equipment (PPE)

Applicators and other handlers must wear:

- Long-sleeve shirt and long pants
- Socks and shoes

User Safety Requirements

Follow manufacturer’s instructions for cleaning/maintaining PPE. If no such instructions for washables exist, use detergent and hot water. Keep and wash PPE separately from other laundry.

User Safety Recommendations

Users should wash hands before eating, drinking, chewing gum, using tobacco, or using the toilet. Users should remove clothing/PPE immediately if pesticide gets inside, then wash thoroughly and put on clean clothing. Users should remove PPE immediately after handling this product. As soon as possible, wash thoroughly and change into clean clothing.

ENVIRONMENTAL HAZARDS

This pesticide is toxic to fish and aquatic invertebrates. Do not apply directly to water. Do not contaminate water when disposing of equipment washwaters. Do not apply when weather conditions favor drift from target areas. To protect the environment, do not allow pesticide to enter or run off into storm drains, drainage ditches, gutters or surface waters. Applying this product in calm weather when rain is not predicted for the next 24 hours will help to ensure that wind or rain does not blow or wash pesticide off the treatment area. Sweeping any product that lands on a driveway, sidewalk, or street, back onto the treated area of the lawn or garden will help to prevent run off to water bodies or drainage systems.

HOW AMDRO FIRE ANT BAIT YARD TREATMENT WORKS:

1. This product is a bait. Worker ants carry it into the mound as food for the colony.
2. They eat it and feed it to the queen. It starts to kill ants immediately.
3. In about a week the queen is dead, which destroys the mound.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Wash hands with soap and water promptly after use.

Keep people and pets out of the area during application. Avoid making applications if it is likely to rain within 24 hours of application, except when applying directly adjacent to a structure that is permanently protected from rainfall by a covering, overhang, awning, or other structure. Do not apply granules to impervious surfaces.

Resistance Management Recommendations: For resistance management, Amdro Fire Ant Bait Yard Treatment contains a Group 20 insecticide. Any ant population may contain individuals naturally resistant to Amdro Fire Ant Bait Yard Treatment and other Group 20 insecticides. The resistant individuals may dominate the insect population if this group of insecticides is used repeatedly in the same fields. Appropriate resistance-management strategies should be followed.

To delay insecticide resistance, take the following steps:

Rotate the use of Amdro Fire Ant Bait Yard Treatment or other Group 20 insecticides within a growing season, or among growing seasons, with different groups that control the same pests.

Adopt an integrated pest management program for insecticide use that includes scouting, uses historical information related to pesticide use, crop rotation, record keeping, and which considers cultural, biological and other chemical control practices.

Monitor after application for unexpected target pest survival. If the level of survival suggests the presence of resistance, consult with your local university specialist or certified pest control advisor.

Contact your local extension specialist or certified crop advisor for any additional pesticide resistance-management and/or IPM recommendations for the specific site and pest problems in your area.

For further information or to report suspected resistance contact 1-800-265-0761.

Outdoor Use:

For large infested areas: Using this convenient shaker bag, rotary broadcast spreader or hand held granular spreader, broadcast this product at 5 lb. per 5,000 (heavy infestations) to 10,000 (light infestations) sq. ft. (11 lb. per 11,000 to 22,000 sq. ft.; 7.5 lb. per 7,500 to 15,000 sq. ft.; 5.5 lb. per 5,500 to 11,000 sq. ft.; 2.5 lb. per 2,500 to 5,000 sq. ft.) For best results, apply when ants are active (typically when soil temperature is greater than 60°F). Do not exceed four broadcast applications per year. Observe a minimum retreatment interval for broadcast applications of 30 days.

This product controls imported and native fire ants and other ants, such as harvester ants and bigheaded ants. This product is for use ONLY on lawns, landscaped areas, golf courses, commercial grounds, parks and other noncropland areas, as well as on grounds surrounding poultry houses (excluding runs and ranges) or corrals and other animal holding areas. Avoid direct exposure of animals to this product.

Application Tips:

- For best results, apply in early morning or late afternoon when ants are most active.
- Do not apply when ground is soaking wet or when heavy rains are expected. Do not water-in after application. [No need to water-in after application.]
- For convenient application to individual mounds, use AMDRO Fire Ant Bait {insert graphic of AMDRO Fire Ant Bait}.

Do not graze or feed treated lawn or sod clippings to livestock.

This product is not for use on vegetable or other food crops.

SUGGESTED SPREADER SETTINGS

DROP SPREADERS	SETTING
Scotts AccuGreen® 1000	8.0
Scotts AccuGreen® 2000	8.5
Scotts AccuGreen® 3000	8.5
BROADCAST SPREADERS	
Scotts SpeedyGreen® 2000	6.5
Scotts SpeedyGreen® 3000	6.0
Sta-Green® 4500	5.5
Vigoro® 4300	5.0
Craftsman® Model 486.19710	4.5
EZ Spread® Model SB5500 (Precision Products Inc.)	5.0
HAND HELD SPREADERS	
Scotts HandyGreen® II	3.5
Ortho® Whirlybird®	3.0
Earthway EV-N-SPRED® Model 2700-A	3.0

[Alternate Spreader Settings]

SPREADER	SPREADER SETTINGS	
	11 lbs./ 22,000 sq. ft.⁽¹⁾ (light infestations)	11 lbs./ 11,000 sq. ft.⁽²⁾ (heavy infestations)
DROP SPREADERS:		
Scotts® AccuGreen® 1000	7	8.5
Scotts® AccuGreen® 2000	8	9
Scotts® AccuGreen® 3000	8	9
BROADCAST SPREADERS:		
Scotts® SpeedyGreen® 2000	5.5	7
Scotts® SpeedyGreen® 3000	5.5	6.5
Sta-Green® 4500	5	5.5
Vigoro® 4300	4.5	5.5

Craftsman® Model 486.19710	4	4.5
EZ Spread® Model SB5500 (Precision Products Inc.)	4.5	5.5

HAND HELD SPREADERS:

Scotts® HandyGreen® II	3	4
Ortho® Whirlybird®	2	4
Earthway EV-N-SPRED® Model 2700-A	2.5	3

Note: Spreader settings given are approximate and variation can occur between identical models. User should calibrate spreader by accurately weighing a few pounds into your spreader and applying to a measured area. Then adjust spreader setting if necessary to assure correct rate of application.

- ⁽¹⁾ [5 lbs./10,000 sq. ft. – or – 7.5 lbs./15,000 sq. ft. – or – 5.5 lbs./11,000 sq. ft. or – 2.5 lbs./5,000 sq. ft – as appropriate to package size]
- ⁽²⁾ [5 lbs./5,000 sq. ft. – or – 7.5 lbs./7,500 sq. ft. – or – 5.5 lbs./5,500 sq. ft. – 2.5 lbs./2,500 sq. ft – as appropriate to package size]

STORAGE and DISPOSAL

Prohibitions: Do not contaminate water, food, or feed by storage or disposal. Open dumping is prohibited.

Pesticide Storage: Store in cool, dry, secure place and keep container tightly closed. Store container away from pets. This product is formulated in oil bait. Prolonged exposure to air may turn oil rancid and reduce the attractiveness of the bait. Use within 3 months after opening.

Pesticide Disposal: Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

Container Handling: Nonrefillable container. *If empty* - Do not reuse or refill this container. {Plastic} Triple rinse (or equivalent). Then offer for recycling or reconditioning if available, or puncture and dispose of in a sanitary landfill, or by incineration, or if allowed by state or local authorities, by burning. If burned, stay out of smoke.

{Paper} Completely empty bag into application equipment. Then dispose of empty bag in a sanitary landfill, or by incineration, or if allowed by state or local authorities, by burning. If burned, stay out of smoke.

General: Consult Federal, state or local disposal authorities for approved alternative procedure.

NOTICE: To the extent consistent with applicable law, Seller makes no warranty, expressed or implied, concerning the use of this product other than indicated on the label. To the extent consistent with applicable law, Buyer assumes all risk of use and/or handling of this material when such use and/or handling is contrary to label instructions.

In case of an emergency endangering life or property involving this product, call [collect], day or night, 1-800-265-0761.

AccuGreen® HandyGreen® Ortho® Scotts® SpeedyGreen® Whirlybird® are registered trademarks of OMS Investments, Inc.

For more information, please visit our web site at www.amdro.com

Manufactured for:
AMBRANDS
1000 Parkwood Circle, Suite 700
Atlanta, GA 30339

{Batch Code to be added at production}