



OFFICE OF CHEMICAL SAFETY AND POLLUTION PREVENTION

WASHINGTON, D.C. 20460

December 21, 2023

Rebecca M. Horton
Consultant/Agent
c/o Ambrands
1000 Parkwood Circle, Suite 700
Atlanta, GA 30339

Subject: Notification per PRN 98-10 – Added optional marketing graphics consistent with currently approved label use directions and a company telephone number for contact purposes
Product Name: AMDRO Fire Ant Bait Yard Treatment PLUS
EPA Registration Number: 73342-6
Application Date: 04/13/2023
Case Number: 00473738

Dear Rebecca Horton:

The Agency is in receipt of your Application for Pesticide Notification under Pesticide Registration Notice (PRN) 98-10 for the above referenced product. The Registration Division (RD) has conducted a review of this request for its applicability under PRN 98-10 and finds that the action requested falls within the scope of PRN 98-10.

The label submitted with the application has been stamped "NOTIFICATION" and placed in our records.

Should you wish to add/retain a reference to the company's website on your label, then please be aware that the website becomes labeling under the Federal Insecticide, Fungicide, and Rodenticide Act (FIFRA) and is subject to review by the Agency. If the website is false or misleading, the product would be misbranded and unlawful to sell or distribute under FIFRA section 12(a)(1)(E). 40 CFR 156.10(a)(5) lists examples of statements EPA may consider false or misleading. In addition, regardless of whether a website is referenced on your product's label, claims made on the website may not substantially differ from those claims approved through the registration process. Therefore, should the Agency find or if it is brought to our attention that a website contains false or misleading statements or claims substantially differing from the EPA approved registration, the website will be referred to the EPA's Office of Enforcement and Compliance.

If you have any questions, you may contact Robert Mitchell at 202-566-2842 or via email at mitchell.robert@epa.gov.

Sincerely,

A handwritten signature in black ink, appearing to read "Robert D. Mitchell". The signature is written in a cursive style with a large, stylized "R" and "M".

Robert D. Mitchell for Elizabeth Fertich
Product Manager 4
Invertebrate-Vertebrate Branch 1
Registration Division
Office of Pesticide Programs

{NOTE TO REVIEWER [] indicates alternative or optional wording. { } indicates notes to Reviewer that will not appear on the final label}

{MASTER LABEL}

{The following mode of action banner will be featured on commercial packaging only}

Hydramethylnon	GROUP	20	INSECTICIDE
----------------	-------	----	-------------

AMDRO®
Fire Ant Bait Yard Treatment *PLUS*

{Additional Brand Name(s): AMDRO® FireStrike™ Fire Ant Bait; AMDRO® Kills Fire Ants Yard Treatment Bait}

{Optional Marketing Statements:}

KILLS FIRE ANTS

IMPORTED AND NATIVE AND OTHER ANTS

KILLS THE QUEEN

AMDRO Fire Ant Bait Broadcast Yard Treatment is highly attractive to imported and native fire ants, and other listed ants.

For Broadcast Application To Large Infested Areas

[5 lb.] Treats Up To 10,000 sq. ft.

[2 lb.] Treats Up To 4,000 sq. ft.

[2.5 lb.] Treats Up to 5,000 sq. ft.

[5.5 lb.] Treats Up to 11,000 sq. ft.

[7.5 lb.] Treats Up to 15,000 sq. ft.

[11 lb.] Treats Up to 22,000 sq. ft.

Easy to Apply with any standard broadcast spreader

Do not mound treat with this product. It is intended for broadcast treatment only.

This product is NOT for use as a mound treatment. For mound treatment, use Amdro Fire Ant Bait

Amdro Fire Ant Bait Yard Treatment is specifically formulated for broadcast use – It is NOT for use as a Mound Treatment. For mound treatment, use Amdro Fire Ant Bait

For broadcast treatment only...do not use on mounds.

For Broadcast YARD TREATMENT

Not intended for use on individual mounds. Use Amdro Fire Ant Bait for mound treatment.

[5.5 lb.] Covers 11,000 sq. ft.

[5 lb.] Covers 10,000 sq. ft.

[2 lb.] Covers 4,000 sq. ft.

[2.5 lb.] Covers 5,000 sq. ft.

[7.5 lb.] Covers 15,000 sq. ft.

[11 lb.] Covers 22,000 sq. ft.

Provides Season Long Control [Provides Seasonal Control] [Control Up To A Season]

Prevents New Mounds From Forming [Prevents New Mound Formation]

Broadcast Over 11,000 sq. ft. {5.5 lb. packaging}

Broadcast Over 10,000 sq. ft. {5 lb. packaging}

Broadcast Over 4,000 sq. ft. {2 lb. packaging}

Broadcast Over 5,000 sq. ft. {2.5 lb. packaging}

Broadcast Over 15,000 sq. ft. {7.5 lb. packaging}

Broadcast Over 22,000 sq. ft. {11 lb. packaging}

Up to 3 Months Fire Ant Control

Convenient new shaker bag {when packaged accordingly}

Tear notch at either end to open {when packaged accordingly}

Resealable bag [when packaged accordingly]

Ready To Use [Easy To Use]

No mixing required

Fire ant bait [with][contains][PRECOR®][VIGREN®][insect growth regulator][IGR]

AMDRO + insect growth regulator for control of fire ants

Sterilizes the Queen!

NOTIFICATION

73342-6

The applicant has certified that no changes, other than those reported to the Agency have been made to the labeling. The Agency acknowledges this notification by letter dated:

12/21/2023

Stops the development of new mounds
 Can be used around flowers, shrubs and trees
 Unique 2-way Killing Action
 Sterilizes New Invading Queens
 Contains [With] vIGRen®
 Contains [With] Precor®
 vIGRen® and Precor® are registered trademarks of Wellmark International, Inc.
 3-way Protection Against Fire Ants
 AMDRO® Fire Strike™ features a unique combination of two active ingredients that provide three-way protection against fire ants.

1. KILLS the Queen
 Hydramethylnon is a deadly stomach toxicant. Worker ants carry hydramethylnon infused bait granules into the colony as food for other ants and the queen. After ingesting AMDRO® FireStrike™, the queen dies.
2. STERILIZES New Invading Queens
 Methoprene is an Insect Growth Regulator (IGR). IGR's interrupt the life cycle of fire ants so that young maturing queens and new invading queens cannot reproduce.
3. PREVENTS New Mounds from Forming
 Together, Hydramethylnon and Methoprene deliver a unique fire ant killing action that stops the development of new mounds.

Active Ingredients:	By Weight:
Hydramethylnon*	0.0360%
(S)-Methoprene**	0.0172%
Other Ingredients:	99.9468%
Total	100.0000%

*(CAS No. 67485-29-4) **(CAS No. 65733-16-6)

KEEP OUT OF REACH OF CHILDREN CAUTION

See Back/Side/Other Panel(s) for Additional Precautionary Statements & First Aid.

Net Weight: 2 LB (.9 kg) / 2.5 LB (1.13 kg) / 5 LB (2.27 kg) / 7.5 LB (3.4 kg) / 11 LB (5.0 kg)

{back/side/other panels}

FIRST AID	
Have the product container or label with you when calling a poison control center or doctor, or going for treatment. You may also contact 1-800-265-0761 for emergency medical treatment information.	
If on skin or clothing	Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS CAUTION

Avoid contact with skin, eyes, and clothing. Wash hands thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco, or using the toilet. Prolonged contact or frequently repeated skin contact may cause allergic reactions in some individuals.

Do not apply this product in a way that will contact any person or pet, either directly or through drift. Keep people and pets out of the area during application.

{when labeled for commercial use – Sublabel B – the following PPE & User Safety Requirements and Recommendations will be included}

Personal Protective Equipment (PPE)

Applicators and other handlers must wear:

- Long-sleeve shirt and long pants
- Socks and shoes

User Safety Requirements

Follow manufacturer's instructions for cleaning/maintaining PPE. If no such instructions for washables exist, use detergent and hot water. Keep and wash PPE separately from other laundry.

User Safety Recommendations

Users should wash hands before eating, drinking, chewing gum, using tobacco, or using the toilet. Users should remove clothing/PPE immediately if pesticide gets inside, then wash thoroughly and put on clean clothing. Users should remove PPE immediately after handling this product. As soon as possible, wash thoroughly and change into clean clothing.

Environmental Hazards: This pesticide is toxic to fish and aquatic invertebrates. Do not apply directly to water. Do not contaminate water when disposing of equipment washwaters. Do not apply when weather conditions favor drift from target areas. To protect the environment, do not allow pesticide to enter or run off into storm drains, drainage ditches, gutters or surface waters. Applying this product in calm weather when rain is not predicted for the next 24 hours will help to ensure that wind or rain does not blow or wash pesticide off the treatment area. Sweeping any product that lands on a driveway, sidewalk, or street, back onto the treated area of the lawn or garden will help to prevent run off to water bodies or drainage systems.

HOW AMDRO FIRE ANT BAIT YARD TREATMENT *PLUS* WORKS:

1. This product is a fire ant killing bait combined with an insect growth regulator. Worker ants carry it into the mound as food for the colony.
2. They eat it and feed it to the queen – as a result, the queen cannot produce new ants.
3. Without new ants to forage for food, the colony starves.
4. Provides control of fire ants inhabiting visible mounds and the building of new mounds by unnoticed colonies is prevented.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Wash hands with soap and water promptly after use.

Keep people and pets out of the area during application. Avoid making applications if it is likely to rain within 24 hours of application, except when applying directly adjacent to a structure that is permanently protected from rainfall by a covering, overhang, awning, or other structure. Do not apply granules to impervious surfaces.

{when labeled for commercial use – Sublabel B – the following Resistance Management Recommendations will be included}

Resistance Management Recommendations: For resistance management, Amdro Fire Ant Bait Yard Treatment Plus contains a Group 20 insecticide. Any ant population may contain individuals naturally resistant to Amdro Fire Ant Bait Yard Treatment Plus and other Group 20 insecticides. The resistant individuals may dominate the insect population if this group of insecticides is used repeatedly in the same fields. Appropriate resistance-management strategies should be followed.

To delay insecticide resistance, take the following steps:

Rotate the use of Amdro Fire Ant Bait Yard Treatment Plus or other Group 20 insecticides within a growing season, or among growing seasons, with different groups that control the same pests.

Adopt an integrated pest management program for insecticide use that includes scouting, uses historical information related to pesticide use, crop rotation, record keeping, and which considers cultural, biological and other chemical control practices.

Monitor after application for unexpected target pest survival. If the level of survival suggests the presence of resistance, consult with your local university specialist or certified pest control advisor.

Contact your local extension specialist or certified crop advisor for any additional pesticide resistance-management and/or IPM recommendations for the specific site and pest problems in your area.

For further information or to report suspected resistance contact 1-800-265-0761.

Outdoor Use:

For [large] infested areas: Using this convenient shaker bag, [a] rotary broadcast spreader or hand held granular spreader, broadcast this product at 5 lb. per 5,000 (for heavy infestations) to 10,000 (light infestations) sq. ft. (11 lb. per 11,000 to 22,000 sq. ft.; 7.5 lb. per 7,500 to 15,000 sq. ft.; 5.5 lb. per 5,500 to 11,000 sq. ft.; 2.5 lb. per 2,500 to 5,000 sq. ft., 10 lb. per 10,000 to 20,000 sq. ft.) [See spreader settings on right.] Do not exceed four broadcast applications per year. Observe a minimum retreatment interval for broadcast applications of 30 days.

This product controls imported and native fire ants and other ants (except Carpenter and Pharoah's ants), such as harvester ants and bigheaded ants. This product is for use **ONLY** on lawns, landscaped areas, [golf courses, commercial grounds, parks and other noncropland areas,] as well as on grounds surrounding poultry houses (excluding runs and ranges) or corrals and other animal holding areas. Avoid direct exposure of animals to this product.

Application Tips:

- For best results, apply in early morning or late afternoon when ants are most active and when the soil temperature is greater than 60° F.
- Do not apply when ground is soaking wet or when heavy rains are expected. Do not water-in after application. [No need to water-in after application.]
- For convenient application to individual mounds, use [original] AMDRO Fire Ant Bait.

Do not graze or feed treated lawn or sod clippings to livestock.

This product is not for use on vegetable or other food crops, [timber or plants grown for sale or other commercial use, or for commercial seed production, or for research purposes].

SUGGESTED SPREADER SETTINGS

DROP SPREADERS	SETTING
Scotts AccuGreen® 1000	8.0
Scotts AccuGreen® 2000	8.5
Scotts AccuGreen® 3000	8.5
BROADCAST SPREADERS	
Scotts SpeedyGreen® 2000	6.5
Scotts SpeedyGreen® 3000	6.0
Sta-Green® 4500	5.5
Vigoro® 4300	5.0
Craftsman® Model 486.19710	4.5
EZ Spread® Model SB5500 (Precision Products Inc.)	5.0
HAND HELD SPREADERS	
Scotts HandyGreen® II	3.5
Ortho® Whirlybird®	3.0
Earthway EV-N-SPRED® Model 2700-A	3.0

[Alternate Spreader Settings]

SPREADER	SPREADER SETTINGS	
	11 lbs./ 22,000 sq. ft. ⁽¹⁾ (light infestations)	11 lbs./ 11,000 sq. ft. ⁽²⁾ (heavy infestations)
DROP SPREADERS:		
Scotts® AccuGreen® 1000	7	8.5
Scotts® AccuGreen® 2000	8	9
Scotts® AccuGreen® 3000	8	9
BROADCAST SPREADERS:		
Scotts® SpeedyGreen® 2000	5.5	7
Scotts® SpeedyGreen® 3000	5.5	6.5
Sta-Green® 4500	5	5.5
Vigoro® 4300	4.5	5.5
Craftsman® Model 486.19710	4	4.5
EZ Spread® Model SB5500 (Precision Products Inc.)	4.5	5.5
HAND HELD SPREADERS:		
Scotts® HandyGreen® II	3	4
Ortho® Whirlybird®	2	4
Earthway EV-N-SPRED® Model 2700-A	2.5	3

Note: Spreader settings given are approximate and variation can occur between identical models. User should calibrate spreader by accurately weighing a few pounds into your spreader and applying to a measured area. Then adjust spreader setting if necessary to assure correct rate of application.

⁽¹⁾ {5 lbs./10,000 sq. ft. – or – 7.5 lbs./15,000 sq. ft. – or – 5.5 lbs./11,000 sq. ft. or – 2.5 lbs./5,000 sq. ft. or – 10 lbs./20,000 sq. ft. -- as appropriate to package size}

⁽²⁾ {5 lbs./5,000 sq. ft. – or – 7.5 lbs./7,500 sq. ft. – or – 5.5 lbs./5,500 sq. ft. – 2.5 lbs./2,500 sq. ft. or – 10 lbs./10,000 sq. ft. – as appropriate to package size}

STORAGE and DISPOSAL {commercial use packaging}

Prohibitions: Do not contaminate water, food, or feed by storage or disposal. Open dumping is prohibited.

Pesticide Storage: Store in cool, dry, secure place and keep container tightly closed. Store container away from pets. This product is formulated in oil bait. Prolonged exposure to air may turn oil rancid and reduce the attractiveness of the bait. Use within 3 months after opening.

Pesticide Disposal: Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

Container Handling: Nonrefillable container. *If empty* - Do not reuse or refill this container. {Plastic} Triple rinse (or equivalent). Then offer for recycling or reconditioning if available, or puncture and dispose of in a sanitary landfill, or by incineration, or if allowed by state or local authorities, by burning. If burned, stay out of smoke.

{Paper} Completely empty bag into application equipment. Then dispose of empty bag in a sanitary landfill, or by incineration, or if allowed by state or local authorities, by burning. If burned, stay out of smoke.

General: Consult Federal, state or local disposal authorities for approved alternative procedure.

STORAGE AND DISPOSAL {consumer use packaging}

PESTICIDE STORAGE: Store in cool, dry, secure place and keep container closed. Store container away from children and pets. When properly stored, this product will retain its effectiveness for up to three months after the package has been opened.

PESTICIDE DISPOSAL: *If partially filled* – Call your local solid waste agency for disposal instructions. Never place unused product down any indoor or outdoor drain.

CONTAINER HANDLING: Nonrefillable container. *If empty* -- Do not reuse or refill this container. Place in trash or offer for recycling if available.

NOTICE: To the extent consistent with applicable law, Seller makes no warranty, expressed or implied, concerning the use of this product other than indicated on the label. To the extent consistent with applicable law, Buyer assumes all risk of use and/or handling of this material when such use and/or handling is contrary to label instructions.

In case of an emergency endangering life or property involving this product, call [collect], day or night, 1-800-265-0761.

AccuGreen® HandyGreen® Ortho® Scotts® SpeedyGreen® Whirlybird® are registered trademarks of OMS Investments, Inc.

PRECOR® and vIGRen® are registered trademarks of Wellmark International.

Amdro and Ambrands are registered trademarks and FireStrike is a trademark of Central Garden & Pet

For more information, please visit our web site at www.amdro.com

AMBRANDS

1000 Parkwood Circle, Suite 700
Atlanta, GA 30339


1-800-265-0761

{Batch Code to be added at production}

{OPTIONAL GRAPHICS FEATURED ON LABEL}



{Below graphic image of man applying product to lawn APPLIES ONLY TO SUBLABEL A - CONSUMER USE}



{4/13/2023 OPTIONAL GRAPHICS}



{END 4/13/2023 OPTIONAL GRAPHICS}

{SUBLABEL A – CONSUMER USE}

AMDRO®
Fire Ant Bait Yard Treatment *PLUS*

{Additional Brand Name(s): AMDRO® FireStrike™ Fire Ant Bait; AMDRO® Kills Fire Ants Yard Treatment Bait}

{Optional Marketing Statements:}

KILLS FIRE ANTS

IMPORTED AND NATIVE AND OTHER ANTS

KILLS THE QUEEN

AMDRO Fire Ant Bait Broadcast Yard Treatment is highly attractive to imported and native fire ants, and other listed ants.

For Broadcast Application To Large Infested Areas

[5 lb.] Treats Up To 10,000 sq. ft.

[2 lb.] Treats Up To 4,000 sq. ft.

[2.5 lb.] Treats Up to 5,000 sq. ft.

[5.5 lb.] Treats Up to 11,000 sq. ft.

[7.5 lb.] Treats Up to 15,000 sq. ft.

[11 lb.] Treats Up to 22,000 sq. ft.

Easy to Apply with any standard broadcast spreader

Do not mound treat with this product. It is intended for broadcast treatment only.

This product is NOT for use as a mound treatment. For mound treatment, use Amdro Fire Ant Bait

Amdro Fire Ant Bait Yard Treatment is specifically formulated for broadcast use – It is NOT for use as a Mound Treatment. For mound treatment, use Amdro Fire Ant Bait

For broadcast treatment only...do not use on mounds.

For Broadcast YARD TREATMENT

Not intended for use on individual mounds. Use Amdro Fire Ant Bait for mound treatment.

[5.5 lb.] Covers 11,000 sq. ft.

[5 lb.] Covers 10,000 sq. ft.

[2 lb.] Covers 4,000 sq. ft.

[2.5 lb.] Covers 5,000 sq. ft.

[7.5 lb.] Covers 15,000 sq. ft.

[11 lb.] Covers 22,000 sq. ft.

Provides Season Long Control [Provides Seasonal Control] [Control Up To A Season]

Prevents New Mounds From Forming [Prevents New Mound Formation]

Broadcast Over 11,000 sq. ft. {5.5 lb. packaging}

Broadcast Over 10,000 sq. ft. {5 lb. packaging}

Broadcast Over 4,000 sq. ft. {2 lb. packaging}

Broadcast Over 5,000 sq. ft. {2.5 lb. packaging}

Broadcast Over 15,000 sq. ft. {7.5 lb. packaging}

Broadcast Over 22,000 sq. ft. {11 lb. packaging}

Up to 3 Months Fire Ant Control

Convenient new shaker bag {when packaged accordingly}

Tear notch at either end to open {when packaged accordingly}

Resealable bag [when packaged accordingly]

Ready To Use [Easy To Use]

No mixing required

Fire ant bait [with][contains][PRECOR®][VIGREN®][insect growth regulator][IGR]

AMDRO + insect growth regulator for control of fire ants

Sterilizes the Queen!

Stops the development of new mounds

Can be used around flowers, shrubs and trees

Unique 2-way Killing Action

Sterilizes New Invading Queens

Contains [With] vIGRen®

Contains [With] Precor®
 vIGRen® and Precor® are registered trademarks of Wellmark International, Inc.
 3-way Protection Against Fire Ants
 AMDRO® Fire Strike™ features a unique combination of two active ingredients that provide three-way protection against fire ants.

1. KILLS the Queen
 Hydramethylnon is a deadly stomach toxicant. Worker ants carry hydramethylnon infused bait granules into the colony as food for other ants and the queen. After ingesting AMDRO® FireStrike™, the queen dies.
2. STERILIZES New Invading Queens
 Methoprene is an Insect Growth Regulator (IGR). IGR's interrupt the life cycle of fire ants so that young maturing queens and new invading queens cannot reproduce.
3. PREVENTS New Mounds from Forming
 Together, Hydramethylnon and Methoprene deliver a unique fire ant killing action that stops the development of new mounds.

Active Ingredients:	By Weight:
Hydramethylnon*	0.0360%
(S)-Methoprene**	0.0172%
Other Ingredients:	99.9468%
Total	100.0000%

*(CAS No. 67485-29-4) **(CAS No. 65733-16-6)

KEEP OUT OF REACH OF CHILDREN
CAUTION

See Back/Side/Other Panel(s) for Additional Precautionary Statements & First Aid.

Net Weight: 2 LB (.9 kg) / 2.5 LB (1.13 kg) / 5 LB (2.27 kg) / 7.5 LB (3.4 kg) / 11 LB (5.0 kg)

{back/side/other panels}

FIRST AID	
Have the product container or label with you when calling a poison control center or doctor, or going for treatment. You may also contact 1-800-265-0761 for emergency medical treatment information.	
If on skin or clothing	Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice

PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS AND DOMESTIC ANIMALS
CAUTION

Avoid contact with skin, eyes, and clothing. Wash hands thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco, or using the toilet. Prolonged contact or frequently repeated skin contact may cause allergic reactions in some individuals.

Do not apply this product in a way that will contact any person or pet, either directly or through drift. Keep people and pets out of the area during application.

Environmental Hazards: This pesticide is toxic to fish and aquatic invertebrates. Do not apply directly to water. Do not contaminate water when disposing of equipment washwaters. Do not apply when weather conditions favor drift from target areas. To protect the environment, do not allow pesticide to enter or run off into storm drains, drainage ditches, gutters or surface waters. Applying this product in calm weather when rain is not predicted for the next 24 hours will help to ensure that wind or rain does not blow or wash pesticide off the treatment area. Sweeping any product that lands on a driveway, sidewalk, or street, back onto the treated area of the lawn or garden will help to prevent run off to water bodies or drainage systems.

HOW AMDRO FIRE ANT BAIT YARD TREATMENT *PLUS* WORKS:

1. This product is a fire ant killing bait combined with an insect growth regulator. Worker ants carry it into the mound as food for the colony.
2. They eat it and feed it to the queen – as a result, the queen cannot produce new ants.
3. Without new ants to forage for food, the colony starves.
4. Provides control of fire ants inhabiting visible mounds and the building of new mounds by unnoticed colonies is prevented.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Wash hands with soap and water promptly after use.

Keep people and pets out of the area during application. Avoid making applications if it is likely to rain within 24 hours of application, except when applying directly adjacent to a structure that is permanently protected from rainfall by a covering, overhang, awning, or other structure. Do not apply granules to impervious surfaces.

Outdoor Use:

For [large] infested areas: Using this convenient shaker bag, [a] rotary broadcast spreader or hand held granular spreader, broadcast this product at 5 lb. per 5,000 (for heavy infestations) to 10,000 (light infestations) sq. ft. (11 lb. per 11,000 to 22,000 sq. ft.; 7.5 lb. per 7,500 to 15,000 sq. ft.; 5.5 lb. per 5,500 to 11,000 sq. ft.; 2.5 lb. per 2,500 to 5,000 sq. ft., 10 lb. per 10,000 to 20,000 sq. ft.) [See spreader settings on right.] Do not exceed four broadcast applications per year. Observe a minimum retreatment interval for broadcast applications of 30 days.

This product controls imported and native fire ants and other ants (except Carpenter and Pharaoh's ants), such as harvester ants and bigheaded ants. This product is for use **ONLY** on lawns, landscaped areas, as well as on grounds surrounding poultry houses (excluding runs and ranges) or corrals and other animal holding areas. Avoid direct exposure of animals to this product.

Application Tips:

- For best results, apply in early morning or late afternoon when ants are most active and when the soil temperature is greater than 60° F.
- Do not apply when ground is soaking wet or when heavy rains are expected. Do not water-in after application. [No need to water-in after application.]
- For convenient application to individual mounds, use [original] AMDRO Fire Ant Bait.

Do not graze or feed treated lawn or sod clippings to livestock.

This product is not for use on vegetable or other food crops, timber or plants grown for sale or other commercial use, or for commercial seed production, or for research purposes.

SUGGESTED SPREADER SETTINGS

DROP SPREADERS	SETTING
Scotts AccuGreen® 1000	8.0
Scotts AccuGreen® 2000	8.5
Scotts AccuGreen® 3000	8.5
BROADCAST SPREADERS	
Scotts SpeedyGreen® 2000	6.5
Scotts SpeedyGreen® 3000	6.0
Sta-Green® 4500	5.5
Vigoro® 4300	5.0
Craftsman® Model 486.19710	4.5
EZ Spread® Model SB5500 (Precision Products Inc.)	5.0
HAND HELD SPREADERS	
Scotts HandyGreen® II	3.5
Ortho® Whirlybird®	3.0
Earthway EV-N-SPRED® Model 2700-A	3.0

[Alternate Spreader Settings]

SPREADER	SPREADER SETTINGS	
	11 lbs./ 22,000 sq. ft. ⁽¹⁾ (light infestations)	11 lbs./ 11,000 sq. ft. ⁽²⁾ (heavy infestations)
DROP SPREADERS:		
Scotts® AccuGreen® 1000	7	8.5
Scotts® AccuGreen® 2000	8	9
Scotts® AccuGreen® 3000	8	9
BROADCAST SPREADERS:		
Scotts® SpeedyGreen® 2000	5.5	7
Scotts® SpeedyGreen® 3000	5.5	6.5
Sta-Green® 4500	5	5.5
Vigoro® 4300	4.5	5.5
Craftsman® Model 486.19710	4	4.5
EZ Spread® Model SB5500 (Precision Products Inc.)	4.5	5.5
HAND HELD SPREADERS:		
Scotts® HandyGreen® II	3	4
Ortho® Whirlybird®	2	4
Earthway EV-N-SPRED® Model 2700-A	2.5	3

Note: Spreader settings given are approximate and variation can occur between identical models. User should calibrate spreader by accurately weighing a few pounds into your spreader and applying to a measured area. Then adjust spreader setting if necessary to assure correct rate of application.

- ⁽¹⁾ {5 lbs./10,000 sq. ft. – or – 7.5 lbs./15,000 sq. ft. – or – 5.5 lbs./11,000 sq. ft. or – 2.5 lbs./5,000 sq. ft. or – 10 lbs./20,000 sq. ft. -- as appropriate to package size}
- ⁽²⁾ {5 lbs./5,000 sq. ft. – or – 7.5 lbs./7,500 sq. ft. – or – 5.5 lbs./5,500 sq. ft. – 2.5 lbs./2,500 sq. ft. or – 10 lbs./10,000 sq. ft. – as appropriate to package size}

STORAGE AND DISPOSAL

PESTICIDE STORAGE: Store in cool, dry, secure place and keep container closed. Store container away from children and pets. When properly stored, this product will retain its effectiveness for up to three months after the package has been opened.

PESTICIDE DISPOSAL: *If partially filled* – Call your local solid waste agency for disposal instructions. Never place unused product down any indoor or outdoor drain.

CONTAINER HANDLING: Nonrefillable container. *If empty* -- Do not reuse or refill this container. Place in trash or offer for recycling if available.

NOTICE: To the extent consistent with applicable law, Seller makes no warranty, expressed or implied, concerning the use of this product other than indicated on the label. To the extent consistent with applicable law, Buyer assumes all risk of use and/or handling of this material when such use and/or handling is contrary to label instructions.

In case of an emergency endangering life or property involving this product, call [collect], day or night, 1-800-265-0761.

AccuGreen® HandyGreen® Ortho® Scotts® SpeedyGreen® Whirlybird® are registered trademarks of OMS Investments, Inc.
PRECOR® and vIGRen® are registered trademarks of Wellmark International.
Amdro and Ambrands are registered trademarks and FireStrike is a trademark of Central Garden & Pet

For more information, please visit our web site at www.amdro.com

AMBRANDS

1000 Parkwood Circle, Suite 700
Atlanta, GA 30339
1-800-265-0761

{Batch Code to be added at production}

{4/13/2023 OPTIONAL GRAPHICS}





{END 4/13/2023 OPTIONAL GRAPHICS}

{SUBLABEL B – COMMERCIAL USE}

Hydramethylnon	GROUP	20	INSECTICIDE
----------------	-------	----	-------------

AMDRO®
Fire Ant Bait Yard Treatment *PLUS*

{Additional Brand Name(s): AMDRO® FireStrike™ Fire Ant Bait; AMDRO® Kills Fire Ants Yard Treatment Bait}

{Optional Marketing Statements:}

KILLS FIRE ANTS

IMPORTED AND NATIVE AND OTHER ANTS

KILLS THE QUEEN

AMDRO Fire Ant Bait Broadcast Yard Treatment is highly attractive to imported and native fire ants, and other listed ants.

For Broadcast Application To Large Infested Areas

[5 lb.] Treats Up To 10,000 sq. ft.

[2 lb.] Treats Up To 4,000 sq. ft.

[2.5 lb.] Treats Up to 5,000 sq. ft.

[5.5 lb.] Treats Up to 11,000 sq. ft.

[7.5 lb.] Treats Up to 15,000 sq. ft.

[11 lb.] Treats Up to 22,000 sq. ft.

Easy to Apply with any standard broadcast spreader

Do not mound treat with this product. It is intended for broadcast treatment only.

This product is NOT for use as a mound treatment. For mound treatment, use Amdro Fire Ant Bait

Amdro Fire Ant Bait Yard Treatment is specifically formulated for broadcast use – It is NOT for use as a Mound Treatment. For mound treatment, use Amdro Fire Ant Bait

For broadcast treatment only...do not use on mounds.

For Broadcast YARD TREATMENT

Not intended for use on individual mounds. Use Amdro Fire Ant Bait for mound treatment.

[5.5 lb.] Covers 11,000 sq. ft.

[5 lb.] Covers 10,000 sq. ft.

[2 lb.] Covers 4,000 sq. ft.

[2.5 lb.] Covers 5,000 sq. ft.

[7.5 lb.] Covers 15,000 sq. ft.

[11 lb.] Covers 22,000 sq. ft.

Provides Season Long Control [Provides Seasonal Control] [Control Up To A Season]

Prevents New Mounds From Forming [Prevents New Mound Formation]

Broadcast Over 11,000 sq. ft. {5.5 lb. packaging}

Broadcast Over 10,000 sq. ft. {5 lb. packaging}

Broadcast Over 4,000 sq. ft. {2 lb. packaging}

Broadcast Over 5,000 sq. ft. {2.5 lb. packaging}

Broadcast Over 15,000 sq. ft. {7.5 lb. packaging}

Broadcast Over 22,000 sq. ft. {11 lb. packaging}

Up to 3 Months Fire Ant Control

Convenient new shaker bag {when packaged accordingly}

Tear notch at either end to open {when packaged accordingly}

Resealable bag [when packaged accordingly]

Ready To Use [Easy To Use]

No mixing required

Fire ant bait [with][contains][PRECOR®][VIGREN®][insect growth regulator][IGR]

AMDRO + insect growth regulator for control of fire ants

Sterilizes the Queen!

Stops the development of new mounds

Can be used around flowers, shrubs and trees

Unique 2-way Killing Action

Sterilizes New Invading Queens

Contains [With] vIGRen®

Contains [With] Precor®

vIGRen® and Precor® are registered trademarks of Wellmark International, Inc.

3-way Protection Against Fire Ants

AMDRO® Fire Strike™ features a unique combination of two active ingredients that provide three-way protection against fire ants.

1. KILLS the Queen

Hydramethylnon is a deadly stomach toxicant. Worker ants carry hydramethylnon infused bait granules into the colony as food for other ants and the queen. After ingesting AMDRO® FireStrike™, the queen dies.

2. STERILIZES New Invading Queens

Methoprene is an Insect Growth Regulator (IGR). IGR's interrupt the life cycle of fire ants so that young maturing queens and new invading queens cannot reproduce.

3. PREVENTS New Mounds from Forming

Together, Hydramethylnon and Methoprene deliver a unique fire ant killing action that stops the development of new mounds.

Active Ingredients:

By Weight:

Hydramethylnon* 0.0360%

(S)-Methoprene** 0.0172%

Other Ingredients: 99.9468%

Total 100.0000%

*(CAS No. 67485-29-4) **(CAS No. 65733-16-6)

KEEP OUT OF REACH OF CHILDREN

CAUTION

See Back/Side/Other Panel(s) for Additional Precautionary Statements & First Aid.

Net Weight: 2 LB (.9 kg) / 2.5 LB (1.13 kg) / 5 LB (2.27 kg) / 7.5 LB (3.4 kg) / 11 LB (5.0 kg)

{back/side/other panels}

FIRST AID	
Have the product container or label with you when calling a poison control center or doctor, or going for treatment. You may also contact 1-800-265-0761 for emergency medical treatment information.	
If on skin or clothing	Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS CAUTION

Avoid contact with skin, eyes, and clothing. Wash hands thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco, or using the toilet. Prolonged contact or frequently repeated skin contact may cause allergic reactions in some individuals.

Do not apply this product in a way that will contact any person or pet, either directly or through drift. Keep people and pets out of the area during application.

Personal Protective Equipment (PPE)

Applicators and other handlers must wear:

- Long-sleeve shirt and long pants
- Socks and shoes

User Safety Requirements

Follow manufacturer's instructions for cleaning/maintaining PPE. If no such instructions for washables exist, use detergent and hot water. Keep and wash PPE separately from other laundry.

User Safety Recommendations

Users should wash hands before eating, drinking, chewing gum, using tobacco, or using the toilet. Users should remove clothing/PPE immediately if pesticide gets inside, then wash thoroughly and put on clean clothing. Users should remove PPE immediately after handling this product. As soon as possible, wash thoroughly and change into clean clothing.

Environmental Hazards: This pesticide is toxic to fish and aquatic invertebrates. Do not apply directly to water. Do not contaminate water when disposing of equipment washwaters. Do not apply when weather conditions favor drift from target areas. To protect the environment, do not allow pesticide to enter or run off into storm drains, drainage ditches, gutters or surface waters. Applying this product in calm weather when rain is not predicted for the next 24 hours will help to ensure that wind or rain does not blow or wash pesticide off the treatment area. Sweeping any product that lands on a driveway, sidewalk, or street, back onto the treated area of the lawn or garden will help to prevent run off to water bodies or drainage systems.

HOW AMDRO FIRE ANT BAIT YARD TREATMENT *PLUS* WORKS:

1. This product is a fire ant killing bait combined with an insect growth regulator. Worker ants carry it into the mound as food for the colony.
2. They eat it and feed it to the queen – as a result, the queen cannot produce new ants.
3. Without new ants to forage for food, the colony starves.

4. Provides control of fire ants inhabiting visible mounds and the building of new mounds by unnoticed colonies is prevented.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Wash hands with soap and water promptly after use.

Keep people and pets out of the area during application. Avoid making applications if it is likely to rain within 24 hours of application, except when applying directly adjacent to a structure that is permanently protected from rainfall by a covering, overhang, awning, or other structure. Do not apply granules to impervious surfaces.

Resistance Management Recommendations: For resistance management, Amdro Fire Ant Bait Yard Treatment Plus contains a Group 20 insecticide. Any ant population may contain individuals naturally resistant to Amdro Fire Ant Bait Yard Treatment Plus and other Group 20 insecticides. The resistant individuals may dominate the insect population if this group of insecticides is used repeatedly in the same fields. Appropriate resistance-management strategies should be followed.

To delay insecticide resistance, take the following steps:

Rotate the use of Amdro Fire Ant Bait Yard Treatment Plus or other Group 20 insecticides within a growing season, or among growing seasons, with different groups that control the same pests.

Adopt an integrated pest management program for insecticide use that includes scouting, uses historical information related to pesticide use, crop rotation, record keeping, and which considers cultural, biological and other chemical control practices.

Monitor after application for unexpected target pest survival. If the level of survival suggests the presence of resistance, consult with your local university specialist or certified pest control advisor.

Contact your local extension specialist or certified crop advisor for any additional pesticide resistance-management and/or IPM recommendations for the specific site and pest problems in your area.

For further information or to report suspected resistance contact 1-800-265-0761.

Outdoor Use:

For [large] infested areas: Using this convenient shaker bag, [a] rotary broadcast spreader or hand held granular spreader, broadcast this product at 5 lb. per 5,000 (for heavy infestations) to 10,000 (light infestations) sq. ft. (11 lb. per 11,000 to 22,000 sq. ft.; 7.5 lb. per 7,500 to 15,000 sq. ft.; 5.5 lb. per 5,500 to 11,000 sq. ft.; 2.5 lb. per 2,500 to 5,000 sq. ft., 10 lb. per 10,000 to 20,000 sq. ft.) [See spreader settings on right.] Do not exceed four broadcast applications per year. Observe a minimum retreatment interval for broadcast applications of 30 days.

This product controls imported and native fire ants and other ants (except Carpenter and Pharaoh's ants), such as harvester ants and bigheaded ants. This product is for use ONLY on lawns, landscaped areas, golf courses, commercial grounds, parks and other noncropland areas, as well as on grounds surrounding poultry houses (excluding runs and ranges) or corrals and other animal holding areas. Avoid direct exposure of animals to this product.

Application Tips:

- For best results, apply in early morning or late afternoon when ants are most active and when the soil temperature is greater than 60° F.
- Do not apply when ground is soaking wet or when heavy rains are expected. Do not water-in after application. [No need to water-in after application.]
- For convenient application to individual mounds, use [original] AMDRO Fire Ant Bait.

Do not graze or feed treated lawn or sod clippings to livestock.

This product is not for use on vegetable or other food crops.

SUGGESTED SPREADER SETTINGS

DROP SPREADERS	SETTING
Scotts AccuGreen® 1000	8.0
Scotts AccuGreen® 2000	8.5
Scotts AccuGreen® 3000	8.5
BROADCAST SPREADERS	
Scotts SpeedyGreen® 2000	6.5
Scotts SpeedyGreen® 3000	6.0
Sta-Green® 4500	5.5
Vigoro® 4300	5.0
Craftsman® Model 486.19710	4.5
EZ Spread® Model SB5500 (Precision Products Inc.)	5.0
HAND HELD SPREADERS	
Scotts HandyGreen® II	3.5
Ortho® Whirlybird®	3.0
Earthway EV-N-SPRED® Model 2700-A	3.0

[Alternate Spreader Settings]

SPREADER	SPREADER SETTINGS	
	11 lbs./ 22,000 sq. ft.⁽¹⁾ (light infestations)	11 lbs./ 11,000 sq. ft.⁽²⁾ (heavy infestations)
DROP SPREADERS:		
Scotts® AccuGreen® 1000	7	8.5
Scotts® AccuGreen® 2000	8	9
Scotts® AccuGreen® 3000	8	9
BROADCAST SPREADERS:		
Scotts® SpeedyGreen® 2000	5.5	7
Scotts® SpeedyGreen® 3000	5.5	6.5
Sta-Green® 4500	5	5.5
Vigoro® 4300	4.5	5.5
Craftsman® Model 486.19710	4	4.5
EZ Spread® Model SB5500 (Precision Products Inc.)	4.5	5.5
HAND HELD SPREADERS:		
Scotts® HandyGreen® II	3	4
Ortho® Whirlybird®	2	4
Earthway EV-N-SPRED® Model 2700-A	2.5	3

Note: Spreader settings given are approximate and variation can occur between identical models. User should calibrate spreader by accurately weighing a few pounds into your spreader and applying to a measured area. Then adjust spreader setting if necessary to assure correct rate of application.

- (1) {5 lbs./10,000 sq. ft. – or – 7.5 lbs./15,000 sq. ft. – or – 5.5 lbs./11,000 sq. ft. or – 2.5 lbs./5,000 sq. ft. or – 10 lbs./20,000 sq. ft. -- as appropriate to package size}
- (2) {5 lbs./5,000 sq. ft. – or – 7.5 lbs./7,500 sq. ft. – or – 5.5 lbs./5,500 sq. ft. – 2.5 lbs./2,500 sq. ft. or – 10 lbs./10,000 sq. ft. – as appropriate to package size}

STORAGE and DISPOSAL

Prohibitions: Do not contaminate water, food, or feed by storage or disposal. Open dumping is prohibited.

Pesticide Storage: Store in cool, dry, secure place and keep container tightly closed. Store container away from pets. This product is formulated in oil bait. Prolonged exposure to air may turn oil rancid and reduce the attractiveness of the bait. Use within 3 months after opening.

Pesticide Disposal: Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

Container Handling: Nonrefillable container. *If empty* - Do not reuse or refill this container. {Plastic} Triple rinse (or equivalent). Then offer for recycling or reconditioning if available, or puncture and dispose of in a sanitary landfill, or by incineration, or if allowed by state or local authorities, by burning. If burned, stay out of smoke.

{Paper} Completely empty bag into application equipment. Then dispose of empty bag in a sanitary landfill, or by incineration, or if allowed by state or local authorities, by burning. If burned, stay out of smoke.

General: Consult Federal, state or local disposal authorities for approved alternative procedure.

NOTICE: To the extent consistent with applicable law, Seller makes no warranty, expressed or implied, concerning the use of this product other than indicated on the label. To the extent consistent with applicable law, Buyer assumes all risk of use and/or handling of this material when such use and/or handling is contrary to label instructions.

In case of an emergency endangering life or property involving this product, call [collect], day or night, 1-800-265-0761..

AccuGreen® HandyGreen® Ortho® Scotts® SpeedyGreen® Whirlybird® are registered trademarks of OMS Investments, Inc.

PRECOR® and vIGRen® are registered trademarks of Wellmark International.

Amdro and Ambrands are registered trademarks and FireStrike is a trademark of Central Garden & Pet

For more information, please visit our web site at www.amdro.com

AMBRANDS

1000 Parkwood Circle, Suite 700
Atlanta, GA 30339

{Batch Code to be added at production}

{4/13/2023 OPTIONAL GRAPHICS}



{END 4/13/2023 OPTIONAL GRAPHICS}