

# UNITED STATES ENVIRONMENTAL PROTECTION AGENCY WASHINGTON, D.C. 20460

NOTIFICATION

OCT 13 2011

OFFICE OF CHEMICAL, SAFETY AND POLLUTION PREVENTION

Rebecca M. Horton c/o Ambrands 2030 Powers Ferry Rd., Suite 370 Atlanta, GA 30339

Subject:

Notification of new Primary Brand Name due to product transfer

EPA Registration # 73342-8

Primary Brand Name (prior to this action): Dexol Gopher Gasser

Submission Date: September 30, 2011

Dear Ms. Horton:

The Agency is in receipt of your Application for Pesticide Notification under PRN 98-10 for:

New Primary Brand Name: AMDRO Gopher Gasser

The Registration Division (RD) has reviewed this request and finds that the action requested falls within the scope of PRN 98-10. The label submitted with the application has been stamped "Notification" and will be placed in our records. If you have any questions, please contact Gene Benbow at (703) 347-0235 or via email at benbow.gene@epa.gov.


Sincerely,

Gene Benbow Wildlife Biologist

Insecticide-Rodenticide Branch Registration Division (7505P)

Please read instructions on reverse before completing form.  United States Environmental Protect Washington, DC 20			tion Agency		proved	Registration Amendment		OPP Identifier Number	
		Applicatio	n for Pestici	de - Sec	tion	1			
1. Company/Product Number 73342-8			2. EPA Product Manager J. Hebert			3. Proposed Classification		sification	
4. Company/Product (Name) AMDRO® Gopher Gass	ser		PM# Team 7				None	Nestricted	
5. Name and Address of App Ambrands 2030 Powers Ferry R Atlanta, GA 30339		de)	(b)(i), n to: EPA I		is sim	ilar or iden	tical in o	th FIFRA Sec composition	
			Section -	I				TITIO ATI	NI.
Amendment - Explain Resubmission in resp  Notification - Explain  Explanation: Use addition	onse to Agency letter		Land Section III	Final printe Agency lett "Me Too"	ter date Applica	ition.	e to	CT 13 20	
NOTIFICATION to change registered Ambrands.  This notification is consistent with the Formula of this product. AMBRANDS consistent with the terms of PR Notice and 14 of FIFRA.	d product name of record from e provisions of PR Notice 98- 6 understands that it is a viola	n Dexol Gopher Gas 10 and EPA regulat tion of 18 U.S.C. So	sser to AMDRO® Gopho ions at 40 CFR 152.46, ec. 1001 to willfully make	and no other cha	inges hav	ve been made to	o the labeling	ng or the Confident	ial Statement of ation is not
			Section - I	11					0.540
1. Material This Product Will	Be Packaged In:								
Child-Resistant Packaging Yes No	Yes Yes		Water Soluble Packaging  Yes  No		Metal	Metal Plastic			
* Certification must be submitted	If "Yes" Unit Packaging wgt. 0.75 OZ	No. per container	If "Yes" Package wgt	No. per container Paper Other (Specify) DISTER-PA			ster-pak		
3. Location of Net Contents	nformation ontainer	4. Size(s) Reta	4.5 OZ		5. Loc	on label		tions	
6. Manner in Which Label is	Affixed to Product	Lithogr Paper of Stencil	aph glued ed	Othe	'				_
			Section - I'	V					
1. Contact Point (Complete	items directly below for	or identification	of individual to b	e contacted,	if nece	essary, to pi	rocess th	is application.	1
Name Rebecca M. Horton			Title Consultant/Age	ent		c		one No. (Includ	le Area Code)
I certify that the states I acknowledge that an both under applicable	y knowlingly false or r		all attachments th					6. Date Ap Received	
2. Signature Liberca M.	Hortz	3	3. Title Consultant/Ag	ent			0 0	000000	
4. Typed Name Rebecca M. Horton		5	5. Date Sept. 30, 2011			icicc			

Registrations
by Design, Jnc.



USPS PRIORITY CONFIRMATION #9405 5036 9930 0235 8971 60 September 30, 2011

Document Processing Desk (NOTIF)
Insecticide Branch / Registration Division (7505P)
U.S. Environmental Protection Agency
Ariel Rios Building
1200 Pennsylvania Ave., NW
Washington, DC 20460

Re: EPA Reg. No. 73342-8 AMDRO® Gopher Gasser

Notification to change registered product name of record

Attn: John Hebert, PM Team 7

On behalf of Ambrands of Atlanta, Georgia, enclosed is notification to change the registered product name of record for EPA Reg. No. 73342-2 from Dexol Gopher Gasser to AMDRO® Gopher Gasser, consistent with the Sept. 12, 2011 registration transfer from Value Garden Supply (EPA Company No. 192) to Ambrands (EPA Company No. 73342).

The following documents are provided:

- 1) EPA Form 8570-1 Application for Pesticide Notification (2 copies)
- 2) Copy of the revised product label with areas of revision highlighted.

Best regards,

Rebecca M. Horton Consultant/Agent for

**AMBRANDS** 

e-mail: hortonb@ntelos.net

/bmh

Enclosures

Established 1996

Mailing address: P.O. Box 1019, Salem, VA 24153

Federal & State Pesticide/Fertilizer Registration Services *plus* typesetting/design of product labeling

[FRONT PANEL - OUTER PACKAGE]

# AMDRO®

# **GOPHER GASSER**

OCT 1 3 2011

Contains 6 Gassers

Kills Gophers & Ground Squirrels

ACTIVE INGREDIENTS:	
Potassium Nitrate	
Sulphur	45.0%
Carbon	8.0%
OTHER INGREDIENTS:	2.0%
TOTAL	100.0%

# KEEP OUT OF REACH OF CHILDREN

# WARNING

See back/side/other panel(s) for additional Precautionary Statements & First Aid

NET CONTENTS SIX 0.75 OZ. (21.27 g) GASSERS TOTAL NET WT. 4.5 OZ. (127.6 g)

EPA Est. No.

Page 1 of 8 Pages

#### [BACK/SIDE/OTHER PANEL(S) - OUTER PACKAGE]

# **DIRECTIONS FOR USE**

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

AMDRO<sup>®</sup> Gopher Gasser controls pocket gophers in lawns, golf courses and gardens and controls ground squirrels in lawns, golf courses and rangeland. The toxic gases produced will travel through unplugged burrow systems to kill the pests.

FOR OUTDOOR USE ONLY. Do not use under buildings, homes, porches, or any structure due to possible fire hazard. AMDRO® Gopher Gasser will not control tree squirrels.

SEE INSERT FOR COMPLETE DIRECTIONS FOR USE, USE RESTRICTIONS AND ENDAGERED SPECIES CONSIDERATIONS.

#### PRECAUTIONARY STATEMENTS

#### HAZARDS TO HUMANS & DOMESTIC ANIMALS

WARNING: Causes eye irritation. Harmful if absorbed through skin. Avoid contact with eyes, skin or clothing. Wash thoroughly with soap and water after handling. After ignition, cartridge produces toxic gases. Fumes may be harmful if inhaled.

	FIRST AID
If on skin or clothing:	<ul> <li>Take off contaminated clothing.</li> <li>Rinse skin immediately with plenty of water for 15 – 20 minutes.</li> <li>Call a poison control center or doctor immediately for treatment advice.</li> </ul>
If inhaled:	<ul> <li>Move person to fresh air.</li> <li>If person is not breathing, call 911 or an ambulance, then give artificia respiration, preferably by mouth-to mouth, if possible.</li> <li>Call a poison control center or doctor immediately for further treatment advice.</li> </ul>
If in eyes:	<ul> <li>Hold eye open and rinse slowly and gently with water for 15 – 20 minutes.</li> <li>Remove contact lenses, if present, after the first 5 minutes, then continue rinsing.</li> <li>Call a poison control center or doctor immediately for treatment advice.</li> </ul>

Have label with you when obtaining treatment advice, including calling the National pesticide Information Center at 1-800-858-7378. The National Pesticide Information Center (NPIC) provides information on medical emergencies, pesticide incidents and health concerns.

#### **ENVIRONMENTAL HAZARDS**

This product is highly toxic to wildlife. Check all burrows for signs of non-target species. If present, do not treat burrows. See Insert for complete "ENVIRONMENTAL HAZARDS" text, including the "Endangered Species Considerations".

#### **CHEMICAL HAZARDS**

Once ignited by the fuse, this cartridge will burn vigorously until completely spent and ig capable of causing severe burns to exposed skin and clothes, and of igniting dry grass, leaves and other combustible materials.

10000 EE

EPA Est. No.

Page 2 of 8 Pages

EPA Reg. No. 73342-8 Sept. 30, 2011 – name change notif

# STORAGE AND DISPOSAL

Storage: Store only in original container, in a dry place inaccessible to children and pets.

Disposal: Nonrefillable container. Do not reuse or refill this container. If empty: Place in trash or offer for recycling if available. If partly filled: To dispose of unused cartridges, soak in water, crush, and bury in at least 6" of loose soil. Never place unused product down any indoor or outdoor drain.

AMDRO and AMBRANDS are registered trademarks of Central Garden & Pet.



Distributed by:
AMBRANDS
2030 Powers Ferry Road, Suite 370
Atlanta, Georgia 30339
800-265-0761
info@excelmktg.com
www.amdro.com

Made in China

EPA Est. No.

Page 3 of 8 Pages

# AMDRO® GOPHER GASSER

Kills Gophers & Ground Squirrels

Active Ingredients:	
	45.0%
Sulphur	45.0%
Carbon	8.0%
Other Ingredients:	2.0%
Total:	100.0%

# Keep Out Of Reach Of Children WARNING

# PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS & DOMESTIC ANIMALS

WARNING: Causes eye irritation. Harmful if absorbed through skin. Avoid contact with eyes, skin or clothing. Wash thoroughly with soap and water after handling. After ignition, cartridge produces toxic gases. Fumes may be harmful if inhaled.

	FIRST AID
If on skin or clothing:	<ul> <li>Take off contaminated clothing.</li> <li>Rinse skin immediately with plenty of water for 15 – 20 minutes.</li> <li>Call a poison control center or doctor immediately for treatment advice.</li> </ul>
If inhaled:	<ul> <li>Move person to fresh air.</li> <li>If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to mouth, if possible.</li> <li>Call a poison control center or doctor immediately for further treatment advice.</li> </ul>
If in eyes:	<ul> <li>Hold eye open and rinse slowly and gently with water for 15 - 20 minutes.</li> <li>Remove contact lenses, if present, after the first 5 minutes, then continue rinsing.</li> <li>Call a poison control center or doctor immediately for treatment advice.</li> </ul>

Have label with you when obtaining treatment advice, including calling the National pesticide Information Center at 1-800-858-7378. The National Pesticide Information Center (NPIC) provides information on medical emergencies, pesticide incidents and health concerns.

### **ENVIRONMENTAL HAZARDS**

This product is highly toxic to wildlife. Check all burrows for signs of non-target species. If present, do not reat burrows.

# ENDANGERED SPECIES CONSIDERATIONS

General Considerations

NOTICE: It is a Federal offense to use any pesticide in a manner that results in the death off member of an endangered species. The killing of a member of an endangered species due to the use of gas cartridges may result in a fine and/or imprisonment under the Endangered Species act. All users of this product must determine whether endangered species are known to occur or might occur in the interded use areas. Consult the nearest U.S. Fish and Wildlife Service regional office or the appropriate State agency for current information on habitats occupied by endangered species.

EPA Reg. No. 73342-8 Sept. 30, 2011 – name change notif EPA Est. No.

Page 4 of 8 Pages

#### Specific Considerations

Use this product according to these instructions to protect endangered species.

- 1. Black-Footed Ferret (Mustella nigripes): To limit risks to the black-footed ferret and to avoid destruction of its prey base, do not use this product within 4.3 miles (7 kilometers) of any prairie dog town unless the colony is an isolated black-tailed prairie dog town less than 80 acres in size or an isolated white-tailed or Gunnison prairie dog town less than 200 acres in size, or unless the town has been appropriately surveyed, using methods acceptable to the U.S. Fish and Wildlife Service, and found not to contain black-footed ferrets and found by the FWS not to be a suitable site for ferret reintroductions.
- 2. Use of this product within the occupied habitats of the organisms listed immediately below is limited to qualified individuals who have been trained to distinguish dens and burrows of target species form those of nontarget species. Such individuals may be wildlife biologists, certified applicators, representatives of California state or Federal agencies, or agents of county agricultural offices or university extension offices.
  - Fresno kangaroo rat (Dipodomys nitratoides exilis) in Fresno and Merced Counties, California.
  - b. Giant kangaroo rat (D. ingens) in Merced, Fresno, Kings, Tulare, Kern, San Luis Obispo, and Santa Barbara Counties, California.
  - c. Stephen's kangaroo rat (D. stephensi) in Riverside, San Diego, and San Bernadino Counties, California.
  - d. Tipton kangaroo rat (D. n. nitratoides) in Kings, Tulare, Kern, and Fresno Counties, California.
  - e. Point Arena mountain beaver (Aplodontia rufa nigra) in Mendocino County, California.
  - f. San Joaquin kit fox (Vulpes macrotis mutica) unless authorized by the U.S. Fish and Wildlife Service in Alameda, Contra Costa, Fresno, Kern, Kings, Merced, Monterey, San Benito, San Joaquin, San Luis Obispo, Santa Barbara, Santa Clara, Stanislaus, or Tulare Counties, California.
  - g. Desert tortoise (Fopherus agrassizil) in Arizona, southern California, southern Nevada, and southern Utah.
- 3. Do not use this product within the occupied habitats of the endangered animals listed immediately below.
  - a. Hualapal Mexican vole (M. mexicanus hualpalensus) in Mohave Country, Arizona.
  - b. Morro Bay kangaroo rat (D. heermanni morroensis) in San Luis Obispo County, California.
  - c. Utah prairie dog (Cynomys parvidens) in Garfield, Iron, Kane, Piute, Sevier, and Wayne Counties, Utah.
  - d. Coachella Valley fringe-toed lizard (Uma inornata) in the Coachella Valley area of southern California.
  - e. **Island night lizard** (*Xantusia riversiana*) on Santa Barbara, San Clemente, and San Nicolas Islands, California.
- 4. Blunt-nosed leopard lizard (Gambelia silus): Do not use this product within the occupied habitat of the blunt-nosed leopard lizard in Fresno, Kern, Kings, Merced, Monterey, San Benito, San Luis Obispo, Santa Barbara, Santa Clara, and Stanislaus Counties, California, from October 1 to April 15 unless a specific blunt-nosed lizard protection plan for this period is approved by the U.S. Fish and Wildlife Service and fully implemented. Use of this product in occupied habitat of this species from April 15 through September 30 is limited to daylight hours when air temperatures are 77-95°F (20-30°C).
- 5. San Francisco garter snake (Thamnophis sirtalis tetrataensis): Do not use this product within the occupied habitat of the San Francisco garter snake in San Mateo, San Francisco, Santa Clare, and Santa Cruz Counties, California form November 1 to march 30 unless a specific San Francisco garter snake protection program for this period is approved by the U.S. Fish and Wildlife Service and fully implemented. Use of this product in occupied habitat of this species under such an approved programs or from April 1 though October 31 is limited to qualified individuals who have been trained to distinguish dens and burrows of target species form those of nontarget species. Such individuals may be wildlife

......

EPA Reg. No. 73342-8 Sept. 30, 2011 – name change notif EPA Est. No.

biologists, certified applicators, representatives of California State of Federal agencies, or agents of county agricultural offices or university extension offices.

- 6. Eastern Indigo Snake (Drymarchon corais couperi): Do not use this product within habitat type and locales known to support the Eastern indigo snake throughout Florida and the coastal plain of Georgia.
- 7. Gopher tortoise (Gopherus polyphemus): Do not use this product in or adjacent to known gopher tortoise occupied habitat west of the Mobile and Tombigbee Rivers in Alabama.

# **CHEMICAL HAZARDS**

Once ignited by the fuse, this cartridge will burn vigorously until completely spent and is capable of causing severe burns to exposed skin and clothes, and of igniting dry grass, leaves and other combustible materials.

#### **DIRECTIONS FOR USE**

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

#### **USE RESTRICTIONS**

This product is to be used to control pocket gophers in lawns, golf courses and gardens and controls ground squirrels in lawns, golf courses and rangeland. The toxic gasses produced will travel through unplugged burrow systems to kill the pests. FOR OUTDOOR USE ONLY. Do not use under buildings, homes, porches, or any structure due to possible fire hazard. AMDRO® Gopher Gasser will not control tree squirrels.

In order for gas-producing cartridges to be effective on the pest species, a sufficient concentration of gas must be retained in the burrow system over a sufficient period of time. Damp soil tends to retain toxic gasses within a burrow system better than dryer soil and, therefore, may enhance the effectiveness of this product. Use under conditions of extremely dry soil and vegetation also increases the risk of starting brush fires.

### **POCKET GOPHERS**

**Burrow Preparation** – For best results with any toxic gas, the product should be released in the main runways in a sufficient number of locations to ensure that a lethal concentration of gas reaches the pocket gopher.

Pocket gopher burrow systems usually consist of a main burrow 4-20" (10-50cm) below the ground surface and variable numbers of lateral burrows off of the main underground runway. Deeper branches off of the main runway are used as nests and for food caches. Burrow diameter ranges from 2-5" (5-12cm) and varies with the size of species.

Locate characteristic fan-shaped soil mounds, which has sights of recent activity (e.g., recently excavated soil) at their plugged entrances. Remove soil plug from center of each burrow entrance. Return the next day to see if the burrow opening has been re-plugged, indicating active use by a pocket gopher. DQ NOT treat burrows that remained unplugged.

Find the horseshoe-shaped depression on one side of the plugged mound. Locate the main runway by probing the ground 15-18" (38-46cm) from the mound, starting on the same side as the depression. The main runway has been located when friction on the probe is released and it falls into the runway. Using a shovel or trowel, dig down to the main runway, taking care not to block it with soil.

### Burrow treatment -

Before Lighting the Fuse: Insure the cartridge will pass easily into opening and make size that enough material is on hand to close burrows.

EPA Est. No.

EPA Reg. No. 73342-8 Sept. 30, 2011 – name change notif

Page 6 of 8 Pages

To light fuse, hold AMDRO<sup>®</sup> Gopher Gasser cartridge away from your body and ignite tip of fuse with a match or lighter with a small flame. The minimum fuse burn time is 5 seconds when it is lit at the tip. DO NOT INHALE TOXIC FUMES. When it is lit, carefully insert the cartridge, fuse-end first, into one side of the open runway. Immediately close the opening with a board or shovel of sod. Tamp lightly with soil to

prevent gases from escaping. If smoke is seen escaping from other holes, plug them firmly with soil. Treat all active mounds. One cartridge placed in the end of a runway should be sufficient. One or more additional cartridges must be used if treatment takes place in the middle of runway or if a runway is "T-shaped". Otherwise, there is a 50% chance that the pocket gopher will be on the untreated side of the plugged runway. Within 5 days of treatment, check area for appearance of fresh mounds, which could be the work of survivors or gophers that have moved into the treated area. Retreat all systems with evidence of new pocket gopher activity.

#### **GROUND SQUIRRELS**

Ground squirrel burrow design varies with the species, soil type, habitat, and climate. Burrows may be as much as 9' deep (nearly 3m). Burrow diameter varies with the body size of the species (and other factors) and may range from 2-10" (2-25cm).

It is preferable to treat ground squirrel burrows during the spring breeding season. Observe the area in early morning before treating burrows to confirm that ground squirrels are actively using the site. DO NOT treat unoccupied burrows. DO NOT treat burrows with evidence that a snake or weasel has entered in pursuit of prey.

Collect plenty of dirt and other material for closing burrow opening. Make sure openings are large enough for easy insertion of lit cartridge. Treat each burrow opening by lighting fuse (minimum fuse time = 5 seconds) and inserting cartridge into hole fuse-end first. Cover hole immediately, taking care not to smother cartridge with loose dirt. Immediately cover all other openings from which gas escapes. Proceed to the next closest open burrow and treat it in the same manner. Within 5 days of treatment, check area for appearance of live ground squirrels or opened burrow systems which could be the work of survivors or squirrels that have moved into the treated area. Retreat all systems with evidence of residual activity.

NOTICE: Buyer assumes all responsibility for safety and use not in accordance with label directions.

AMDRO and AMBRANDS are registered trademarks of Central Garden & Pet.



Distributed by:

AMBRANDS

2030 Powers Ferry Road, Suite 370 Atlanta, Georgia 30339 800-265-0761 info@excelmktg.com www.amdro.com

Made in China

EPA Est. No.

Page 7 of 8 Pages

EPA Reg. No. 73342-8 Sept. 30, 2011 – name change notif [CARTRIDGE LABEL]

#### **AMDRO®**

#### GOPHER GASSER

Kills Gophers and Ground Squirrels

 Active Ingredients:
 45.0%

 Potassium Nitrate.
 45.0%

 Sulphur.
 45.0%

 Carbon.
 8.0%

 Other Ingredients.
 2.0%

 Total.
 100.0%

### Keep Out Of Reach Of Children

#### WARNING

IMPORTANT: SEE PRECAUTIONARY STATEMENTS ON BACK OF PACKAGE AND FOLLOW ENTIRE DIRECTIONS FOR USE AND USE RESTRICTIONS ON ENCLOSED INSERT BEFORE USING.

AFTER IGNITION, CARTRIDGE PRODUCES TOXIC GASSES. FUMES MAY BE HARMFUL IF INHALED.

Distributed by:

AMBRANDS

2030 Powers Ferry Road, Suite 370
Atlanta, Georgia 30339
800-265-0761

Made in China

EPA Est. No.

Page 8 of 8 Pages

EPA Reg. No. 73342-8 Sept. 30, 2011 – name change notif