



# UNITED STATES ENVIRONMENTAL PROTECTION AGENCY Washington, D.C. 20460

OFFICE OF PREVENTION, PESTICIDES AND TOXIC SUBSTANCES

March 29, 2005

Walter G. Talarek
The agent for
Railworks Wood Products, Inc.
1008 Riva Ridge Drive
Great Falls, VA 22066

Subject:

**CREOSOTE SOLUTION** 

EPA Registration Number 73408-2 Application Date: December 28, 2004 Receipt Date: December 29, 2004

Dear Mr. Talarek:

The following amendment, submitted in connection with registration under section of the Federal Insecticide, Fungicide, and Rodenticide Act (FIFRA), as amended, is acceptable with the conditions listed below:

### **Proposed Amendment**

Revised labeling:

#### **Conditions**

Revise the label as follows:

-Revise the precautionary statements by changing the phrase, Harmful if swallowed or absorbed through skin to read, "Harmful if swallowed, absorbed through the skin, or inhaled. Avoid breathing vapor or spray mist"

### **General comments**

A stamped copy of the accepted labeling is enclosed. Submit three (3) copies of your final printed labeling before distributing or selling the product bearing the revised labeling

Should you have any question concerning this letter, please contact me at (703) 308-6422.

Sincerely,

Adam Heyward

Product Manager 34

Regulatory Management Branch II Antimicrobials Division (7510C)

**Enclosure: Stamped labeling** 

## RESTRICTED USE PESTICIDE

Due to chronic toxicity in animal studies.

For retail sale to and use only by Certified Applicators or persons under their direct supervision and only for those uses covered by the Certified Applicator's certification.

# **CREOSOTE SOLUTION**

FOR PRESSURE TREATMENT OF WOOD

ACCEPTED with COMMENTS - EPA Letter Dated:

MAR 2 9 2005

**ACTIVE INGREDIENT:** 

Creosote (AWPA P2) ...... 97.0%

**INERT INGREDIENT (Maximum)** 

Water ..... 3.0%

**TOTAL** 

100.0%

KEEP OUT OF REACH OF CHILDREN

Under the Federal Insecticide, Fungicide, and Rodenticide Act as amended, for the pesticide. registered under EPA Reg. No. - 2160 - 2

**CAUTION** 

7	9	408
		100

FIRST AID				
If swallowed	<ul> <li>Call a poison control center or doctor immediately for treatment advice.</li> <li>Have person sip a glass of water if able to swallow.</li> <li>Do not induce vomiting unless told to do so by a poison control center or doctor.</li> <li>Do not give anything by mouth to an unconscious person.</li> </ul>			
If inhaled	<ul> <li>Move person to fresh air.</li> <li>If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible.</li> <li>Call a poison control center or doctor for further treatment advice.</li> </ul>			
If in eyes	• Hold eye open and rinse slowly and gently with water for 15-20 minutes. • Remove contact lenses, if present, after the first five minutes, then continue rinking eye. • Call a poison control center or doctor for treatment advice.			
If on skin or clothing	Take off contaminated clothing.     Rinse skin immediately with plenty of			

	water for 15-20 minutes.  • Call a poison control center or doctor for treatment advice.			
HOTH IND ATTMOED				

#### **HOTLINE NUMBER**

Have the product container or label with you when calling a poison control center or doctor, or going for treatment. You may contact CHEMTREC at 1-800-424-9300 for emergency medical treatment information.

# RAILWORKS WOOD PRODUCTS, INC. 2525 Prairieton Road Terre Haute, IN 47802

(812) 232-2384

EPA Establishment No.3408-IN-1

Net Contents: gallon	Net Contents:		gallons
----------------------	---------------	--	---------

# PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION. Causes moderate eye irritation. Harmful if swallowed or absorbed through skin. Avoid contact with skin, eyes or clothing. Individuals must wear gloves impervious to the wood treatment formulation in all situations where dermal contact with creosote is expected (e.g., handling freshly treated wood and manually opening cylinder doors). Individuals who manually open cylinder doors must wear gloves and a respirator. Individuals who enter treatment cylinders and other related equipment that is contaminated with the wood treatment formulation (e.g., cylinders that are in operation or are not free of the treatment formulation) must wear protective clothing (including overalls, jacket, gloves, and boots) impervious to the wood treatment formulation and a respirator. Acceptable materials for protective clothing during application and handling of this product are polyvinyl acetate (PVA), polyvinyl chloride (PVC), neoprene, and NBR (Buna-N).

Protective clothing must be changed when it shows signs of contamination. Applicators must leave protective clothing and work shoes or boots and equipment at the plant. Worn out protective equipment and work shoes or boots must be left at the plant and disposed of in any general landfill, in the trash, or in any other manner approved for pesticide disposal.

Applicators must not eat, drink, or use tobacco products during those parts of the application process that may expose them to the wood treatment formulation (e.g., manually opening/closing cylinder doors, moving trams out of cylinders, mixing chemicals, and handling freshly treated wood).

Wash thoroughly with soap and water after skin contact, and before eating, drinking, use of tobacco products, or using restrooms.

Note to User. As used on this label, the term "respirator" means properly fitting, well-maintained, half-mask canister or cartridge respirators which are MSHA/NIOSH approved for polynuclear aromatics and organic vapors. Examples of acceptable

4/4

materials for protective clothing (e.g., gloves, overalls, head covering, jackets, and boots) required during application and handling of creosote are polyvinyl acetate (PVA), polyvinyl chloride (PVC), neoprene, and NBR (Buna-N).

## **ENVIRONMENTAL HAZARDS**

This pesticide is toxic to fish. Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans or public waters unless the product is specifically identified and addressed in a NPDES permit. Do not discharge effluent to sewer systems without previously notifying the sewage treatment plant authority. For guidance, contact your iState Water Board or Regional Office of the EPA.

## PHYSICAL AND CHEMICAL HAZARDS

Do not use or store near heat or open flame. Close container after each use.

## **DIRECTIONS FOR USE**

(

It is a violation of federal law to use this product in a manner inconsistent with its labeling.

For use in pressure treatment of wood. This product protects wood against fungi, dry-rot, and prests such as powder post beetles, termites and other wood boring insects.

## STORRAGE AND DISPOSAL

Do not contaminate water, food or feed by storage and disposal.

Pesticcide Storage: Keep closures tight and upright to prevent leakage. Keep container closect when not in use.

Pesticcide Disposal: Pesticide wastes are toxic. Improper disposal of excess pesticide, spray mixture, or rinsate is a violation of Federal Law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office: for guidance.

Contrainer Disposal: Triple rinse (or equivalent). Then offer for recycling or reconzditioning, or puncture and dispose of container in a sanitary landfill, or by any other processiures approved by state and local authorities.

## WARIRANTY

We wzarrant this material to comply with our published specifications and to be of good mercinantable quality and such as will regularly pass in the trade for goods within the description, and further warrant such goods to fit for the normal purposes for which goods are used. We assume no responsibility that the goods concerned in the can are fit for any particular purpose for which they are being bought outside of the general purposes of goods of the description.

