

# UNITED STATES ENVIRONMENTAL PROTECTION AGENCY WASHINGTON, D.C. 20460

OFFICE OF CHEMICAL SAFETY AND POLLUTION PREVENTION

Richard W. Fresh Regulatory Affairs Suterra LLC 20950 NE Talus Place Bend, OR 97701

OCT 2 0 2010

Subject: Notification to Add New Establishment Number per PRN 98-10 Product Names: PUFFER CM, Paramount Aerosol NOW, PUFFER OFM,

PUFFER CM-O, PUFFER OFM-O, CheckMate Puffer CM-OFM

EPA Reg. Nos: 73479-2, -3, -8, -9, -10, -11 Your Submissions Dated September 21, 2010

Dear Mr. Fresh:

The Biopesticides and Pollution Prevention Division is in receipt of your applications for Notification under Pesticide Registration Notice (PRN) 98-10, as referenced above. A screen of these requests has been conducted for applicability under PRN 98-10, and it has been determined that the action request falls within the scope of this document. Our records have been duly noted, and the labels submitted with these applications have been stamped "Notification Accepted" and will be placed in our records as current and updated. Should you have any questions regarding this action, you may contact Gina Casciano at (703) 605-0513 or via email at casciano.gina@epa.gov.

Sincerely,

## Linda Hollis

Linda A. Hollis, Chief Biochemical Pesticides Branch Biopesticides and Pollution Prevention Division (7511P)

Please read instructions on r	everse before com	ı form.	Form Ap	prove MR	No. 2070-006	20-f O. Approval expires 2-28-95	
<b>SEPA</b>	United States			Regi	stration endment	OPP Identifier Number	
	Α	oplication for	Pesticide - Sec	tion I			
1. Company/Product Number  73479-9 4. Company/Product (Name) /			2. EPA Product Man Ms. Linda Ho	-	3. Pr	oposed Classification  None Restricted	
Suterra LLC 20950 NE Talus P. Bend, Oregon 9770  Check if this  Amendment - Explain  Resubmission in responsion of the consistent with the companient of 18 U.S.C.Sec. 1001	lace )1  is a new eddress  below.  al page(s) if necessary.  provisions of PR Noting or the Confidento willfully make at	Se  ted	to: EPA Reg. No Product Name  ction - il  Final printe Agency let "Me Too" Other - Exp  section II.) NOTIFICATI  EPA regulations at Formula for this ent to EPA. I furt	Reviewed d labels in repter dated Application. ON OF an per Fig. 40 CFR 1.5 product.	additiona R Notice 98 2.46, and not that if	1 Establishment -10. This notification other changes have that it is a violation this Notification is	
pe subject to enforceme	ent action and pena	ties under sect	tions 12 and 14 of	FIFRA.	e in violat	ion of FIFRA and I may	
1. Material This Product Will	Be Packaged In:						
Child-Resistant Packaging Yes No * Certification must be submitted		No. per If "Yo	r Soluble Packaging Yes No  ss" No. per age wgt		Metal Plastic Glass Paper Other (5	Specify)	
3. Location of Net Contents I  Label C  6. Manner in Which Label is	ontainer	Size(s) Retail Cont  Lithograph Paper glued Stenciled	einer Othe		f Label Direction	ons	
		Sec	tion - IV			6 6 6	
1. Contact Point (Complete	items directly below for	identification of ind	ividual to be contacted,	if necessary,	to process this	applicațion.)	
Name RICHARD W. FRESH			de DIRECTOR, REGUALTORY		,	Telephone Not (ifficiade Area Code) 541/317-2243	
	nents I have made on th y knowlinglly false or mi aw.	sleading statement		ne or imprisor	-	6. Dato Application Control Co	
3.3.3.3	•	10. 1146	SINESTON, REGULAT	O11.1		C	

5. Date

9/21/10

EPA Form 8570-1 (Rev. 3-94) Previous editions are obsolete.

RICHARD W. FRESH

2. Signature

4. Typed Name

White - EPA File Copy (original)

Yellow - Applicant Copy

21 September 2010

Ms. Linda Hollis, Chief
Biopesticides and Pollution Prevention Division (7501W)
Product Manager, Team 91
US Environmental Protection Agency
One Potomac Yard
Room S-4900
2777 S. Crystal Drive
Arlington, VA 22202

Re: Notification of an Additional EPA Establishment Number PUFFER CM-O, EPA Reg. No. 73479-9

Dear Ms. Hollis:

Suterra LLC, 20950 NE Talus Place, Bend, Oregon 97701 is submitting a Notification Application for the product PUFFER CM-O, EPA Reg. No. 73479-9. This Notification is to provide for the alternative EPA Establishment Number 56336-OR-1 in addition to the present EPA Establishment Number 9444-LA-1.

This updated label may contain both EPA Establishment numbers on the label with an indication at which establishment the product was manufactured or just the single EPA Establishment Number.

If you have any questions concerning this submission please contact me at: Tel: 541/317-2243; FAX: 541/317-2268; or e-mail: rfresh@suterra.com.

Best regards,

Richard W. Fresh

Regulatory Affairs

## PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS & DOMESTIC ANIMALS

CAUTION: Harmful if swallowed, inhated or absorbed through the skin. Causes moderate eye and skin irritation. Avoid breathing vapor. Avoid contact with eyes, skin or clothing. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco or using the tollet. Remove contaminated dothing and wash before reuse.

#### FIRST AID STATEMENT

IF INHALED: Move person to fresh air. If person is not breathing call 911 or an ambulance then give artificial respiration, preferably mouth-to-mouth if possible. Call a Poison Control Center or doctor for further treatment advice.

IF ON SKIN: Take off contaminated clothing, Rinse skin immediately with plenty of water for 15-20 minutes. Call a Poison Control Center or doctor for advice.

IF IN EYES: Hold eye(s) open and rinse slowly and gently with water for 15-20 minutes, Remove contact lenses, if present, after the first 5 minutes, and continue rinsing. Call a Poison Control Center or doctor for advice.

IF SWALLOWED: Call a Polson Control Center or doctor Immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomitting unless told to do so by a Polson Control Center or doctor. Do not give anything by mouth to an unconscious person.

#### HOT LINE NUMBER

Have the product container or label with you when calling a Poison Control Center or doctor, or going for treatment. You may also contact 1-866-326-6737 for emergency medical treatment information.

#### **ENVIRONMENTAL HAZARDS**

For terrestrial uses: Do not apply directly to water, or to areas where surface water is present or to intertidal areas below the mean high water mark. Do not contaminate water when disposing of equipment washwater or insight.

#### PHYSICAL OR CHEMICAL HAZARDS

Flammable. Contents under pressure. Keep away from heat, sparks and open flame. Do not puncture or incinerate container. Exposure to temperatures above 130° F may cause bursting.

#### STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage or disposal. PESTICIDE STORAGE: Store container in cool, dry area away from heat or open flame. PESTICIDE DISPOSAL: Wastes resulting from the use of this product may be disposed of on site or at an approved disposal facility.



CONTAINER DISPOSAL: Nonrefillable container. Do not reuse or refill this container. Remove from cabinet, wrap empty container in newspaper and discard in trash or at an approved waste disposal facility. Do not puncture or incinerate. If can is empty offer for recycling.

### WARRANTY

Suterra, LLC warrants that this material conforms to the chemical description on the label and is reasonably fit for the purposes stated in the Directions for Use. To the extent consistent with applicable law, Suterra neither make, nor authorizes any agent or representative to make, any other warranty of filmess or of merchantability, guarantee or representation, express or implied, concerning this material. To the extent consistent with applicable law, Suterra's maximum fability for breach of this warranty shall not exceed the purchase price of this product. To the extent consistent with applicable law, buyer and user acknowledge and assume all risks and labilities resulting from the handfling, storage and use of this material contrictions.



## FOR ORGANIC PRODUCTION

Lasts up to 200 Days
For the Control of Codling Moth
In Apple, Pear and Walnut Orchards

CheckMate® Puffer CM-O contains a behavior modifying biochemical (pheromone) that disrupts the mating behavior of codling moth, Cydie pomonella. Use in apple, pear, walnut and other orchards where the codling moth is a pest. CheckMate Puffer CM-O is used with the CheckMate Puffer Aerosol Cabinet, an automatic metered dispenser, so that one puff of pheromone is delivered every 15 minutes throughout the night to disrupt the noctumal mating behavior of codling moths.

## Active Ingredient

8,10 dodecadien-1-ol, (E,E)	18.05	%
Other Ingredients	81.95	%
Total	00.00	%

\*Contains 69.33 g a.i. per canister; 7,22 mg a.i. per 40 microfiter puff

# CAUTION

See side/back panel for First Aid and Precautionary Statements Manufactured for:



Suterra LLC 20950 NE Talus Place Bend, Oregon U.S.A. 97701 Phone: (866) 326-6737 Fax: (541) 388-3705

EPA Registration No.: 73479-9 EPA Establishment No. 9444-LA-1 / 56336-OR-1 Net Contents: 13.5 oz (384 grams)

Batch Code #: See bottom of can

# Notification Accepted

Date: 10/20/10

Reviewer: G. Casciano

### DIDECTIONS FOR USE

IT IS A VIOLATION OF FEDERAL PAW-TO USE THIS PRODUCT IN A MANNER MCONSISTENT WITH ITS LABELING
Do not apply more than 150 grams of active ingridient per gare per year.

METHOD OF APPLICATION: For use on apple, pear and walnut orchards and other crops where the codling moth is a pest. In the spring, start applications prior to moth emergence and continue throughout the crop's susceptible period, typically 80 to 180 days. Use a cabinet to automatically dispense the CheckMate Puffer CM-O canister. One puff of product is delivered every 15 minutes for a period of 12 hours, starting at 5 PM.

Placing cabinets in orchards and replacing canisters are to be done when cabinets are inactive, typically during daylight hours between 5 AM and 5 PM. To avoid accidental spraying ensure that canister nozzles are pointed away during the performance of these tasks.

One CheckMate Puffer CM-O canister will last approximately 200 days. Where effective disruption of coding moth mating requires longer application periods, replace used canisters before the 200 day period is reached.

Product Placement: Suspend an activated Puffer Aerosol Cabinet containing a full CheckMate Puffer CM-O canister (herein referred to as "Puffer") from a limb that will remain in the upper third of the tree canopy for the duration of the growing season. Place Puffer where spray is directed away from follage, fruits or nuts. For best results, use in orchards greater than or equal to 40 acres. Use norchards less than 40 acres will lead to less than optimal results unless properly managed. Use in combination with other effective mating disruption products for codling moth around the entire orchard perimeter where adjacent orchard(s) is not simultaneously treated with codling moth mating disruption.

Orchards Greater than or Equal to 40 Acres:

APPLE, PEAR & other orchards: For best results place Puffers around the orchard perimeter or in a grid pattern to achieve a density of at least 1 per acre; use up to 2 Puffers per acre in heavily infested orchards. In situations with a prevailing wind place additional Puffers atong the upwind edge to achieve uniform pheromone distribution within the interior of the orchard.

WALNUTS: In walnuts, initiate hanging Puffers on the downwind perimeter trees. Place Puffers in a 300 ft by 300 ft grid pattern, working toward the upwind perimeter of the orchard. Finish in the upwind perimeter trees by placing additional Puffers at spacing of one revery 180 to 200 linear feet. For irregularly shaped orchards consult your Suterra Technical Sales Representative to determine suitablinds.

Orchards Smaller than 40 Acres:

APPLE, PEAR & other orchards: Improved effectiveness is achieved when adjacent orchard(s) is simultaneously treated with coding moth mating disruption, and the resulting total treated area is 40 acres or greater. Improved effectiveness is also achieved by placing Puffers at a density of up to 2 per acre. Place Puffers around the orchard perimeter or in a grid petfern. In situations with a prevailing wind place additional Puffers along the upwind edge to achieve uniform pheromone distribution within the interior of the orchard.

WALMUTS: In walnut orchards less than 40 acres and/or irregularly shaped orchards consult your Suterra Technical Sales Representative to determine suitability.

APPLICATION NOTES: For best results apply at the time or shortly before the codling moths begin to emerge in the spring. This product only affects adult male moths and will have no effect on female moths, eggs or larvae. If application occurs following biofix (the first date moths are found consistently in monitoring traps) or during the growing season, the fineld must be treated with insecticides that will effectively control hatching larvae until egg laying by previously mated female moths has ceased to occur. In moderate to high insect pressure situations, supplemental insecticide applications during the season may be necessary to provide adequate protection. These supplemental insecticide applications must be made based on trap monitoring, field socuting, and appropriate degreeday models for the local growing area and must be timed to control young larvae. Monitor Insect infestation with traps and by visual inspection of plants. Re-apply as needed, based on monitoring results and field socuting.

