



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY WASHINGTON, D.C. 20460

OFFICE OF CHEMICAL SAFETY AND POLLUTION PREVENTION

Richard W. Fresh Regulatory Affairs Suterra LLC 20950 NE Talus Place Bend, OR 97701

OCT 2 0 2010

Subject: Notification to Add New Establishment Number per PRN 98-10 Product Names: PUFFER CM, Paramount Aerosol NOW, PUFFER OFM,

PUFFER CM-O, PUFFER OFM-O, CheckMate Puffer CM-OFM

EPA Reg. Nos: 73479-2, -3, -8, -9, -10, -11 Your Submissions Dated September 21, 2010

Dear Mr. Fresh:

The Biopesticides and Pollution Prevention Division is in receipt of your applications for Notification under Pesticide Registration Notice (PRN) 98-10, as referenced above. A screen of these requests has been conducted for applicability under PRN 98-10, and it has been determined that the action request falls within the scope of this document. Our records have been duly noted, and the labels submitted with these applications have been stamped "Notification Accepted" and will be placed in our records as current and updated. Should you have any questions regarding this action, you may contact Gina Casciano at (703) 605-0513 or via email at casciano.gina@epa.gov.

Sincerely,

Linda Hollis

Linda A. Hollis, Chief Biochemical Pesticides Branch Biopesticides and Pollution Prevention Division (7511P)

Please read instructions on reverse before comp Form Approved **VB No. 2070-0060.** Approval expires 2 **OPP Identifier Number United States** Registration **Environmental Protection Agency Amendment** 259579 Washington, DC 20460 Other Application for Pesticide - Section I 1. Company/Product Number 2. EPA Product Manager 3. Proposed Classification 73479-10 Ms. Linda Hollis None Restricted 4. Company/Product (Name) 91 5. Name and Address of Applicant (Include ZIP Code 6. Expedited Reveiw. In accordance with FIFRA Section 3(c)(3) Suterra LLC (b)(i), my product is sitiotifficarticationin/competedand labeling 20950 NE Talus Place Bend, Oregon 97701 Reviewer: G. Casciano Check if this is a new address **Product Name** Section - II Amendment - Explain below. Final printed labels in repsonse to Agency letter dated Resubmission in response to Agency letter dated_ "Me Too" Application. Other - Explain below. Notification - Explain below. Explanation: Use additional page(s) if necessary. (For section I and Section II.) NOTIFICATION OF an additional Establishment 56336-0R-1 per PR Notice 98-10. This notification is consistent with the provisions of PR Notice 98-10 and EPA regulations at 40 CFR 152.46, and no other changes have been made to the labeling or the Confidential Statementof Formula for this product. I understand that it is a violation of 18 U.S.C.Sec. 1001 to willfully make any false statement to EPA. I further understand that if this Notification is not consistent with the terms of PR Notice 98-10 and 40 CFR 152.46, this product may be in violation of FIFRA and I may be subject to enforcement action and penalties under sections 12 and 14 of FIFRA. Section - III 1. Material This Product Will Be Packaged In: Child-Resistant Packaging Unit Packaging Water Soluble Packaging 2. Type of Container Metal Yes Yes Yes Plastic Nο Nο Glass Paper If "Yes" If "Yes" No. per No. per * Certification must Other (Specify) Unit Packaging wgt. container Package wgt container be submitted 3. Location of Net Contents Information 5. Location of Label Directions 4. Size(s) Retail Container Container 6. Manner in Which Label is Affixed to Product Other Lithograph Paper glued Stenciled Section - IV 1. Contact Point (Complete items directly below for identification of individual to be contacted, if necessary, to process this application.) Name Title DIRECTOR, REGUALTORY Telephone No. (Include Area Code): RICHARD W. FRESH 541/317-2243 .

Certification

I certify that the statements I have made on this form and all attachments thereto are true, accurate and complete. I acknowledge that any knowlingly false or misleading statement may be punishable by fine or imprisonment or

5. Date

3. Title DIRECTOR, REGULATORY

9/21/10

RICHARD W. FRESH

both under applicable law.

2. Signature

6. Date Application

(Stamped)

Received

Suterra®

21 September 2010

Ms. Linda Hollis, Chief
Biopesticides and Pollution Prevention Division (7501W)
Product Manager, Team 91
US Environmental Protection Agency
One Potomac Yard
Room S-4900
2777 S. Crystal Drive
Arlington, VA 22202

Re: Notification of an Additional EPA Establishment Number PUFFER OFM-O, EPA Reg. No. 73479-10

Dear Ms. Hollis:

Suterra LLC, 20950 NE Talus Place, Bend, Oregon 97701 is submitting a Notification Application for the product PUFFER OFM-O, EPA Reg. No. 73479-10. This Notification is to provide for the alternative EPA Establishment Number 56336-OR-1 in addition to the present EPA Establishment Number 9444-LA-1.

This updated label may contain both EPA Establishment numbers on the label with an indication at which establishment the product was manufactured or just the single EPA Establishment Number.

If you have any questions concerning this submission please contact me at: Tel: 541/317-2243; FAX: 541/317-2268; or e-mail: rfresh@suterra.com.

Best regards,

Richard W. Fresh Regulatory Affairs

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS & DOMESTIC ANIMALS

Caution: May be harmful if swallowed, inhaled or absorbed through the skin. Causes moderate eye and skin irritation. Avoid contact with eyes, skin or clothing. Avoid breathing vapor. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum or using tobacco.

FIRST AID STATEMENT

IF SWALLOWED: Call a Poison Control Center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vorniting unless told to do so by a Poison Control Center or doctor. Do not give anything by mouth to an unconscious person.

IF INHALED: Move person to fresh air. If person is not breathing call 911 or an ambulance then give artificial respiration, preferably mouth-to-mouth if possible. Call a Poison Control Center or doctor for further treatment advice.

IF ON SKIN: Take off contaminated clothing. Rinse skin immediatety with plenty of water for 15-20 minutes. Call a Poison Control Center or doctor for advice.

IF IN EYES: Hold eye(s) open and rinse slowly and gently with water for 15-20 minutes, Remove contact lenses, if present, after the first 5 minutes, and continue rinsing. Call a Poison Control Center or doctor for advice.

HOT LINE NUMBER

Have the product container or label with you when calling a Poison Control Center or doctor, or going for treatment. You may also contact 1-886-326-6737 for emergency medical treatment information.

ENVIRONMENTAL HAZARDS

For terrestrial uses: Do not apply directly to water, or to areas where surface water is present or to intertidal areas below the mean high water mark. Do not contaminate water when disposing of equipment water user or treate.

PHYSICAL OR CHEMICAL HAZARDS

Flammable. Contents under pressure. Keep away from fire, sparks and heated surfaces. Do not puncture or incinerate container. Exposure to temperatures above 130° F may cause bursting.

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage or disposal. PESTICIDE STORAGE: Store container in cool, dry area away from heat or open flame. PESTICIDE DISPOSAL: Wastes resulting from the use of this product may be disposed of on site or at an approved disposal facility.



CONTAINER DISPOSAL: Nonrefiliable container. Do not reuse or refilt this container. Remove from cabinet, wrap empty container in newspaper and discard in trash or at an approved waste disposal facility. Do not puncture or incinerate, if can is empty offer for recycling.

WARRANTY

Suterra, LLC warrants that this material conforms to the chemical description on the label and is reasonably fit for the purposes stated in the Directions for Uso. To the detent consistent with applicable law, Suterra enither makes not authorizes any agent or representative to make, any other warranty of litness or of merchantability, guarantee or representation, express or implied, concerning this material. To the extent consistent with applicable in Suterra's maximum fability for breach of this warranty shall not exceed the purchase price of this product. To the extent consistent with applicable law, buyer and user acknowledge and assume all risks and liabilities resulting from the handling, storage and use of this material contrary to label instructions.

CheckMate® Puffer OFM-0

FOR ORGANIC PRODUCTION

Lasts up to 200 Days
For the Control of Oriental Fruit Moth in
Almond, Apple, Apricot, Cherry, Nectarine,
Peach, Pear, Plum, Prune and Quince Orchards

11

CheckMate* Puffer OFM-O is an aerosol canister containing behavior modifying blochemicals (pheromones) that disrupt the mating behavior of oriental fruit moth, *Grapholita molesta*. It is intended for use in almond, apple, apricot, cherry, nectarine, peach, pear, plum, prune, and quince orchards and other areas where the oriental fruit moth is a pest.

CheckMate Puffer OFM-O is designed for use with the CheckMate Puffer Aerosol Cabinet, an automatic metered dispenser, so that one puff of pheromone is delivered every 15 minutes throughout the night to disrupt the nocturnal mating behavior of oriental fruit moths.

Active Ingredients*

1 1

(Z)-8-Dodecenyl Acetate	11.63 %
(E)-8-Dodecenyl Acetate	0.75 %
(Z)-8-Dodecenol	
Other Ingredients	
Total	

*Contains 48.004 g a.i. per canister; 4.81 mg a.i. per 40 microliter puff

CAUTION

See side/back panel for First Aid and Precautionary Statements Manufactured for:

Suterra[®]

Strerra LLC 20950 NE Talus Place Bend, Oregon U.S.A. 97701 Phone: (866) 326-6737 Fax: (541) 388-3705

EPA Registration No.: 73479-10
EPA Establishment No. 9444-LA-1 / 56336-OR-1

Date: 10/20/10

Reviewer: G. Casciano

DIRECTIONS FOR USE

IT IS A VIOLATION OF FEDERAL LAW TO USE THIS PRODUCT IN A MANNER INCONSISTENT WITH HIS LABELING

Do not apply more than 150 grains of Julive ingredient per acre per year.

METHOD OF APPLICATION: For use in almond, apple, apricot, cherry, nectarine, peach, pear, plum, prune and quince orchards and other areas where the oriental fruit moth is a pest. In the spring, start applications prior to moth emergence and continue throughout the crop's susceptible period, typically 80 to 180 days. Use a cabinet to automatically dispense the CheckMate Puffer OFM-O canister. One puff of product is delivered every 15 minutes for a period of 12 hours, starting at 5 PM.

Placing cabinets in orchards and replacing canisters are to be done when cabinets are inactive, typically during daylight hours between 5AM and 5 PM. To avoid accidental spraying, ensure that canister nozzles are pointed away during the performance of these tasks.

One CheckMate Puffer OFM-O canister will last approximately 200 days. Where effective disruption of oriental fruit moth matting requires longer application periods, replace used canisters before the 200 day period is reached.

<u>Product Placement</u>: Suspend an activated Puffer Aerosol Cabinet containing a full CheckMate Puffer OFM-O canister (herein referred to as "Puffer") from a limb that will remain in the upper third of the tree canopy for the duration of the growing season. Place Puffer where spray is directed away from foliage, fruits or nuts.

For best results, use in orchards greater than or equal to 40 acres. Use in orchards less than 40 acres will lead to less than optimal results unless properly managed. Use in combination with other effective mating disruption products for oriental fruit moth around the entire orchard perimeter where adjacent orchard(s) is not simultaneously treated with oriental fruit moth mating disruption.

Orchards Greater than or Equal to 40 Acres; For best results place Puffers around the orchard perimeter or in a grid pattern to achieve a density of at least 1 per acre; use up to 2 Puffers per acre in heavily infested orchards, in situations with a prevailing wind place additional Puffers along the upwind edge to achieve uniform pheromone distribution within the interior of the orchard.

Orchards Smaller than 40 Acres: Improved effectiveness is achieved when adjacent orchard(s) is simultaneously treated with oriental fruit moth mating disruption, and the resulting total treated area is 40 acres or greater. Improved effectiveness is also achieved by placing Puffers at a density of up to 2 per acre. Place Puffers around the orchard perimeter or in a grid pattern. In situations with a prevailing wind place additional Puffers along the upwind edge to achieve uniform pheromone distribution within the interior of the orchard.

APPLICATION NOTES: For best results apply at the time or shortly before the oriental fruit moths begin to emerge in the spring. This product only affects adult male moths and will have no effect on female moths, eggs or larvae, if application occurs following biofix (the first date moths are found consistently in monitoring traps) or during the growing season, the field must be treated with insecticides that will effectively control hatching larvae until egg laying by previously mated female moths has ceased to occur. In moderate to high insect pressure situations, supplemental insecticide applications during the season may be necessary to provide adequate protection. These supplemental insecticide applications must be made based or tap monitoring, field scouting, and appropriate degree-day models for the local growing area and must be timed to control young larvae. Monitor insect infestation with traps and by visual inspection of plants. Re-apply as needed, based on monitoring results and field scouting.

4 Josh