Please (eed instructions on	73510	^ 5<br ting form	- 16	- 200=	S ed OMB No	2070-	/		
\$EPA	u Environmental	nited States			Regis Amer	it <mark>rati</mark> o ndmer	n OPP Identifier Number		
		Application fo	r Pesti	cide - Sectio	on I				
1. Company/Product Number 73510-4				2. EPA Product Menager LaRocca			3. Proposed Classification		
4. Company/Product (Name) MARKETQUEST One Drop Flea & T Control with Nylar Insect Growth Reg				PM# 13 Restricted					
5. Name and Address of Applicant (Include ZIP Code) MarketQuest, Inc. 746 Walker Road, Suite 10-301 Great Falls, VA 22066				6. Expedited Review. In accordance with FIFRA Section 3(c)(3) (b)(i), my product is similar or identical in composition and labeling to: EPA Reg. No					
Check if th	s is a new address			duct Name					
		S	oction	- ]]					
Amendment - Explain Resubmission in res X Notification - Explain	dated	[ [	Final printed labels in response to NOTIFICATION Agency letter dated "Me Too" Application. Other - Explain below.						
	lation of FIFRA and Ma	arketQuest may be su		forcement action a			Notice 98-10 and 40 CFR 152.4 ections 12 and 14 of FIFRA.		
Child-Resistant Packaging Yes* No * Cartification must be submitted	Unit-Packaging Yes No If "Yes" No. per If		er Soluble Yes No	No No. per		2. Type of Container Metal Plastic Glass Paper Other (Specify)			
3. Location of Net Contents	Information Container	4. Size(s) Retail Cor	teiner	5.	Location of On Li On Li	ibel.	rections Recempenying product		
6. Manner in Which Label is	Affixed to Product	Lithograph Paper glued Stenciled		Other _					
	· · · · · · · · · · · · · · · · · · ·	Se	ction -	IV			<		
1. Contact Point /Complete	items directly below f	or identification of in	dividual to	be contected, if i	necessery, to	proc <b>es</b>	s this application.)		
Rebecca M. Hor	ton	Title Co	nsultan	t/Agent			phone No. 3nolude Ares Code) 40-375-8826		
	ments i have made on ny knowingly faise or m law.						6. Date Application Received (Stamped)		
2. Signature	Hoten	3. Title Co		t/Agent					
4. Typed Name		5. Det	)						
Rebecca M. Horton	ı		4-2-	3 (3					

EPA Form 8570-1 (Rev. 8-94) Previous editions are obsolete.

April 23, 2003

CERTIFIED MAIL #7002 3150 0000 3065 6170

egistrations

esign "

Inc.

Document Processing Desk (NOTIF) George LaRocca (PM 13) Office of Pesticide Programs Registration Division (7504C) U.S. Environmental Protection Agency Ariel Rios Building 1200 Pennsylvania Avenue, NW Washington, DC 20460

# Re: <u>EPA Reg. No. 73510-4, MarketQuest One Drop Flea & Tick Control with Nylar</u> <u>Insect Growth Regulator</u> Notification of Administrative Label Changes: Optional Marketing/Information Statements

Dear Mr. LaRocca,

On behalf of MarketQuest, Inc. of Great Falls, Virginia, enclosed is notification of minor administrative label changes including optional front panel marketing statements (associated with specific product size packaging) and optional information text applicable to specific supplemental registrant label(s). All areas of revision are highlighted in blue for your convenience in review.

If any additional action or information is required of MarketQuest in this matter, please advise.

Best regards,

Relacia Mi. Herton

Rebecca M. Horton Consultant/Agent for MARKETQUEST, INC.

/bmh

Enclosures

cc: MEndres/Brazo Assoc. LNouvel/Nouvel Inc JStrauss/MQ

Member CHEMICAL PRODUCERS & DISTRIBUTORS ASSN.

#### [FRONT PANEL]

# MarketQuest One Drop Flea & Tick Control with Nylar® Insect Growth Regulator



DO NOT USE ON CATS

NOTIFICATION

MAY 1 6 2003

FOR DOGS [15 lbs and Under][Between 15 & 33 lbs][Between 33 & 66 lbs][66 lbs & Over]

#### **Optional Marketing Statements**

- CITRUS SCENT
- FLEA AND TICK CONTROL FOR DOGS AND PUPPIES 6 MONTHS OF AGE & OLDER
- BREAKS FLEA LIFE CYCLE!
- KILLS AND REPELS FLEAS UP TO 3 TO 4 WEEKS [PER APPLICATION]!
- KILLS FLEA EGGS AND LARVAE FOR UP TO 123 DAYS [PER APPLICATION]!
- PREVENTS FLEA EGGS FROM DEVELOPING INTO BITING ADULTS FOR UP TO 123 DAYS [PER APPLICATION]!
- KILLS AND REPELS MOSQUITOES!
- PROTECTS AGAINST BLOOD FEEDING BY MOSQUITOES (vector of HEARTWORM) UP TO 4 WEEKS [PER APPLICATION]!
- KILLS AND REPELS TICKS FOR UP TO 4 WEEKS [PER APPLICATION]!
- KILLS AND REPELS DEER TICKS (vector of LYME DISEASE) FOR UP TO 4 WEEKS [PER APPLICATION]!
- KILLS AND REPELS BROWN DOG TICKS (Rhipicephalus sanguineus) FOR UP TO 3 TO 4 WEEKS [PER APPLICATION]!
- KILLS AND REPELS AMERICAN DOG TICKS (Dermacentor variabilis) FOR UP TO 3 TO 4 WEEKS [PER APPLICATION]!
- MONTHLY APPLICATION
- MONTHLY FLEA, TICK AND MOSQUITO TREATMENT!
- KILLS AND REPELS FLEAS AND TICKS FOR UP TO A MONTH [PER APPLICATION]!
- KILLS AND REPELS ADULT FLEAS FOR UP TO 3 TO 4 WEEKS [PER APPLICATION]!
- KILLS FLEA EGGS AND LARVAE [FOR UP TO 4 MONTHS][FOR 123 DAYS][PER APPLICATION]!
- KILLS AND REPELS TICKS FOR UP TO [4 WEEKS][3 TO 4 WEEKS] [PER APPLICATION] INCLUDING
- DEER TICKS (vector of LYME DISEASE), BROWN DOG TICKS & AMERICAN DOG TICKS!
- KILLS AND REPELS [ADULT FLEAS] FOR UP TO 3 TO 4 WEEKS [PER APPLICATION]!
- 3 [4] [5] [6] [9] [12] MONTH SUPPLY [APPLICATIONS]
- Do Not Use On Cats (repeated on front panel)

[Use of the following marketing claims as applicable to the specific size packaging]

- For Dogs Between 15 [33] and 33 [66] LBS.
- For Dogs Weighing 15 LBS, and under [or less]: For Dogs Weighing Less Than 15 LBS.
- For Dogs Weighing 66 LBS, and over [or more]; For Dogs Weighing More Than 66 LBS.

#### ACTIVE INGREDIENTS

Permethrin* (CAS #52645-53-1)		45 0%
Pyriproxyfen (CAS #95737-68-1) (Nylar®)		1.9%
OTHER INGREDIENTS		
TOTAL		
	1 C   E   5 Y	
*Cis/trans ratio: Max 55% (±) cis and min 45% (±) trans	6. <del>t</del>	1 5

Nylar® is a registered trademark of McLaughlin Gormley King Company U.S. Patent No. 5,942,52.

# Keep Out of Reach of Children

# CAUTION

See back/side/other panel(s) for additional Precautionary Statements.

NET CONTENTS: xx [1 ml (.03 fl. oz.)][1.5 ml (.05 fl. oz.)][3.0 ml (.1 fl. oz.)] [4.5 ml (0.152 fl. oz.)] Applicator

EPA Reg. No. 73510-4 April 23, 2003-notification EPA Est. No. Page 1 of 6 Pages

#### [BACK/SIDE/OTHER PANEL(S)]

·..

# READ ENTIRE LABEL BEFORE EACH USE. USE ONLY ON DOGS 6 MONTHS OF AGE & OLDER. DO NOT USE ON CATS.

#### PRECAUTIONARY STATEMENTS Hazards to Humans and Domestic Animals CAUTION

<u>Hazards to Humans</u>: Causes moderate eye irritation. Avoid contact with eyes or clothing. Wash thoroughly with soap and water after handling.

<u>Hazards to Domestic Animals</u>: FOR EXTERNAL USE ON DOGS ONLY. Do not use on pupples under 6 months of age. Consult a veterinarian before using this product on debilitated, aged, medicated, pregnant, or nursing dogs. DO NOT USE ON CATS or animals other than dogs. Cats that actively groom or engage in close physical contact with treated dogs may be at risk of serious harmful effect. Sensitivities may occur after use with ANY pesticide product for pets. If signs of sensitivity occur, bathe your dog with mild soap and rinse with large amounts of water. If signs continue, consult a veterinarian immediately. Signs of sensitivity to this product include skin sensitivity, increased itchiness, redness, rash, hair discoloration or hair loss at the application site. Dogs may also show "lethargy".

Environmental Hazards: This product is extremely toxic to fish and aquatic organisms. Do not apply directly to any body of water. Treated dogs should not be allowed to go swimming for 12 hours following treatment.

PHYSICAL OR CHEMICAL HAZARDS: Do not use or store near heat or open flame.

FIRST AID					
Have the product container or label with you when calling a Poison Control Center or doctor, or going for					
treatment. You may also contact x-xxx-xxxx for emergency medical treatment information					
IF IN EYES:	Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact				
	lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control				
	center or doctor for treatment advice.				

#### **DIRECTIONS FOR USE**

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

DO NOT USE ON CATS or animals other than dogs. May be toxic and potentially fatal if applied to or ingested by cats.

Do not get this product in your dog's eyes or mouth. Repeat applications may be made if necessary, but do not apply more often than once every 3 weeks.

[For Dogs Weighing 15 lbs and Under: (1.0 ml applicator tubes) Apply one tube (1.0 ml) of this product as a spot or stripe to the dog's back between the shoulder blades.]

[For Dogs Weighing Between 15 and 33 lbs: (1.5 ml applicator tubes) Apply one tube (1.5ml) of this product as a spot or stripe to the dog's back between the shoulder blades.]

[For Dogs Weighing Between 33 and 66 lbs: (1.5 ml applicator tubes) Apply one tube (1.5 ml) of this product as a spot or stripe to the dog's back between the shoulder blades and apply a second tube (1.5 ml) as a spot or stripe to the dog's back directly in front of the base of the tail.]

OR

[(3.0 ml applicator tubes) Apply approximately half of the tube (1.5 ml) of this product as a spot or stripe to the dog's back between the shoulder blades <u>and</u> apply the rest of the tube's contents (1.5 ml) as a spot or stripe to the dog's back directly in front of the base of the tail.]

EPA Reg. No. 73510-4 April 23, 2003-notification EPA Est. No. Page 2 of 6 Pages ....

OR

[Apply the entire tube (3.0 ml) as a continuous stripe on the dog's back starting between the shoulder blades and ending directly in front of the base of the tail.]

[For Dogs Weighing 66 lbs and Over: (1.5 ml applicator tubes) Apply one tube (1.5 ml) of this product as a stripe to the dog's back between the shoulder blades <u>and</u> apply a second tube (1.5 ml) continuing the stripe down the center of the dog's back <u>and</u> apply a third tube (1.5 ml) to the dog's back directly in front of the base of the tail.]

[(4.5 ml applicator tubes) Apply approximately half of the tube (2.25 ml) of this product as a spot or stripe to the dog's back between the shoulder blades <u>and</u> apply the rest of the tube's contents (2.25 ml) as a spot or stripe to the dog's back directly in front of the base of the tail.]

OR

[Apply the entire tube (4.5 ml) as a continuous stripe on the dog's back starting between the shoulder blades and ending directly in front of the base of the tail.]

HOW TO APPLY:

æ.,

[FOR SARAN TUBES IN BLISTER CARD: Remove product tube from package. Holding tube with notched end pointing up and away from face and body, snap or cut off narrow end at notches. Invert tube over dog and use open end to part dog's hair. Squeeze tube firmly to apply all of the solution to the dog's skin. Wrap tube and put in trash.

[FOR FLAT CARD (doubled) UNIT-DOSE PACKAGING: Separate cards along the perforated line. Holding separated card by its wide end with narrow end pointing up and away from face and body, cut along dotted line. Invert card over dog and use narrow end of the card to part dog's hair. Squeeze tube firmly to apply all of the solution to the dog's skin. Wrap card and put in trash.]

OR

[FOR FLAT CARD UNIT DOSE PACKAGING: (For push pin type applicator) Remove one product tube from card. With cap end pointed up and away from face and body, depress cap to pierce tube end. Carefully remove cap, invert tube over dog, and with tube in close to dog's skin, squeeze tube to apply product. Wrap empty tube and put in trash.]

[FOR FOLDING CARD OR TABBED CARD UNIT-DOSE PACKAGING: Remove product tab by tearing along perforation. Holding tab with tube end pointed up and away from face and body, cut along dotted line. Invert tab over dog and use narrow end of card to part dog's hair. Squeeze tube firmly to apply all of the solution to the dog's skin.]

OR

[FOR BLISTER CARD WITH TRI-LAYER TUBES: Remove product tube(s) from package. Fold along perforation between tubes and tear off one (or more) tube(s). {Return unused tubes to package.} Holding tube with notched end pointing up and away from face and body, snap off (or cut) narrow end at notches. Invert tube over dog and use (pen end to part dog's hair. Squeeze tube firmly to apply all of the solution to the dog's skin.]

OR

[\*\* FOR MULTI-DOSE PACKAGING: Withdraw 1.0 ml (1.5 ml)(3.0 ml)(4.5 ml) of solution at a time. Apply there given dose directly to the skin at the indicated locations.] [\*\* FOR DROPPER BOTTLE MULTI-DOSE PACKAGING: Insert dropper tube into insecticide solution; squeeze bulb and then release to fill tube barrel to 1.0 ml (1.5ml)(3.0 ml)(4.5 ml) line. Position dropper tube end in dog's hair next to skin and squeeze bulb to apply all of the solution to the dog's skin as indicated for dog's size.] [\*\* FOR SALE TO VETERINARIANS ONLY]

EPA Reg. No. 73510-4 April 23, 2003-notification EPA Est. No. \_\_\_\_\_ Page 3 of 6 Pages

5-8

OR

OR

## STORAGE AND DISPOSAL

Storage: Store in a cool, dry place. Protect from freezing.

**Disposal:** If empty: Do not reuse this container. Place in trash or offer for recycling if available.

If partly filled: Call your local solid waste agency or 1-800-CLEANUP for disposal instructions. Never place unused product down any indoor or outdoor drain.

MarketQuest One Drop Flea & Tick Control with Nylar® Insect Growth Regulator is an effective and easy to use product. This product has demonstrated greater than 92% control of fleas within one day of application. It prevents eggs from fleas on treated dogs from developing into biting adults for up to [4 months][123 days]. As with all flea and tick control products, MarketQuest One Drop Flea & Tick Control with Nylar® Insect Growth Regulator should be used as part of a program aimed at reducing flea populations in the dog's environment (bedding, carpets, kennel, yard). Consult your veterinarian, entomologist, or retailer for program recommendations.

#### OR

MarketQuest One Drop Flea & Tick Control with Nylar® Insect Growth Regulator is an effective and easy to use product. This product has demonstrated greater than 92% control of fleas within one day of application. It prevents eggs from fleas on treated dogs from developing into biting adults for up to [4 months][123 days]. MarketQuest One Drop Flea & Tick Control with Nylar® Insect Growth Regulator kills and repels Deer Ticks (vector of Lyme Disease), Brown Dog Ticks, and American Dog Ticks for up to [3 to 4 weeks][4 weeks]. This product also kills and repels mosquitoes and protects against blood feeding by mosquitoes (vector of heartworm) for up to 4 weeks.

#### NOTICE OF WARRANTY

MARKETQUEST, INC. MAKES NO WARRANTY OF MERCHANTABILITY, FITNESS FOR ANY PARTICULAR PURPOSE, OR OTHERWISE, EXPRESSED OR IMPLIED, CONCERNING THIS PRODUCT OR ITS USES WHICH EXTEND BEYOND THE USE OF THE PRODUCT UNDER NORMAL CONDITIONS IN ACCORDANCE WITH THE STATEMENTS MADE ON THIS LABEL.

#### MarketQuest, Inc. 746 Walker Road, Suite 10-301 Great Falls, VA 22066

Optional informational text featured on supplemental distribution label(s):

Sergeant's is committed to providing high quality products.

If you have questions or comments about this product, please write; Sergeant's Consumer Response, P.O. Box 540399, Omaha, NE 68154-0399.

In Case of Emergency, Call: 7:30 a.m. - 4:30 p.m. CST: 1-800-224-PETS After Hours: 1-800-781-4738 TUBE LABEL (folding card and flat card packaging designs)

## MARKETQUEST ONE DROP FLEA & TICK CONTROL WITH NYLAR® INSECT GROWTH REGULATOR

PERMETHRIN 45.0% W/W PYRIPROXYFEN 1.9% W/W




· .....

## KEEP OUT OF REACH OF CHILDREN CAUTION READ DIRECTIONS AND PRECAUTIONS BEFORE USING

EPA Reg. No. 73510-4

. .



 TAB LABEL (folding card and tabbed card packaging designs)

#### MARKETQUEST ONE DROP FLEA & TICK CONTROL WITH NYLAR® INSECT GROWTH REGULATOR

#### **ACTIVE INGREDIENTS**



## KEEP OUT OF REACH OF CHILDREN CAUTION SEE MAIN LABEL FOR ADDITIONAL PRECAUTIONS AND INSTRUCTIONS FOR USE

EPA Reg. No. 73510-4

. .

. . . .

OUTER BOX LABEL (Contains the following labeling plus full product label)

#### MARKETQUEST ONE DROP FLEA & TICK CONTROL WITH NYLAR® INSECT GROWTH REGULATOR

\*Nylar inhibits development of the immature stages of the fleas for up to 4 months preventing them from reaching the biting adult stage.

• Nylar - Registered Trademark of McLaughlin Gormley King and Company

(picture of flea life cycle here)

#### **4 STEPS FOR COMPLETE FLEA CONTROL**

- Step 1- Shampoo or dip your dog.
- Step 2- Treat indoor and outdoor premise with indoor and outdoor sprays, foggers and powders labeled for flea control.
- Step 3- Apply MarketQuest One Drop Flea & Tick Control with Nylar® Insect Growth Regulator for up to four weeks adult flea and tick control.
- Step 4- Maintenance treatments with on-animal sprays and powders.

EPA Reg. No. 73510-4 April 23, 2003-notification EPA Est. No. \_\_\_\_\_ Page 6 of 6 Pages

0.001

1 0+4 -+-}