Please and instructions on reverse before comp)	23	ー み の C Form App	3	OMB No. 2	070-00	60. Approval expires 95-81-98	
United States Environmental Protection Ager Washington, DC 20460					x	Registra Amend Other		OPP Identifier Number	
	Application	for	Pestici	de - Sec	tion	ł			
1. Company/Product Number 73510-4			2. EPA Product Manager LaRocca			3. (Proposed Classification X None Restricted	
4. Company/Product (Name) MARKETQUEST One Drop Flea & Control with Nylar Insect Growth F			1 10					A A A A A A A A A A A A A A A A A A A	
5. Name and Address of Applicant Include ZIP Code) MarketQuest, Inc. 746 Walker Road, Suite 10-301 Great Falls, VA 22066 Check if this is a new address			6. Expedited Review. In accordance with FIFRA Section 3(c)(3) (b)(i), my product is similar or identical in composition and labeling to: EPA Reg. No Product Name						
		Se	ction -	1					
Amendment - Explain below. Resubmission in response to Agency letter dated X Notification - Explain below.			Final printed Agency lette "Me Too" A Other - Expl			ed ition.	to	NOTIFICATION MAY 2 3 2003	
Notification of alternate location of label ingredients statement to back or side panels to accommodate small package design. This notification is consistent with the provisions of PR Notice 98-10 and EPA regulations at 40 CFR 152.46, and no other changes have been made to the labeling or the Confidential Statement of Formula of this product. MarketQuest understands that it is a violation of 18 U.S.C. Sec. 1001 to willfully make any false statement to EPA, and further understands that if this notification is not consistent with the terms of PR Notice 98-10 and 40 CFR 152.46, this product may be in violation of FIFRA and MarketQuest may be subject to enforcement action and penalties under sections 12 and 14 of FIFRA. Section - III									
1. Material This Product Will Be Packaged In:						•			
Child-Resistant Packaging Yes* No * Certification must be submitted Child-Resistant Packaging Yes No No No No No. per container		Water Soluble Packaging Yes No If "Yes" No. per Package wgt containe			·r	2. Type of Container Metal Plastic Glass Paper Other (Specify)			
3. Location of Net Contents Information	4. Size(s) Retail (Conte	iner		5. Lo	On Labor		otions	
Label Container 6. Manner in Whith Label is Affixed to Product	Manner in Which Label is Affixed to Product Lithograph							empenying product	
	Paper glue Stenciled		tion - l'	7					
1. Contact Point (Complete items directly below					if nec	essery, to pi	rocess t	his application.)	
Name Rebecca M. Horton		Title Consultant/Agent					Teleph	one Plo. (Include Area Code) 0-375-8826	
Certification I certify that the statements I have made on this form and all attachments thereto are true, accurate and complete. I acknowledge that any knowingly false or misleading statement may be punishable by fine or imprisonment or both under applicable law. 6. Date Application Received (Stamped)									
2. Signature :			3. Tite Consultant/Agent						
4. Typed Name Rebecca M. Horton			y 13, 20						

George LaRocca (PM 13)
Office of Pesticide Programs
Registration Division (7504C)
U.S. Environmental Protection Agency
Ariel Rios Building
1200 Pennsylvania Avenue, NW
Washington, DC 20460

Re:

EPA Reg. No. 73510-4 MarketQuest One Drop Flea & Tick Control with Nylar®

Insect Growth Regulator - Notification

Dear Mr. LaRocca,

Registrations
by Design **
Inc.

On behalf of MarketQuest Inc. of Great Falls, Virginia, enclosed is notification of label revisions for the above-referenced pesticide product to provide for alternative location of the Ingredients Statement to the back and/or side panel(s), as is often required for small package design of this type of product.

Revisions are highlighted in blue text for your convenience in review.

Best regards,

Rebecca M. Horton

Consultant/Agent for

MARKETQUEST, INC.

Lilica II. Hoton

/bmh

Enclosure

cc:

JStrauss/MQ

LNouvel/Nouvel, Inc.

MarketQuest One Drop Flea & Tick Control with Nylar® Insect Growth Regulator



FOR DOGS [15 lbs and Under][Between 15 & 33 lbs][Between 33 & 66 lbs][66 lbs & Over]

DO NOT USE ON CATS

Optional Marketing Statements

- CITRUS SCENT
- FLEA AND TICK CONTROL FOR DOGS AND PUPPIES 6 MONTHS OF AGE & OLDER
- BREAKS FLEA LIFE CYCLE!
- KILLS AND REPELS FLEAS UP TO 3 TO 4 WEEKS [PER APPLICATION]!
- KILLS FLEA EGGS AND LARVAE FOR UP TO 123 DAYS [PER APPLICATION]!
- PREVENTS FLEA EGGS FROM DEVELOPING INTO BITING ADULTS FOR UP TO 123 DAYS [PER APPLICATION]!
- KILLS AND REPELS MOSQUITOES!
- PROTECTS AGAINST BLOOD FEEDING BY MOSQUITOES (vector of HEARTWORM) UP TO 4 WEEKS [PER APPLICATION]!
- KILLS AND REPELS TICKS FOR UP TO 4 WEEKS [PER APPLICATION]!
- KILLS AND REPELS DEER TICKS (vector of LYME DISEASE) FOR UP TO 4 WEEKS [PER APPLICATION]!
- KILLS AND REPELS BROWN DOG TICKS (Rhipicephalus sanguineus) FOR UP TO 3 TO 4 WEEKS [PER APPLICATION]!
- KILLS AND REPELS AMERICAN DOG TICKS (Dermacentor variabilis) FOR UP TO 3 TO 4 WEEKS [PER APPLICATION]!
- MONTHLY APPLICATION
- MONTHLY FLEA, TICK AND MOSQUITO TREATMENT!
- KILLS AND REPELS FLEAS AND TICKS FOR UP TO A MONTH [PER APPLICATION]!
- KILLS AND REPELS ADULT FLEAS FOR UP TO 3 TO 4 WEEKS [PER APPLICATION]!
- KILLS FLEA EGGS AND LARVAE [FOR UP TO 4 MONTHS][FOR 123 DAYS][PER APPLICATION]!
- KILLS AND REPELS TICKS FOR UP TO [4 WEEKS][3 TO 4 WEEKS] [PER APPLICATION] INCLUDING DEER TICKS (vector of LYME DISEASE), BROWN DOG TICKS & AMERICAN DOG TICKS!
- KILLS AND REPELS [ADULT FLEAS] FOR UP TO 3 TO 4 WEEKS [PER APPLICATION]!
- 3 [4] [5] [6] [9] [12] MONTH SUPPLY [APPLICATIONS]
- Do Not Use On Cats (repeated on front panel)

[Use of the following marketing claims as applicable to the specific size packaging]

- For Dogs Between 15 [33] and 33 [66] LBS.
- For Dogs Weighing 15 LBS. and under [or less]; For Dogs Weighing Less Than 15 LBS.
- For Dogs Weighing 66 LBS. and over [or more]; For Dogs Weighing More Than 66 LBS.

NOTIFICATION

MAY 2 3 2003

Keep Out of Reach of Children CAUTION

See back/side/other panel(s) for additional Precautionary Statements.

NET CONTENTS: xx [1 ml (.03 fl. oz.)][1.5 ml (.05 fl. oz.)][3.0 ml (.1 fl. oz.)] [4.5 ml (0.152 fl. oz.)] Applicator [CONTENTS: xx = x.x ml. Applicators (Total x.xx fl. oz.)]

[BACK/SIDE/OTHER PANEL(S)]

ACTIVE INGREDIENTS

Permethrin* (CAS #52645-53-1)	45.0%
Pyriproxyfen (CAS #95737-68-1) (Nylar R)	1. 9 %
OTHER INGREDIENTS	
TOTAL	100.0%

^{*}Cis/trans ratio: Max 55% (±) cis and min 45% (±) trans

Nylar[®] is a registered trademark of McLaughlin Gormley King Company U.S. Patent No. 5,942,525

READ ENTIRE LABEL BEFORE EACH USE. USE ONLY ON DOGS 6 MONTHS OF AGE & OLDER. DO NOT USE ON CATS.

PRECAUTIONARY STATEMENTS

Hazards to Humans and Domestic Animals

CAUTION

<u>Hazards to Humans</u>: Causes moderate eye irritation. Avoid contact with eyes or clothing. Wash thoroughly with soap and water after handling.

Hazards to Domestic Animals: FOR EXTERNAL USE ON DOGS ONLY. Do not use on puppies under 6 months of age. Consult a veterinarian before using this product on debilitated, aged, medicated, pregnant, or nursing dogs. DO NOT USE ON CATS or animals other than dogs. Cats that actively groom or engage in close physical contact with treated dogs may be at risk of serious harmful effect. Sensitivities may occur after use with ANY pesticide product for pets. If signs of sensitivity occur, bathe your dog with mild soap and rinse with large amounts of water. If signs continue, consult a veterinarian immediately. Signs of sensitivity to this product include skin sensitivity, increased itchiness, redness, rash, hair discoloration or hair loss at the application site. Dogs may also show "lethargy".

Environmental Hazards: This product is extremely toxic to fish and aquatic organisms. Do not apply directly to any body of water. Treated dogs should not be allowed to go swimming for 12 hours following treatment.

PHYSICAL OR CHEMICAL HAZARDS: Do not use or store near heat or open flame.

	FIRST AID
Have the product	container or label with you when calling a Poison Control Center or doctor, or going for
treatment. You m	ay also contact x-xxx-xxxx for emergency medical treatment information
IF IN EYES:	Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact
	lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control
	center or doctor for treatment advice.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

DO NOT USE ON CATS or animals other than dogs. May be toxic and potentially fatal if applied to or ingested by cats.

Do not get this product in your dog's eyes or mouth. Repeat applications may be made if necessary, but do not apply more often than once every 3 weeks.

[For Dogs Weighing 15 lbs and Under: (1.0 ml applicator tubes) Apply one tube (1.0 ml) of this product as a spot or stripe to the dog's back between the shoulder blades.]

[For Dogs Weighing Between 15 and 33 lbs: (1.5 ml applicator tubes) Apply one tube (1.5ml) of this product as a spot or stripe to the dog's back between the shoulder blades.]

EPA Reg. No. 73510-4 May 13, 2003-notification EPA Est. No. Page 2 of 6 Pages

[For Dogs Weighing Between 33 and 66 lbs: (1.5 ml applicator tubes) Apply one tube (1.5 ml) of this product as a spot or stripe to the dog's back between the shoulder blades and apply a second tube (1.5 ml) as a spot or stripe to the dog's back directly in front of the base of the tail.]

OR

[(3.0 ml applicator tubes) Apply approximately half of the tube (1.5 ml) of this product as a spot or stripe to the dog's back between the shoulder blades <u>and</u> apply the rest of the tube's contents (1.5 ml) as a spot or stripe to the dog's back directly in front of the base of the tail.]

OR

[Apply the entire tube (3.0 ml) as a continuous stripe on the dog's back starting between the shoulder blades and ending directly in front of the base of the tail.]

[For Dogs Weighing 66 lbs and Over: (1.5 ml applicator tubes) Apply one tube (1.5 ml) of this product as a stripe to the dog's back between the shoulder blades and apply a second tube (1.5 ml) continuing the stripe down the center of the dog's back and apply a third tube (1.5 ml) to the dog's back directly in front of the base of the tail.]

OR

[(4.5 ml applicator tubes) Apply approximately half of the tube (2.25 ml) of this product as a spot or stripe to the dog's back between the shoulder blades and apply the rest of the tube's contents (2.25 ml) as a spot or stripe to the dog's back directly in front of the base of the tail.]

OR

[Apply the entire tube (4.5 ml) as a continuous stripe on the dog's back starting between the shoulder blades and ending directly in front of the base of the tail.]

HOW TO APPLY:

[FOR SARAN TUBES IN BLISTER CARD: Remove product tube from package. Holding tube with notched end pointing up and away from face and body, snap or cut off narrow end at notches. Invert tube over dog and use open end to part dog's hair. Squeeze tube firmly to apply all of the solution to the dog's skin. Wrap tube and put in trash.

OR

[FOR FLAT CARD (doubled) UNIT-DOSE PACKAGING: Separate cards along the perforated line. Holding separated card by its wide end with narrow end pointing up and away from face and body, cut along dotted line. Invert card over dog and use narrow end of the card to part dog's hair. Squeeze tube firmly to apply all of the solution to the dog's skin. Wrap card and put in trash.]

OR

[FOR FLAT CARD UNIT DOSE PACKAGING: (For push pin type applicator) Remove one product tube from card. With cap end pointed up and away from face and body, depress cap to pierce tube end. Carefully remove cap, invert tube over dog, and with tube in close to dog's skin, squeeze tube to apply product. Wrap empty tube and put in trash.]

OR

[FOR FOLDING CARD OR TABBED CARD UNIT-DOSE PACKAGING: Remove product tab by tearing along perforation. Holding tab with tube end pointed up and away from face and body, cut along dotted line. Invert tab over dog and use narrow end of card to part dog's hair. Squeeze tube firmly to apply all of the solution to the dog's skir.]

OR

EPA Reg. No. 73510-4 May 13, 2003-notification EPA Est. No. Page 3 of 6 Pages

[FOR BLISTER CARD WITH TRI-LAYER TUBES: Remove product tube(s) from package. Fold along perforation between tubes and tear off one (or more) tube(s). {Return unused tubes to package.} Holding tube with notched end pointing up and away from face and body, snap off (or cut) narrow end at notches. Invert tube over dog and use open end to part dog's hair. Squeeze tube firmly to apply all of the solution to the dog's skin.]

[** FOR MULTI-DOSE PACKAGING: Withdraw 1.0 ml (1.5 ml)(3.0 ml)(4.5 ml) of solution at a time. Apply entire given dose directly to the skin at the indicated locations.]

[** FOR DROPPER BOTTLE MULTI-DOSE PACKAGING: Insert dropper tube into insecticide solution, squeeze bulb and then release to fill tube barrel to 1.0 ml (1.5ml)(3.0 ml)(4.5 ml) line. Position dropper tube end in dog's hair next to skin and squeeze bulb to apply all of the solution to the dog's skin as indicated for dog's size.]

[** FOR SALE TO VETERINARIANS ONLY]

STORAGE AND DISPOSAL

Storage: Store in a cool, dry place. Protect from freezing.

Disposal: If empty: Do not reuse this container. Place in trash or offer for recycling if available.

If partly filled: Call your local solid waste agency or 1-800-CLEANUP for disposal instructions. Never place unused product down any indoor or outdoor drain.

MarketQuest One Drop Flea & Tick Control with Nylar® Insect Growth Regulator is an effective and easy to use product. This product has demonstrated greater than 92% control of fleas within one day of application. It prevents eggs from fleas on treated dogs from developing into biting adults for up to [4 months][123 days]. As with all flea and tick control products, MarketQuest One Drop Flea & Tick Control with Nylar® Insect Growth Regulator should be used as part of a program aimed at reducing flea populations in the dog's environment (bedding, carpets, kennel, yard). Consult your veterinarian, entomologist, or retailer for program recommendations.

OR

MarketQuest One Drop Flea & Tick Control with Nylar® Insect Growth Regulator is an effective and easy to use product. This product has demonstrated greater than 92% control of fleas within one day of application. It prevents eggs from fleas on treated dogs from developing into biting adults for up to [4 months][123 days]. MarketQuest One Drop Flea & Tick Control with Nylar® Insect Growth Regulator kills and repels Deer Ticks (vector of Lyme Disease), Brown Dog Ticks, and American Dog Ticks for up to [3 to 4 weeks][4 weeks]. This product also kills and repels mosquitoes and protects against blood feeding by mosquitoes (vector of heartworm) for up to 4 weeks.

NOTICE OF WARRANTY

MARKETQUEST, INC. MAKES NO WARRANTY OF MERCHANTABILITY, FITNESS FOR ANY PARTICULAR PURPOSE, OR OTHERWISE, EXPRESSED OR IMPLIED, CONCERNING THIS PRODUCT OR ITS USES WHICH EXTEND BEYOND THE USE OF THE PRODUCT UNDER NORMAL CONDITIONS IN ACCORDANCE WITH THE STATEMENTS MADE ON THIS LABEL.

MarketQuest, Inc.

746 Walker Road, Suite 10-301 Great Falls, VA 22066

Optional informational text featured on supplemental distribution label(s):

Sergeant's is committed to providing high quality products.


If you have questions or comments about this product, please write: Sergeant's Consumer Response, P.O. Box 540399, Omaha, NE 68154-0399.

In Case of Emergency, Call: 7:30 a.m. - 4:30 p.m. CST: 1-800-224-PETS

After Hours: 1-800-781-4738

TUBE LABEL (folding card and flat card packaging designs)

MARKETQUEST ONE DROP FLEA & TICK CONTROL WITH NYLAR® INSECT GROWTH REGULATOR



KEEP OUT OF REACH OF CHILDREN CAUTION

READ DIRECTIONS AND PRECAUTIONS BEFORE USING

EPA Reg. No. 73510-4

EPA Reg. No. 73510-4 May 13, 2003-notification EPA Est. No. ____ Page 5 of 6 Pages

818

TAB LABEL (folding card and tabbed card packaging designs)

MARKETQUEST ONE DROP FLEA & TICK CONTROL WITH NYLAR® INSECT GROWTH REGULATOR

ACTIVE INGREDIENTS



KEEP OUT OF REACH OF CHILDREN CAUTION

SEE MAIN LABEL FOR ADDITIONAL PRECAUTIONS AND INSTRUCTIONS FOR USE

EPA Reg. No. 73510-4

OUTER BOX LABEL (Contains the following labeling plus full product label)

MARKETQUEST ONE DROP FLEA & TICK CONTROL WITH NYLAR® INSECT GROWTH REGULATOR

*Nylar inhibits development of the immature stages of the fleas for up to 4 months preventing them from reaching the biting adult stage.

• Nylar – Registered Trademark of McLaughlin Gormley King and Company

(picture of flea life cycle here)

4 STEPS FOR COMPLETE FLEA CONTROL

Step 1-	Shampoo or dip your dog.
Step 2-	Treat indoor and outdoor premise with indoor and outdoor sprays, foggers and powders labeled for flea control.
Step 3-	Apply MarketQuest One Drop Flea & Tick Control with Nylar® Insect Growth Regulator for up to four weeks adult flea and tick control.
Step 4-	Maintenance treatments with on-animal sprays and powders.

EPA Reg. No. 73510-4 May 13, 2003-notification EPA Est. No. Page 6 of 6 Pages