73510-4 C	22-13-2004 47			
Please read instructions on reverse before completing form. United States Environmental Protect Washington, DC 2 Um # 7003165000019463 5227	tion Agency Amendment			
	tion for Pesticide - Section I			
1. Company/Product Number 73510-4	2. EPA Product Manager 3. Proposed Classification LaRocca V None Restricted			
4. Company/Product (Name) MarketQuest One Drop Flea & Tick Control with Nylar Insect Growth Regi	PM#			
5. Name and Address of Applicant (<i>Include ZIP Code</i>) MarketQuest, Inc. 746 Walker Road, Ste. 16, PMB 301 Great Falls, VA 22066	6. Expedited Reveiw. In accordance with FIFRA Section 3(c)(3) (b)(i), my product is similar or identical in composition and labeling to: EPA Reg. No.			
Check if this is a new address	Product Name			
	Section - II			
Amendment - Explain below. Resubmission in response to Agency letter dated	Final printed labels in repsonse to Agency letter dated "Me Too" Application.			
Notification - Explain below.	$\square \text{ Other - Explain below.} FEB 1 3 2004$			
This notification is consistent with the provisions of PR Notice 98-10 and EPA regulations at 40 CFR 152.46, and no other changes have been made to the labeling or the Confidential Statement of Formula of this product. MarketQuest inc. understands that if is a violation of 18 U.S.C. Sec. 1001 to wilifully make any false statement to EPA, and further understands that if this notification is not consistent with the terms of PR Notice 98-10 and 40 CFR 152.46, this product may be in violation of FIFRA and MarketQuest, Inc. may be subject to enforcement action and penalties under sections 12 and 14 of FIFRA.				
1. Material This Product Will Be Packaged In:				
Child-Resistant Packaging Unit Packaging Yes Yes No Yes If "Yes" No. per Unit Packaging wgt. Container 03,05,.1,.15 fl oz 3	Woxter Soluble Packaging 2. Type of Container Yes Metal No Plastic Tube inside If "Yes" No. per container Package wgt container			
3. Location of Net Contents Information 4. Size(s) F	Retail Container 5. Location of Label Directions			
Label Container .0	09,.15.3,.36,.45,.60 fl oz On Label (Paperboard Carton)			
6. Manner in Which Lebel is Affixed to Product	nographOther Der glued noiled			
	Section - IV			
1. Contact Point (Complete items directly below for identifica	ition of individual to be contacted, if necessary, to process this application.)			
Name Rebecca M. Horton	Title Telephone No. (Include Area Code) Consultant/Agent for MarketQuest Inc. 540-375-8820			
Certification 6 Date Application I certify that the statements I have made on this form and all attachments thereto are true, accurate and complete. Received I acknowledge that any knowlinglly false or misleading statement may be punishable by fine or imprisonment or both under applicable law. Stamp62				
2. Signature Rebecca M. Hoston	3. Title Consultant/Agent for MarketQuest, Inc.			
4. Typed Name Rebecca M. Horton	5. Date 1 - 19 - 64			

EPA Form 8570-1 (Rev. 3-94) Previous editions are obsolete.

[FRONT PANEL]

MarketQuest One Drop Flea & Tick Control with Nylar® Insect Growth Regulator

FOR DOGS [15 lbs and Under][Between 15 & 33 lbs][Between 33 & 66 lbs][66 lbs & Over]

Optional Marketing Statements

CITRUS SCENT

- FLEA AND TICK CONTROL FOR DOGS AND PUPPIES 3 MONTHS [12 WEEKS] OF AGE & OLDER
- BREAKS FLEA LIFE CYCLE!
- KILLS AND REPELS FLEAS UP TO 3 TO 4 WEEKS [PER APPLICATION]!
- KILLS FLEA EGGS AND LARVAE FOR UP TO 123 DAYS [PER APPLICATION]!
- PREVENTS FLEA EGGS FROM DEVELOPING INTO BITING ADULTS FOR UP TO 123 DAYS [PER APPLICATION]!
- KILLS AND REPELS MOSQUITOES!

• PROTECTS AGAINST BLOOD FEEDING BY MOSQUITOES (vector of HEARTWORM) UP TO 4 WEEKS [PER APPLICATION]!

- KILLS AND REPELS TICKS FOR UP TO 4 WEEKS [PER APPLICATION]!
- KILLS AND REPELS DEER TICKS (vector of LYME DISEASE) FOR UP TO 4 WEEKS [PER APPLICATION]!
- KILLS AND REPELS BROWN DOG TICKS (Rhipicephalus sanguineus) FOR UP TO 3 TO 4 WEEKS [PER APPLICATION]!
- KILLS AND REPELS AMERICAN DOG TICKS (Dermacentor variabilis) FOR UP TO 3 TO 4 WEEKS [PER APPLICATION]!
- MONTHLY APPLICATION
- MONTHLY FLEA, TICK AND MOSQUITO TREATMENT!
- KILLS AND REPELS FLEAS AND TICKS FOR UP TO A MONTH [PER APPLICATION]!
- KILLS AND REPELS ADULT FLEAS FOR UP TO 3 TO 4 WEEKS [PER APPLICATION]!
- KILLS FLEA EGGS AND LARVAE [FOR UP TO 4 MONTHS][FOR 123 DAYS][PER APPLICATION]!

• KILLS AND REPELS TICKS FOR UP TO [4 WEEKS][3 TO 4 WEEKS] [PER APPLICATION] INCLUDING DEER TICKS (vector of LYME DISEASE), BROWN DOG TICKS & AMERICAN DOG TICKS!

- KILLS AND REPELS [ADULT FLEAS] FOR UP TO 3 TO 4 WEEKS [PER APPLICATION]!
- 3 [4] [5] [6] [9] [12] MONTH SUPPLY [APPLICATIONS]
- Do Not Use On Cats (repeated on front panel)

[Use of the following marketing claims as applicable to the specific size packaging]


- For Dogs Between 15 [33] and 33 [66] LBS.
- For Dogs Weighing 15 LBS. and under [or less]; For Dogs Weighing Less Than 15 LBS.
- For Dogs Weighing 66 LBS. and over [or more]; For Dogs Weighing More Than 66 LBS.
- 33% MORE FREE!

Keep Out of Reach of Children CAUTION

See back/side/other panel(s) for additional Precautionary Statements.

NET CONTENTS: xx [1 ml (.03 fl. oz.)][1.5 ml (.05 fl. oz.)][3.0 ml (.1 fl. oz.)] [4.5 ml (0.152 fl. oz.)] Applicator [CONTENTS: xx x.x mL Applicators (Total x.xx fl. oz.)]

EPA Reg. No. 73510-4 Jan. 19, 2004 - notif DO NOT USE ON CATS





[BACK/SIDE/OTHER PANEL(S)]

ACTIVE INGREDIENTS

Permethrin* (CAS #52645-53-1)	45.0%
Pyriproxyfen (CAS #95737-68-1) (Nylar®)	
OTHER INGREDIENTS	
TOTAL	

*Cis/trans ratio: Max 55% (±) cis and min 45% (±) trans Nylar® is a registered trademark of McLaughlin Gormley King Company U.S. Patent No. 5,942,525

READ ENTIRE LABEL BEFORE EACH USE. USE ONLY ON DOGS 3 MONTHS [12 WEEKS] OF AGE & OLDER. DO NOT USE ON CATS.

PRECAUTIONARY STATEMENTS

Hazards to Domestic Animals

CAUTION FOR EXTERNAL USE ON DOGS ONLY. Do not use on puppies under 3 months of age. Consult a veterinarian before using this product on debilitated, aged, medicated, pregnant, or nursing dogs. DO NOT USE ON CATS or animals other than dogs. Cats that actively groom or engage in close physical contact with treated dogs may be at risk of serious harmful effect. Sensitivities may occur after use with ANY pesticide product for pets. If signs of sensitivity occur, bathe your dog with mild soap and rinse with large amounts of water. If signs continue, consult a veterinarian immediately. Signs of sensitivity to this product include skin sensitivity, increased itchiness, redness, rash, hair discoloration or hair loss at the application site. Dogs may also show "lethargy".

Environmental Hazards: This product is extremely toxic to fish and aquatic organisms. Do not apply directly to any body of water. Treated dogs should not be allowed to go swimming for 12 hours following treatment.

PHYSICAL OR CHEMICAL HAZARDS: Do not use or store near heat or open flame.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

DO NOT USE ON CATS or animals other than dogs. May be toxic and potentially fatal if applied to or ingested by cats.

Do not get this product in your dog's eyes or mouth. Repeat applications may be made if necessary, but do not apply more often than once every 4 weeks.

[For Dogs Weighing 15 lbs and Under: (1.0 ml applicator tubes) Apply one tube (1.0 ml) of this product as a spot or stripe to the dog's back between the shoulder blades.]

[For Dogs Weighing Between 15 and 33 lbs: (1.5 ml applicator tubes) Apply one tube (1.5ml) of this product as a spot or stripe to the dog's back between the shoulder blades.]

[For Dogs Weighing Between 33 and 66 lbs: (1.5 ml applicator tubes) Apply one tube (1.5 ml) of this product as a spot or stripe to the dog's back between the shoulder blades <u>and</u> apply a second tube (1.5 ml) as a spot or stripe to the dog's back directly in front of the base of the tail.]

OR

[(3.0 ml applicator tubes) Apply approximately half of the tube (1.5 ml) of this product as a spot or stripe to the dog's back between the shoulder blades and apply the rest of the tube's contents (1.5 ml) as a spot or stripe to the dog's back directly in front of the base of the tail.]

4/1

[Apply the entire tube (3.0 ml) as a continuous stripe on (to) the dog's back starting between the shoulder blades and ending directly in front of the base of the tail.]

[For Dogs Weighing 66 lbs and Over: (1.5 ml applicator tubes) Apply one tube (1.5 ml) of this product as a stripe to the dog's back between the shoulder blades <u>and</u> apply a second tube (1.5 ml) continuing the stripe down the center of the dog's back <u>and</u> apply a third tube (1.5 ml) to the dog's back directly in front of the base of the tail.]

[(4.5 ml applicator tubes) Apply approximately half of the tube (2.25 ml) of this product as a spot or stripe to the dog's back between the shoulder blades <u>and</u> apply the rest of the tube's contents (2.25 ml) as a spot or stripe to the dog's back directly in front of the base of the tail.]

OR

OR

[Apply the entire tube (4.5 ml) as a continuous stripe on (to) the dog's back starting between the shoulder blades and ending directly in front of the base of the tail.]

HOW TO APPLY:

[FOR SARAN TUBES IN BLISTER CARD: Remove product tube from (the) package. Holding tube with notched end pointing up and away from face and body, snap or cut off narrow end at notches. Invert tube over dog and use open end to part dog's hair. Squeeze tube firmly to apply all of the solution to the dog's skin. Wrap tube and put in trash.

[FOR FLAT CARD (doubled) UNIT-DOSE PACKAGING: Separate cards along the perforated line. Holding separated card by its wide end with narrow end pointing up and away from face and body, cut along dotted line. Invert card over dog and use narrow end of the card to part dog's hair. Squeeze tube firmly to apply all of the solution to the dog's skin. Wrap card and put in trash.]

OR

[FOR FLAT CARD UNIT DOSE PACKAGING: (For push pin type applicator) Remove one product tube from (the) card. With cap end pointed up and away from face and body, depress cap to pierce tube end. Carefully remove cap, invert tube over dog, and with tube in close to dog's skin, squeeze tube to apply product. Wrap empty tube and put in trash.]

OR

[FOR FOLDING CARD OR TABBED CARD UNIT-DOSE PACKAGING: Remove product tab by tearing along perforation. Holding tab with tube end pointed up and away from face and body, cut along dotted line. Invert tab over dog and use narrow end of card to part dog's hair. Squeeze tube firmly to apply all of the solution to the dog's skin.]

OR

[FOR BLISTER CARD WITH TRI-LAYER TUBES: Remove product tube(s) from (the) package. Fold along perforation between tubes and tear off one (or more) tube(s). {Return unused tubes to package.} Holding tube with notched end pointing up and away from face and body, snap off (or cut) narrow end at notches. Invert tube over dog and use open end to part dog's hair. Squeeze tube firmly to apply all of the solution to the dog's skin.]

[** FOR MULTI-DOSE PACKAGING: Withdraw 1.0 ml (1.5 ml)(3.0 ml)(4.5 ml) of solution at a tim	e. Apply enti	re
given dose directly to the skin at the indicated locations.]		· · ·	*****
[** FOR DROPPER BOTTLE MULTI-DOSE PACKAGING: Insert dropp and then release to fill tube barrel to 1.0 ml (1.5ml)(3.0 ml)(4.5 ml) line. Position and squeeze bulb to apply all of the solution to the dog's skin as indicated for d [** FOR SALE TO VETERINARIANS ONLY]	on dropper tube end in dog	lution, squeez 's hair next to	e bulb skin
EPA Reg. No. 73510-4	EPA Est. No.	• 4 5 4 • • • • • 4 5 4	
Jan. 19, 2004 - notif	Page 3 of 6 Pag	es es	

OR

STORAGE AND DISPOSAL

Storage: Store in a cool, dry place. Protect from freezing.

Disposal: If empty: Do not reuse this container. Place in trash or offer for recycling if available.

If partly filled: Call your local solid waste agency or 1-800-CLEANUP for disposal instructions. Never place unused product down any indoor or outdoor drain.

MarketQuest One Drop Flea & Tick Control with Nylar® Insect Growth Regulator is an effective and easy to use product. This product has demonstrated greater than 92% control of fleas within one day of application. It prevents eggs from fleas on treated dogs from developing into biting adults for up to [4 months][123 days]. As with all flea and tick control products, MarketQuest One Drop Flea & Tick Control with Nylar® Insect Growth Regulator should be used as part of a program aimed at reducing flea populations in the dog's environment (bedding, carpets, kennel, yard). Consult your veterinarian, entomologist, or retailer for program recommendations.

OR

MarketQuest One Drop Flea & Tick Control with Nylar® Insect Growth Regulator is an effective and easy to use product. This product has demonstrated greater than 92% control of fleas within one day of application. It prevents eggs from fleas on treated dogs from developing into biting adults for up to [4 months][123 days]. MarketQuest One Drop Flea & Tick Control with Nylar® Insect Growth Regulator kills and repels Deer Ticks (vector of Lyme Disease), Brown Dog Ticks, and American Dog Ticks for up to [3 to 4 weeks][4 weeks]. This product also kills and repels mosquitoes and protects against blood feeding by mosquitoes (vector of heartworm) for up to 4 weeks.

NOTICE OF WARRANTY

MARKETQUEST, INC. MAKES NO WARRANTY OF MERCHANTABILITY, FITNESS FOR ANY PARTICULAR PURPOSE, OR OTHERWISE, EXPRESSED OR IMPLIED, CONCERNING THIS PRODUCT OR ITS USES WHICH EXTEND BEYOND THE USE OF THE PRODUCT UNDER NORMAL CONDITIONS IN ACCORDANCE WITH THE STATEMENTS MADE ON THIS LABEL.

MarketQuest, Inc. 746 Walker Road, Suite 10-301 Great Falls, VA 22066

Optional informational text featured on supplemental distribution label(s):

Sergeant's is committed to providing high quality products.

If you have questions or comments about this product, please write: Sergeant's Consumer Response, P.O. Box 540399, Omaha, NE 68154-0399.

In Case of Emergency, Call: 7:30 a.m. - 4:30 p.m. CST: 1-800-224-PETS After Hours: 1-800-781-4738 TUBE LABEL (folding card and flat card packaging designs)

MARKETQUEST ONE DROP FLEA & TICK CONTROL WITH NYLAR® INSECT GROWTH REGULATOR

PERMETHRIN 45.0% W/W PYRIPROXYFEN 1.9% W/W



KEEP OUT OF REACH OF CHILDREN CAUTION READ DIRECTIONS AND PRECAUTIONS BEFORE USING

EPA Reg. No. 73510-4



EPA Reg. No. 73510-4 Jan. 19, 2004 - notif EPA Est. No. _____ Page 5 of 6 Pages TAB LABEL (folding card and tabbed card packaging designs)

MARKETQUEST ONE DROP FLEA & TICK CONTROL WITH NYLAR® INSECT GROWTH REGULATOR

ACTIVE INGREDIENTS



KEEP OUT OF REACH OF CHILDREN CAUTION SEE MAIN LABEL FOR ADDITIONAL PRECAUTIONS AND INSTRUCTIONS FOR USE

EPA Reg. No. 73510-4

OUTER BOX LABEL (Contains the following labeling plus full product label)

MARKETQUEST ONE DROP FLEA & TICK CONTROL WITH NYLAR® INSECT GROWTH REGULATOR

*Nylar inhibits development of the immature stages of the fleas for up to 4 months preventing them from reaching the biting adult stage.

Nylar - Registered Trademark of McLaughlin Gormley King and Company

(picture of flea life cycle here)

4 STEPS FOR COMPLETE FLEA CONTROL

- Step 1- Shampoo or dip your dog.
- Step 2- Treat indoor and outdoor premise with indoor and outdoor sprays, foggers and powders labeled for flea control.
- Step 3- Apply MarketQuest One Drop Flea & Tick Control with Nylar® Insect Growth Regulator for up to four weeks adult flea and tick control.
- Step 4- Maintenance treatments with on-animal sprays and powders.

