

### UNITED STATES ENVIRONMENTAL PROTECTION AGENCY WASHINGTON, D.C. 20460

### NOTIFICATION

OFFICE OF PREVENTION PENTICIPES AND FONIC SUBSTANCES

APR 04 2007

APR 4 2007

Rebecca M. Horton Agent for Matson, LLC C/o Registrations by Design, Inc. 118 ½ East Main St., Suite 1 Salem, VA 24153-3805

SUBJECT:

/Applications for Pesticide Notification - Optional Marketing Statements/Tick Removal

√ MarketQuest One Drop Flea & Tick Control with IGR

EPA Reg. No. 73510-5

MarketQuest One Drop Flea & Tick Control with IGR-2

EPA Reg. No. 73510-9

Applications Dated October 17, 2006

Dear Ms. Horton:

The Agency is in receipt of your Applications for Pesticide Notification under Pesticide Registration Notice (PRN) 98-10 for the above products. The Registration Division (RD) has conducted a review of these requests for their applicability under PRN 98-10 and finds that the actions requested fall within the scope of PRN 98-10. The labels submitted with the applications have been stamped "Notification" and will be placed in our records.

If you have any questions, please me directly at 703-305-6249 or Terri Stowe of my staff at 703-305-6117.

Sincerely,

Linda Arrington
Notifications & Minor Formulations Team Leader
Registration Division (7505P)
Office of Pesticide Programs

United States  Environmental Protection Agency Washington, DC 20460			y	~	Registr Amend Other		OPP Identifier Number	
		Applicatio	n for Pe	sticide - Sec	ction			<u> </u>
1. Company/Product Number 73510-5			1	2. EPA Product Manager 3. Proposed Classification LaRocca			i. —	
Company/Product (Name)     MarketQuest One Drop Flea & Tick Control with IGR				PM# 13				
MarketQuest, Inc. 746 Walker Road, Great Falls, VA 2	Ste. 16, PMB 301 2066	ode)	to E	o)(i), my product o: EPA Reg. No.	is sim	illar or ider		FIFRA Section 3(c)(3) mposition and labeling
			Section	Product Name	<del></del>			
Amendment - Explain below.  Resubmission in response to Agency letter dated  Notification - Explain below.				Final printed labels in repsonse Agency letter dated "Me Too" Application.  Other - Explain below.				NOTIFICATION APR 0 4 2007
Confidential Statement of and further understands the	ent with the provisions of PR Normals of this product. Marking If this notification is not consubject to enforcement action	etQuest, Inc. unde sistent with the te	erstands that i rms of PR No	t is a violation of 18 tice 98-10 and 40 C 2 and 14 of FIFRA.	U.S.C. 8	Sec. 1001 to v	vilifuliv make	any faise statement to EPA
. Material This Product	Will Be Packaged in:	<del>, -</del>	38600	11 - 111				
Child-Resistant Packagir Yes No Certification mus	Unit Packaging Yes No.	No. per container	Weter Sold	No. per	)ı	2. Type of	Container  Metal Plastic Glass Paper Other (S	pecify)
, Location of Net Conte	1	4-Size(e) Rete	il Container		5. te	ention of La	bel Directio	ne
Label Conteiner  Manner in Which Label is Affixed to Product		Lithogra	Lithograph Other Stenoiled					
	<u>.                                    </u>	Stenoile	Section	1 - IV				<del></del>
. Contact Point (Comp	lete items directly below f	or identification	of individue	l to be contected,	if nec	esary, to pi	ocess this	application.)
eme Rebecca M. Hortor		1,	ritte Consultant/	Agent for MARK	ETQU	EST, INC.	Telephone 540-375-8	No. (include Area Code)
	tatements i have made on t any knowlinglly false or t ble law.		il attachmer					6. Deta Application Received (Stamped)
Signeture Kelecca N			. Titte Consultar	nt/Agent for M	ARKE	TQUES1	, :NC.	

4. Typed Name

Rebecca M. Horton

Oct. 17, 2006

5. Date



118% East Main Street Suite 1 Salem, VA 24153-3805 phone 540.375.8826 fax 540.375.8827 CERTIFIED MAIL #7005 3110 0002 1068 5593 October 17, 2006

NOTIFICATION

APR 04 2007

Document Processing Desk (NOTIF)
Office of Pesticide Programs/Registration Division (7504P)
U.S. Environmental Protection Agency
Ariel Rios Building
1200 Pennsylvania Ave., NW
Washington, DC 20460

Re:

Notifications of Minor Label Revisions

EPA Reg. No. 73510-5, MarketQuest One Drop Flea & Tick Control with IGR EPA Reg. No. 73510-9, MarketQuest One Drop Flea & Tick Control with IGR-2 (100% repack of 73510-5)

Dear Sir/Madam,

On behalf of MarketQuest, Inc. of Great Falls, Virginia, enclosed are notifications of the minor label changes for the above-referenced pesticide labels, including:

1) optional marketing statements consistent with currently approved label claims, and

2) the addition of supplemental use directions to aid in proper tick removal from dogs.

Best regards,

Rebecca M. Horton Consultant/Agent for MARKETQUEST, INC.

e-mail: hortonb@ntelos.net

Kebecen M. Hoster

/bmh Enclosures

cc: JStrauss/MQI



# MarketQuest One Drop Flea & Tick Control with IGR\* \*Insect Growth Regulator

FOR DOGS [& Puppies] [33 lbs and Under] [Between 33 & 66 lbs][66 lbs & Over] [and over 3 months of age]

DO NOT USE ON CATS

#### Optional Marketing Statements

- CITRUS SCENT
- FLEA AND TICK CONTROL FOR DOGS AND PUPPIES 3 MONTHS [12 WEEKS] OF AGE & OLDER
- KILLS AND REPELS [ADULT] FLEAS [FOR] UP TO 5 WEEKS [PER APPLICATION]!
- KILLS, REPELS AND PREVENTS RE-INFESTATION OF FLEAS FOR UP TO 5 WEEKS!
- KILLS AND REPELS TICKS FOR UP TO 6 WEEKS [PER APPLICATION]!
- KILLS AND REPELS BROWN DOG TICKS (Rhipicephalus sanguineus) FOR UP TO 6 WEEKS [PER APPLICATION]!
- MONTHLY FLEA, TICK, LICE & MITE APPLICATION [TREATMENT]!
- KILLS AND REPELS MOSQUITOES (ON DOGS)
- KILLS AND REPELS FLEAS AND TICKS FOR UP TO 5 WEEKS [PER APPLICATION]!
- 3 [4] [5] [6] [9] [12] MONTH SUPPLY [APPLICATIONS]
- CONTAINS BITREX
- TRIPLE PEST PROTECTION AGAINST

FLEAS TICKS

HUND

MOSQUITOES

- FLEA, TICK & MOSQUITO TREATMENT
- KILLS MOSQUITOES THAT MAY VECTOR HEARTWORM
- FIVE [5] IN ONE [1] PEST PROTECTION

**FLEAS** 

TICKS

MOSQUITOES

LICE

MITES

- KILLS FLEAS, TICKS, MOSQUITOES, LICE & MITES ON DOGS
- REPELS & KILLS TICKS ON DOGS
- KILLS AND REPELS THE DEER TICK (A VECTOR OF LYME DISEASE) FOR UP TO 6 WEEKS!
- KILLS AND REPELS TICKS INCLUDING THE BROWN DOG TICK AND DEER TICK (A VECTOR OF LYME DISEASE) FOR UP TO 6 WEEKS.
- BREAKS FLEA LIFE CYCLE!
- KILLS AND REPELS ADULT FLEAS FOR UP TO 5 WEEKS [PER APPLICATION]!
- STOPS FLEA EGGS FROM HATCHING!
- CONTROLS REINFESTATION!
- KILLS, REPELS AND PREVENTS REINFESTATION OF TICKS, INCLUDING BROWN DOG TICKS AND IXODES SPP. WHICH MAY BE VECTORS OF LYME DISEASE, FOR UP TO 6 WEEKS.
- PROTECTS AGAINST BLOOD FEEDING MOSQUITOES THAT MAY VECTOR HEARTWORM
- KILLS FLEA EGGS & LARVAE
- PREVENTS FLEA EGGS FROM DEVELOPING INTO BITING ADULTS
- Repels & Kills Fleas, Ticks & Mosquitoes
- Also Kills Dog Lice & Ear Mites
- Plus Kills Flea Eggs & Larvae
- 15 Week Supply 3 Easy Treatments

[Use of the following marketing claims as applicable to the specific size packaging]

- For Dogs Between 15 [33] and 33 [66] LBS.
- · For Dogs Weighing 15 LBS, and under [or less]; For Dogs Weighing Less Than 15 LBS.
- · For Dogs Weighing 66 LBS. and over [or more]; For Dogs Weighing More Than 66 LBS.

## Keep Out of Reach of Children CAUTION

See back/side/other panel(s) for additional Precautionary Statements.

NET CONTENTS: [Contains] xx [1.5 ml (0.05 fl. oz.)][3.0 ml (0.1 fl. oz.)] [6.0 ml (0.2 fl. oz.)] Applicators [Tubeol [CONTENTS: xx x.x mL Applicators (Total x.xx fl. oz.)]

EPA Reg. No. 73510-5 10/17/06-notification EPA Est. No. \_\_\_\_ Page 1 of 6 Pages

NOTIFICATION

APR 04 2007

#### [BACK/SIDE/OTHER PANEL(S)]

#### **ACTIVE INGREDIENTS**

Permethrin* (CAS #52645-53-1)	45.0%
S-Methoprene (CAS #65733-16-6)	1.2%
OTHER INGREDIENTS	53.8%
TOTAL	100.0%

<sup>\*</sup>Cis/trans ratio: Max 55% (±) cis and min 45% (±) trans

READ ENTIRE LABEL BEFORE EACH USE. USE ONLY ON DOGS 3 MONTHS [12 WEEKS] OF AGE & OLDER.

DO NOT USE ON CATS.

# PRECAUTIONARY STATEMENTS Hazards to Domestic Animals CAUTION

FOR EXTERNAL USE ON DOGS ONLY. Do not use on puppies under 3 months of age. Consult a veterinarian before using this product on debilitated, aged, medicated, pregnant, or nursing dogs. DO NOT USE ON CATS or animals other than dogs. Cats that actively groom or engage in close physical contact with treated dogs may be at risk of serious harmful effect. Sensitivities may occur after use with ANY pesticide product for pets. If signs of sensitivity occur, bathe your dog with mild soap and rinse with large amounts of water. If signs continue, consult a veterinarian immediately. Signs of sensitivity to this product include skin sensitivity, increased itchiness, redness, rash, hair discoloration or hair loss at the application site. Dogs may also show "lethargy".

Environmental Hazards: This product is extremely toxic to fish and aquatic organisms. Do not apply directly to any body of water. Treated dogs should not be allowed to go swimming for 12 hours following treatment.

PHYSICAL OR CHEMICAL HAZARDS: Combustible! Do not use or store near heat or open flame.

#### **DIRECTIONS FOR USE**

It is a violation of Federal law to use this product in a manner inconsistent with its labeling,

DO NOT USE ON CATS or animals other than dogs. May be toxic and potentially fatal if applied to or ingested by cats.

Do not get this product in your dog's eyes or mouth. Repeat applications may be made if necessary, but do not apply more often than once every 4 weeks.

[For Dogs Weighing 33 lbs and Under: (1.5 ml applicator tubes) Apply one tube (1.5 ml/0.05 fl. oz.) of this product as a spot or stripe to the dog's back between the shoulder blades.]

[For Dogs Weighing Between 33 and 66 lbs: (1.5 ml applicator tubes) Apply one tube (1.5 ml/0.05 fl. oz) of this product as a spot or stripe to the dog's back between the shoulder blades and apply a second tube (1.5 ml/0.05 fl. oz) as a spot or stripe to the dog's back directly in front of the base of the tail.]

OR

[(3.0 ml applicator tubes) Apply approximately half of the tube (1.5 ml/0.05 fl. oz) of this product as a spot or stripe to the dog's back between the shoulder blades and apply the rest of the tube's contents (1.5 ml/0.05 fl. oz) as a spot or stripe to the dog's back directly in front of the base of the tail.]

OR

[Apply the entire tube (3.0 ml/0.1 fl. oz.) [of this product] as a continuous stripe on the dog's back starting between the shoulder blades and ending directly in front of the base of the tail.]

EPA Reg. No. 73510-5 10/17/06-notification EPA Est. No. \_\_\_\_ Page 2 of 6 Pages [For Dogs Weighing 66 lbs and Over: (1.5 ml applicator tubes) Apply one tube (1.5 ml/0.05 fl. oz) of this product as a stripe to the dog's back between the shoulder blades <u>and</u> apply a second and a third tube (two 1.5 ml/0.05 fl. oz) tubes) continuing the stripe down the center of the dog's back <u>and</u> apply a fourth tube (1.5 ml/0.05 fl. oz) to the dog's back directly in front of the base of the tail.]

#### OR

[(6.0 ml applicator tubes) Apply approximately half of the tube (3.0 ml/0.2 fl. oz) of this product as a spot or stripe to the dog's back between the shoulder blades and apply the rest of the tube's contents (3.0 ml/0.2 fl. oz) as a spot or stripe to the dog's back directly in front of the base of the tail.]

#### OR

[Apply the entire tube (6.0 ml/0.2 fl. oz) as a continuous stripe on the dog's back starting between the shoulder blades and ending directly in front of the base of the tail.]

#### HOW TO APPLY:

[FOR SARAN TUBES IN BLISTER CARD: Remove product tube from package. Holding tube with notched end pointing up and away from face and body, snap or cut off narrow end at notches. Invert tube over dog and use open end to part dog's hair. Squeeze tube firmly to apply all of the solution to the dog's skin. Wrap tube and put in trash.

#### OR

[FOR FLAT CARD (doubled) UNIT-DOSE PACKAGING: Separate cards along the perforated line. Holding separated card by its wide end with narrow end pointing up and away from face and body, cut along dotted line. Invert card over dog and use narrow end of the card to part dog's hair. Squeeze tube firmly to apply all of the solution to the dog's skin. Wrap card and put in trash.]

#### OR

[FOR FLAT CARD UNIT DOSE PACKAGING: (For push pin type applicator) Remove one product tube from card. With cap end pointed up and away from face and body, depress cap to pierce tube end. Carefully remove cap, invert tube over dog, and with tube in close to dog's skin, squeeze tube to apply product. Wrap empty tube and put in trash.]

#### OR

[FOR FOLDING CARD OR TABBED CARD UNIT-DOSE PACKAGING: Remove product tab by tearing along perforation. Holding tab with tube end pointed up and away from face and body, cut along dotted line. Invert tab over dog and use narrow end of card to part dog's hair. Squeeze tube firmly to apply all of the solution to the dog's skin.]

#### OR

[FOR BLISTER CARD WITH TRI-LAYER TUBES: Remove product tube(s) from package. Fold along perforation between tubes and tear off one (or more) tube(s). {Return unused tubes to package.} Holding tube with notched end pointing up and away from face and body, snap off (or cut) narrow end at notches. Invert tube over dog and use open end to part dog's hair. Squeeze tube firmly to apply all of the solution to the dog's skin.]

- [\*\* FOR MULTI-DOSE PACKAGING: Withdraw (1.5 ml)(3.0 ml)(6.0 ml) of solution at a time. Apply entire given dose directly to the skin at the indicated locations.]
- [\*\* FOR DROPPER BOTTLE MULTI-DOSE PACKAGING: Insert dropper tube into insecticide solution, squeeze bulb and then release to fill tube barrel to (1.5ml)(3.0 ml)(6.0 ml) line. Position dropper tube end in dog's hair next to skin and squeeze bulb to apply all of the solution to the dog's skin as indicated for dog's size.]

[\*\* FOR SALE TO VETERINARIANS ONLY]

To Kill and Help Remove Visible Ticks on Dogs: Open vial/tube and apply a drop directly onto the tick or ticks then apply remainder onto the dog as per usage directions on this label. Wait 15 minutes and if the TICK has not backed off or fallen off,

EPA Reg. No. 73510-5 10/17/06-notification EPA Est. No. \_\_\_\_\_ Page 3 of 6 Pages carefully remove tick with tweezers or comb making sure to remove entire tick. Clean wound, apply antiseptic and cover with a bandage if needed. Tube is not rescalable. Do not rescal tube. Discard after use as directed in Disposal instructions on this label.

#### STORAGE AND DISPOSAL

Storage:Store in a cool, dry place. Protect from freezing.

**Disposal**: If empty: Do not reuse this container. Place in trash or offer for recycling if available. If partly filled: Call your local solid waste agency for disposal instructions. Never place unused product down any indoor or outdoor drain.

MarketQuest One Drop Flea & Tick Control with IGR is an effective and easy to use product. This product has demonstrated greater than 92% control of fleas within one day of application. It prevents eggs from fleas on treated dogs from developing into biting adults, and prevents reinfestations for up to 5 weeks. MarketQuest One Drop Flea & Tick Control with IGR kills and repels ticks for up to 6 weeks [fleas and ticks for up to 5 weeks] per treatment, and kills flea eggs and larvae, mosquitoes, [dog] lice and mites on dogs [and puppies 3 months or older and weighing (xx lbs. and under) (between 33 & 66 lbs.) (66 lbs. & over)]. As with all flea and tick control products, MarketQuest One Drop Flea & Tick Control with IGR should be used as part of a program aimed at reducing flea populations in the dog's environment (bedding, carpets, kennel, yard). Consult your veterinarian, entomologist, or retailer for program recommendations.

#### NOTICE OF WARRANTY

MARKETQUEST, INC. MAKES NO WARRANTY OF MERCHANTABILITY, FITNESS FOR ANY PARTICULAR PURPOSE, OR OTHERWISE, EXPRESSED OR IMPLIED, CONCERNING THIS PRODUCT OR ITS USES WHICH EXTEND BEYOND THE USE OF THE PRODUCT UNDER NORMAL CONDITIONS IN ACCORDANCE WITH THE STATEMENTS MADE ON THIS LABEL.

MarketQuest, Inc.
746 Walker Road, Ste. 16, PMB 301
Great Falls, VA 22066

EPA Reg. No. 73510-5 10/17/06-notification EPA Est. No. \_\_\_\_ Page 4 of 6 Pages TUBE LABEL (folding card and flat card packaging designs)

### MARKETQUEST ONE DROP FLEA & TICK CONTROL WITH IGR

PERMETHRIN 45.0% W/W S-METHOPRENE 1.2% W/W



## KEEP OUT OF REACH OF CHILDREN CAUTION

READ DIRECTIONS AND PRECAUTIONS BEFORE USING

EPA Reg. No. 73510-5

EPA Reg. No. 73510-5 10/17/06-notification

EPA Est. No. \_\_\_\_ Page 5 of 6 Pages TAB LABEL (folding card and tabbed card packaging designs)

#### MARKETQUEST ONE DROP FLEA & TICK CONTROL WITH IGR

#### **ACTIVE INGREDIENTS**



Permethrin (CAS #52645-53-1)	.45.0%
S-Methoprene (CAS #65733-16-6)	1.2%

### KEEP OUT OF REACH OF CHILDREN CAUTION

SEE MAIN LABEL FOR ADDITIONAL PRECAUTIONS AND INSTRUCTIONS FOR USE

EPA Reg. No. 73510-5

OUTER BOX LABEL (Contains the following labeling plus full product label)

#### MARKETQUEST ONE DROP FLEA & TICK CONTROL WITH IGR\*

\*Insect Growth Regulator (S-methoprene) inhibits development of the immature stages of the fleas preventing them from reaching the biting adult stage.

(picture of flea life cycle here)

#### 4 STEPS FOR COMPLETE FLEA CONTROL

Step 1-	Shampoo or dip your dog.
Step 2-	Treat indoor and outdoor premise with indoor and outdoor sprays, foggers and powders labeled for flea control.
Step 3-	Apply MarketQuest One Drop Flea & Tick Control with IGR for flea, tick, mosquito, lice and mite control.
Step 4-	Maintenance treatments with on-animal sprays and powders.

EPA Reg. No. 73510-5 10/17/06-notification

EPA Est. No. \_\_\_\_ Page 6 of 6 Pages