

73600-1

10-16-2009

1/4



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY  
WASHINGTON, D.C. 20460

OFFICE OF  
PREVENTION, PESTICIDES AND  
TOXIC SUBSTANCES

OCT 16 2009

Mr. Chuck Koopmann  
Agent for Ridley US Holdings, Inc.  
C. koopman Consulting, LLC.  
32241 Business Route 36E  
Macon, MO 63552-3845

SUBJECT: Application for Pesticide Notification (PRN 98-10)  
Request Alternate Brand Name "Ultralyx Rabon Mineral Block for Cattle and Horses"  
EPA Reg. No. 73600-1  
Application Dated August 28, 2009

Dear: Mr. Koopmann,

The Agency is in receipt of your Application for Pesticide Notification under Pesticide Registration Notice (PRN) 98-10 dated 08/28/09 for the above product. The Registration Division (RD) has conducted a review of this request for its applicability under PRN 98-10 and finds that the action(s) requested fall within the scope of PRN 98-10. The label submitted with the application has been stamped "Notification" and will be placed in our records.

If you have any questions, please call me directly at 703-305-6249 or Owen F. Beeder of my staff at 703-308-8899.

Sincerely,

A handwritten signature in cursive script that reads "Rachel C. Holloman".

Linda Arrington  
Notifications & Minor Formulations Team Leader  
Registration Division (7505P)  
Office of Pesticide Programs

Please read instructions on reverse before completing form.

Form Approved, OMB No. 2070-0060, Approval expires 2-28-95



United States  
Environmental Protection Agency  
Washington, DC 20460

<input type="checkbox"/>	Registration
<input type="checkbox"/>	Amendment
<input checked="" type="checkbox"/>	Other

OPP Identifier Number

### Application for Pesticide - Section I

1. Company/Product Number 73600-1	2. EPA Product Manager George LaRocca	3. Proposed Classification <input type="checkbox"/> None <input type="checkbox"/> Restricted
4. Company/Product (Name) Sweetlix Rabon Molasses Pressed Block	PM# 13	
5. Name and Address of Applicant (Include ZIP Code) Ridley US Holdings, Inc. 424 North Riverfront Dr., P. O. Box 8500 Mankato, MN 56002-8500 <input type="checkbox"/> Check if this is a new address	6. Expedited Review. In accordance with FIFRA Section 3(c)(3) (b)(i), my product is similar or identical in composition and labeling to: EPA Reg. No. _____ Product Name _____	

### Section - II

<input type="checkbox"/> Amendment - Explain below.	<input type="checkbox"/> Final printed labels in response to Agency letter dated _____	<b>NOTIFICATION</b>  OCT 16 2009
<input type="checkbox"/> Resubmission in response to Agency letter dated _____	<input type="checkbox"/> "Me Too" Application.	
<input checked="" type="checkbox"/> Notification - Explain below.	<input type="checkbox"/> Other - Explain below.	

Explanation: Use additional page(s) if necessary. (For section I and Section II.)

Application of Alternate Brand Name - ULTRALYX RABON MINERAL BLOCK FOR CATTLE AND HORSES  
 This notification is consistent with the provisions of PR Notice 98-10 and EPA regulations at 40 CFR 152.46, and no other changes have been made to the labeling or the confidential statement of formula of this product. I understand that it is a violation of 18 U.S.C. Sec. 1001 to willfully make a false statement to EPA. I further understand that if this notification is not consistent with the terms of PR Notice 98-10 and 40 CFR 152.46, this product may be in violation of FIFRA and I may be subject to enforcement action and penalties under sections 12 and 14 of FIFRA  
 No Fee is due. E-mail kkoopmann@hotmail.com Fax: 660-395-9593

### Section - III

1. Material This Product Will Be Packaged In:

Child-Resistant Packaging <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	Unit Packaging <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	Water Soluble Packaging <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	2. Type of Container <input type="checkbox"/> Metal <input checked="" type="checkbox"/> Plastic <input type="checkbox"/> Glass <input type="checkbox"/> Paper <input type="checkbox"/> Other (Specify) _____
* Certification must be submitted		If "Yes" Unit Packaging wgt. 40 No. per container 1	If "Yes" Package wgt. _____ No. per container _____

3. Location of Net Contents Information  
 Label  Container

4. Size(s) Retail Container  
40 lb

5. Location of Label Directions  
 On label

6. Manner in Which Label is Affixed to Product  
 Lithograph Paper glued Stenciled  Other \_\_\_\_\_

### Section - IV

1. Contact Point (Complete items directly below for identification of individual to be contacted, if necessary, to process this application.)

Name Chuck Koopmann	Title Agent for Ridley	Telephone No. (Include Area Code) 660-651-8115
------------------------	---------------------------	---

**Certification**  
I certify that the statements I have made on this form and all attachments thereto are true, accurate and complete. I acknowledge that any knowingly false or misleading statement may be punishable by fine or imprisonment or both under applicable law.

6. Date Application Received (Stamped)

2. Signature 	3. Title Agent for Ridley US Holdings, Inc.
4. Typed Name Chuck Koopmann	5. Date 8/28/2009

3  
4

# C. KOOPMANN CONSULTING, LLC.

---

32241 Business Route 36E  
Macon, MO 63552-3845  
Phone: 660-651-8115  
Fax: 660-395-9593  
[ckoopmann@hotmail.com](mailto:ckoopmann@hotmail.com)

August 28, 2009

Document Processing Desk (NOTIF)  
Office of Pesticide Programs (7504P)  
US Environmental Protection Agency  
1200 Pennsylvania Ave.  
Washington DC, 20460

Attn: George LaRocca PM13

SUBJECT: **Alternate Brand Name Notifications for:**  
**Ridley US Holdings, Inc. (73600)**

In accordance with PR Notice 98-10 and EPA regulations at 40 CFR 152.46 we herewith submit on, behalf of Ridley US Holdings, Inc. (73600), EPA Form 8570-1's for the following Alternate Brand Name notifications:

1. 73600-1 Sweetlix Rabon Molasses Pressed Block:  
ABN- **Prairie Pride Rabon Molasses Pressed Block**
- ✓ 2. 73600-1 Sweetlix Rabon Molasses Pressed Block:  
ABN - **Ultralyx Rabon Mineral Block for Cattle and Horses**
3. 73600-3 Sweetlix 16:8 Free Choice Mineral with Rabon Oral Larvicide:  
ABN - **Sweetlix 6% Copperhead ROL**
4. 73600-3 Sweetlix 16:8 Free Choice Mineral with Rabon Oral Larvicide:  
ABN - **VMS Pasture Aid Fly Control Mineral**
5. 73600-5 VMS Pest-A-Side Block with Rabon:  
ABN - **Ultralyx Rabon Fly Control Block**
6. 73600-5 VMS Pest-A-Side Block with Rabon:  
ABN - **Prairie Pride Rabon Pressed Block**

Questions regarding this transmission should be directed to me at the address listed above.

Please mail the enclosed post card upon review and approval.

Thank you.

Sincerely,

  
Chuck Koopmann  
Agent

cc: Ridley US Holdings, Inc.

Enclosure: Form 8570-1's



# Rabon® Mineral Block for Cattle & Horses

A Free Choice Supplement Block for Cattle and Horses

For control of fecal flies in manure of treated cattle and horses. Prevents development of face flies, horn flies, house flies and stable flies in the manure of treated cattle. Prevents development of house flies and stable flies in the manure of treated horses.

**Active Ingredient:**

Tetrachlorvinphos: (Z)-2-Chloro-1-(2,4,5-trichlorophenyl) vinyl dimethyl phosphite*	0.494%
Other Ingredients**	99.506%
	100.000%

\*Each lb. contains 2.24 g Rabon®  
\*\*Refers only to ingredients which are not larvicidal

**Guaranteed Analysis**

Calcium (Min)	10.00%
Calcium (Max)	12.00%
Phosphorus (Min)	4.00%
Salt (Min)	15.00%
Salt (Max)	18.00%
Magnesium (Min)	1.00%
Copper (Min)	300 ppm
Iodine (Min)	10 ppm
Manganese (Min)	1,100 ppm
Selenium (Min)	21 ppm
Zinc (Min)	870 ppm
Vitamin A (Min)	100,000 IU/lb.
Vitamin D-3 (Min)	10,000 IU/lb.
Vitamin E (Min)	10 IU/lb.

**Feed Ingredients**

Molasses Products, Roughage Products, Monocalcium Phosphate, Dicalcium Phosphate, Salt, Calcium Carbonate, Calcium Hydroxide, Hydrolyzed Vegetable Oil, Magnesium Oxide, Manganese Oxide, Manganese Sulfate, Zinc Oxide, Zinc Sulfate, Copper Chloride, Copper Sulfate, Sodium Selenite, Ethylenediamine Dihydroiodide, Calcium Iodate, Cobalt Carbonate, Vitamin A Supplement, Vitamin D-3 Supplement and Vitamin E Supplement.

**Keep Out of Reach of Children**

**CAUTION**

PRECAUTIONARY STATEMENTS  
HAZARDS TO HUMANS AND DOMESTIC ANIMALS:

**CAUTION**

Harmful if swallowed or absorbed through skin. Causes moderate eye irritation. Avoid contact with eyes, skin or clothing. Prolonged or frequently repeated skin contact may cause allergic reaction to some individuals.

First Aid	
IF SWALLOWED	Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to by a poison control center or doctor.
IF ON SKIN	Take off contaminated clothing. Rinse skin with plenty of water for 15-20 minutes. Call poison control center or doctor for treatment advice.
IF IN EYES	Hold eyes open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing. Call a poison control center or physician for treatment advice.

**HOT LINE NUMBER:** In case of emergency, contact (507) 388-9400.

**NOTE TO PHYSICIANS AND VETERINARIANS:** Symptomatology: Signs of organophosphate toxicity are those of cholinergic over stimulation; hypersalivation, excessive urination, diarrhea and dyspnea (respiratory distress, collapse and death from respiratory muscle paralysis). Treatment: Withdraw product immediately. Clinical includes 3 categories: muscarinic blocking agents (atropine sulfate), (2) cholinesterase reactivators (atropine and 2-PAM, pralidoxime chloride) and (3) emetics (i.e. syrup of ipecac), cathartics (i.e. vegetable oil) and absorbents (i.e. charcoal slurry).

**ENVIRONMENTAL HAZARDS:** This compound is toxic to fish.  
**STORAGE AND DISPOSAL:** Do not contaminate water, food, or feed by storage or disposal.  
**Disposal:** Completely empty bag into application equipment. Then dispose of empty bag in a sanitary landfill or by incineration, or if allowed by State and Local Authorities, by burning. If burned, stay out of smoke. Wastes resulting from use of this product may be disposed of on site or at an approved waste disposal facility.

**USER SAFETY RECOMMENDATIONS**  
**PERSONAL PROTECTIVE EQUIPMENT (PPE):** Long-sleeved shirt and long pants, shoes and socks, chemical resistant gloves. Users should remove PPE immediately after handling this product. Wash the outside of gloves before removing. As soon as possible, wash thoroughly and change into clean clothing. Wash hands before eating, drinking, chewing gum, using tobacco or using the toilet. Follow manufacturers instructions for cleaning/maintaining PPE. If no such instructions for washables, use detergent and hot water. Keep and wash PPE separately from other laundry.

**NET WEIGHT:**  
**40 LB (18.18 KG)**

Manufactured By Ridley US Holdings, Inc.  
PO Box 8500, Mankato, MN 56002

**DIRECTIONS FOR USE:** It is a violation of Federal law to use this product in a manner inconsistent with its labeling.  
**USE RESTRICTIONS:** Not to be used on horses destined for slaughter.  
**PRECAUTIONS FOR HORSE USE:** This product contains tetrachlorvinphos, which is a cholinesterase inhibitor. The most frequently reported clinical signs of cholinesterase inhibition in the horse are abdominal pain, lethargy, sweating, tearing and excessive salivation. If these signs are seen in horses, consult your veterinarian immediately. Do not use this product simultaneously or within a week before or after treatment with cholinesterase inhibiting drugs, pesticides or chemicals. Consult a veterinarian before using this product on debilitated, aged, pregnant or nursing animals. This product has not been tested in breeding horses.

- GENERAL INSTRUCTIONS**
1. Feed 1 block per 5 head of cattle or horses. This allows all animals equal access to blocks. Feed blocks at the rate of 0.5 oz. per 100 lb. of bodyweight per day. This intake will supply 0.07 g of larvicide per 100 lb. of bodyweight per day (2.1 grams per 100 lbs. bodyweight per month).
  2. Place blocks where animals congregate. Locate blocks throughout pasture, placing them near water and loafing areas. Maintain adequate distance between blocks (10 ft. minimum).
  3. Do not allow animals to run out of blocks. When a block is half-consumed, place a new block near it. Place very small pieces in troughs or feed pans.
  4. Animals should consume about 5 oz. per head daily. When animals consume the block at the recommended rate, it will supply 3 mg of selenium.
  5. Blocks can be fed to animals in confinement. Exact location of blocks to obtain desired consumption will vary between confinement feeding programs.
  6. Feed as the only FREE CHOICE source of salt, other minerals and vitamins.
  7. Ultralyx® Rabon® Mineral Block for Cattle & Horses prevents the development of fecal flies in the manure of treated cattle and horses, but it is not effective against existing adult flies. It may be necessary to use other control measures to reduce the population of existing adult flies. Supplemental fly control measures may be needed in and around buildings to control adult house flies and stable flies which can breed not only in animal manure but also in other decaying matter on the premises. In order to achieve optimum fly control, Ultralyx® Rabon® Mineral Block for Cattle & Horses should be used in conjunction with other good management and sanitation practices. Start feeding Ultralyx® Rabon® Mineral Block for Cattle & Horses early in the spring before flies begin to appear and continue feeding throughout the summer and into the fall. Ultralyx® Rabon® Mineral Block for Cattle & Horses may be fed to cattle up to slaughter.
  8. Follow feeding directions. Consumption of selenium should not exceed 3 mg per head daily.

Rabon® is a registered trademark of KMG Chemicals, Houston, TX  
EPA Reg. No. 73600-5-84549  
EPA Est. No. 74604-KY-001

**10405**  
06/09

**NOTIFICATION**  
**OCT 16 2009**

f/f