UNITED STATES ENVIRONMENTAL PROTECTION AGENCY WASHINGTON, DC 20460



OFFICE OF CHEMICAL SAFETY AND POLLUTION PREVENTION

SEP 1 8 2014

Ms. Cathy Rieff
Director of Quality & Food Safety
Ridley US Holdings, Inc.
424 North Riverfront Drive
Mankato, MN 56001

Subject:

Label Notification per PRN 98-10 – Addition of an Alternate Name

Product Name: Sweetlix Rabon Molasses Pressed Block

EPA Registration Number: 73600-1 Application Date: August 25, 2014

Decision Number: 494984

Dear Ms. Rieff:

The Agency is in receipt of your Application for Pesticide Notification under Pesticide Registration Notice (PRN) 98-10 for the above referenced product. The Registration Division (RD) has conducted a review of this request for its applicability under PRN 98-10 and finds that the action requested falls within the scope of PRN 98-10.

The alternate brand name **Stockade Rabon Molasses Pressed Block** has been added to the product record.

If you have any questions, you may Dani Daniel at 703 305-5409 or via email at daniel.dani@epa.gov.

Sincerely,

Richard J. Gebken, Product Manager 10

Insecticide Branch

Registration Division (7505P) Office of Pesticide Programs

NOTIFICATION

Please read instructions on	reverse before completing	g form.	ED 4 0 OFFINE AD	proved. OMB No.	2070-0060	Runttoun
SEPA	Environmental F	Protection Ag	ency	Registe Amend Other		OPP Identifier Number
	Aı	pplication for	Pesticide - Se	ction I	·····	
1. Company/Product Numb Ridley US Holdings, Inc.			2. EPA Product Me Richard Gebken			oposed Classification
4. Company/Product (Name Ridley US Holdings, Inc	a) ./Stockade Rabon Mola	sses Pressed	PM# 10		T ×	None Restricted
5. Name and Address of A Ridley US Holdings, Inc 424 North Riverfront D			1	t is similar or idei		FIFRA Section 3(c)(3) mposition and labeling
Check if th	Product Name	Product Name Sweetlix Rabon Molasses Pressed Block				
		Se	ction - II		or de la	
Amendment - Explai	ponse to Agency letter da	ted	Agency le	ed labels in respon itter dated Application. splain below.	98 to .	
Explanation: Use addition Submission of ABN for 3 Notifications Only: No 1	73600-1.	(For section I and S	ection II.)			
		Sed	tion - III			
1. Material This Product W	ill Bø Packaged In:					
Child-Resistant Packaging Yes* No	Unit Packaging X Yes No	Wete X	r Soluble Packeging Yes No No No per	×	Metel Plastic Glass Paper	
* Certification must be submitted			age wgt contain		Other (S	pecify)
3. Location of Net Content	1	Size(s) Retail Cont 0 lbs	ainer	5. Location of La On Lab On Lab	el	ns panying product
6. Manner in Which Label is	Affixed to Product	Lithograph Paper glued Stenciled	Oth	er		C C C C
		Sec	tion - IV			, c c
1. Contact Point (Complete	e items directly below for i	identification of ind	vidual to be contacted	t, if necessary, to p	rocess this	7
Name Cathy Rieff		Title Dir. of	Quality & Food Sa		Telephone 507-388	No. (Include Area Code)
•	ements I have made on thi ny knowingly false or misl s law.					6. Date Application Received (Stainped)
2. Signature CUUU	g Riff	3. Title Dir. of	Quality & Food Safe	ty		((((((((((((((((((((
4. Typed Name	y Riff	5. Date	8/25/14			



August 25, 2014

Richard Gebken, PM 10 Registration Div. Office of Pesticide Programs (7505P) U.S. Environmental Protection Agency 1200 Pennsylvania Ave., N.W. Washington, DC 20460

Re: ABN notifications for Ridley US Holdings, Inc.

Dear Mr. Gebken,

In accordance with PR Notice 98-10 and EPA regulations at 40 CFR 152.46 we are submitting the following Alternate Brand Name notifications:

- 73600-1 Sweetlix Rabon Molasses Pressed Block
 ABN Stockade Rabon Molasses Pressed Block
- 73600-3 Sweetlix 16:8 Free Choice Mineral with Rabon Oral Larvicide ABN- Stockade Fly Control Mineral with Rabon
- 73600-5 VMS Pest-A-Side Block with Rabon ABN- Stockade Rabon Fly Control Block
- 7698-17 Crystalyx ROLYX Pro-Mag
 ABN- Crystalyx ROLYX Pro-Mag
 ABN- Fly PatROL 18
- 7698-18 Crystalyx ROLYX Max ABN- Fly PatROL 4

Please feel free to contact me at 507-388-9459 or <u>cathy.rieff@ridleyinc.com</u> if you have any questions regarding this submission.

Respectfully,

Director of Quality & Food Safety

Ridley U.S. Holdings, Inc.

Enclosures: (24) Form 8570-1's and labels for each

ISO 900 I REGISTERED COMPANY

Phone: 507-388-9400 • Fax: 507-388-9559

NOTFICATION SEP 1 8 2014

For control of fecal files in manure of treated cattle and horses. Prevents development of face files, house files and stable files in the manure of treated cattle. Prevents development of house files and stable files in the manure of treated

Active Ingredient:

Tetrachlorvinghos: (Z)-2-Chloro-1-(2,4,5-trichlorophenyl)	orophenyl)
vinyl dimethyl phosphate"	
Other Ingredients**	%90 <u>5</u> .66
	100 000%

SWALLOWED IF ON SKIN

First Aid

*Each Ib. contains 2.24 g Rabon®
*Refers only to ingredients which are not larvicidal

10.00% 12.00% 12.00% 15.00% 16.00% 10 **Suaranteed Analysis** Magnesium (Min) Copper (Min) lodine (Min) Phosphorus (Min)... Salt (Min)... Salt (Max)... Vitamin A (Min) Vitamin D-3 (Min)... Vitamin E (Min)... Manganese (Min) ... Selenium (Min) Calcium (Min) . Calcium (Max) Zinc (Min)...

NOTE TO PHYSICIANS AND VETERINARIANS: Symptomatogy: Signs of organophosphate toxicity are those of robinlengio over situadition; hypotestalvation, excessive unination, diarrhea and dysprase (respitatory distress, collapse and death from respiratory musche paralysis). Reatment Windraw product immediately, Clinical includes 3 categories;

musarinic blocking agents (atropine sulfiale), (2) cholinesterase reactivators (atropine and 2-PAM, prafidoxine chloride) and (3) emetics (i.e. syrup of ipecae), cathartics (i.e. vegetable oil) and absorbents (i.e. charcoal stury).

Feed Ingredients

Molasses Products, Roughage Products, Monocalcium Phosphale, Dicablium Prosphale, Salf, Calcium Carbonage, Calcium Hydroxide, Hydrogenaried Soybean Oil, Magnesium Oxide, Manganated Soybean Oil, Magnesium Oxide, Manganese Sulfale, Zinc Oxide, Zinc Sulfale, Copper Chloride, Copper Cultura, Stodium Selentie, Einylenediamine Dihydroodide, Calcium Iodate, Cobatt Carbonate, Vitamin A Supplement, Vitamin As Supplement and Vitamin E Supplement.

KEEP OUT OF REACH OF CHILDREN CAUTION

USER SAFETY RECOMMENDATIONS:
Personal Potietive Equipment (PPE): Inogsteeved shirt and long parts, shoes and personal Potietive Equipment (PPE): Inogsteeved shirt and long parts, shoes and stork chemical resistant gloves. Users should remove PPE immediately after handling this product. Wash the outside of gloves, before emovine, As soon as possible, wish thoroughly and change into dean odning. Wash hands before earlied, minking, tehewing yours, using to bacco or using the total: Follow maxilicatures instructions for recenting maintaining PPE. If no such instructions for washbales, use detergent and hot water.

Keep and wash PPE separately from other laundry

Harmful if swallowed or absorbed through skin. Causes moderate eye inflation. Avoid contact with eyes, skin or clothing. Prolonged or frequently repeated skin contact may cause allergic reaction to some individuals.

PRECAUTIONARY STATEMENTS Hazards to Humans and Domestic Animals: CAUTION

EPA Reg. No. 73600-1 * EPA Est. No. 73600-TX-01 Rabon® is a registered trademark of Bayer HealthCare, LLC

Ridley U.S. Holdings, Inc., Mankato, MN 56001 Contact us at: 1-800-835-0306 • www.stockadebrands.com

@

Rabon® Molasses Pressed Block

A Free Choice Supplement Block for Cattle and Horses

manner inconsistent with its labeling.

USE RESTRICTIONS: Not to be used on horses destined for slaughter.

PRECAUTIONS FOR HORSE USE: This product contains

retrachlowinghos, which is a cholinesterase inhibitor. The most frequently reported chincial signs of cholinesterase inhibition in the horse are abdominal pain, lethargy, sweating, tearing and excessive salivation. If these signs are seen in horses, consult your veterinarian immediately. Do not use this product simultaneously or within a week before or after treatment with cholinesterase inhibiting drugs, pestidides or chemicals. Consult a veterinarian before using this product on debilitated, aged, pregnant or nursing animals. This product has not been tested in breeding horses.

GENERAL INSTRUCTIONS

1. Feed 1 block per 5 head of cattle or horses. This allows all animals equal Directions for Use: It is a violation of Federal law to use this product in a -Call a poison control center or doctor immediately for treatment advice. -Have person sip a glass of water if able to swallow. -Do not induce vomiting unless told to by a poison control center or doctor.

-Hold eyes open and rinse slowly and gently with water for 15-20 minutes. -Remove contact lenses, if present, after the first 5 minutes, then continue

IF IN EYES

-Take off contaminated dothing.
-Rinse skin with plenty of water for 15-20 minutes.
-Call poison control center or doctor for treatment advice.

rinsing. -Call a poison control center or physician for treatment advice.

Hot Line Number: In case of emergency, contact 800-325-1486.

7

€.

4 છ

CALCHAIN IN STACL ILLONS

CACHOLING IN STACL ILLONS

Seed 1 block per 5 head of cattle or horses. This allows all animals equal access to blocks. Feet blocks at the rate of 0,5 nz. per 100 lb. of bodyweight per day. It his intake will supply 0.07 of lancide per 100 lb. of bodyweight per day (1.4 grants per 100 lbs. bodyweight per nonth).

Place blocks where aminas congregate. Locate blocks throughout pasture, placing them near water and baffing area. Maintain adequate distance between blocks (10ft. mainmum.)

Do not allow animals to mo out of blocks. When a block is half-consumed, places a new block near it. Place very small tieces in troughts or feet pans. Animals should consume about 5 oz. per head daily. When a minals consume the block at the recommended rate, it will supply 3 mg of selentum.

A chinals should consume about 5 oz. per head adding. When a minals consume the block as the recommended rate, it will supply 3 mg of selentum.

Blocks can be felt or animals in confinement. East Carbin on to blocks to obtain feeted or nonsumption will vary between confinement feeding programs. Feeted or how my FREE CHOICE source of sall, other minerals and vitamins.

T. STOCKADLE* Rabon* Molassess Pressed all flock prevents the development of feezil fles in the manure of treated cattle and horses, but it is not effective against existing adult fles. It may be necessary to use other control measures may be needed in and around buildings to control adult house files and stable fless which can be the other or manure but and also in other decaying matter on the premises, in order to achieve ognimum the volund is control adult or control, accinication and and accinication and and accinication and and accinication and and accinication and adult or control and and accinication and a premises, in order to achieve optimum or the control adult or control adult should be used in conjunction with other good management and sanitation plactaces. Start feeding 5TOCKADE* Babor* Motasses Pressed Block with in the spring before files begin to appear and continue feeding throughout the summer and into the fall. STOCKADE* Rabon* Molasses Pressed Block may be feed to cattle up to slaughter. Follow feeding directions. Consumption of selentian should not exceed 3 mg

NET WEIGHT: 40 LB. (18.14 KG)

Environmental Hazards: This compound is toxic to fish.

Storage and Disposal: Non to contaminate water, food, of leed by storage or disposal. Nonrefillable container. Do not tense or refill. Offer for recycling, if available. Completely empty bag into application equipment. Then dispose of empty bag in a sanifary landflo to by incineration, or if allowed by State or Local Authorities. by burning, if burned, sizy out of smoke Wastes resulting from use of this product may be disposed of on site or at an approved waste disposal facility.

44961