

73600-3

10-16-2009

1/5



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
WASHINGTON, D.C. 20460

OFFICE OF
PREVENTION, PESTICIDES AND
TOXIC SUBSTANCES

OCT 16 2009

Mr. Chuck Koopmann
Agent for Ridley US Holdings, Inc.
C. koopman Consulting, LLC.
32241 Business Route 36E
Macon, MO 63552-3845

SUBJECT: Application for Pesticide Notification (PRN 98-10)
Request Alternate Brand Name "VMS Pasture Aid Fly Control Mineral"
EPA Reg. No. 73600-3
Application Dated August 28, 2009

Dear: Mr. Koopmann,

The Agency is in receipt of your Application for Pesticide Notification under Pesticide Registration Notice (PRN) 98-10 dated 08/28/09 for the above product. The Registration Division (RD) has conducted a review of this request for its applicability under PRN 98-10 and finds that the action(s) requested fall within the scope of PRN 98-10. The label submitted with the application has been stamped "Notification" and will be placed in our records.

If you have any questions, please call me directly at 703-305-6249 or Owen F. Beeder of my staff at 703-308-8899.

Sincerely,

A handwritten signature in cursive script that reads "Rachel C. Holloman".

Linda Arrington
Notifications & Minor Formulations Team Leader
Registration Division (7505P)
Office of Pesticide Programs

Please read instructions on reverse before completing form.

Form Approved. OMB No. 2070-0060. Approval expires 2-28-95



United States
Environmental Protection Agency
Washington, DC 20460

<input type="checkbox"/>	Registration
<input type="checkbox"/>	Amendment
<input checked="" type="checkbox"/>	Other

OPP Identifier Number

Application for Pesticide - Section I

1. Company/Product Number 73600-3	2. EPA Product Manager George LaRocca	3. Proposed Classification <input type="checkbox"/> None <input type="checkbox"/> Restricted
4. Company/Product (Name) Sweetlix 16:8 Free Choice Mineral with Rabon Oral Larvicide	PM# 13	
5. Name and Address of Applicant (Include ZIP Code) Ridley US Holdings, Inc. 424 North Riverfront Dr., P.O. Box 8500 Mankato, MN 56002-8500 <input type="checkbox"/> Check if this is a new address	6. Expedited Review. In accordance with FIFRA Section 3(c)(3) (b)(i), my product is similar or identical in composition and labeling to: EPA Reg. No. _____ Product Name _____	

Section - II

<input type="checkbox"/> Amendment - Explain below.	<input type="checkbox"/> Final printed labels in response to Agency letter dated _____	NOTIFICATION OCT 16 2009
<input type="checkbox"/> Resubmission in response to Agency letter dated _____	<input type="checkbox"/> "Me Too" Application.	
<input checked="" type="checkbox"/> Notification - Explain below.	<input type="checkbox"/> Other - Explain below.	

Explanation: Use additional page(s) if necessary. (For section I and Section II.)

Application of Alternate Brand Name per PR Notice 98-10. VMS PASTURE AID FLY CONTROL MINERAL
This notification is consistent with the provisions of PR Notice 98-10 and EPA regulations at 40 CFR 152.46, and no other changes have been made to the labeling or the confidential statement of formula of this product. I understand that it is a violation of 18 U.S.C. Sec. 1001 to willfully make a false statement to EPA. I further understand that if this notification is not consistent with the terms of PR Notice 98-10 and 40 CFR 152.46, this product may be in violation of FIFRA and I may be subject to enforcement action and penalties under sections 12 and 14 of FIFRA
No Fee is due. E-mail ckoopmann@hotmail.com Fax: 660-661-8115

Section - III

1. Material This Product Will Be Packaged In:				2. Type of Container	
Child-Resistant Packaging <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	Unit Packaging <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	Water Soluble Packaging <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No		<input type="checkbox"/> Metal	<input type="checkbox"/> Plastic
* Certification must be submitted	If "Yes" Unit Packaging wgt. 50 lbs.	No. per container 1	If "Yes" Package wgt.	<input checked="" type="checkbox"/> Glass	<input type="checkbox"/> Paper
3. Location of Net Contents Information <input checked="" type="checkbox"/> Label <input type="checkbox"/> Container	4. Size(s) Retail Container 50 lbs.		5. Location of Label Directions <input checked="" type="checkbox"/> On label		
6. Manner in Which Label is Affixed to Product <input checked="" type="checkbox"/> Lithograph Paper glued Stenciled				<input type="checkbox"/> Other _____	

Section - IV

1. Contact Point (Complete items directly below for identification of individual to be contacted, if necessary, to process this application.)		
Name Chuck Koopmann	Title Agent for Ridley	Telephone No. (Include Area Code) 660-651-8115
Certification I certify that the statements I have made on this form and all attachments thereto are true, accurate and complete. I acknowledge that any knowingly false or misleading statement may be punishable by fine or imprisonment or both under applicable law.		6. Date Application Received (Stamped)
2. Signature 	3. Title Agent for Ridley US Holdings, Inc.	
4. Typed Name Chuck Koopmann	5. Date 8/28/2009	

4/5

NOTIFICATION

OCT 16 2009



PASTURE AID Fly Control Mineral with RABON® Oral Larvacide

A Free Choice Supplement for Cattle

For control of fecal flies in manure of treated cattle. Prevents development of face flies, horn flies, house flies and stable flies in the manure of treated cattle.

ACTIVE INGREDIENT:

Tetrachlorvinphos: (Z)2-chloro-1 (2,4,5-trichlorophenyl)vinyl dimethyl phosphate* .0.494%
OTHER INGREDIENTS** 99.506%

*Each lb. contains 2.24 g Rabon® 100.000%
**Refers only to ingredients which are not larvicidal

EPA REG NO. 73600-3 EPA EST. NO. 73600-AL-01

KEEP OUT OF REACH OF CHILDREN

CAUTION

(See Reverse for Feeding Directions, First Aid and Precautionary Statements.)

GUARANTEED ANALYSIS

Calcium (Min)	18.40%
Calcium (Max)	22.00%
Phosphorus (Min)	2.00%
Salt (Min)	20.00%
Salt (Max)	24.00%
Magnesium (Min)	4.00%
Copper (Min)	200 ppm
Manganese (Min)	900 ppm
Selenium (Min)	18 ppm
Zinc (Min)	550 ppm
Vitamin A (Min)	50,000 IU/lb.
Vitamin D-3 (Min)	5,000IU/lb.
Vitamin E (Min)	5 IU/lb.

INGREDIENT STATEMENT

Calcium Carbonate, Salt, Monocalcium Phosphate, Dicalcium Phosphate, Magnesium Oxide, Molasses Products, Processed Grain By-products, Manganous Oxide, Manganese Sulfate, Zinc Oxide, Zinc Sulfate, Copper Chloride, Copper Sulfate, Sodium Selenite, Ethylenediamine Dihydriodide, Calcium Iodate, Cobalt Carbonate, Vitamin A Supplement, Vitamin D-3 Supplement, Vitamin E Supplement and Red Iron Oxide.

FLY CONTROL PROGRAM

VMS® PASTURE AID® FLY CONTROL MINERAL with Rabon® Oral Larvacide prevents the development of fecal flies in the manure of treated cattle, but it is not effective against existing adult flies. It may be necessary to use other control measures to reduce the population of existing adult flies. Supplemental fly control measures may be needed in and around buildings to control adult house flies and stable flies which breed not only in animal manure but also in other decaying matter on the premises. In order to achieve optimum fly control, VMS® PASTURE AID® FLY CONTROL MINERAL with Rabon® Oral Larvacide should be used in conjunction with other good management and sanitation practices. Start feeding VMS® PASTURE AID® FLY CONTROL MINERAL with Rabon® Oral Larvacide early in the spring before flies begin to appear and continue feeding throughout the summer and into the fall. VMS® PASTURE AID® FLY CONTROL MINERAL with Rabon® Oral Larvacide may be fed to cattle up to slaughter.

NET WEIGHT 50 LB. (22.7 KG)



11034

06/09

Manufactured By: Ridley US Holdings, Inc. PO Box 8500, Mankato, MN 56002



PASTURE AID Fly Control Mineral with RABON® Oral Larvacide

A Free Choice Supplement for Cattle

For control of fecal flies in manure of treated cattle. Prevents development of face flies, horn flies, house flies and stable flies in the manure of treated cattle.

ACTIVE INGREDIENT:

Tetrachlorvinphos: (Z)2-chloro-1 (2,4,5-trichlorophenyl)vinyl dimethyl phosphate* .0.494%
OTHER INGREDIENTS** 99.506%

*Each lb. contains 2.24 g Rabon® 100.000%
**Refers only to ingredients which are not larvicidal

EPA REG NO. 73600-3 EPA EST. NO. 73600-AL-01

KEEP OUT OF REACH OF CHILDREN

CAUTION

(See Reverse for Feeding Directions, First Aid and Precautionary Statements.)

GUARANTEED ANALYSIS

Calcium (Min)	18.40%
Calcium (Max)	22.00%
Phosphorus (Min)	2.00%
Salt (Min)	20.00%
Salt (Max)	24.00%
Magnesium (Min)	4.00%
Copper (Min)	200 ppm
Manganese (Min)	900 ppm
Selenium (Min)	18 ppm
Zinc (Min)	550 ppm
Vitamin A (Min)	50,000 IU/lb.
Vitamin D-3 (Min)	5,000IU/lb.
Vitamin E (Min)	5 IU/lb.

INGREDIENT STATEMENT

Calcium Carbonate, Salt, Monocalcium Phosphate, Dicalcium Phosphate, Magnesium Oxide, Molasses Products, Processed Grain By-products, Manganous Oxide, Manganese Sulfate, Zinc Oxide, Zinc Sulfate, Copper Chloride, Copper Sulfate, Sodium Selenite, Ethylenediamine Dihydriodide, Calcium Iodate, Cobalt Carbonate, Vitamin A Supplement, Vitamin D-3 Supplement, Vitamin E Supplement and Red Iron Oxide.

FLY CONTROL PROGRAM

VMS® PASTURE AID® FLY CONTROL MINERAL with Rabon® Oral Larvacide prevents the development of fecal flies in the manure of treated cattle, but it is not effective against existing adult flies. It may be necessary to use other control measures to reduce the population of existing adult flies. Supplemental fly control measures may be needed in and around buildings to control adult house flies and stable flies which breed not only in animal manure but also in other decaying matter on the premises. In order to achieve optimum fly control, VMS® PASTURE AID® FLY CONTROL MINERAL with Rabon® Oral Larvacide should be used in conjunction with other good management and sanitation practices. Start feeding VMS® PASTURE AID® FLY CONTROL MINERAL with Rabon® Oral Larvacide early in the spring before flies begin to appear and continue feeding throughout the summer and into the fall. VMS® PASTURE AID® FLY CONTROL MINERAL with Rabon® Oral Larvacide may be fed to cattle up to slaughter.

NET WEIGHT 50 LB. (22.7 KG)



11034

06/09

Manufactured By: Ridley US Holdings, Inc. PO Box 8500, Mankato, MN 56002

5
5

First Aid	
IF SWALLOWED	Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to by a poison control center or doctor.
IF ON SKIN	Take off contaminated clothing. Rinse skin with plenty of water for 15-20 minutes. Call poison control center or doctor for treatment advice.
IF IN EYES	Hold eyes open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing. Call a poison control center or physician for treatment advice.

HOT LINE NUMBER: In case of emergency, contact (507)388-9400.

NOTE TO PHYSICIANS AND VETERINARIANS: Symptomatology: Signs of organophosphate toxicity are those of cholinergic over stimulation; hypersalivation, excessive urination, diarrhea and dyspnea (respiratory distress, collapse and death from respiratory muscle paralysis). Treatment: Withdraw product immediately. Clinical includes 3 categories; musarinic blocking agents (atropine sulfate), (2) cholinesterase reactivators (atropine and 2-PAM, pralidoxine chloride) and (3) emetics (i.e. syrup of ipecac), cathartics (i.e. vegetable oil) and absorbents (i.e. charcoal slurry).

PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS AND DOMESTIC ANIMALS:
CAUTION

Harmful if swallowed or absorbed through skin. Causes moderate eye irritation. Avoid contact with eyes, skin or clothing. Prolonged or frequently repeated skin contact may cause allergic reaction to some individuals.

ENVIRONMENTAL HAZARDS: This compound is toxic to fish.

USER SAFETY RECOMMENDATIONS
PERSONAL PROTECTIVE EQUIPMENT (PPE): Long-sleeved shirt and long pants, shoes and socks, chemical resistant gloves. Users should remove PPE immediately after handling this product. Wash the outside of gloves before removing. As soon as possible, wash thoroughly and change into clean clothing. Wash hands before eating, drinking, chewing gum, using tobacco or using the toilet. Follow manufacturers instructions for cleaning/ maintaining PPE. If no such instructions for washables, use detergent and hot water. Keep and wash PPE separately from other laundry.

DIRECTIONS FOR USE
 It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

GENERAL INSTRUCTIONS
 VMS® PASTURE AID® FLY CONTROL MINERAL with Rabon® Oral Larvicide should be fed continuously on a free choice basis to cattle to provide minerals, vitamins and Rabon® daily. Feed as the only FREE CHOICE source of salt, other minerals or vitamins. Rabon® Oral Larvicide should be fed at a level to provide 70 mg Rabon® per 100 lb. of bodyweight per day (2.1 grams per 100 lbs. bodyweight per month). Feed supplies (pasture or other forages) and feeder locations should be adequate to insure proper mineral consumption. Consumption in accordance with intake levels below will deliver 70 mg Rabon® per 100 lb. bodyweight per day.

Animal Weight (lb.)	Supplement Intake		Daily Intake of Rabon®
	(oz.)	(lb.)	(mg)
700	3.5	0.21875	490
800	4.0	0.25000	560
900	4.5	0.28125	630
1000	5.0	0.31250	700
1100	5.5	0.34375	770
1200	6.0	0.37500	840

If animals consume more or less than these levels, feeders should be moved further from or closer to the general resting or watering areas. If animals still fail to consume the correct amounts, discontinue feeding this free choice supplement. Provide fresh, clean water to all animals at all times. **Follow feeding directions.** Consumption of selenium should not exceed 3 mg per head daily.

STORAGE AND DISPOSAL: Do not contaminate water, food, or feed by storage or disposal. **Disposal:** Completely empty bag into application equipment. Then dispose of empty bag in a sanitary landfill or by incineration, or if allowed by State or Local Authorities, by burning. If burned, stay out of smoke. Wastes resulting from use of this product may be disposed of on site or at an approved waste disposal facility.

For additional information, please contact your VMS® representative.

Rabon® is a registered trademark of KMG Chemicals, Houston, TX

11034

Manufactured By: Ridley US Holdings, Inc.
 PO Box 8500, Mankato, MN 56002

06/09

First Aid	
IF SWALLOWED	Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to by a poison control center or doctor.
IF ON SKIN	Take off contaminated clothing. Rinse skin with plenty of water for 15-20 minutes. Call poison control center or doctor for treatment advice.
IF IN EYES	Hold eyes open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing. Call a poison control center or physician for treatment advice.

HOT LINE NUMBER: In case of emergency, contact (507)388-9400.

NOTE TO PHYSICIANS AND VETERINARIANS: Symptomatology: Signs of organophosphate toxicity are those of cholinergic over stimulation; hypersalivation, excessive urination, diarrhea and dyspnea (respiratory distress, collapse and death from respiratory muscle paralysis). Treatment: Withdraw product immediately. Clinical includes 3 categories; musarinic blocking agents (atropine sulfate), (2) cholinesterase reactivators (atropine and 2-PAM, pralidoxine chloride) and (3) emetics (i.e. syrup of ipecac), cathartics (i.e. vegetable oil) and absorbents (i.e. charcoal slurry).

PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS AND DOMESTIC ANIMALS:
CAUTION

Harmful if swallowed or absorbed through skin. Causes moderate eye irritation. Avoid contact with eyes, skin or clothing. Prolonged or frequently repeated skin contact may cause allergic reaction to some individuals.

ENVIRONMENTAL HAZARDS: This compound is toxic to fish.

USER SAFETY RECOMMENDATIONS
PERSONAL PROTECTIVE EQUIPMENT (PPE): Long-sleeved shirt and long pants, shoes and socks, chemical resistant gloves. Users should remove PPE immediately after handling this product. Wash the outside of gloves before removing. As soon as possible, wash thoroughly and change into clean clothing. Wash hands before eating, drinking, chewing gum, using tobacco or using the toilet. Follow manufacturers instructions for cleaning/ maintaining PPE. If no such instructions for washables, use detergent and hot water. Keep and wash PPE separately from other laundry.

DIRECTIONS FOR USE
 It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

GENERAL INSTRUCTIONS
 VMS® PASTURE AID® FLY CONTROL MINERAL with Rabon® Oral Larvicide should be fed continuously on a free choice basis to cattle to provide minerals, vitamins and Rabon® daily. Feed as the only FREE CHOICE source of salt, other minerals or vitamins. Rabon® Oral Larvicide should be fed at a level to provide 70 mg Rabon® per 100 lb. of bodyweight per day (2.1 grams per 100 lbs. bodyweight per month). Feed supplies (pasture or other forages) and feeder locations should be adequate to insure proper mineral consumption. Consumption in accordance with intake levels below will deliver 70 mg Rabon® per 100 lb. bodyweight per day.

Animal Weight (lb.)	Supplement Intake		Daily Intake of Rabon®
	(oz.)	(lb.)	(mg)
700	3.5	0.21875	490
800	4.0	0.25000	560
900	4.5	0.28125	630
1000	5.0	0.31250	700
1100	5.5	0.34375	770
1200	6.0	0.37500	840

If animals consume more or less than these levels, feeders should be moved further from or closer to the general resting or watering areas. If animals still fail to consume the correct amounts, discontinue feeding this free choice supplement. Provide fresh, clean water to all animals at all times. **Follow feeding directions.** Consumption of selenium should not exceed 3 mg per head daily.

STORAGE AND DISPOSAL: Do not contaminate water, food, or feed by storage or disposal. **Disposal:** Completely empty bag into application equipment. Then dispose of empty bag in a sanitary landfill or by incineration, or if allowed by State or Local Authorities, by burning. If burned, stay out of smoke. Wastes resulting from use of this product may be disposed of on site or at an approved waste disposal facility.

For additional information, please contact your VMS® representative.

Rabon® is a registered trademark of KMG Chemicals, Houston, TX

11034

Manufactured By: Ridley US Holdings, Inc.
 PO Box 8500, Mankato, MN 56002

06/09