

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY WASHINGTON, D.C. 20460

11/5/2009

OFFICE OF PREVENTION, PESTICIDES AND TOXIC SUBSTANCES

Mr. Chuck Koopmann Agent for Ridley US Holdings, Inc. C, Koopman Consulting, LLC. 32241 Business Route 36E Macon, MO 63552-3845

NOV 0 5 2009

SUBJECT: Application for Pesticide Notification (PRN 98-10) Request Alternate Brand Name "Prairie Pride Rabon Pressed Block" EPA Reg. No. 73600-5 Application Dated August 28, 2009

Dear: Mr. Koopmann,

The Agency is in receipt of your Application for Pesticide Notification under Pesticide Registration Notice (PRN) 98-10 dated 08/28/09 for the above product. The Registration Division (RD) has conducted a review of this request for its applicability under PRN 98-10 and finds that the action(s) requested fall within the scope of PRN 98-10. The label submitted with the application has been stamped "Notification" and will be placed in our records.

If you have any questions, please call me directly at 703-305-6249 or Owen F. Beeder of my staff at 703-308-8899.

Sincerely,

Linda Arrington Notifications & Minor Formulations Team Leader Registration Division (7505P) Office of Pesticide Programs

Please read instructions on r	everse before completing	form.		Form App	rovod	. OMB No. 2	070-006	0. Approval expires 2-28-95	
United States Environmental Protectio Washington, DC 204			•		✓	Registra Amendn Other		OPP identifier Number	
	Ar	oplication fo	r Pesticio	le - Sect	ion	l ·			
1. Company/Product Number 73600-5			2. EPA Product Manager George LaRocca			3. Proposed Classification			
4. Company/Product (Name) VMS Pest-A-Side Block with Rabon			PM# 13						
5. Name and Address of Applicant (Include ZIP Code)			6. Expedited Reveiw. In accordance with FIFRA Section 3(c)(3)						
Ridley US Holdings, I 424 North Riverfront I Mankato, MN 56002-I		(b)(i), my product is similar or identical in composition and labeling to: EPA Reg. No							
Check if this is a new address			Product Name						
		S	ection - I	J					
Armendment - Explain below. Final printed labels in repsonse to Agency letter dated Resubmission in response to Agency letter dated Motification - Explain below. Notification - Explain below. Other - Explain below.									
Application of Alternate Brand Name per PR Notice 98-10. PRAIRIE PRIDE RABON PRESSED BLOCK This notification is consistent with the provisions of PR Notice 98-10 and EPA regulations at 40 CFR 152.46, and no other changes have been made to the labeling or the confidential statement of formula of this product. I understand that it is a violation of 18 U.S.C. Sec. 1001 to willfully make a false statement to EPA. I further understand that if this notification is not consistent with the terms of PR Notice 98-10 and 40 CFR 152.46, this product may be in violation of FIFRA and I may be subject to enforcement action and penalties under sections 12 and 14 of FIFRA No Fee is due. E-mail ckoopmann@hotmail.com Fax: 660-651-8115 Section - III									
1. Material This Product Will	Be Packaged in:					- <u></u>			
Child-Resistant Packaging	Unit Packaging	Wa	ter Soluble P	ackaging		2. Type of	Container	· · · · · · · · · · · · · · · · · · ·	
Yes ✓ No No			Yes ✓ No			Metal Plastic Glass			
• Certification must be submitted	If "Yes" Unit Packaging wgt. 33.3 Lbs.	container Pac	Yes" kage wgt	No. per containe	T		Paper Other (Specify)	
3. Location of Net Contents	Size(s) Retail Cor 33	ntainer 8.3 Lbs.		5. Lo	On label		ons		
6. Manner in Which Label is	Affixed to Product	Lithograph Paper plued Stenciled		C Othe	*				
	· · · · · · · · · · · · · · · · · · ·	Se	ction - l'	V					
1. Contact Point <i>(Complete</i>	items directly below for	identification of in	dividual to b	e contected,	if neo	essary, to pr	ocess this	s application.)	
Name Chuck Koopmann		. Title Ager	t for Ridley				Telephor 660-651	e No. (Include Area Code) -8115	
I certify that the state I acknowledge that an both under applicable	ments I have made on th y knowlingly false or mi law.	Certification is form and all att sleading statemen	achments th t may be pu	ereto are tru hishable by fi	e, acc ine or	urate and cor imprisonmen	nplete. t or	6. Date Application Received (Stamped)	
2. Signature	7	3. Tid Agen	t for Ridley U	S Holdings, II	nc.				
4. Typed Name Chuck Koopmann		5. Dat	5. Date 8/28/2009						

EPA Form 8570-1 (Rev. 3-94) Previous editions are obsolete.

,

2/4

C. KOOPMANN CONSULTING, LLC.

32241 Business Route 36E Macon, MO 63552-3845 Phone: 660-651-8115 Fax: 660-395-9593 ckoopmann@hotmail.com

August 28, 2009

Document Processing Desk (NOTIF) Office of Pesticide Programs (7504P) US Environmental Protection Agency 1200 Pennsylvania Ave. Washington DC, 20460 Attn: George LaRocca PM13

SUBJECT: Alternate Brand Name Notifications for:

Ridley US Holdings, Inc. (73600)

In accordance with PR Notice 98-10 and EPA regulations at 40 CFR 152.46 we herewith submit on, behalf of Ridley US Holdings, Inc. (73600), EPA Form 8570-1's for the following Alternate Brand Name notifications:

- 1. <u>73600-1</u> Sweetlix Rabon Molasses Pressed Block:
 - ABN- Prairie Pride Rabon Molasses Pressed Block
- 2. <u>73600-1</u> Sweetlix Rabon Molasses Pressed Block: ABN - <u>Ultralyx Rabon Mineral Block for Cattle and Horses</u>
- 3. <u>73600-3</u> Sweetlix 16:8 Free Choice Mineral with Rabon Oral Larvicide: ABN - <u>Sweetlix 6% Copperhead ROL</u>
- 4. <u>73600-3</u> Sweetlix 16:8 Free Choice Mineral with Rabon Oral Larvicide: ABN - <u>VMS Pasture Aid Fly Control Mineral</u>
- 5. <u>73600-5</u> VMS Pest-A-Side Block with Rabon:
- ABN <u>Ultralyx Rabon Fly Control Block</u>
- 6. <u>73600-5</u> VMS Pest-A-Side Block with Rabon:
 - ABN Prairie Pride Rabon Pressed Block

Questions regarding this transmission should be directed to me at the address listed above.

Please mail the enclosed post card upon review and approval.

Thank you.

Sincerely,

Chuck Koopmann

Agent

cc: Ridley US Holdings, Inc.

Enclosure: Form 8570-1's



Quality - Nutrition - Value

RABON' PRESSED BLOCK

IF ON SKIN

A Free Choice Supplement Block for Cattle and Horses



	development of face files, horn files, house files and stable files in the	e manure of
	treated cattle. Prevents development of house files and stable files in treated horses.	s the manufe of
	Active Ingredient:	· · ·
٠.	Tetrachlorvinphos: (Z)-2-Chloro-1-(2,4,5-trichlorophenyl)	
	vinyl dimethyl phosphate*	0.30%
	Other Ingredients**	
	Each lb. contains 1.36 g Rabon	100.000%
	**Refers only to ingredients which are not larvicidal	
	Guaranteed Analysis	
	Calcium (Min)	
	Calcium (Max)	
۰.	Phosphorus (Min)	1.00%
	Salt (Min)	18.00%
	Salt (Max)	
	Copper (Min)	
	Iodine (Min)	5 ppm
	Manganese (Min)	400 ppm
	Selenium (Min)	12 ppm
	Zinc (Min) Vitamin A (Min)	100.000 (0/16
	Vitamin D-3 (Min)	
	Vitamin E (Min)	
	· · · · · · · · · · · · · · · · · · ·	

For control of fecal flies in manure of treated cattle and horses. Prevents

Feed Ingredients

Processed Grain By-Products, Calcium Carbonate, Salt, Molasses Products, Calcium Hydroxide, Monocalcium Phosphate, Dicalcium Phosphate, Manganous Oxide, Manganese Sulfate, Zinc Oxide, Zinc Sulfate, Copper Chloride, Copper Sulfate, Sodium Selenite, Ethylenediamine Dihydrolodide, Calcium Iodate, Cobalt Carbonate, Vitamin A Supplement, Vitamin D-3 Supplement and Vitamin E Supplement.

CAUTION Keep Out of Reach of Children First Aid

IF SWALLOWED	Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to by a poison control center or doctor.					

Take off contaminated clothing. Rinse skin with plenty of wate for 15-20 minutes, Call poison control center or doctor for treatment advice. Hold eyes open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing. Call a polson control center or physician for treatment advice. IF IN EYES

HOT LINE NUMBER: In case of emergency, contact (507) 388-9400. NOTE TO PHYSICIANS AND VETERINARIANS: Symptomalogy. Signs of organophosphate toxicity are those of cholinergic over stimulation; hypersalivation, excessive unnation, diarrhea and dyspinae (respiratory distress, collapse and death from respiratory muscle parafysis). Treatment: Withfraw product immediately. Clinical includes 3 categories; musarinic blocking agents (atropine sultate), (2) cholinesterase reactivators (atropine and 2-PAM, pralidoaute choloride) and (3) emetics (i.e. syrup of ipecac), cathartics (i.e. vegetable of) and absorbents (i.e. charcoal sturry).

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS:

CAUTION

Harmful if swallowed or absorbed through skin. Causes moderate eye irritation. Avoid s contact with eyes, skin or clothing. Prolonged or frequently repeated skin contact may cause allergic reaction to some individuals.

USER SAFETY RECOMMENDATIONS PERSONAL PROTECTIVE EQUIPMENT (PPE): Long-steeved shirt and long pants, shoes and socks, chemical resistant gloves. Users should remove PFE immediately after handling this product. Wash the outside of gloves before removing. As soon as possible, wash thoroughly and change into clean clothing. Wash hands before eating, dinking, chewing gum, using lobacco or using the toilet. Follow manufacturers instructions for cleaning/ maintaining PFE. If no such instructions for meabhbble context of the state of the st washables, use detergent and hot water. Keep and wash PPE separately from other laundry.

ENVIRONMENTAL HAZARDS: This compound is toxic to fish. DIRECTIONS FOR USE: It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

USE RESTRICTIONS: Not to be used on horses destined for slaughter. IUSE RESTRUCTIONS: Not to be used on horses destined for slaughter. PRECAUTIONS FOR HORSE USE: This product contains tetrachlorvinghos, which is a cholinesterase inhibitor. The most frequently reported clinical signs of cholinesterase inhibitor in the horse are advorminal pain, letharry, swaaling, learing and accessive sativation. If these signs are seen in horses, consult your veterinarian immediately. Do not use this product simultaneously or vitilin a week before or after treatment with cholinesterase inhibiting drugs, pesticides or chemicals. Consult a --veterinarian before using this product so duellitated, aged, pregnant or nursing animals. This product has not been tested in breeding horses.

Manufactured For Ridley Specialty Products NET WEIGHT: PO Box 8500, Mankato, MN 56002 33.3 LB (15.10 KG)

GENERAL INSTRUCTIONS

1. Feed 1 block per 10-15 head of cattle or horses. This allows all animals equal access to blocks. Feed blocks at the rate of 0.88 oz, per 100 lb. of bodyweight per day. This intake will supply 0.07 g of larvicide per 100 lb. of bodyweight per

- day (2.1 grans per 100 lbs, bodyweight per month). Place blocks where animals congregate. Locate blocks throughout pasture, placing them near water and loafing areas. Maintain adequate distance between
- blocks (10 ft, minimum). 3. Do not allow animals to run out of blocks. When a block is half-consumed, place
- a new block near it. Place very small pieces in troughs or feed pans. . Animals should consume about 8.8 oz. per head daily. When animals consume
- the block at the recommended rate, it will supply 3 mg of selenium. Blocks can be fed to animals in confinement. Exact location of blocks to obtain
- desired consumption will vary between confinement feeding programs. . Feed as the only FREE CHOICE source of salt, other minerals and vitamins
- 7. PRAIRIE PRIDE FEEDS® Rabon® Pressed Block prevents the development of fecal flies in the manure of treated cattle and horses, but it is not effective against existing adult flies. It may be necessary to use other control measures to reduce the population of existing adult files. Supplemental fly:control measures may be needed in and around buildings to control adult house flies and stable flies which can breed not only in animal manure but also in other decaying matter on the premises. In order to achieve optimum fly control, PRAIRIE PRIDE FEEDS "Rabon" Pressed Block should be used in conjunction with other good management and sanitation practices. Start feeding PRAIRIE PRIDE FEEDS® Rabon® Pressed Block early in the spring before flies begin to appear and continue feeding throughout the summer and into the fall. PRAIRIE PRIDE FEEDS" Rabon" Pressed Block may be fed to cattle up to slaughter.

8. Follow feeding directions. Consumption of selenium should not exceed 3 mg per head daily.

STORAGE AND DISPOSAL: Do not contaminate water, food, or feed by storage or disposal.

Disposal: Completely empty bag into application equipment. Then dispose of empty bag in a sanitary landfill or by incineration, or if allowed by State and Local Authorities, by burning. If burned stay out of smoke. Wastes resulting from use of this product may be disposed of on 3 site or at an approved waste disposal facility

Rabon® is a registered trademark of KMG Chemicals, Houston, TX EPA Reg. No. 73600-5-84549 EPA Est. No. 73600-TX-01



