

73600-6

6/4/2010

1028



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
WASHINGTON, D.C. 20460

OFFICE OF
PREVENTION, PESTICIDES
AND TOXIC SUBSTANCES

June 4, 2010

Mr. Chuck Koopmann
Ridley Us Holdings, Inc.
P.O. Box 8500
Mankato, MN 56002

Subject: Label Notification(s) for Pesticide Registration Notice 2007-4

Dear Mr. Koopmann:

The Agency is in receipt of your Application(s) for Pesticide Notification under Pesticide Registration Notice (PRN) 2007-4 dated April 29, 2010 for the following product(s):

Sweetlix 16:8 Free Choice Mineral with Rabon Oral Larvicide
EPA Reg. No. 73600-3

VMS Rabon 7.76 Oral Larvicide Premis
EPA Reg. No. 73600-4

VMS Pest-A-Side Block with Rabon
EPA Reg. No. 73600-5

VMS EnProAl Fly Control Block with Rabon Oral Larvicide
EPA Reg. No. 73600-6


The Registration Division (RD) has conducted a review of this request for applicability under PRN 2007-4 and finds that the label change(s) requested falls within the scope of PRN-2007-4. The label has been date-stamped "Notification" and will be placed in our records.

Please be reminded that 40 CFR Part 156.140(a)(4) requires that a batch code, lot number, or other code identifying the batch of the pesticide distributed and sold be placed on nonrefillable containers. The code may appear either on the label (and can be added by non-notification/PR Notice 98-10) or durably marked on the container itself.

If you have any questions, please contact Regina Foushee'-Smith at 703-605-0780.

2098

Sincerely,

A handwritten signature in black ink, appearing to read "Richard Gebken". The signature is fluid and cursive, with a long horizontal stroke at the end.

Richard J. Gebken
Product Manager
Insecticide Branch
Registration Division (7505P)

3098



United States
Environmental Protection Agency
Washington, DC 20460

<input type="checkbox"/>	Registration
<input type="checkbox"/>	Amendment
<input checked="" type="checkbox"/>	Other

OPP Identifier Number

Application for Pesticide - Section I

1. Company/Product Number 73600-6	2. EPA Product Manager George LaRocca	3. Proposed Classification <input type="checkbox"/> None <input type="checkbox"/> Restricted
4. Company/Product (Name) VMS EnProAI Fly Control Block w/ Rabon Oral Larvicide	PM# 13	
5. Name and Address of Applicant (Include ZIP Code) Ridley Us Holdings, Inc. P.O. Box 8500 Mankato, MN 56002-8500 <input type="checkbox"/> Check if this is a new address	6. Expedited Review. In accordance with FIFRA Section 3(c)(3)(b)(i), my product is similar or identical in composition and labeling to: NOTIFICATION EPA Reg. No. _____ Product Name _____ JUN 4 - 2010	

Section - II

<input type="checkbox"/> Amendment - Explain below.	<input type="checkbox"/> Final printed labels in response to Agency letter dated _____
<input type="checkbox"/> Resubmission in response to Agency letter dated _____	<input type="checkbox"/> "Me Too" Application.
<input checked="" type="checkbox"/> Notification - Explain below.	<input type="checkbox"/> Other - Explain below.

Explanation: Use additional page(s) if necessary. (For section I and Section II.)

"Notification of label change per PR Notice 2007-4. This notification is consistent with the guidance in PR Notice 2007-4 and the requirements of EPA's regulations at 40 CFR §§ 156.10, 156.140, 156.144, 156.146, and 156.156. No other changes have been made to the labeling or the Confidential Statement of Formula for this product. I understand that it is a violation of 18 U.S.C. Sec. 1001 to willfully make any false statement to EPA. I further understand that if the amended label is not consistent with the requirements of 40 CFR §§ 156.10, 156.140, 156.144, 156.146, and 156.156, this product may be in violation of FIFRA and I may be subject to enforcement action and penalties under sections 12 and 14 of FIFRA."
No Fee is due. E-mail ckoopman@marktwain.net Fax: 660-395-9593

Section - III

1. Material This Product Will Be Packaged In:				2. Type of Container	
Child-Resistant Packaging <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	Unit Packaging <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	Water Soluble Packaging <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No		<input type="checkbox"/> Metal	<input type="checkbox"/> Plastic
				<input type="checkbox"/> Glass	<input type="checkbox"/> Paper
* Certification must be submitted		If "Yes" Unit Packaging wgt. 50 Lbs.	No. per container 1	If "Yes" Package wgt.	No. per container
				<input checked="" type="checkbox"/> Other (Specify) Cardboard Box	
3. Location of Net Contents Information <input checked="" type="checkbox"/> Label <input type="checkbox"/> Container		4. Size(s) Retail Container 50 Lbs.		5. Location of Label Directions <input checked="" type="checkbox"/> On label	
6. Manner in Which Label is Affixed to Product <input checked="" type="checkbox"/> Lithograph Paper glued Stenciled			<input type="checkbox"/> Other _____		

Section - IV

1. Contact Point (Complete items directly below for identification of individual to be contacted, if necessary, to process this application.)					
Name Chuck Koopmann		Title Agent for Ridley US Holdings, Inc.		Telephone No. (Include Area Code) 660-651-8115	
Certification I certify that the statements I have made on this form and all attachments thereto are true, accurate and complete. I acknowledge that any knowingly false or misleading statement may be punishable by fine or imprisonment or both under applicable law.				6. Date Application Received (Stamped)	
2. Signature 		3. Title Agent for Ridley US Holdings, Inc.			
4. Typed Name Chuck Koopmann		5. Date 4-29-10			

NOTIFICATION

JUN 4 - 2010

(optional text according to species targeted)

VMS EnProAl Fly Control Block with Rabon Oral Larvicide

For control of fecal flies in manure of treated cattle and horses. Prevents development of face flies, horn flies, house flies and stable flies in the manure of treated cattle. Prevents development of house flies and stable flies in the manure of treated horses.

A free choice supplement block for cattle and/or horses.

ACTIVE INGREDIENT:

Tetrachlorvinphos: (Z)-2-Chloro-1-(2,4,5-trichlorophenyl) vinyl demethyl phosphate*0.30%
Other ingredients**99.70%

*Each lb. contains 1.35 g Rabon®

**Refers only to ingredients which are not larvicidal

Guaranteed Analysis

Will vary according to species requirements, geographic area and regional feeding requirements.

FEED INGREDIENTS**

Molasses products, roughage products, grain products, plant protein products, processed grain by-products, mineral products, vitamins, food additives permitted in animal feed/drinking water, GRAS ingredients, fats/oils, animal products, animal protein products***, miscellaneous products***, chemical preservatives, amino acids & related products, fermentation products, distillers products, enzymes, brewers products, marine products, special purpose products

** AAFCO approved feed ingredients may vary depending upon nutritional requirements in different species and geographic regions of the country.

***Contains no prohibited animal-by-products in accordance with FDA regulation 21 CFR 589.2000.


EPA No: 73600-6

EPA Est No: 73600-XX-01 or 74604-KY-001

Net weight: 25 to 500 lbs.

KEEP OUT OF REACH OF CHILDREN

CAUTION



6008

FIRST AID	
IF SWALLOWED:	-Call a poison control center or doctor immediately for treatment advice. -Have person sip a glass of water if able to swallow. -Do not induce vomiting unless told to by a poison control center or doctor.
IF ON SKIN:	-Take off contaminated clothing. -Rinse skin with plenty of water for 15-20 minutes. -Call poison control center or doctor for treatment advice.
IF IN EYES:	-Hold eyes open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing. -Call a poison control center or physician for treatment advice.
HOT LINE NUMBER	
In case of emergency, contact 507-388-9400.	
NOTE TO PHYSICIANS AND VETERINARIANS	
Symptomatology: Signs of organophosphate toxicity are those of cholinergic over stimulation; hypersalivation, excessive urination, diarrhea and dyspnea (respiratory distress, collapse and death from respiratory muscle paralysis). Treatment: Withdraw product immediately. Clinical includes 3 categories; musarinic blocking agents (atropine sulfate), (2) cholinesterase reactivators (atropine and 2-PAM, pralidoxine chloride) and (3) emetics (i.e. syrup of ipecac), cathartics (i.e. vegetable oil) and absorbents (i.e. charcoal slurry).	

PRECAUTIONALY STATEMENTS

CAUTION

Harmful is swallowed or absorbed through skin. Causes moderate eye irritation. Avoid contact with eyes, skin or clothing. Prolonged or frequently repeated skin contact may cause allergic reaction to some individuals. Personal Protective Equipment (PPE): long-sleeved shirt and long pants, shoes and socks, chemical resistant gloves. Wash hands before eating, drinking, chewing gum, using tobacco or using the toilet. Follow manufacturers instructions for cleaning/maintaining PPE. If no such instructions for washables, use detergent and hot water. Keep and wash PPE separately from other laundry.

USER SAFETY RECOMMENDATIONS

Users should remove PPE immediately after handling this product. Wash the outside of gloves before removing. As soon as possible, wash thoroughly and change into clean clothing.

Environmental Hazards: This compound is toxic to fish.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

USE RESTRICTIONS: Not to be used on horses destined for slaughter.

Handwritten scribbles and marks on the right side of the page, including a vertical line of dots and various symbols.

Precautions For Horse Use: This product contains tetrachlorvinphos, which is a cholinesterase inhibitor. The most frequently reported clinical signs of cholinesterase inhibition in the horse are abdominal pain, lethargy, sweating, tearing and excessive salivation. If these signs are seen in horses, consult your veterinarian immediately. Do not use this product simultaneously or within a week before or after treatment with cholinesterase inhibiting drugs, pesticides or chemicals. Consult a veterinarian before using this product on debilitated, aged, pregnant or nursing animals. This product has not been tested in breeding horses


1. Feed 1 block per 5 head of cattle or horses. This allows all animals equal access to blocks. Feed blocks at the rate of 0.88 oz. per 100 lb. of bodyweight per day. This intake will supply 0.07g of larvicide per 100 lb. of bodyweight per day (2.1 grams per 100 lbs. bodyweight per month).
2. Place blocks where animals congregate. Locate blocks throughout pasture, placing them near water and loafing areas. Maintain adequate distance between blocks (10 ft. minimum).
3. Do not allow animals to run out of blocks. When a block is half-consumed, place a new block near it. Place very small pieces in troughs or feed pans.
4. Animals will consume about 8.8 oz. per head daily. When animals consume the block at the recommended rate, it will supply 3 mg of selenium.
5. Blocks can be fed to animals in confinement. Exact location of blocks to obtain desired consumption will vary between confinement feeding programs.
6. Feed as the only FREE CHOICE source of salt, other mineral and vitamins.
7. (Product Name) prevents the development of fecal flies in the manure of treated cattle and horses, but it is not effective against existing adult flies. It may be necessary to use other control measures to reduce the population of existing adult flies. Supplemental fly control measures may be needed in and around buildings to control adult house flies and stable flies which can breed not only in animal manure but also in other decaying matter on the premises. In order to achieve optimum fly control, (Product Name) should be used in conjunction with other good management and sanitation practices. Start feeding (Product Name) early in the spring before flies begin to appear and continue feeding throughout the summer and into the fall. (Product Name) may be safely fed to cattle up to slaughter and to pregnant and lactating mares.
8. Follow feeding directions. Consumption of selenium should not exceed 3 mg per head daily.

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

Disposal: Nonrefillable container. Triple rinse container (or equivalent) promptly after emptying. Do not reuse or refill this container. Offer for recycling, if available.

Completely empty bag into application equipment. Then dispose of empty bag in a sanitary landfill or by incineration, or if allowed by State and Local Authorities, by burning. If burned, stay out of the smoke. Wastes resulting from use of this product may be disposed of on site or at an approved waste disposal facility.



80f8

For additional information, please contact your Sweetlix representative.

Rabon® is a registered trademark of KMG Chemicals, Houston, TX.

Manufactured by
Ridley US Holdings, Inc.
P.O. Box 8500
Mankato, MN 56002

Contact us at 1-87SWEETLIX
www.sweetlix.com

Handwritten markings consisting of small, repetitive characters or symbols arranged in several vertical columns on the right side of the page.