

#### \* NH USTAR STATIRONMENT OF PROJECTION AGENCY WASHINGTON DEC 20460

### NOTIFICATION

 $\label{eq:continuous} \tilde{X} = \frac{e^{-2\pi i (1-\alpha)}}{C^2 + \rho^2 + s^2/\rho}.$ 

FEB 0 9 2007

FEB LLJ

Jane M. Miller Agent for Univar USA, Inc. Biologic, Inc. 115 Obtuse Hill Brookfield, CT 06804

SUBJECT:

Applications for Pesticide Notification - Addition of Optional Words

Kontrol 4-4

EPA Reg. No. 73748-4

✓ Kontrol 30-30 Concentrate EPA Reg. No. 73748-5

Kontrol 31-67 Concentrate EPA Reg. No. 73748-6

Applications Dated January 19, 2007

Dear Ms. Miller:

The Agency is in receipt of your Applications for Pesticide Notification under Pesticide Registration Notice (PRN) 98-10 for the above products. The Registration Division (RD) has conducted a preliminary screen of these requests for their applicability under PRN 98-10 and finds that the actions requested fall within the scope of PRN 98-10. The labels submitted with the applications have been stamped "Notification" and will be placed in our records.

If you have any questions, please me directly at 703-305-6249 or Terri Stowe of my staff at 703-305-6117.

Sincerely,

Linda Arrington

Notifications & Minor Formulations Team Leader

Registration Division (7505P)

Office of Pesticide Programs

Please read instructions on	reverse before comple	sting form.		Form Apr	proved	. OMB No. 2070	-0060, Ap	provel expires 2-28-9
<b>\$EPA</b>	Environmenta	United States  A Protection  ington, DC 2046			✓	Registration Amendment Other	••	Identifier Number
		Applicatio	n for Pestic	ide - Sec	tion			
1. Company/Product Number 73748-5	of .			Product Man Rocca	ager		3. Proposed	Classification
4. Company/Product (Name Kontrol 30-30 Concent			PM# 13					
5. Name and Address of Ap	plicant (Include ZIP Co	ode)	6. Exp	edited Rev	/eiw.	In accordance	with FIFRA	Section 3(c)(3)
Univar USA, Inc. 11149 Research Blvd Austin, TX 78759			to: EPA I	Reg. No	· · · · · · · · · · · · · · · · · · ·	ilar or identical i		tion and labeling
Check IT this	s is a new address	·		uct Name _				-
			Section -	11				
Amendment - Explain	n below. ponse to Agency letter	r datad	<b>✓</b>	Final printed Agency lett "Me Too" A	ter date		NOT	
Notification - Explain	• ,	08180		Other - Expl	•			<b>FICATION 0 9 2007</b>
been made to the labeling or false statement to EPA. I fund in violation of FIFRA and may	rther understand that if the	this notification is	not consistent with penalties under sec	h the terms of ctions 12 and 1	PR Not	tice 98-10 and 40 (		
			Section - I	<u> </u>				
1. Material This Product Will	1		1 6.11.5			10		
Child-Resistant Packaging Yes	Unit Packaging		Water Soluble P	'ackaging	}	2. Type of Conta		
No	No		No No			Plas	stic	
* Certification must be submitted	If "Yes" Unit Packaging wgt.	No. per container	If "Yes" Package wgt	No. per container	,	Pap		I
3. Location of Net Contents I	Information	4. Size(s) Retai	il Container		5. Loc	ation of Label Dir	ections	
LabelC	ontainer				<u> </u>	on label		
6. Manner in Which Label is	Affixed to Product	Lithogra Paper gl Stencile	iph lued id	Other				
			Section - I\	V				
1. Contact Point (Complete )	items directly below fo	or identification	of individual to be	e contacted, i	if neces	ssary, to process	this applica	tion.)
Name Jane M. Miller			itle Agent	, , , , , , , , , , , , , , , , , , , ,		, ,	hone No. (II	nciude Area Code)
I certify that the staten I acknowledge that any both under applicable is	y knowlinglly false or r		il attachments the			-	), Rau	e application :uived (Stamped)
2. Signature		3.	. Title					
( Jum	mil	Α	Agent		·			
4. Typed Name Jane M. Miller	·	5.	Dete Jani	uary 19, 2	2007			
		į į					F	

# BIOLOGIC INC. agribusiness professionals

January 19, 2007

NOTIFICATION

FEB 0 9 2007

Document Processing Desk (NOTIF) Office of Pesticide Programs (7504C) US Environmental Protection Agency Ariel Rios Building 1200 Pennsylvania Avenue, NW Washington, DC 20460

Attn:

Mr. George LaRocca (PM Team 13)

Re:

Univar USA, Inc.

"Kontrol 30-30 Concentrate", EPA Reg. No. 73748-5

Application for Pesticide Notification

Dear Mr. LaRocca:

This Application for Pesticide Notification is being submitted for the above mentioned product to add the optional words "inside attached booklet" to the sentence on page I "See [Side Panel][Inside Attached Booklet] for Additional Precautionary Statements". The product will be offered for sale in different sized containers which may require booklets or drum labels.

We are submitting revised copies of the following to process the notification:

- EPA Form 8570-1, Application for Pesticide Notification
- One (1) copy of corrected labeling.

Should you have any questions or need additional information, please feel free to contact our office at (203) 740-1200.

Sincerely,

Jane M. Miller BIOLOGIC, Inc.

Agent for Univar USA, Inc.

#### NOTIFICATION

FEB 0 9 2007

# MASTERLINE KONTROL 30 – 30 CONCENTRATE

For Mosquitoes, Flies and Gnats

A Quick Knockdown, Low Odor, Non-Corrosive Synergized Synthetic Pyrethroid for the Control of Adult Mosquitoes, in Residential, Recreational, and Other Areas.

Also for Use Against Biting and Non-Biting Midge and Black Flies

For use only by federal, state, tribal, or local governmental officials responsible for public health or vector control, or by persons certified in the appropriate category or otherwise authorized by the state or tribal lead pesticide regulatory agency to perform adult mosquito control applications, or by persons under their direct supervision.

ACTIVE INGREDIENTS:	
<b>Permethrin:</b> (3-phenoxyphenyl) methyl (+/-) cis/trans 3-(2,2-dichloroethenyl)	
2,2-dimethyl- cyclopropanecarboxylate, (+/-) cis (min) 35%, (+/-) trans (max) 65%	30.0%
Piperonyl Butoxide Technical:	
Equivalent to 80% (butylcarbityl)(6-propylpiperonyl) ether and 20% related compounds	30.0%
INERT INGREDIENTS	
Contains a Petroleum Distillate Solvent	
TOTAL	100.0%
Contains 2.5 lb. of Permethrin and 2.5 lb. of Piperonyl Butoxide per gallon.	
KEEP OUT OF REACH OF CHILDREN	
KEEL OUT OF KEMEN OF CHIEDREN	

**CAUTION**See [Side Panel][Inside Attached Booklet] For Additional Precautionary Statements.

"PRECAUCION AL USUARIO: Si usted no lee ingles, no use este producto hasta que la etiqueta haya sido explicado ampliamente"

NET CONTENTS:					
2.5 GAL	30 GAL	55 GAL	275 GAL		

## PRECAUTIONARY STATEMENTS HAZARDS TO DOMESTIC ANIMALS AND HUMANS

Caution: Causes moderate eye irritation. Harmful if swallowed, absorbed through skin or inhaled. Avoid contact with skin, eyes or clothing. Avoid breathing vapor or spray mist. Wash hands thoroughly with soap and water after handling and before eating, drinking, chewing gum or using tobacco. Prolonged or frequently repeated skin contact may cause allergic reactions in some individuals. Remove contaminated clothing and wash before reuse. Wear long sleeved shirt and long pants, socks, shoes and chemical resistant (such as nitril or butyl) gloves.

First Aid	
If Swallowed:	Immediately call a poison control center or doctor. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give any liquid to the person. Do not give anything by mouth to an unconscious person.
If on Skin or Clothing:	Take off contaminated clothing. Rinse skin immediately with plenty of water for 15 – 20 minutes. Call a poison control center or doctor for treatment advice.
If in Eyes:	Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice.
If Inhaled:	Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible. Call a poison control center or doctor for further advice.
Have the product co	entainer or label with you when calling a poison control center or doctor, or going for treatment.
Note to Physician: (	Contains petroleum distillate – vomiting may cause aspiration pneumonia.

#### **ENVIRONMENTAL HAZARDS**

This pesticide is extremely toxic to aquatic organisms, including fish and aquatic invertebrates. Runoff from treated areas or deposition of spray droplets into a body of water may be hazardous to fish and aquatic invertebrates. This product is highly toxic to bees exposed to direct treatment on blooming crops or weeds. Do not apply this product or allow it to drift to blooming crops or weeds while bees are actively visiting the area, except when applications are made to prevent or control a threat to public and/or animal health determined by a state, tribal or local health or vector control agency on the basis of documented evidence or disease causing agents in vector mosquitoes or the occurrence of mosquito-borne disease in animal or human populations, or if specifically approved by the state or tribe during a natural disaster recovery effort.

Do not apply over bodies of water (lakes, rivers, permanent streams, natural ponds, commercial fish ponds, swamps, marshes or estuaries), except when necessary to target areas where adult mosquitoes are present, and weather conditions will facilitate movement of applied material away from the water in order to minimize incidental deposition into the water body. Do not contaminate bodies of water when disposing of equipment rinsate or washwaters.

#### PHYSICAL AND CHEMICAL HAZARDS

Do not use, pour, spill or store near heat or open flame.

#### **DIRECTIONS FOR USE**

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Note: Before making the first application in a season, it is advisable to consult with the state or tribal agency with primary responsibility for pesticide regulation to determine if other regulatory requirements exist.

Page 2 Orig. Approval Date: 10212006 Rev. Date: 01122007

## 6/9

#### STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

Pesticide Storage and Spill Procedures: Store upright at room temperature. Avoid exposure to extreme temperatures. In case of spill or leakage, soak up with an absorbent material such as sand, sawdust, earth, fuller's earth, etc. Dispose of with chemical waste.

**Pesticide Disposal:** Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

Container Disposal: (Metal) Triple rinse or equivalent. Then offer for recycling or reconditioning or puncture and dispose of in a sanitary landfill or by other approved State and local procedures. (Plastic) Triple rinse or equivalent. Then offer for recycling or reconditioning or puncture and dispose of in a sanitary landfill or incineration, or if allowed by State and local authorities, by burning. If burned, stay out of smoke.

Container Disposal for Refillable Containers: Replace the dry disconnect cap, if applicable, and seal all openings which have been opened during use.

#### **BULK STORAGE AND DISPOSAL**

#### AGITATE BEFORE USE

Do not contaminate water, food or feed by storage or disposal. Open dumping is prohibited.

Storage: Ground water contamination may be reduced by diking and flooring of permanent liquid bulk storage sites with an impermeable material.

**Pesticide Disposal:** Pesticide spray mixture or rinsate that cannot be used according to label instructions must be disposed of according to Federal and local procedures under Subtitle C or the Resource Conservation and Recovery Act.

#### CONDITIONS AND RATES TO USE FOR MOSQUITO CONTROL

KONTROL 30-30 CONCENTRATE may be applied either diluted or undiluted as a thermal or non-thermal fog.

KONTROL 30-30 CONCENTRATE is recommended for application in ultra low volume (ULV) non-thermal aerosol (cold fog) to control adult mosquitoes, flies and gnats in residential and recreational areas where these insects are a problem, such as, but not limited to parks, campsites, woodlands, athletic fields, golf courses, residential areas, municipalities, gardens, playgrounds, recreational areas and overgrown waste areas. For best results, treat when insects are most active and conditions are conducive to keeping the fog close to the ground.

Both ground and aerial applications should be made when meteorological conditions are conducive to keeping the spray cloud close to the ground, such as when an air temperature inversion is present. Applications during the cool hours of early morning or evening are preferable. Air temperatures should be greater than 50° F when conducting all types of applications. Application in calm air conditions is to be avoided. Apply only when ground wind speed is greater than 1 mph. Do not apply when wind speeds exceed 10 mph. Applications cannot exceed the recommended rates.

Do not re-treat a site more than once in 12 hours. Do not apply more than 0.18 lbs. of permethrin per acre per year to any site. More frequent treatments may be made to prevent or control a threat to public and/or animal health determined by a state, tribal or local health or vector control agency on the basis of documented evidence of disease causing agents in vector mosquitoes or the occurrence of mosquito-borne disease in animal or human populations, or if specifically approved by the state or tribe during a natural disaster recovery effort.

**KONTROL 30-30 CONCENTRATE** can be applied over specific growing crops and range grasses prior to harvest for the control of adult mosquitoes and biting flies within or adjacent to these areas. Application can only be made where the following crops are present:

Alfalfa Almonds

Almonds Apples

Artichoke, globe

Asparagus Avocado Broccoli

**Brussels Sprouts** 

Range Grasses Horseradish

Kiwifruit

Leafy Vegetables (except Brasssica)

Lettuce, head Mushrooms Onion, dry bulb Peaches

> Page 3 Orig Approval Date: 10212006 Rev. Date: 01122007

Cabbage Pears
Cauliflower Pepper, bell
Celery Pistachio
Cherries Potato
Corn, fodder Soybeans
Corn, forage Spinach
Corn, grain (field and pop) Tomatoes

Corn, stover Vegetable, cucurbits

Corn, sweet kernel plus cob with husks removed Walnuts
Eggplant Watercress

Filbert Garlic

In the treatment of corrals, feedlots, animal confinements/houses, swine lots, poultry ranges and zoos, cover any exposed drinking water, drinking fountains and animal feed before application. Do not contaminate non-approved sites with spray drift.

GROUND APPLICATION INSTRUCTIONS (Thermal and Non-Thermal Applications) DROPLET SIZE CALIBRATION FOR GROUND APPLICATION EQUIPMENT: Spray equipment must be adjusted so that the volume median diameter is less than 30 microns (Dv  $0.5 < 30 \mu m$ ) and that 90% of the spray is contained in droplets smaller than 48 microns (Dv  $0.9 < 48 \mu m$ ). Directions from the equipment manufacturer or vendor, pesticide registrant or a test facility using a laser-based measurement instrument must be used to adjust equipment to produce acceptable droplet size spectra. Application equipment must be tested at least annually to confirm that pressure at the nozzle and nozzle flow rate(s) are properly calibrated.

#### THERMAL AEROSOL FOGGING

TRUCK MOUNTED: Apply diluted or undiluted with suitable Thermal Fogging equipment. Do not exceed the maximum a.i./acre rates. May be applied at speeds of 5 to 20 mph, treating a 300 ft. swath. To reduce oil requirement and sludge buildup in equipment, use a suitable mineral oil of 60 - 100 second viscosity. For use with hand foggers, use the same a.i./acre rates and a swath width of 50 ft with a walking speed of 2 mph. Do not wet foliage since the oil base formulation may be phytotoxic. Do not fog when wind conditions exceed 10 miles per hour. Use well maintained and properly calibrated fogger.

Suggested Dilution Rates to Achieve 0.00175# a.i. per Acre

	_		HAND HELD THERMAL FOGGERS 50 FT SWATH AT 2 MPH 0.00318# A.I. PER ACRE		
MACHINE OUTPUT GAL/HOUR	DILUTION RATIO WITH FOG OIL 5 MPH	DILUTION RATIO WITH FOG OIL 10 MPH	MACHINE OUTPUT	DILUTION RATE	
10 gal/hr	1: 79	1: 39	0.25 gal/hr	1:15.5	
20 gal/hr	1: 159	1: 79	2.0 gal/hr	1:131	
30 gal/hr	1: 239	1:119	5.0 gal/hr	1: 330	
			8.0 gal/hr	1: 496	

#### NON-THERMAL AEROSOL (COLD FOG)

KONTROL 30-30 CONCENTRATE ULV Non-Thermal Aerosol (cold fog) Application: To control mosquitoes, midges and blackflies, apply KONTROL 30-30 CONCENTRATE using any standard ULV ground applicator capable of producing a non-thermal aerosol spray. If applying the product undiluted, apply at a flow rate of 0.53 to 2.2 ounces per minute at an average vehicle speed of 10 mph. These rates are equivalent to 0.00175 to 0.007 pounds of permethrin and the same amount of 0.00175 to 0.007 pounds of synergist piperonyl butoxide per acre. If different vehicle speed is used, adjust the rate accordingly. Vary flow rates accordingly to vegetation density and mosquito population. Use higher flow rates in heavy vegetation or when populations are high. An accurate flow control system must be used to ensure proper flow rate. KONTROL 30–30 CONCENTRATE may also be applied by diluting with a suitable solvent such as mineral oil and applying so as not to exceed the maximum pounds of active ingredient per acre as shown in the first column of the ULV table shown below. That table represents some suggested application rates for ground ULV applications. If an alternative dilution rate is used, adjust the flow rate accordingly.

Page 4 Orig. Approval Date: 10212006 Rev. Date: 01122007 Conditions and Rates to use KONTROL 30-30 CONCENTRATE Undiluted for Mosquito Control

PERMETHRIN/PBO LBS. A.I./ACRE	APPLICATION I	RATES /FLUID OUNCES TO	USE PER MINUTE
	5 mph	10 mph	20 mph
0.007/0.007	1.1	2.2	4.3
0.0035/0.0035	0.53	1.0	2.2
0.00175/0.00175	0.27	0.53	1.1

Suggested Dilution Rates for KONTROL 30-30 CONCENTRATE

2-65	. 110111110200 00 00111	
% CONCENTRATION	Parts KONTROL 30 – 30	Parts Diluent Oil
2%	1	14
3%	1	9
4%	1	6.5

Suggested Flow (oz/min) and Use Rates for a 4% (1 to 6.5 Dilution Ratio) Product

PERMETHRIN/PBO LBS. A.I./ACRE	APPLICATION I	RATES /FLUID OUNCES TO	USE PER MINUTE
	5 mph	10 mph	20 mph
0.007/0.007	8.1	16.3	32.6
0.0035/0.0035	4.0	8.1	16.2
0.00175/0.00175	2.0	4.1	8.1

Suggested Flow (oz/min) and Use Rates for a 2% (1 to 14 Dilution Ratio) Product

PERMETHRIN/PBO LBS. A.I./ACRE	APPLICATION F	ATES /FLUID OUNCES TO	USE PER MINUTE
	5 mph	10 mph	20 mph
0.007/0.007	16.2	32.6	64.3
0.0035/0.0035	8.1	16.3	32.6
0.00175/0.00175	4.0	8.1	16.3

#### AS A BARRIER SPRAY USING A MISTER TYPE UNIT

For use in non-thermal equipment, apply KONTROL 30-30 CONCENTRATE with a mist blower adjusted to deliver droplets with a volume median diameter of  $50 - 120\mu m$ . Use undiluted or diluted to achieve an application of 0.00175 / 0.00175 # a.i./acre. Use a 50 ft (15.2m) swath while walking at a speed of 2 mph (3.2 kph). If using a different speed, swath or dilution, do not exceed the maximum a.i./acre. When this product is applied as a barrier treatment, do not apply within 100 feet (30 meters) of lakes and streams.

#### **AERIAL APPLICATION INSTRUCTIONS**

The use of aircraft specially equipped and capable of applying ULTRA LOW VOLUMES of KONTROL 30-30 CONCENTRATE may be necessary.

**DROPLET SIZE CALIBRATION FOR AERIAL APPLICATION EQUIPMENT:** Spray equipment must be adjusted so that the volume median diameter produced is less than 60 microns (Dv  $0.5 < 60 \mu m$ ) and that 90% of the spray is contained in droplets smaller than 115 microns (Dv  $0.9 < 115 \mu m$ ). The effects of flight speed and, for non-rotary nozzles, nozzle angle on the droplet size spectrum must be considered. Directions from the equipment manufacturer or vendor, pesticide registrant or a test facility using a wind tunnel and laser based measurement instrument must be used to adjust equipment to produce acceptable droplet size spectra. Application equipment must be tested at least annually to confirm that pressure at the nozzle and nozzle flow rate(s) are properly calibrated.

Aerial application shall be made at altitudes ranging from 75 to 300 feet. Fixed wing aircraft with flat fan or rotary nozzles, or rotary wing aircraft equipped with rotary nozzles, apply at a sufficient airspeed to deliver the appropriate amount of a.i./acre (from 0.00175 to 0.007 # a.i./acre) and to achieve the appropriate droplet range. Apply only when ground wind speed is greater than 1 mph.

**PROHIBITION FOR AERIAL USE:** Not for aerial application in Florida unless specifically authorized by the Bureau of Entomology and Pest Control, Florida Department of Agriculture and Consumer Services.

**NOTICE:** Buyer and user assume all risks and liability of use, storage and/or handling of this product not in accordance with the terms of this label.

Page 5 Orig. Approval Date: 10212006 Rev. Date: 01122007

#### BUYER GUARANTEE LIMITED TO LABEL CLAIMS

Univar USA, Inc. 11149 Research Blvd., Suite 260 Austin, Texas 78759

EPA Registration Number: 73748-5 EPA Establishment Number: 53883-TX-002