

73748-5

07-28-2009

1  
9



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY  
WASHINGTON, D.C. 20460

OFFICE OF  
PREVENTION, PESTICIDES AND  
TOXIC SUBSTANCES

Jane Miller  
Agent for Univar USA, Inc.  
c/o Biologic Inc.  
115 Obtuse Hill  
Brookfield, Connecticut 06804

JUL 28 2009

Subject: Label Notification(s) for Pesticide Registration Notice 2007-4

Dear Ms. Miller:

The Agency is in receipt of your Application(s) for Pesticide Notification under Pesticide Registration Notice (PRN) 2007-4 dated April 30, 2009 for:

**EPA Registration 73748-5**

**Kontrol 30-30 Concentrate**

The Registration Division (RD) has conducted a review of this request for applicability Under PRN 2007-4 and finds that the label change(s) requested falls within the scope of PRN-2007-4. The label has been date-stamped "Notification" and will be placed in our records.

Please be reminded that 40 CFR Part 156.140(a)(4) requires that a batch code, lot number, or other code identifying the batch of the pesticide distributed and sold be placed on nonrefillable containers. The code may appear either on the label (and can be added by non-notification/PR Notice 98-10) or durably marked on the container itself.

If you have any questions, please contact me directly at 703-305-6249 or Nicole Williams of my staff at 703-308-5551.

Sincerely,

A handwritten signature in black ink, appearing to be "Linda Arrington".

Linda Arrington  
Notifications & Minor Formulations Team Leader  
Registration Division (7505P)  
Office of Pesticide Programs

Please read instructions on reverse before completing form.

Form Approved. OMB No. 2070-0080. Approval expires 2-28-95



United States  
Environmental Protection Agency  
Washington, DC 20460

<input type="checkbox"/>	Registration
<input type="checkbox"/>	Amendment
<input checked="" type="checkbox"/>	Other

OPP Identifier Number

### Application for Pesticide - Section I

1. Company/Product Number 73748-5	2. EPA Product Manager R. Gebken	3. Proposed Classification <input type="checkbox"/> None <input type="checkbox"/> Restricted
4. Company/Product (Name) Kontrol 30-30 Concentrate	PM# 13	
5. Name and Address of Applicant (Include ZIP Code) Univar USA, Inc. 9430 Research Blvd., Suite 350, Echelon Bldg. IV Austin, TX 78759 <input type="checkbox"/> Check if this is a new address	6. Expedited Review. In accordance with FIFRA Section 3(c)(3) (b)(i), my product is similar or identical in composition and labeling to: EPA Reg. No. <u>NOTIFICATION</u> Product Name <u>JUL 28 2009</u>	

### Section - II

<input type="checkbox"/> Amendment - Explain below.	<input checked="" type="checkbox"/> Final printed labels in response to Agency letter dated _____
<input type="checkbox"/> Resubmission in response to Agency letter dated _____	<input type="checkbox"/> "Me Too" Application.
<input checked="" type="checkbox"/> Notification - Explain below.	<input type="checkbox"/> Other - Explain below.

**Explanation:** Use additional page(s) if necessary. (For section I and Section II.)

Notification of label change per PR Notice 2007-4. This notification is consistent with the guidance in PR Notice 2007-4 and the requirements of EPA's regulations at 40 CFR 156.10, 156.140, 156.144, 156.146, and 156.156. No other changes have been made to the labeling or the Confidential Statement of Formula for this product. I understand that it is a violation of 18 U.S.C. Sec. 1001 to willfully make any false statement to EPA. I further understand that if the amended label is not consistent with the requirements 40 CFR 156.10, 156.140, 156.144, 156.146, and 156.156, this product may be in violation of FIFRA and may be subject to enforcement action and penalties under sections 12 and 14 of FIFRA.

### Section - III

1. Material This Product Will Be Packaged In:				2. Type of Container	
Child-Resistant Packaging <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	Unit Packaging <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	Water Soluble Packaging <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No		<input type="checkbox"/> Metal	<input checked="" type="checkbox"/> Plastic
* Certification must be submitted				<input type="checkbox"/> Glass	<input type="checkbox"/> Paper
	If "Yes" Unit Packaging wgt.	No. per container	If "Yes" Package wgt	Other (Specify) _____	
3. Location of Net Contents Information <input checked="" type="checkbox"/> Label <input type="checkbox"/> Container	4. Size(s) Retail Container 2.5, 30, 55, 275 gal.		5. Location of Label Directions <input checked="" type="checkbox"/>		
6. Manner in Which Label is Affixed to Product <input type="checkbox"/> Lithograph Paper glued Stenciled				<input type="checkbox"/> Other _____	

### Section - IV

1. Contact Point (Complete items directly below for identification of individual to be contacted, if necessary, to process this application.)		
Name Jane M. Miller	Title Agent	Telephone No. (Include Area Code) (203) 740-1200
<b>Certification</b> I certify that the statements I have made on this form and all attachments thereto are true, accurate and complete. I acknowledge that any knowingly false or misleading statement may be punishable by fine or imprisonment or both under applicable law.		6. Date Application Received (Stamped)
2. Signature 	3. Title Agent	
4. Typed Name Jane M. Miller	5. Date July 9, 2009	

April 30, 2009

Document Processing Desk (NOTIF)  
Office of Pesticide Programs (7504P)  
US Environmental Protection Agency  
One Potomac Yard  
2777 S. Crystal Drive  
Room S-4900, 4<sup>th</sup> Floor  
Arlington, VA 22202

Attention: Mr. Gebken (PM #13)

RE: "Kontrol 30-30 Concentrate"; EPA Reg. No. 73748-5  
Notification to revise Storage and Disposal Statement

Dear Mr. Gebken:

On behalf of Univar USA, Inc. please find enclosed a notification to update the Storage and Disposal statement as per PR Notice 2007-4.

The following documents are enclosed to process this Notification:

1. Application for Pesticide Notification (8570-1)
2. One (1) copy of the draft label with the additional language underlined.
3. One (1) copy of clean labeling.

Univar would appreciate having a stamped label returned so that it may provide this to the states.

Should you have any questions, or wish to reach me, please feel free to contact our office at 203-740-1200.

Sincerely,

Jane Miller  
Agent to Univar USA, Inc.

2/4

JUL 28 2009

# MASTERLINE KONTROL 30 – 30 CONCENTRATE

For Mosquitoes, Flies and Gnats

A Quick Knockdown, Low Odor, Non-Corrosive Synergized Synthetic Pyrethroid for the Control of Adult Mosquitoes, in Residential, Recreational, and Other Areas.  
Also for Use Against Biting and Non-Biting Midge and Black Flies

For use only by federal, state, tribal, or local governmental officials responsible for public health or vector control, or by persons certified in the appropriate category or otherwise authorized by the state or tribal lead pesticide regulatory agency to perform adult mosquito control applications, or by persons under their direct supervision.

**ACTIVE INGREDIENTS:**

**Permethrin:** (3-phenoxyphenyl) methyl (+/-) cis/trans 3-(2,2-dichloroethenyl) 2,2-dimethyl- cyclopropanecarboxylate, (+/-) cis (min) 35%, (+/-) trans (max) 65%.....30.0%

**Piperonyl Butoxide Technical:**  
Equivalent to 80% (butylcarbityl)(6-propylpiperonyl) ether and 20% related compounds.....30.0%

**INERT INGREDIENTS:**.....40.0%

Contains a Petroleum Distillate Solvent

**TOTAL**..... 100.0%

Contains 2.5 lb. of Permethrin and 2.5 lb. of Piperonyl Butoxide per gallon.

KEEP OUT OF REACH OF CHILDREN  
**CAUTION**  
See [Side Panel][Inside Attached Booklet] For Additional Precautionary Statements.

“PRECAUCION AL USUARIO: Si usted no lee ingles, no use este producto hasta que la etiqueta haya sido explicado ampliamente”

NET CONTENTS:

2.5 GAL \_\_\_\_\_

30 GAL \_\_\_\_\_

55 GAL \_\_\_\_\_

275 GAL \_\_\_\_\_

### PRECAUTIONARY STATEMENTS HAZARDS TO DOMESTIC ANIMALS AND HUMANS

Caution: Causes moderate eye irritation. Harmful if swallowed, absorbed through skin or inhaled. Avoid contact with skin, eyes or clothing. Avoid breathing vapor or spray mist. Wash hands thoroughly with soap and water after handling and before eating, drinking, chewing gum or using tobacco. Prolonged or frequently repeated skin contact may cause allergic reactions in some individuals. Remove contaminated clothing and wash before reuse. Wear long sleeved shirt and long pants, socks, shoes and chemical resistant (such as nitril or butyl) gloves.

<b>First Aid</b>	
<b>If Swallowed:</b>	Immediately call a poison control center or doctor. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give any liquid to the person. Do not give anything by mouth to an unconscious person.
<b>If on Skin or Clothing:</b>	Take off contaminated clothing. Rinse skin immediately with plenty of water for 15 – 20 minutes. Call a poison control center or doctor for treatment advice.
<b>If in Eyes:</b>	Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice.
<b>If Inhaled:</b>	Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible. Call a poison control center or doctor for further advice.
Have the product container or label with you when calling a poison control center or doctor, or going for treatment.	
Note to Physician: Contains petroleum distillate – vomiting may cause aspiration pneumonia.	

### ENVIRONMENTAL HAZARDS

This pesticide is extremely toxic to aquatic organisms, including fish and aquatic invertebrates. Runoff from treated areas or deposition of spray droplets into a body of water may be hazardous to fish and aquatic invertebrates. This product is highly toxic to bees exposed to direct treatment on blooming crops or weeds. Do not apply this product or allow it to drift to blooming crops or weeds while bees are actively visiting the area, except when applications are made to prevent or control a threat to public and/or animal health determined by a state, tribal or local health or vector control agency on the basis of documented evidence or disease causing agents in vector mosquitoes or the occurrence of mosquito-borne disease in animal or human populations, or if specifically approved by the state or tribe during a natural disaster recovery effort.

Do not apply over bodies of water (lakes, rivers, permanent streams, natural ponds, commercial fish ponds, swamps, marshes or estuaries), except when necessary to target areas where adult mosquitoes are present, and weather conditions will facilitate movement of applied material away from the water in order to minimize incidental deposition into the water body. Do not contaminate bodies of water when disposing of equipment rinsate or washwaters.

### PHYSICAL AND CHEMICAL HAZARDS

Do not use, pour, spill or store near heat or open flame.

### DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Note: Before making the first application in a season, it is advisable to consult with the state or tribal agency with primary responsibility for pesticide regulation to determine if other regulatory requirements exist.

6  
9

### STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal. Open dumping is prohibited.

**Pesticide Storage and Spill Procedures:** Store upright at room temperature. Avoid exposure to extreme temperatures. In case of spill or leakage, soak up with an absorbent material such as sand, sawdust, earth, fuller's earth, etc. Dispose of with chemical waste.

**Pesticide Disposal:** Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

**Container Disposal: Nonrefillable Container:** Metal or Plastic Container. Do not reuse or refill container.

Triple rinse or pressure rinse container (or equivalent) promptly after emptying. Offer for recycling, if available, or puncture and dispose of in a sanitary landfill, or by other procedures approved by state and local authorities, such as burning of plastic containers. If burned, stay out of smoke. Triple rinse as follows:

**Containers 5 gallons or less:** Empty the remaining contents into application equipment and drain for 10 seconds after the flow begins to drip. Fill the container 1/4 full with water and recap. Shake for 10 seconds. Pour rinsate into mix tank or store rinsate for later use or disposal. Drain for 10 seconds after the flow begins to drip. Repeat this procedure two more times. Once cleaned, offer for recycling or reconditioning if appropriate, or puncture and dispose of in a sanitary landfill or by other procedures approved by State and local authorities. Do not cut or weld metal containers.

**Containers larger than 5 gallons:** Empty the remaining contents into application equipment. Fill the container 1/4 full with water. Replace and tighten closures. Tip container on its side and roll back and forth, ensuring at least one complete revolution, for 30 seconds. Stand the container on its end and tip back and forth several times.

Empty the rinsate into application equipment or a mix tank or store rinsate for later use or disposal. Repeat this procedure two more times. Once cleaned, offer for recycling or reconditioning if appropriate.

**Pressure rinse as follows (all sizes):** Empty the remaining contents into application equipment or a mix tank and continue to drain for 10 seconds after the flow begins to drip. Hold container upside down over application equipment or mix tank or collect rinsate for later use or disposal. Insert pressure rinsing nozzle in the side of the container and rinse at about 40 PSI for at least 30 seconds. Drain for 10 seconds after the flow begins to drip.

**Refillable container:** Refill this container with pesticide only. Do not reuse this container for any other purpose. Cleaning the container before final disposal is the responsibility of the person disposing of the container. Cleaning before refilling is the responsibility of the refiller.

Return container to point of purchase for reuse with seal intact and in salable condition. Before refilling, inspect thoroughly for damage such as cracks, punctures, bulges, dents, abrasions, and damaged or worn threads on closure devices. After filling and before transporting, check for leaks. Do not refill or transport damaged or leaking container.

To clean the container before final disposal, empty the remaining contents from the container into application equipment or mix tank. Fill the container about 10 percent full with water. Agitate vigorously or recirculate water with pump for 2 minutes. Pour or pump rinsate into application equipment or rinsate collection system. Repeat this rinsing process two more times.

### BULK STORAGE AND DISPOSAL

#### AGITATE BEFORE USE

Do not contaminate water, food or feed by storage or disposal. Open dumping is prohibited.

**Storage:** Ground water contamination may be reduced by diking and flooring of permanent liquid bulk storage sites with an impermeable material.

**Pesticide Disposal:** Pesticide spray mixture or rinsate that cannot be used according to label instructions must be disposed of according to Federal and local procedures under Subtitle C or the Resource Conservation and Recovery Act.

### CONDITIONS AND RATES TO USE FOR MOSQUITO CONTROL

**KONTROL 30-30 CONCENTRATE** may be applied either diluted or undiluted as a thermal or non-thermal fog;

**KONTROL 30-30 CONCENTRATE** is recommended for application in ultra low volume (ULV) non-thermal aerosol (cold fog) to control adult mosquitoes, flies and gnats in residential and recreational areas where these insects are a problem, such as, but not limited to parks, campsites, woodlands, athletic fields, golf courses, residential areas, municipalities, gardens, playgrounds, recreational areas and overgrown waste areas. For best results, treat when insects are most active and conditions are conducive to keeping the fog close to the ground.

Both ground and aerial applications should be made when meteorological conditions are conducive to keeping the spray cloud close to the ground, such as when an air temperature inversion is present. Applications during the cool hours of early morning or evening are preferable. Air temperatures should be greater than 50° F when conducting all types of applications. Application in calm air conditions is to be avoided. Apply only when ground wind speed is greater than 1 mph. Do not apply when wind speeds exceed 10 mph. Applications cannot exceed the recommended rates.

Do not re-treat a site more than once in 12 hours. Do not apply more than 0.18 lbs. of permethrin per acre per year to any site. More frequent treatments may be made to prevent or control a threat to public and/or animal health determined by a state, tribal or local health or vector control agency on the basis of documented evidence of disease causing agents in vector mosquitoes or the occurrence of mosquito-borne disease in animal or human populations, or if specifically approved by the state or tribe during a natural disaster recovery effort.

**KONTROL 30-30 CONCENTRATE** can be applied over specific growing crops and range grasses prior to harvest for the control of adult mosquitoes and biting flies within or adjacent to these areas. Application can only be made where the following crops are present:

- |  |                                    |
|--|------------------------------------|
| Alfalfa  | Range Grasses                      |
| Almonds  | Horseradish                        |
| Apples   | Leafy Vegetables (except Brassica) |
| Artichoke, globe                               | Lettuce, head                      |
| Asparagus                                      | Mushrooms                          |
| Avocado  | Onion, dry bulb                    |
| Broccoli                                       | Peaches                            |
| Brussels Sprouts                               | Pears                              |
| Cabbage  | Pepper, bell                       |
| Cauliflower                                    | Pistachio                          |
| Celery   | Potato                             |
| Cherries                                       | Soybeans                           |
| Corn, fodder                                   | Spinach                            |
| Corn, forage                                   | Tomatoes                           |
| Corn, grain (field and pop)                    | Vegetable, cucurbits               |
| Corn, stover                                   | Walnuts                            |
| Corn, sweet kernel plus cob with husks removed |                                    |
| Eggplant                                       |                                    |
| Filbert  |                                    |
| Garlic   |                                    |

In the treatment of corrals, feedlots, animal confinements/houses, swine lots, poultry ranges and zoos, cover any exposed drinking water, drinking fountains and animal feed before application. Do not contaminate non-approved sites with spray drift.

**GROUND APPLICATION INSTRUCTIONS (Thermal and Non-Thermal Applications)**

**DROPLET SIZE CALIBRATION FOR GROUND APPLICATION EQUIPMENT:** Spray equipment must be adjusted so that the volume median diameter is less than 30 microns ( $Dv\ 0.5 < 30\ \mu m$ ) and that 90% of the spray is contained in droplets smaller than 48 microns ( $Dv\ 0.9 < 48\ \mu m$ ). Directions from the equipment manufacturer or vendor, pesticide registrant or a test facility using a laser-based measurement instrument must be used to adjust equipment to produce acceptable droplet size spectra. Application equipment must be tested at least annually to confirm that pressure at the nozzle and nozzle flow rate(s) are properly calibrated.

**THERMAL AEROSOL FOGGING**

**TRUCK MOUNTED:** Apply diluted or undiluted with suitable Thermal Fogging equipment. Do not exceed the maximum a.i./acre rates. May be applied at speeds of 5 to 20 mph, treating a 300 ft. swath. To reduce oil requirement and sludge buildup in equipment, use a suitable mineral oil of 60 – 100 second viscosity. For use with hand foggers, use the same a.i./acre rates and a swath width of 50 ft with a walking speed of 2 mph. Do not wet foliage since the oil base formulation may be phytotoxic. Do not fog when wind conditions exceed 10 miles per hour. Use well maintained and properly calibrated fogger.

818

**Suggested Dilution Rates to Achieve 0.00175# a.i. per Acre**

				<b>HAND HELD THERMAL FOGGERS 50 FT SWATH AT 2 MPH 0.00318# A.I. PER ACRE</b>	
MACHINE OUTPUT GAL/HOUR	DILUTION RATIO WITH FOG OIL 5 MPH	DILUTION RATIO WITH FOG OIL 10 MPH		MACHINE OUTPUT	DILUTION RATE
10 gal/hr	1: 79	1: 39		0.25 gal/hr	1: 15.5
20 gal/hr	1: 159	1: 79		2.0 gal/hr	1: 131
30 gal/hr	1: 239	1: 119		5.0 gal/hr	1: 330
				8.0 gal/hr	1: 496

**NON-THERMAL AEROSOL (COLD FOG)**

**KONTROL 30-30 CONCENTRATE ULV Non-Thermal Aerosol (cold fog) Application:** To control mosquitoes, midges and blackflies, apply **KONTROL 30-30 CONCENTRATE** using any standard ULV ground applicator capable of producing a non-thermal aerosol spray. If applying the product undiluted, apply at a flow rate of 0.53 to 2.2 ounces per minute at an average vehicle speed of 10 mph. These rates are equivalent to 0.00175 to 0.007 pounds of permethrin and the same amount of 0.00175 to 0.007 pounds of synergist piperonyl butoxide per acre. If different vehicle speed is used, adjust the rate accordingly. Vary flow rates accordingly to vegetation density and mosquito population. Use higher flow rates in heavy vegetation or when populations are high. An accurate flow control system must be used to ensure proper flow rate. **KONTROL 30-30 CONCENTRATE** may also be applied by diluting with a suitable solvent such as mineral oil and applying so as not to exceed the maximum pounds of active ingredient per acre as shown in the first column of the ULV table shown below. That table represents some suggested application rates for ground ULV applications. If an alternative dilution rate is used, adjust the flow rate accordingly.

**Conditions and Rates to use KONTROL 30-30 CONCENTRATE Undiluted for Mosquito Control**

PERMETHRIN/PBO LBS. A.I./ACRE	APPLICATION RATES /FLUID OUNCES TO USE PER MINUTE		
	5 mph	10 mph	20 mph
0.007/0.007	1.1	2.2	4.3
0.0035/0.0035	0.53	1.0	2.2
0.00175/0.00175	0.27	0.53	1.1

**Suggested Dilution Rates for KONTROL 30-30 CONCENTRATE**

% CONCENTRATION	Parts KONTROL 30 - 30	Parts Diluent Oil
2%	1	14
3%	1	9
4%	1	6.5

**Suggested Flow (oz/min) and Use Rates for a 4% (1 to 6.5 Dilution Ratio) Product**

PERMETHRIN/PBO LBS. A.I./ACRE	APPLICATION RATES /FLUID OUNCES TO USE PER MINUTE		
	5 mph	10 mph	20 mph
0.007/0.007	8.1	16.3	32.6
0.0035/0.0035	4.0	8.1	16.2
0.00175/0.00175	2.0	4.1	8.1

**Suggested Flow (oz/min) and Use Rates for a 2% (1 to 14 Dilution Ratio) Product**

PERMETHRIN/PBO LBS. A.I./ACRE	APPLICATION RATES /FLUID OUNCES TO USE PER MINUTE		
	5 mph	10 mph	20 mph
0.007/0.007	16.2	32.6	64.3
0.0035/0.0035	8.1	16.3	32.6
0.00175/0.00175	4.0	8.1	16.3

**AS A BARRIER SPRAY USING A MISTER TYPE UNIT**

For use in non-thermal equipment, apply **KONTROL 30-30 CONCENTRATE** with a mist blower adjusted to deliver droplets with a volume median diameter of 50 - 120µm. Use undiluted or diluted to achieve an application of 0.00175 / 0.00175 # a.i./acre. Use a 50 ft (15.2m) swath while walking at a speed of 2 mph (3.2 kph). If using a different speed, swath or dilution, do not exceed the maximum a.i./acre. When this product is applied as a barrier treatment, do not apply within 100 feet (30 meters) of lakes and streams.



212

## AERIAL APPLICATION INSTRUCTIONS

The use of aircraft specially equipped and capable of applying ULTRA LOW VOLUMES of **KONTROL 30-30 CONCENTRATE** may be necessary.

**DROPLET SIZE CALIBRATION FOR AERIAL APPLICATION EQUIPMENT:** Spray equipment must be adjusted so that the volume median diameter produced is less than 60 microns ( $D_v 0.5 < 60 \mu\text{m}$ ) and that 90% of the spray is contained in droplets smaller than 115 microns ( $D_v 0.9 < 115 \mu\text{m}$ ). The effects of flight speed and, for non-rotary nozzles, nozzle angle on the droplet size spectrum must be considered. Directions from the equipment manufacturer or vendor, pesticide registrant or a test facility using a wind tunnel and laser based measurement instrument must be used to adjust equipment to produce acceptable droplet size spectra. Application equipment must be tested at least annually to confirm that pressure at the nozzle and nozzle flow rate(s) are properly calibrated.

Aerial application shall be made at altitudes ranging from 75 to 300 feet. Fixed wing aircraft with flat fan or rotary nozzles, or rotary wing aircraft equipped with rotary nozzles, apply at a sufficient airspeed to deliver the appropriate amount of a.i./acre (from 0.00175 to 0.007 # a.i./acre) and to achieve the appropriate droplet range. Apply only when ground wind speed is greater than 1 mph.

**PROHIBITION FOR AERIAL USE:** Not for aerial application in Florida unless specifically authorized by the Bureau of Entomology and Pest Control, Florida Department of Agriculture and Consumer Services.

**NOTICE:** Buyer and user assume all risks and liability of use, storage and/or handling of this product not in accordance with the terms of this label.

### BUYER GUARANTEE LIMITED TO LABEL CLAIMS

Univar USA, Inc.  
9430 Research Blvd., Suite 350  
Echelon Bldg. IV  
Austin, Texas 78759

EPA Registration Number: 73748-5  
EPA Establishment Number: 53883-TX-002