



U.S. ENVRONMENTAL PROTE Office of Pesticide Programs Registration Division (H7505C) 401 "M" St., S. W. Washington, □ C 20460

EPA Reg. Number

73876-1

Date of Issuance

OCT 2 5 2001

NOTICE OF PESTICIDE:

<u>x</u> Registratio∩ Reregistration

Name of Pesticide Product:

Term of Issuance: Conditional

Fite Bite Permanone Clothing & Gear Insect Repellent

(under FIFRA, as amended)

Name and Address of Registrant (include ZIP Code):

Travel Medicine 369 Pleasant Street Northampton, MA 01060

Note: Changes in labeling differing in substance from that accepted in connection with this registration must be submitted to and accepted by the Registration Division prior to use of the label = commerce. In any correspondence on this product always refer to the above EPA registration number.

On the basis of information furnished by the registrant, the above named pesticide is hereby registered/reregistered under the Federal Insecticide, Fungicide and Rodenticide Act.

Registration is in no way to be construed as an endorsement or recommendation of this product by the Agency. In order to protect health and the enforcement, the Administrator, on his motion may at any time suscend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by others.

This product is conditionally registered in accordance with FIFRA sec. 3(c)(7)(A). provided you:

- Submit and/or cite all data required for registration/reregistration of your product under FIFRA sec. 3(c)(5) when the Agency requires all registrants of similar products to submit such data: and submit acceptable responses required for reregistration of your product under FIFRA section 4.
- 2. Make the following label changes:
 - Revise the EPA Registration Number to read, "EPA Reg. No. 73876-1". a.
 - b Revise the Disposal Instructions in accordance with PR Notice 2001-6.
 - Under General Clothing Instructions revise the first two statements to read: "Do not apply to clothing while it is being worn. Do not apply to skin."

Signature of Approving Official:	Date:
George T. LaRocca, Product Manager 13	

- d. Under Indoor Application revise the last statement in the first paragraph to read "Do not use in commercial food/feed handling establishments, restaurant or other establishments where food/feed is commercially prepared, processed or served."
- e. Add the following statements to the Directions for Bed bugs and Dust Mites: "After mattress is dry cover with mattress cover and sheet. Do not use mattress without cover."
- f. Under the directions for dust mite control delete "Bedding" since this implies application to sheets, pillowcases which are not acceptable. Following the dust mite directions add: "Vacuum entire area once dry. Since vacuuming stirs dust up in the air those with allergies should have another person vacuum or should wear a dust mask and use vacuum with a high efficiency particulate (HEPA) filter.
- 3. The Agency will review the Aventis cited data (per your Data Matrix dated 09-21-01) to determine if this concentration of permethrin is supported. Any further label changes will be identified and required at that time.
- 4. The additional brand names listed are acceptable.
- 5. Submit two copies of the revised final printed label for the record.

If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA sec. 6(e). Your release for shipment of the product constitutes acceptance of these conditions.

A stamped copy of the label is enclosed for your records.

Enclosure



FITE BITE™ Permanone Clothing & Gear Insect Repellent:

MASTER LABEL

- * For Domestic Use Both Indoors & Outdoors
- * General Purpose Aqueous Insecticide
 * A Ready-To- Use Permanone® Stable Emulsion insecticide
- " Contains Permanones
- Insect Repellent For Clothing
- * For Treatment Of Dog Bedding
- * For Treatment Of Upholstered Furniture
- " Kills Lice And Their Eggs
- * Kills House Dust Mites in Carpets, Bedding, Curtains And On
- * Controls House Dust Mites (Dermetophogoides spp.) For Up To 8 Weeks [2 months, 60 Days] in Carpets. Bedding, Curtains And On Upholstery
- * Controls House Dust Mites That May Cause Asthma, Hay Fever, Rhinkis, Watery Eyes, Sneezing
- ' Permanone (Fite Bite) is Effective in The Control Of Dust Mites
- * For Treatment of Nets, Tents, Steeping Bags and Backpacks
- * Controls Fleas & Ticks
- ' Repels & Kills Mosquitoes, Ticks, Chiggers & Mites
- * Repels & Kills Ticks Which May Carry Lyme Disease & Rocky **Mountain Spotted Fever**
- * Provides Long-Lasting Protection: 1 Treatment (On Clothing)(On Gear#On Tents#On Sleeping Bags][On Backpacks#On Nets#On Bed Nots] Lasts 2 Weeks
- Unscented Two-Week Protection Repels & Kills Mosquitoes, Ticks, igers & Affres

r Control Of Fleas, Brown Dog Ticks And Lice [On Premises][And] [On Dogs]

- 3 Ounces WIII Treat One Complete Outfit
- * 6 Dunces Will Treat Two Complete Outfits
- * 9 Ounces Will Treat Three Complete Outfits
- *12 Ounces Will Treat Four Complete Outfits
- *15 Ounces Will Treat Five Complete Outfits
- * For Control Of Ticks Which May Cause Lyme Disease (On Premises)
- * Controls Floas And Ticks On Dogs For 14 Days
- * Provides 60-Day (Two Months) Control Of Cockrosches
- Provides 60-Day (Two Months) Control Of Fleas On Surfaces * Provides 60-Day (Two Months) Control Of Stored Product Pasts
- * CLOTHING & GEAR INSECT REPELLENT DO NOT APPLY TO SKIN
- ' CLOTHING TREATMENT ONLY DO NOT APPLY TO SKIN
- " A TREATMENT FOR CLOTHING & GEAR DO NOT APPLY TO SKIN
- A TREATMENT FOR CLOTHING DO NOT APPLY TO SKIN

ACTIVE INGREDIENT:

OTHER INGREDIENTS: 99.50%

phenosyphenyt) methyl (+1-) cisitrans 3 -(2.2-4-chiorcethenyt) 2.2-4-restyl-lopropenocerboxylete. Cystrens ratio: mm. 35% (+1-) ore and mes. 65% (+1-)

KEEP OUT OF REACH OF CHILDREN CAUTION

See Rear Panel For Additional Precautions

EPA REG. NO. 73876-**NET CONTENTS:**

EPA EST. NO. 304-WI-1

[Optional language [text]]

Optional bullet points and directions for use

Boxed text must be present on label plus minimum of one direction for use

> with COMMENTS in EPA Letter Desert

OCT 2 5 2001

READ ENTIRE LABEL BEFORE EACH USE [PET USE APPLIES TO USE ONLY ON DOGS]

PRECAUTIONARY STATEMENTS Hazards To Humans & Domestic Animals

CAUTION

Wash thoroughly after handling and before smolding or eating. Avoid contamination of feed and foodstuffs. Remove pets and birds and cover fish expussio before authors applications. Do not use on humans. Do not allow contact with treated surfaces until spray has dried.

FIRST AID

If On Skin

If In Eyes

If Swellowed

"Call a poleon control center or doctor

immediately for treatment advice.

'Have person sip a glass of water if able to swallow.

" Do not induce vorniting unless told to do so by

a poison control center or doctor. *Do not give anything by mouth to an

unconecious person,

"Rines skin immediately with plenty of water for

15-20 minutes.

If inhaled 'Move person to tresh eir, if not already done.

"If person is not breathing, call 911 or an ambulence, then give artificial respiration,

preferably mouth-to-mouth if possible.

' Hold eye open and rines slowly and gently with

water for 15-20 minutes. Remove contact leases, if present, after the first 5 minutes, then continue rinsing eye.

Call a polson control center or doctor for treatment actvice.

Have the product container or tabel with you when calling a poison control center or doctor, or going for treatment.

Environmental Hazards

This product is tode to fish. Do not apply directly to water, Do not contaminate water when disposing of equipment washwaters. This product is toxic to bees exposed to direct treatment. Do not apply this product while bees are actively visiting the treatment area.

DIRECTIONS FOR USE

It is a violation of federal law to use this product in a manner inconsistent with its labeling, SHAKE WELL BEFORE USING

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal. Do not reuse container. Wrap container in several layers of newspaper and discard in trach.

Affor trigger pump or the pump sprayer to container for application. Do not transfer to another container.

GENERAL CLOTHING INSTRUCTIONS

This product should not be applied to clothing while it is being worn. Under no circumstances should bare skin or clothing on the body be treated.

For protection against ticks (including those which may carry Lyme sase), chiggers and mosquitoes, apply product as directed below. For further protection, use in conjunction with an insect repetient registered for direct application to the skin and utilize the following primary preventive messures. Avoid watting in areas where the pasts are found, wear appropriate protective clothing (light-colored, long seeved shirt and long punks tucked into socks) and inspect body daily for ticks. Pank cuffs should be worn inside the socks or footwear to ensure full protection against ticks and chiddens.

INITIAL TREATMENT INSTRUCTIONS:

A test application should be made to febric in an inconspicuous place [area] before use.

- 1. Select a well-ventilated outdoor area protected from wind and lay out (or hanglithe clothing to be treated (a complete outfit is shirt, parts [trousers] and socios).
- 2. Hold container about 6-8 inches from surface of the ciothing and spray to lightly moisten the entire surface of the fabric.

Under the Federal masses Fungisiae, sm. or s. s. Raten ico. รอ**ด**ัพคระส์ ผลประจ 73876 -1

- Continue spraying over entire outfit, until the outer surface of the fabric is motet enough to cause a slight color change or derivening. Pay special attention to socks, part (trouser) cuffs and shirt cuffs.
- 4. Turn the clothing over and treat the other side as described in Steps 2 &
- Hang the treated clothing and allow to dry for at least 2 hours (4 hours under humid conditions) before wearing.
- 6. Three ounces will treat one complete [an average] outfit.

INITIAL TREATMENT INSTRUCTIONS ON NETS, TENTS, SLEEPING BAGS AND BACKPACKS: Do not treat inside of sleeping bag. Spray exterior surfaces of lent only.

Select a well-ventilated outdoor area protected from wind and lay out [or herg] article to be treated. Hold container upright about 6-8 inches from surface of the article and spray to lightly moisten the surface of the fabric. Continue apraying over entire article, until the outer surface of the article is moist enough to cause a light color change or darkening. Turn the article over and treat the other side as described above. Hang the treated article and allow to dry for at least 2 hours (4 hours under humid conditions) before using.

RETREATMENT INSTRUCTIONS:

This product contains an active ingredient which actually binds to the fabric being treated, providing residual protection which leats a minimum of two weeks, and holds up through several machine washings. DO NOT RETREAT CLOTHING (OR ARTICLES) MORE THAN ONCE EVERY TWO WEEKS, LAUNDER CLOTHING AT LEAST ONCE BEFORE RETREATING, For re-treatment, follow instructions for initial treatment.

* INDOOR APPLICATION

For spot application only. Do not use as a space spray indoors, in the home, "not processing surfaces and utenells should be covered during ment or thoroughly washed before use. Exposed food/feed should be covered or removed. Do not use in commercial food/feed handling establishments where food/feed is commercially prepared or processed,

For protection against Ticks, Chiggers, Fless and Mosquitoss: Spray ground windows, doors, porches, patios, and acreens until surface area is damp.

SURFACE SPRAYING: For 60-day [Two Months] control of Cockroaches, Waterbugs, Palmetto Bugs, Scorpions, Millipedes, Centipedes, Sowbugs, Pittbugs, Ants, Silverfish, Firebrats, Crickets, Clover Mites, Cheese Mites, Granary Weevils, Rice Weevils, Contused Flour Beetles, Rust Red Flour Beetles, Brustore Beetles, Meel Worms, Grain Mites and Cadelles: Direct the apray into hiding places, cracks and crevices, and behind shelves and drawers. For allverfish, spray bookcases, For ants, spray traits, nests and points of entry.

To Control Carpet Beetles: Spray edges of carpeting and under carpeting and rugs. Make localized application to floor and baseboards. Spray directly into cracks, cravices and infested areas of shelving.

To Control Bedbugs: Spray mattresses lightly, particularly around tufts and seams. Take bads apart and spray in all joints. Treat baseboards, moldings and floors.

... control Clothes Moths and Curpet Beatles on wool and other proteinaceous fibers: Remove any infested articles from storage, brush thoroughly, and air for several hours in sunlight, it possible. Apply apray liberally to empty chaste, closets, bureous and other storages directing the spray into oracles, joints and crevices. After airing, infested articles may be treated lightly, keeping nozzle at least three feet from fabric to evold stalning.

To kill Lice and Louse Eggs: NOT FOR USE ON HUMAN HAIR. Spray in an incomplicuous area to test for possible staining or discoloration, inspect again after drying, then proceed to apray entire area to be treated. Spray from a distance of 8-10 inches. Treat only those garments and parts of bedding, including mattresses and furniture that cannot be either laundared or dry-cleaned. Allow all treated articles to dry thoroughly before use.

To Control House Dust Mites (Dermetophagoides app.): This product controls house dust mites that may cause asthma, hay fever, rhinitis, wetery eyes and sneezing. One treatment lasts for up to 8 weeks [2 months, 60 days].

On Upholstered Furniture – test fabric in an inconspicuoue area to insure dyes will not bleed. Hold container upright with aprayer away from you. Spray from a distance of 8-10 inches. Spray all fabric surfaces until damp. Do not use on delicate fabrics. Allow furniture to dry thoroughly before trains.

On Carpets – spray over entire carpet until damp, Spray from a distance of 12-18 inches from the carpet surface and with a slow, sweeping motion,

Use an overlapping pattern to insure total coverage. After application, brush the surface of the carpet with a broom or brush to insure deep penetration. Allow carpet to dry thoroughly before reentering the treated area. Using a fan can accelerate drying time.

On Mattresses and Bedding — spray the top, bottom and sides of mattresses until damp, paying particular attention to tulks and seems. Allow to dry thoroughly before using.

* DOGS, DOG BEDDING AND PREMISES: Consult a veterinarian before using this product on medicated, debittated, aged, pregnant or nursing animals. Do not use on dogs under 12 weeks old. Sensitivities may occur after using ANY posticide product for pals. If signs of sensitivity occur baths your pat with mild scap and tince with large amounts of water. If signs continue, consult a veterinarian immediately.

ON DOGS: To control Flees, Tioks, and Lios: Start spraying at the tall, moving the dispenser rapidly and making sure that the animal's entire body is covered, including the legs and underbody. While spraying, fluff the hair so that the spray will penetrate to the sidn. Make sure spray wete thoroughly, but do not esturate animal. Do not epray line eyes or face. Avoid contact with genitalia. Use protective gloves or milits when applying product. Repeat application every two weeks, if necessary, but not more than twice per month. DO NOT USE ON CATS OR KITTENS.

To control Flees (adults and lervee) and Ticks, including Ticks which may carry Lyme disease (adults and lervee): Thoroughly apray infested areas, pet beds, realing quarters, nearby cracks and cravices, along and behind baseboards, moidings, window and door frames, and entire areas of floor and floor covering. Fresh bedding should be pisced in animal quarters following treatment. Allow to dry thoroughly before allowing pets to contact treated areas. Uphoistered furniture may also be treated to control fleas and licks in these areas. A test application should be made to uphoistery in an inconspicuous place before use. Spray uphoistery paying particular attention to tufts and seams. Allow to dry before reuse.

* DUTIDOOR APPLICATION

To control Ticks (including Ticks which may carry Lyme disease) [Ticks including the Deer Tick (Ixodes Scapularis), Lone Star Tick (Arablyomma americanum), Brown Dog Tick (Rhipicephelus sanguineus), American Dog Tick (Dermacentor variabilis) and Western Black-legged Tick (Ixodes pacificus)], mosquitoes, chiggers, and mites (Perlmeter Treatment); Use this product as a residual treatment. For each areas listed below, apply until surface is wet (approximately 1 gas/750- 1000 ft*). Treat around windows and doors, porchas, acreens, saves, patios, garages, under staliways and in crawl spaces where these pests may enter. Treat a band of vegetation and leaf fitter 5 to 10 feet wide around the outside of buildings to help control ticks occurring there. To help control ticks [peet] in outdoor activity areas, aspecially where dense vegetation occurs.

* FOR CONTROL OF GARDEN INSECTS ON ORNAMENTAL PLANTS: For use on roses, dahlas, seters and other ornamentals to lot Japanese Beedes hit by apray as well as Whitefles, Aphids, Exposed Thrips, Red Mites and Leafminers. May be used on pionts as a multi-purpose apray in amait gardens and for spot treatments of inciplent insect infestations to prevent apreaching in large garden areas. May also be used on other plants such as African violets, asters, exalens, begoniss, camellies, camations, chrysanthemume, dahlas, delphiniums, dogwoods, English ivy, euronymus, fuschis, peraniums, crassula, grape vines, Kartia paims, leurets, marigolds, inododerutorus, roses, rubber plants, snapdragons, stocks, wandering Jews and zinnias.

Effective when used as directed against Whitefiles, Aphids, Spider and Red Mites, exposed Thrips, Lace Bugs, Japanese Beetlee, Pavement Ants, Ciover Mites and Armyworms: When apraying plants, do not operate closer than 18 inches. Use sweeping motion. Be cautious about wetting tender folloge, young plants and new growth. Do not spray plants when temperatures exceed 90° F. Contact insects directly whenever possible. Not for use on plants grown for sale or other commercial or research purposes. Not for use in commercial greenhouses.

Buyer assumes all responsibilities for safety and use, not in strict accordance with directions.

Permanene is a registered trademerk of the Avente Group.

Travel Medicine, Inc., 369 Pleasant St., Northampton, MA 01060

SEP-21-01

5:16PN;

- methrin Test & Oear Issed Repellent methrin Clothing & Mosquito Not

- Fite Bile Sportsmen's Permethria Clothing & Monequito bet Innect Repolient
 Fite Bile Sportsmen's Permethria heat Repolicat
 Fite Bile Sportsmen's Fermethria Mosquito &
 Trak Repolicat
 Fits Permanone Test & Gast lessed Repolicat
 Fits Pits Permanone Cooling & Mosquito Net

- baset Republici
 Fita Bita Permanone Inect Republici
 Fita Bita Permanone Mosquito & Tick Republicit
 Fita Bita Sportamen's Permanone Clothing &
 Gest Inect Republicat
 Fita Bita Sportamen's Permanone Tent & Gest
 Fita Bita Sportamen's Permanone Tent & Gest

- File Bide Sportsmen's Permanose Clothing & Mosquiso Net Inecc Republiant
 File Bide Sportsmen's Fernanose hasest Republicat
 File Bide Sportsmen's Fernanose hasest Republicat
 Fide Bide Sportsmen's Permanose Mosquito &
 Fick Republicat
 Travel Medicine Permanose Clothing & Gear
 Inect Republicat
 Travel Medicine Permanose Test & Gear Ineccl
 Republicat
 Travel Medicine Permanose Clothing & Mosquiso
 Net Inecct Republicat
 Travel Medicine Permanose Inecct Republicat
 Travel Medicine Permanose Mosquiso & Tick
 Travel Medicine Permanose Mosquiso & Tick
 Travel Medicine Permanose Mosquiso & Tick
 Travel Medicine Permanose Mosquiso & Tick

- Rapellier

 Travel Medicine Sportsmen's Permanons

 Clothing & Gear Insect Repeilers

 Travel Medicine Sportsmen's Permanons Tork & Gear Insect Repeilers

 Travel Medicine Permanons Clothing & Mosquido Net Insect Repeilers

 Travel Medicine Portsmen's Permanons Insect

 Travel Medicine Sportsmen's Permanons Insect

- Travel Medicine Sportsmen's Persumons Mosquito & Tick Repolicat Travel Medicine Permethrin Clothing & Gear
- lemet Repellent Pravel Médicine Permethrin Test & Geer Insect
- Rapeliest
 Travel Medicine Permethrin Clothing & Mosquis
 Travel Medicine Permethrin Clothing & Mosquis
 Net Iranca Repolicat
 Travel Medicine Permethrin Isaaca Rapellest
 Travel Medicine Permethrin Mosquiso & Tick ethrin Clothing & Mosquido

- Repollent
 Thevel Medicine Sportzmen's Permethria
 Clothing & Gear Insect Expellent
 Travel Medicine Sportzmen's Permethria Test &

- Travel Medicipe Sportsone's Percethrin Clothing & Mosquito Net Insect Republicat Travel Medicine Sportsone's Percethrin Israel
- iedicias Sportenan's Pernsellrin At Tick Republican