

73884-1

3-24-2004

46



U.S. ENVIRONMENTAL PROTECTION AGENCY
Office of Pesticide Programs
Registration Division (H7505C)
401 "M" St., S.W.
Washington, D.C. 20460

EPA Reg. Number:

Date of Issuance:

73884-1

MAR 24 2004

NOTICE OF PESTICIDE:

Registration
 Reregistration

(under FIFRA, as amended)

Term of Issuance: Conditional

Name of Pesticide Product: AfterShock
Fungicidal Coating

Name and Address of Registrant (include ZIP Code):

Fiberlock Technologies, Inc.
150 Dascomb Road
Andover, MA 01810-5873

Note: Changes in labeling differing in substance from that accepted in connection with this registration must be submitted to and accepted by the Registration Division prior to use of the label in commerce. In any correspondence on this product always refer to the above EPA registration number.

On the basis of information furnished by the registrant, the above named pesticide is hereby registered/reregistered under the Federal Insecticide, Fungicide and Rodenticide Act.

Registration is in no way to be construed as an endorsement or recommendation of this product by the Agency. In order to protect health and the environment, the Administrator, on his motion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by others.

This product is conditionally registered in accordance with FIFRA sec. 3(c)(7)(A) provided that you:

1. Submit and/or cite all data required for registration/ reregistration of your product under FIFRA sec. 3(c)(5) when the Agency requires all registrants of similar products to submit such data; and submit acceptable responses required for reregistration of your product under FIFRA section 4.

2. Make the following label changes:

a. Revise the EPA Registration Number to read, "EPA Reg. No. "73884-1".

Signature of Approving Official:

Marshall Swindell, PM 33
Regulatory Management Branch 1
Antimicrobial Division (7510C)

Date:

MAR 24 2004

2/6

Page 2

EPA Registration No. 73884-1

3. The Basic Confidential Statement of Formula (CSF) dated March 9, 2004 is in compliance with PR Notice 92-1, agrees with the label and is acceptable.

If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA sec. 6(e). Your release for shipment of the product constitutes acceptance of these conditions.

Submit two (2) copies of final printed labeling for our record. A stamped copy of the label is enclosed for your records.

If you have any questions concerning this letter, please contact Martha Terry at (703) 308-6217.

Sincerely,



Marshall Swindell
Product Manager 33
Regulatory Management Branch 1
Antimicrobial Division (7510C)

Enclosure

3/6

AfterShock®

Fungicidal Coating

CAUTION

Keep Out of Reach of Children

See back panel for additional Precautionary Statements

ACTIVE INGREDIENT:


Chlorothalonil.....0.48%

OTHER INGREDIENTS.....99.52%

TOTAL.....100.00%

EPA Reg. No. 73884-XX

EPA Est. No. 73884-MA-01



5 U.S. Gallons
(18.925 Liters) Net

8390 WHITE

Max VOC Content:
380 g/l; 3.2 lbs/gal

4/6

AfterShock is an extremely durable acrylic finish, developed to withstand moist, humid conditions that provide the ideal environment for fungal growth. This easy to apply coating offers the ultimate in durability in combination with excellent fungicidal characteristics.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Check with all local, state, and federal regulations before beginning work or using this product. Fix the source of any moisture problems prior to remediation. Do not attempt to salvage damaged or structurally unsound building materials. Consult with a qualified professional to perform a thorough inspection and supply work specifications appropriate to the project.

AfterShock is designed to kill residual mold and mildew remaining after precleaning contaminated surfaces, as well as to inhibit the future growth and spread of mold and mildew on the cured film surface in residential & institutional buildings. AfterShock is recommended for use on interior wall surfaces such as plaster, wallboard, Sheetrock®, concrete, masonry block, wood, primed metal and galvanized metal. AfterShock is also recommended for use on interior wood framing, primed metal, concrete, and wallboard inside the wall cavity. Do not use for HVAC system applications.

SURFACE PREPARATION

AfterShock is supplied ready to use. Stir thoroughly. Do not mix with any other coatings, solvents or colors in oil. Remove damaged materials and clean surfaces. Patch surface irregularities with an appropriate patching compound. AfterShock is self-priming over bare gypsum drywall, composition board, ceiling tile and concrete. Do not apply when air or surface temperature is below 50°F or when drying conditions are poor. Keep from freezing. Use adequate ventilation during application.

APPLICATION TOOLS

Apply AfterShock with brush, roller or airless spray equipment. If using airless spray equipment, AfterShock can be successfully applied with a .017 - .019 tip setting.

COVERAGE

Smooth Surfaces- 300-350 ft² per gallon

Porous Surfaces- 175-300 ft² per gallon

Spray- 50% of above

MOLD & MILDEW CONTROL


Remove gross filth or heavy soil. For heavily soiled areas, a pre-cleaning step is required. Apply AfterShock generously and uniformly by brush or airless spray and ensure that the surface is completely coated. Allow to air dry. Clean and inspect regularly for damage to coating film- reapply if cured coating film becomes damaged. AfterShock will kill all existing visible mold and mildew on the wall surface, and then will prevent the growth of mold and mildew on the surface of the cured film.

DRYING TIME @ 70°F 50% R.H.

To Touch-1 Hour

CLEAN UP

Clean tools and drippings with warm soapy water before AfterShock dries.



16

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

Pesticide Storage: Close container after each use. Keep from freezing.

Pesticide Disposal: Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

Container Disposal: Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or incineration, or, if allowed by state and local authorities, by burning. If burned, stay out of smoke.


Proposition 65 Warning: This product contains a chemical(s) known to the State of California to cause cancer.

FIRST AID:

Have the product label or MSDS with you when calling a poison control center or doctor, or going for treatment.

IF IN EYES	<ul style="list-style-type: none"> • Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye • Call a poison control center or doctor for treatment advice
IF INHALED	<ul style="list-style-type: none"> • Move person to fresh air • If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth, if possible • Call a poison control center or doctor for further treatment advice
IF SWALLOWED	<ul style="list-style-type: none"> • Immediately call a poison control center or doctor • Do not induce vomiting unless told to do so by a poison control center or doctor • Do not give any liquid to the person. • Do not give anything by mouth to an unconscious person
IF ON SKIN OR CLOTHING	<ul style="list-style-type: none"> • Take off contaminated clothing • Rinse skin immediately with plenty of water for 15-20 minutes • Call a poison control center or doctor for treatment advice

**FOR MEDICAL ASSISTANCE, CALL
YOUR LOCAL POISON CONTROL CENTER or 1-800-222-1222**



4/6

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS

CAUTION

Harmful if swallowed or inhaled. Avoid breathing spray mist. Avoid contact with skin, eyes or clothing. Wash thoroughly with soap and water after handling. Remove contaminated clothing and wash clothing before reuse.

When applying with a sprayer, applicator should wear a dust/mist filtering respirator (MSHA/NIOSH approval number prefix TC-21C) or a NIOSH approved respirator with any R,P, N, or HE filter.

PHYSICAL AND CHEMICAL HAZARDS

Do not apply this product in or on electrical equipment due to the possibility of shock hazard.

CAS. No.:

7732-18-5
13463-67-7
25265-77-4
57-55-6
Not Available

CHEMICAL INGREDIENTS:

Water
Titanium dioxide
2,2,4-Trimethyl-1,3-Pentenediol Monoisobutyrate
Propylene glycol
Latex resin solids*

*contents partially unknown

HMIS HAZARD RATING

Health 1
Flammability 0
Reactivity 0
Personal Protection E

HMIS HAZARD INDEX

0=Minimal, 1=Slight, 2=Moderate, 3=Serious, 4=Severe

PERSONAL PROTECTION CODE: E = Safety Glasses, Gloves, and Protective Clothing for all applications (Dust Respirator - for spray applications only)

FIBERLOCK TECHNOLOGIES, INC.

150 Dascomb Road
Andover, MA 01810

DRAFT: Not EPA Approved 7-21-2003

