

#### UNITED STATES ENVIRONMENTAL PROTECTION AGENCY WASHINGTON, DC 20460

OFFICE OF CHEMICAL SAFETY AND POLLUTION PREVENTION

June 11, 2018

Catherine Rice Vice President R&D A Divison of ICP Construction, Inc. 150 Dascomb Road Andover, MA 01810-5873

Subject: Label and CSF Amendment – Correct Basic CSF and Update Label Product Name: Aftershock Fungicidal Coating EPA Registration Number: 73884-1 Application Date: 02/28/2018 Decision Number: 539316

Dear Ms. Rice:

The amended label and CSF referred to above, submitted in connection with registration under the Federal Insecticide, Fungicide and Rodenticide Act, as amended, are acceptable. This approval does not affect any conditions that were previously imposed on this registration. You continue to be subject to existing conditions on your registration and any deadlines connected with them.

A stamped copy of your labeling is enclosed for your records. This labeling supersedes all previously accepted labeling. You must submit one copy of the final printed labeling before you release the product for shipment with the new labeling. In accordance with 40 CFR 152.130(c), you may distribute or sell this product under the previously approved labeling for 18 months from the date of this letter. After 18 months, you may only distribute or sell this product if it bears this new revised labeling or subsequently approved labeling. "To distribute or sell" is defined under FIFRA section 2(gg) and its implementing regulation at 40 CFR 152.3.

Please note that the record for this product currently contains the following CSF:

• Basic CSF dated 02/28/2018

Should you wish to add/retain a reference to the company's website on your label, then please be aware that the website becomes labeling under the Federal Insecticide Fungicide and Rodenticide Act and is subject to review by the Agency. If the website is false or misleading, the product would be misbranded and unlawful to sell or distribute under FIFRA section 12(a)(1)(E). 40 CFR 156.10(a)(5) list examples of statements EPA may consider false or misleading. In addition, regardless of whether a website is referenced on your product's label, claims made on the website may not substantially differ from those claims approved through the registration process. Therefore, should the Agency find or if it is brought to our attention that a website contains false

Page 2 of 2 EPA Reg. No. 73884-1 Decision No. 539316

or misleading statements or claims substantially differing from the EPA approved registration, the website will be referred to the EPA's Office of Enforcement and Compliance.

Your release for shipment of the product constitutes acceptance of these conditions. If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA section 6. If you have any questions, please contact Terria Northern by phone at 703-347-0265, or via email at northern.terria@epa.gov.

Sincerely,

Zeno Bain, Product Manager 33 Regulatory Management Branch I Antimicrobials Division (7510P) Office of Pesticide Programs

Enclosure: Approved label

# AfterShock® **Fungicidal** Coating

FUNGICIDAL COATING Designed to Kill Residual Mold and Mildew\*

## CAUTION

Keep Out of Reach of Children

See back panel for additional Precautionary Statements

# **ACTIVE INGREDIENT:**

Chlorothalonil	0.48%
OTHER INGREDIENTS	<u>99.52%</u>
TOTAL	100.00%

EPA Reg. No. 73884-1 EPA Est. No. 73884-MA-01

Net Contents: \_\_\_\_ Gallons (\_\_\_\_ L)

# **8390 WHITE**

ACCEPTED

### Jun 11, 2018

Under the Federal Insecticide, Fungicide and Rodenticide Act as amended, for the pesticide registered under EPA Reg. No. 73884-1

AfterShock is an extremely durable acrylic finish, developed to withstand moist, humid conditions that provide the ideal environment for fungal growth. This easy to apply coating offers the ultimate in durability in combination with excellent fungicidal characteristics.

#### **DIRECTIONS FOR USE**

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Check with all local, state, and federal regulations before beginning work or using this product. Fix the source of any moisture problems prior to remediation. Do not attempt to salvage damaged or structurally unsound building materials. Consult with a qualified professional to perform a thorough inspection and supply work specifications appropriate to the project.

\*AfterShock is designed to kill residual mold and mildew remaining after precleaning contaminated surfaces, as well as to inhibit the future growth and spread of mold and mildew on the cured film surface in residential & institutional buildings. AfterShock is recommended for use on interior wall surfaces such as plaster, wallboard, Sheetrock<sup>®</sup>, concrete, masonry block, wood, primed metal and galvanized metal. AfterShock is also recommended for use on interior wood framing, primed metal, concrete, and wallboard inside the wall cavity. Do not use for HVAC system applications.

#### SURFACE PREPARATION

AfterShock is supplied ready to use. Stir thoroughly. Do not mix with any other coatings, solvents, or colors in oil. Remove damaged materials and clean surfaces. Patch surface irregularities with an appropriate patching compound. AfterShock is self-priming over bare gypsum drywall, composition board, ceiling tile and concrete. Do not apply when air or surface temperature is below 50°F or when drying conditions are poor. Keep from freezing. Use adequate ventilation during application.

#### APPLICATION TOOLS

Apply AfterShock with brush, roller or airless spray equipment. If using airless spray equipment, AfterShock can be successfully applied with a .017 - .019 tip setting.

COVERAGE Smooth Surfaces: 300-350 ft<sup>2</sup> per gallon Porous Surfaces:175-300 ft<sup>2</sup> per gallon Spray: 50% of above

#### MOLD & MILDEW CONTROL

Remove gross filth or heavy soil. For heavily soiled areas, a pre-cleaning step is required. Apply AfterShock generously and uniformly by brush or airless spray and ensure that the surface is completely coated. Allow to air dry. Clean and inspect regularly for damage to coating film- reapply if cured coating film becomes damaged. AfterShock will kill all existing visible mold and mildew on the wall surface, and then will prevent the growth of mold and mildew on the surface of the cured film.

DRYING TIME @ 70°F 50% R.H. To Touch: 1 Hour

CLEAN UP Clean tools and drippings with warm soapy water before AfterShock dries.

#### STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal

Pesticide Storage: Close container after each use. Keep from freezing.

**Pesticide Disposal**: Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

**Container Disposal**: Nonrefillable containers. Do not reuse or refill this container. Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or incineration, or if allowed by state and local authorities, by burning. If burned, stay out of smoke.

Proposition 65 Warning: This product contains a chemical(s) known to the State of California to cause cancer.

FIRST AID:		
Have the product label or MSDS with you when calling a poison control center or doctor, or going for		
treatment.		
IF IN EYES	Hold eye open and rinse slowly and gently with water for 15-20 minutes.	
	Remove contact lenses, if present, after the first 5 minutes, then continue	
	rinsing eye. Call a poison control center or doctor for treatment advice.	
IF INHALED	Move person to fresh air. If person is not breathing, call 911 or an	
	ambulance, then give artificial respiration, preferably by mouth-to-mouth, if	
	possible. Call a poison control center or doctor for further treatment advice.	
IF SWALLOWED	Immediately call a poison control center or doctor. Do not induce vomiting	
	unless told to do so by a poison control center or doctor. Do not give any	
	liquid to the person. Do not give anything by mouth to an unconscious	
	person.	
IF ON SKIN OR	Take off contaminated clothing. Rinse skin immediately with plenty of water	
CLOTHING	for 15-20 minutes. Call a poison control center or doctor for treatment	
	advice.	
FOR MEDICAL ASSISTANCE, CALL		
YOUR LOCAL POISON CONTROL CENTER or 1-800-222-1222		

### Edit date: 03/28/2018

#### PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS CAUTION

Harmful if swallowed or inhaled. Avoid breathing spray mist. Avoid contact with skin, eyes or clothing. Wash thoroughly with soap and water after handling. Remove contaminated clothing and wash clothing before reuse. When applying with a sprayer, applicator should wear a dust/mist filtering respirator (MSHA/NIOSH approval number prefix TC-21C) or a NIOSH approved respirator with any R, P, N, or HE filter.

#### PHYSICAL AND CHEMICAL HAZARDS

Do not apply this product in or on electrical equipment due to the possibility of shock hazard

Max VOC Content: <100 g/l

FIBERLOCK TECHNOLOGIES A DIVISION OF ICP CONSTRUCTION INC. 150 Dascomb Road Andover, MA 01810

Batch code: