



U.S. ENVIRONMENTAL PROTECTION AGENCY
Office of Pesticide Programs
Registration Division (H7505C)
401 "M" St., S.W.
Washington, D.C. 20460

EPA Reg. Number:
73912-2

Date of Issuance:
FEB 13, 2002

NOTICE OF PESTICIDE:
 x Registration
 Reregistration

Term of Issuance:
Unconditional

Name of Pesticide Product:
AntX 75

(under FIFRA, as amended)

Name and Address of Registrant (include ZIP Code):

Innovative Medical Services
1725 Gillespie Way
El Cajon, CA 92020

Note: Changes in labeling differing in substance from that accepted in connection with this registration must be submitted to and accepted by the Registration Division prior to use of the label in commerce. In any correspondence on this product always refer to the above EPA registration number.

On the basis of information furnished by the registrant, the above named pesticide is hereby registered/reregistered under the Federal Insecticide, Fungicide and Rodenticide Act.

Registration is in no way to be construed as an endorsement or recommendation of this product by the Agency. In order to protect health and the environment, the Administrator, on his motion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by others.

This product is unconditionally registered in accordance with FIFRA sec. 3(c)(7)(5). Once a pesticide is registered, however, it is not regarded as permanently acceptable. Registration does not eliminate the need for continual reassessment of pesticides. If the Agency determines that, at any time, additional data are required to maintain in effect an existing registration, the Agency will require submission of such data under FIFRA section (3)(c)(2)(B).

1. You must, however, make the following label changes:
 - a. Revise the EPA Registration Number to read, "EPA Reg. No.73912-2".
 - b. Delete the term, ~~and other species~~ under the General Information subheading. This reference could imply that the product has been evaluated for all ant species, which would require additional efficacy testing.
 - c. In accordance with PR Notice 2001-6, you must revise

Signature of Approving Official:

[Handwritten Signature] /PM/IB/RD

Date:

Feb. 13, 2002

the Disposal instructions of the Storage and Disposal section of the labeling to read:

If empty: Do not reuse this container. Place trash or offer for recycling if available.

If partly filled: Call your local solid waste agency or [toll free number which meets the criteria in paragraph II.E.] for disposal instructions.


You must also modify your labeling with regard to all other criteria set forth in PR Notice 2001-6 (i.e., toll free phone number, etc.).

3. Submit two (2) copies of the revised final printed label for the record.

If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA sec. 6(e). Your release for shipment of the product constitutes acceptance of these conditions.

A stamped copy of the label is enclosed for your records.

Sincerely,



Marion J. Johnson, Jr.
Product Manager 10
Insecticide Branch
Registration Division (7505C)

AntX 75

ACTIVE INGREDIENT:

Boric Acid 7.5%

INACTIVE INGREDIENTS 92.5%
100.0%

EPA FILE SYMBOL 73912-E

Six 30-gram Tubes Per Box

8 Boxes Per Case

Total 48 Tubes

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

Body of Directions will go here

CAUTION KEEP OUT OF REACH OF CHILDREN

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS
CAUTION: Harmful if swallowed or absorbed through skin. Causes eye irritation. Avoid contact with clothing, skin or eyes. Wash thoroughly with soap and water after handling.

FIRST AID	
If on skin or clothing	<ul style="list-style-type: none"> •Take off contaminated clothing •Rinse skin immediately with plenty of water for 15 - 20 minutes •Call a poison control center or doctor for treatment advice.
If in eyes	<ul style="list-style-type: none"> •Hold eye open and rinse slowly and gently with water for 15-20 minutes. •Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. •Call a poison control center or doctor for treatment advice.
If swallowed	<ul style="list-style-type: none"> •Call a poison control center or doctor immediately for treatment advice. •Have person sip a glass of water if able to swallow. •Do not induce vomiting unless told to do so by the poison control center or doctor. •Do not give anything by mouth to an unconscious person.

HOT LINE NUMBER
Have the product container or label with you when calling a poison control center or doctor, or going for treatment. For more information, call 1-619-596-8700 from 9 a.m. to 5 p.m PST Monday through Friday.

ACCEPTED
with COMMENTS
In EPA Letter Dated:
FEB 13 2002

73912-2

STORAGE AND DISPOSAL
Pesticide Storage: Store in cool dry area inaccessible to children and pets.
Pesticide disposal: Securely wrap original container in several layers of newspaper and discard in trash.
Container disposal: Securely wrap original container in several layers of newspaper and discard in trash.

Mfg. by: Innovative Medical Services
1725 Gillespie Way
El Cajon, CA 92020

Phone: 619-596-6900
Fax: 619-596-8700

www.imspure.com

AntX 75

ACTIVE INGREDIENT:
 Orthoboric Acid 7.50%
 INERT INGREDIENTS.....92.50%
 100.00%

EPA Reg. No. Pending

Six 30-gram Tubes Per Box
 8 Boxes Per Case
 Total 48 Tubes

STOP - Read the label before use.
Keep out of reach of children

Revised

CAUTION

PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION: Harmful if swallowed or absorbed through skin. Causes eye irritation. Avoid contact with clothing, skin or eyes. Wash thoroughly with soap and water after handling.

FIRST AID

- 1. If Swallowed:** Call a physician or poison control center for advice. Do not induce vomiting unless told so by a physician. Do not give anything by mouth if person is unconscious.
- 2. If in Eyes:** Open eye and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing for 10 minutes. Call a physician if irritation persists.
- 3. If on Skin or Clothing:** Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for further treatment.


~~Store in cool dry area inaccessible to children and pets. Wrap used container in several sheets of newspaper and place in trash receptacle.~~

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling. In the home, sweet eating ants are usually found in the kitchen and bathroom areas and will often appear to be randomly searching for food. THIS BAIT PRODUCT WORKS BEST WHEN ALL COMPETING FOOD SOURCES ARE REMOVED AND NO OTHER PESTICIDE OR BAITS ARE USED. This product was developed specifically for sweet eating ants.

GENERAL INFORMATION

AntX 75 is intended for the control of sweet eating ants, including Argentine, Pharaoh, Ghost, White Foot, Harvester and other ant species. Apply as a spot and/or crack and crevice application to spaces within structures, their walls and ceilings (both inside and out), and the



immediate adjacent surrounding grounds. Such structures include, **but are not limited to**, residential (e.g. houses, apartments), commercial, industrial, and institutional buildings (e.g. restaurants, supermarkets, offices, hospitals, motels and utilities), and agricultural structures (e.g. barns, livestock housing facilities), pet kennels, zoos, and on various modes of transport (e.g. aircraft, buses, trucks, trailers, rail cars, and marine vessels).

SPOT OR CRACK AND CREVICE APPLICATIONS

Crack and Crevice Treatments: AntX 75 may also be applied as a bead or thin film where appropriate. Bait should be applied into cracks and crevices in which insects hide or through which they may enter the building. Such openings commonly occur at expansion joints, between different elements of construction, between, behind or under various types of equipment such as cabinets, refrigerators, sinks, stoves, dishwashers, and through floors, doors, windows, walls and ceilings. These openings may lead to voids such as hollow walls, hollow equipment legs and bases, utility entrances, electrical conduit, junction and switch boxes, and wall and floor drain exits.

Apply AntX 75 by placing the applicator tip directly into cracks and crevices and other openings or voids where insects enter or harbor and deposit the bait as multiple spots or as a continuous bead. Care should be taken to avoid depositing the product onto open or exposed surfaces. Once the bait has been applied the crack or crevice should be sealed with "Pro

AntX 75

Choice PMP Grade" silicone sealant. During follow up visits, inspect bait placements and reapply or reseal as needed. Do not use this product where a possibility of a shock hazard exists.

FOOD/FEED/ HANDLING

ESTABLISHMENT APPLICATIONS

Application within food/feed areas of food/feed handling establishments is limited to crack and crevice treatment only. Apply with syringe applicator directly into cracks, crevices, holes and other small openings where ants may be a problem. Apply small amounts of AntX 75 gel (up to 1/2 gram) per spot. Do not apply bait to areas where food/feed, food utensils or food processing surfaces may become contaminated. Do not apply bait to areas that are routinely washed such as cracks and crevices in tops of tables, food/feed preparation and prepared food holding surfaces as bait may be removed by washing. Do not apply bait to surfaces where the temperature exceeds 130F as bait may run. Examples include, but are not limited to, portions of stoves, ovens, grills, fume hoods, heat lamps, coffee urns, steam tables, toasters, fryers, dishwashers and hot water pipes. Care should be taken

to avoid depositing AntX 75 gel onto exposed surfaces. If AntX 75 gel contacts an exposed surface, remove AntX 75 gel and wash exposed surface. Food/feed areas include areas for receiving, storage, packing (canning, bottling, wrapping, boxing), preparing edible waste storage, and enclosed processing systems (mills, dairies, edible oils, syrups). Serving areas are also considered a food/feed area when food is exposed and facility is in operation. Apply bait in small amounts between different elements of construction, between equipment and floors, walls, ceilings, equipment legs and bases, around plumbing pipes, doors and windows, behind and under refrigerator, cabinets, sinks, closets, stoves and other equipment where ants travel. During follow-up visits inspect bait placements and reapply when necessary.

Application of this product in food/feed areas of food/feed handling establishments, other than as a crack and crevice treatment, is not permitted.

INDOOR PEST CONTROL

For indoor uses, make applications in a manner as previously described above under "Spot or Crack and Crevice Applications." Particular attention should be given to treating entry points and harborage areas. An effective method of locating these areas is to place a droplet of AntX 75 near a foraging ant. Return within a short period of time, 1 -2 hours and follow the trail to the entrance point. Place the applicator tip into cracks, crevices, voids, holes, and other small openings where insects may enter. Apply small amounts of bait (up to 1/2 gram/spot) or as a

bead or film at insect activity sites. Seal opening with "Pro Choice PMP Grade" silicone caulk. Wipe down with Clean Kill to remove interior surface of all scents left by ants. Any foodstuffs infested with insect pests should be removed and destroyed. Applications to furniture should be restricted to those areas where contact to humans will not occur. Applications to textiles or fabrics may cause discoloration or staining.

OUTDOOR PEST CONTROL

Apply AntX 75 bait to refillable stations near home entry points or as a paste as crack and crevice treatment. Spot, bead or thin film outside surfaces of buildings, porches, patios, door and window openings, crawl spaces, air conditioning units, utility entrances through outside walls, under siding/molding, water drains, electrical boxes, in garages and other adjacent areas where pests may be active and may find nesting sites or harborage. Applications should be made to substrates adjacent to buildings, the building foundations, wall voids, attic and soffit vents, expansion joints, around doors and windows, soffit areas, eaves, under stairways, around screens, on fences, trees and other areas conducive to infestation. AntX 75 may be applied directly to the ant mound.

Do not apply AntX to areas that have been recently sprayed with insecticides, and do not spray insecticides over AntX, as it will cause the bait to become repellent.



MEDICAL SERVICES

A NASDAQ Company

1725 Gillespie Way
El Cajon, CA 92020

Phone: 619-596-8600
Fax: 619-596-8700

www.imspure.com