73912-2 4.6.2007



## UNITED STATES ENVIRONMENTAL PROTECTION AGENCY WASHINGTON, D.C. 20460

OFFICE OF PREVENTION, PESTICIDES AND TOXIC SUBSTANCES

April 6, 2007

Ms. Dolana Blount Regulatory PURE BIOSCIENCE 1725 Gillespie Way El Cajon, CA 92020

Subject:

Notification for Additional Marketing Claims

AntX75

EPA Reg. No. 73912-2

Your Application Dated March 12, 2007

Dear Ms. Blount:

The Agency is in receipt of your Application for Pesticide Notification under Pesticide Registration Notice (PRN) 98-10 dated March 12, 2007 for the above mentioned product. The Registration Division (RD) has conducted a review of this request for its applicability under PRN 98-10 and finds that the action(s) requested fall within the scope of PRN 98-10. The label submitted with the application has been stamped "Notification" and will be placed in our records.

If you have any questions, please contact me directly at 703-305-6249 or Sherada Hobgood of my staff at 703-308-8893.

Sincerely,

Linda Arrington

Notifications & Minor Formulations Team Leader Registration Division (7505P)

Office of Pesticide Programs

Document Processing Desk (NOTIF) Office of Pesticide Programs (7504P) U.S. Environmental Protection Agency Room s-4900, One Potomac Yard 2777 South Crystal Drive Arlington, VA 22202-4501



Attention: Marion J. Johnson (PM-10)

Subject: AntX75, EPA Reg. No.: 73912-2

Notification of other labeling revisions per PR Notice 98-10

Dear Mr. Johnson:

We are notifying of the following changes to the above referenced master label:

- 1. The following optional, general marketing phrases have been added:
- Easy to use
- Ready to use
- Pest control
- Specialty [Line]
- Food Service [Line]
- Commercial [Line]
- Institutional [Line]
- For hard to reach places such as cracks and crevices
- No vapor, no fumes, no odor
- [For]Crack & Crevice Applicator(s)
- Eliminates Ants
- Kills without vapors or fumes
- Ant bait
- Kills Argentine, Pharaoh, Ghost, Harvester and Whit Foot Ants

- 50% More Free!
- X oz cartridge [for large jobs]
- "X "for the price of "X"
- "x" Applicators per box
- "x" boxes per case
- "x" AntX 75 Crack & Crevice Applicators
- "x" AntX 75 Bait Stations
- Patented Technology
- Patent Pending
- From the makers of RoachX
- **IPM Compliant**
- Does not dry out
- Non-Drying Formula

2. Update the company contact information on the master label. This information was previously submitted to the Agency in 2004. Please see attached EPA letter dated May 4, 2004, confirming the change

This submission is if full compliance with the notification procedure as identified in PR Notice 98-10. As required by PR Notice 98-10 for notification of other labeling revisions, enclosed please find the following:

- 1. Application Form(8570-1), including the PR Notice 98-10 certification statement
- 2. One copy of the product labeling with each of the changes highlighted.

Please contact me if you have any questions about the enclosed items. Please fax a copy of the Agency's acceptance of this notification to 619-596-8790.

Sincerely,

PURE Bioscience

Regulatory

facsimile: 619 596,8790 1725 Gillespie Way El Cajon, California 92020

5. Date

03.13.2007

4. Typed Name

Dolana Blount

APR 6 2007

ACTIVE INGREDIENT:

Boric Acid

7.5%

**INACTIVE INGREDIENTS:** 

<u>92,5%</u> 100.0%

EPA Reg. No. 73912-2

Net Weight: X oz (X g)


## KEEP OUT OF REACH OF CHILDREN CAUTION

## PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION: Harmful if swallowed or absorbed through skin. Causes eye irritation. Avoid contact with clothing, skin or eyes. Wash thoroughly with soap and water after handling.

FIRST AID		
If on skin or	1183	Take off contaminated
clothing	•	clothing.
Clothing	_	
	•	Rinse skin immediately
!		with plenty of water for
		15-20 minutes.
	•	Call a poison control
		center or doctor for
		treatment advice.
If in eyes	•	Hold eye open and rinse
		slowly and gently with
		water for 15-20 minutes.
	•	Remove contact lenses, if
		present, after the first 5
		minutes, then continue
		rinsing eye.
	•	Call a poison control
,		center or doctor for
		treatment advice.
If swallowed	•	Call a poison control
}		center or doctor
		immediately for treatment
		advice.
ĺ	•	Have person sip a glass of
		water if able to swallow.
}	•	Do not induce vomiting
		unless told to do so by
		the poison control center
}	}	or doctor.
	•	Do not give anything by
		mouth to an unconscious
L		person.
HOT LINE NUMBER: CHEMTREC 800-424-9300		

Have the product container or label with you when calling a poison control center or doctor, or going for treatment. For more information, call 1-619-596-8600 from 9 a.m. to 5 p.m. PST Monday through Friday.



#### **DIRECTIONS FOR USE**

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

In the home, sweet eating ants are usually found in the kitchen and bathroom areas and will often appear to be randomly searching for food. THIS BAIT PRODUCT WORKS BEST WHEN ALL COMPETING FOOD SOURCES ARE REMOVED AND NO OTHER PESTICIDE OR BAITS ARE USED. This product was developed specifically for sweet eating ants.

### **GENERAL INFORMATION**

AntX 75 is intended for the control of sweet eating ants, including Argentine, Pharaoh, Ghost, White Foot, and Harvester ant species. Apply as a spot and/or crack and crevice application to spaces within structures, their walls and ceilings (both inside and out), and the immediate adjacent surrounding grounds. Such structures include, but are not limited to, [residential (e.g. houses, apartments)], [commercial], [industrial], and [institutional buildings (e.g. [restaurants], [supermarkets], [offices], [hospitals], [motels] and [utilities])], and [agricultural structures (e.g. [Lanis], [livestock housing facilities])], [pet kennels], [zoos], and on various modes of transport (e.g. [aircraft], [buses], [trucks], [trailers], [rail cars], and [marine vessels]).

## SPOT OR CRACK AND CREVICE APPLICATIONS

Crack and Crevice Treatments: AntX 75 may also be applied as a bead or thin film where appropriate. Bait should be applied into cracks and crevices in which insects hide or through which they may enter the building. Such openings commonly occur at expansion joints, between different elements of construction, between, behind or under various types of equipment

such as [cabinets], [refrigerators], [sinks], [stoves], [dishwashers], and [through floors], [doors], [windows], [walls] and [ceilings]. These openings may lead to voids such as [hollow walls], [hollow equipment legs and bases], [utility entrances], [electrical conduit], [junction and switch boxes], and [wall and floor drain exits].

Apply AntX 75 by placing the applicator tip directly into cracks and crevices and other openings or voids where insects enter or harbor and deposit the bait as multiple spots or as a continuous bead. Care should be taken to avoid depositing the product onto open or exposed surfaces. Once the bait has been applied the crack or crevice should be sealed with "Pro Choice PMP Grade" silicone sealant. During follow up visits, inspect bait placements and reapply or reseal as needed. Do not use this product where a possibility of a shock hazard exists.

## FOOD/FEED/ HANDLING ESTABLISHMENT APPLICATIONS

Application within food/feed areas of food/feed handling establishments is limited to crack and crevice treatment only. Apply with syringe applicator directly into cracks, crevices, holes and other small openings where ants may be a problem. Apply small amounts of AntX 75 gel (up to ½ gram) per spot. Do not apply bait to areas where food/feed, food utensils or food processing surfaces may become contaminated. Do not apply bait to areas that are routinely washed such as cracks and crevices in tops of tables, food/feed preparation and prepared food holding surfaces as bait may be removed by washing. Do not apply bait to surfaces where the temperature exceeds 130F as bait may run. Examples include, but are not limited to, portions of stoves, ovens, grills, fume hoods, heat lamps, coffee urns, steam tables, toasters, fryers, dishwashers and hot water pipes. Care should be taken to avoid depositing AntX 75 gel onto exposed surfaces. If AntX 75 gel contacts an exposed surface, remove AntX 75 gel and wash exposed surface. Food/feed areas include areas for receiving, storage, packing (canning, bottling, wrapping, boxing), preparing edible waste storage, and enclosed processing systems (mills, dairies, edible oils, syrups). Serving areas are also considered a food/feed area when food is exposed and facility is in operation. Apply bait in small amounts between different elements of construction, between equipment and floors, walls, ceilings, equipment legs and bases, around plumbing pipes, doors and windows, behind and under refrigerator, cabinets, sinks, closets, stoves and other equipment where ants travel. During follow-up visits inspect bait placements and reapply when necessary.

# Application of this product in food/feed areas of food/feed handling establishments, other than as a crack and crevice treatment, is not permitted.

INDOOR PEST CONTROL

For indoor uses, make applications in a manner as previously described above under "Spot or Crack and Crevice Applications." Particular attention should be given to treating entry points and harborage areas. An effective method of locating these areas is to place a droplet of AntX 75 near a foraging ant. Return within a short period of time, 1 –2 hours and follow the trail to the entrance point. Place the applicator tip into cracks, crevices, voids, holes, and other small openings where

insects may enter. Apply small amounts of bait (up to ½ gram/spot) or as a bead or film at insect activity sites. Seal opening with "Pro's Choice PMP Grade" silicone caulk. Wipe down with Clean Kill to remove interior surface of all scents left by ants. Any foodstuffs infested with insect pests should be removed and destroyed. Applications to furniture should be restricted to those areas where contact to humans will not occur. Applications to textiles or fabrics may cause discoloration or staining.

## **OUTDOOR PEST CONTROL**

Apply AntX 75 bait to refillable stations near home entry points or as a paste as crack and crevice treatment. Spot, bead or thin film outside surfaces of [buildings], [porches], [patios], [door and window openings], [crawl spaces], [air conditioning units], [utility entrances through outside walls], [under siding/molding], [water drains], [electrical boxes], [in garages] and other adjacent areas where pests may be active and may find nesting sites or harborage. Applications should be made to substrates adjacent to buildings, the building foundations, wall voids, attic and soffit vents, expansion joints, around doors and windows, soffit areas, eaves, under stairways, around screens, on fences, trees and other areas conducive to infestation. AntX 75 may be applied directly to the ant mound.

Do not apply AntX to areas that have been recently sprayed with insecticides, and do not spray insecticides over AntX, as it will cause the bait to become repellent.

## STORAGE AND DISPOSAL

Pesticide Storage: Store in cool dry area inaccessible to children and pets.

If empty: Do not reuse this container. Place in trash or offer for recycling if available.

If partly filled: Call your local solid waste agency or 1-800-CLEANUP for disposal instructions.



1725 Gillespie Way El Cajon, CA 92026

Phone: 619-596-8600 Fax: 619-596-8790

www.purebio.com

## Alternate Wording for front or back of label

- Easy to use
- Ready to use
- Pest control
- Specialty [Line]
- Food Service [Line]
- Commercial [Line]
- Institutional [Line]
- For hard to reach places such as cracks and crevices
- No vapor, no fumes, no odor
- [For]Crack & Crevice Applicator(s)
- Eliminates Ants
- Kills without vapors or fumes
- Ant bait
- Kills Argentine, Pharaoh, Ghost, Harvester and Whit Foot Ants

- 50% More Free!
- X oz cartridge [for large jobs]
- "X "for the price of "X"
- "x" Applicators per box
- "x" boxes per case
- "x"AntX 75 Crack & Crevice Applicators
- "x" AntX 75 Bait Stations
- Patented Technology
- Patent Pending
- From the makers of RoachX
- IPM Compliant
- Does not dry out
- Non-Drying Formula

(In graphic on front of box/label - See first page for example):

"Schools • Home • Day Care • Office • Institutions• Boats• Industrial• Grocery Stores• Storage• Restaurants• Hospitals"

"Kills Argentine, Pharaoh, Ghost, Harvester and Whit Foot Ants"

# UNITED STATES ENVIRONMENTAL PROTECTION AGENCY WASHINGTON, D.C. 20460



May 4, 2004

OFFICE OF PREVENTION, PESTICIDES AND TOXIC SUBSTANCES

DOLANA BLOUNT PURE BIOSCIENCE 1725 GILLESPIE WAY EL CAJON, CA 92020

## Dear Registrant:

Your request for a change in your Official EPA Company Name and Address record has been completed. For your confirmation the Official EPA Company Name and Address record for EPA Company Number: 73912 is listed below.

DOLANA BLOUNT PURE BIOSCIENCE 1725 GILLESPIE WAY EL CAJON, CA 92020

Any future changes in company name and/or address or changes in designation/withdrawal of authorized agent should be directed to the following address. It can also be faxed to (703) 305-7670.

Document Processing Desk (COADR) Office of Pesticide Programs (7504C) U.S. Environmental Protection Agency 1200 Pennsylvania Avenue, N.W. Washington, DC 20460

If you have any questions, please call me at (703) 305-5361.

Sincerely.

Maureen Sherrill

Information Management Specialist

Office of Pesticide Programs