9/9/2013



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY

WASHINGTON, D.C. 20460

SEP 9 2013

Gary Libman Prinicipal, GNL Consultation Services On behalf of Premier Horticulture 25 Casa Hermosa Albuquerque, NM 87112

OFFICE OF CHEMICAL SAFETY AND POLLUTION PREVENTION

RE: Label Amendments and Alternative Formulation Requests for Additional Formulations (Pro-Mix GHA 180 BRK20 Blend, Pro-Mix GHA180 LP15 Blend, Pro-Mix Tandem BRK 20 Blend and Pro-Mix Tandem LP 15 Blend) Product names: Pro-Mix GHA180, and Pro-Mix Tandem Active Ingredient: *Bacillus pumilus* GHA180 EPA File Symbols: 74267-3, and 74267-4 OPP Decision Number: D482375 and D472622

Dear Dr. Libman:

The Agency has reviewed your request to add two new formulations to each of Pro-Mix GHA180, and Pro-Mix Tandem CX-9030 labels. Two new alternate confidential statements of formula were submitted to support these amendments for each of these products. In addition the labels for the products were reformatted to include sublabels for each formula. The two additional blends requested by Premier Horticulture for EPA Reg. No. 74267-3 were Pro-Mix GHA180 LP15 Blend. The two additional blends requested for EPA Reg. No. 74267-4 were Pro-Mix Tandem BRK 20 Blend and Pro-Mix Tandem LP 15 Blend. The four CSFs submitted by Premier Horticulture signed on November 15, 2012 are acceptable.

The label amendments referred to above, submitted in connection with registration under section 3(c)(5) of the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, are acceptable provided that you:

- 1. Submit and/or cite all data required for registration of your products under FIFRA section 3(c)(5) when the Agency requires all registrants of similar products to submit such data.
- 2. Submit two (2) copies each of the final printed labeling prior to releasing these products for shipment.

|                         | CONCURRENCES |                    |
|-------------------------|--------------|--------------------|
| SYMBOL + 751Ph 75110    |              |                    |
| SURNAME SPARAL Min      |              |                    |
| DATE + 9 9 13 9 9 13    |              |                    |
| EPA Form 1320-1A (1/90) |              | OFFICIAL FILE COPY |

If these conditions are not complied with, these registrations will be subject to cancellation in accordance with FIFRA § 6(e). Your release for shipment of the product bearing the amended labeling constitutes acceptance of these conditions. If you have any further questions regarding this, please do not hesitate to contact Susanne Cerrelli, at 703-308-8077 (cerrelli.susanne@epa.gov).

Sincerely,

Kimberly Nesci

Chief, Microbial Pesticides Branch Biopesticides and Pollution Prevention Division (7511P)

(

### Enclosures

**PRO-MIX®** Tandem Master Label

### **PRO-MIX**<sup>®</sup> **TANDEM**

Alternate brand name : BIOFUNGICIDE<sup>TM</sup> + MYCORRHIZAE<sup>TM</sup>

### PROFESSIONAL

# SPHAGNUM PEAT-BASED GROWING MEDIUM WITH BIOFUNGICIDE™ FOR GREENHOUSE OR CONTAINED NURSERY

USE

**CAUTION:** KEEP OUT OF REACH OF CHILDREN See Additional Precautionary Statements on Back Panel

| ACTIVE INGREDIENT:<br>Bacillus pumilus GHA180 (not less than 5 X<br>10 <sup>4</sup> viable spore per gram of media)0.001%<br>OTHER INGREDIENTS: <u>99.999%</u><br>Total100.00 %   | EPA Reg. No. 74267-4<br>EPA Establishment No. 4267-CAN-<br>01/02/03/04/05   |  |  |
|---|---|--|--|
| For identification of establishment number, refer to the manufacturing identification, which is ink-jet printed within side bar. This indicates year / month / day / manufacture location / manufacture shift, military time and product identification. For example: 2002 / 07 / 01 1 02 02:45 BX. Manufacturing locations are coded as: | <ol> <li>for Rivière-du-Loup, Quebec - compressed products<br/>(EPA Establishment No. 74267-CAN-01)</li> <li>for Rivière-du-Loup. Quebec - loose fill products<br/>(EPA Establishment No. 74267-CAN-02)</li> <li>for St. Anne, Manitoba (EPA Establishment No.<br/>74267-CAN-03)</li> <li>for Northal, Alberta (EPA Establishment No. 74267-<br/>CAN-04)</li> <li>for Rexton, New Brunswick (EPA Establishment No.<br/>74267-CAN-05)</li> </ol> |  |  |
| www.pthorticulture.com  |   |  |  |

2.8 cu ft loose (85 L), 3.8 cu ft compressed (107 L), 55 cu ft compressed (1 557 L), 60 cu ft loose (1 700 L), 70 cu ft loose (1 980 L), 80 cu ft loose (2 265 L), 135 cu ft compressed (3 825 L).

### **PRODUCT OF CANADA**

PREMIER HORTICULTURE INC. 127 South 5<sup>th</sup> street ACCEPTED **Ouakertown**, PA USA 18951

Batch Code:

Under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, for the pesticide registered under EPA Reg. No.

(Master Label: 1/7)

74267-4

SEP 9 2013

2013-07-02

PREMIER HORTICULTURE LTEE 1 avenue Premier Rivière-du-Loup, Quebec Canada G5R 6C1

PRODUIT DU CANADA

(Back Panel)

# PROFESSIONAL

# **PRO-MIX<sup>®</sup> TANDEM** Alternate brand name : PRO-MIX<sup>®</sup> BIOFUNGICIDE<sup>TM</sup> + MYCORRHIZAE<sup>TM</sup>

#### PRECAUTIONARY STATEMENTS

Hazards to Humans and Domestic Animals. CAUTION: Causes moderate eye irritation .Avoid contact with eyes or clothing. Prolonged or frequently repeated skin contact may cause allergic reactions in some individuals. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco or using the toilet.

Personal Protective Equipment (PPE): As a general precaution when exposed to living microbial products such as this, applicators (persons opening bags and/or filling potting machines) must wear a dust/mist filtering respirator meeting NIOSH standards of at least N-95, R-95 or P-95. Follow manufacturer's instructions for cleaning / maintaining PPE.

Environmental Hazards: For terrestrial uses, do not apply directly to water, or to areas where surface water is present. Do not contaminate water when cleaning equipment or disposing of equipment wash water.

User Safety Recommendations:

Users should remove clothing/PPE immediately if product gets inside. Then wash thoroughly and put on clean clothing.

|  |  | <b>FIRST AID</b> |  |  |
|--|--|------------------|--|--|
|  |  |                  |  |  |
|  |  |                  |  |  |
|  |  |                  |  |  |
|  |  |                  |  |  |

| If in Eye | <ul> <li>Hold eye open and rinse slowly and gently with water for 15-20 minutes.</li> <li>Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.</li> <li>Contact a poison control center or doctor for treatment advice.</li> </ul> |
|-----------|--|
|           | Have the product container or label with you when calling a poison control center or doctor or going for treatment.  |
|           | For emergency information on (product, use, etc.), call the National Pesticides<br>Information Center at 1-800-858-7378, 6:30 AM to 4:30 PM Pacific time (PT), seven<br>days a week. During other times, call the poison control center 1-800-222-1222.                |

PRO-MIX<sup>®</sup> TANDEM (Alternate brand name: BIOFUNGICIDE<sup>TM</sup> + MYCORRHIZAE<sup>TM</sup>) has been enriched with GHA180 (active ingredient: Bacillus pumilus GHA180), a biofungicide that prevents root diseases. The *Bacillus pumilus* bacteria colonize developing root systems, and suppress disease-causing organisms, such as Pythium, Fusarium, Rhizoctonia, Alternaria and Aspergillus, which attack root systems. The bacteria also act as a biostimulant developing with the growing root system. As a result, a vigorous root system is then established that results in more uniform plant stands after transplanting and in greater crop response. In addition, the Glomus intraradices fungi,

#### PRO-MIX® Tandem Master Label

contained in **PRO-MIX<sup>®</sup> TANDEM Alternate brand name : PRO-MIX<sup>®</sup> BIOFUNGICIDE<sup>TM</sup> + MYCORRHIZAE<sup>TM</sup>**, attach to and colonize root systems working in symbiosis with plants. Endomycorrhizal fungi benefit the host plant by increasing acquisition of water and nutrients (especially phosphorus, copper and zinc) by forming an extensive mycorrhizal root system. In exchange, the plant provides soluble sugars to the fungus. This symbiotic relationship between fungi and plant results in overall improved plant growth.

5159

3/57

### PRO-MIX<sup>®</sup> TANDEM Alternate brand name : PRO-MIX<sup>®</sup> BIOFUNGICIDE<sup>TM</sup> + MYCORRHIZAE<sup>TM</sup> Custom Blends

PRO-MIX<sup>®</sup> TANDEM Alternate brand name : **PRO-MIX<sup>®</sup> BIOFUNGICIDE<sup>TM</sup>** + **MYCORRHIZAE<sup>TM</sup>** is a custom blended growing medium designed to meet your growing needs.

• **'BX' Blend**. PRO-MIX BX is a peat-based 'General Purpose' growing medium formulated for the cultivation of horticultural plants. This growing medium contains a blend of select Canadian Sphagnum peat moss, perlite, vermiculite, dolomitic and calcitic limestone. This formulation is lightweight, uniform and provides conditions necessary to establish plant growth.

• 'HP' Blend. PRO-MIX HP is a 'High Porosity' peat-based growing medium designed for the cultivation of horticultural plants. This lightweight and porous growing medium provides conditions necessary to establish plant growth, especially when growing situations require medium with high air-capacity and low water-retention. This formulation is excellent for use with water sensitive crops, propagation of plant cuttings and /or low-light growing conditions.

• 'LP15' Blend. PRO-MIX LP15 is a multipurpose peat-based, perlite professional growing medium designed for growers that prefer a low amount of aggregate and no vermiculite. PRO-MIX LP15 is suitable for a wide range of greenhouse and transplanting applications.

• 'TA' Blend. PRO-MIX TA is a peat-based growing medium formulated for germinating and growing-on of Tobacco and Agriculture transplants. This blend is ideal for use with trays/flats cultivated in sub-irrigated float systems and conventional irrigation methods. This fine textured blend is user-friendly for filling small cell trays and flats with automated equipment or by hand.

• 'FPX' Blend. PRO-MIX FPX is a fine peat/perlite-based growing medium for germinating ornamental and vegetable seeds in small cell plug trays. It contains a base blend of short-fibered Sphagnum peat moss and fine perlite for easy filling of trays with minimal bridging. When in use, this blend retains less water than peat/vermiculite blends.

• 'MPX' Blend. PRO-MIX MPX is a peat-based professional growing medium designed for the cultivation of horticultural greenhouse plants. It is uniform and blended to the highest degree of consistency to provide conditions necessary to establish plant growth. PRO-MIX 'MPX' is suitable for a wide variety of plant species.

• 'PGX' Blend. PRO-MIX PGX is a peat-based growing medium designed for germinating ornamental and vegetable seeds. This fine textured blend contains a base of short-fibered Sphagnum peat moss and fine grade vermiculite and is well suited for traditional seeding and plug-system applications.

#### PRO-MIX® Tandem Master Label

• 'VFT' Blend. PRO-MIX VFT is a peat-based growing medium formulated for germinating and growing-on of vegetable, fruit and tobacco transplants. This blend is designed for use with trays/flats cultivated in sub-irrigated float systems and conventional irrigation methods. (Optional Text: This formulation contains a blend of ingredients that allow oxygen and water to move freely for uniform seed germination and plant growth. This fine textured blend is user-friendly for filling small cell trays and flats with automated equipment or by hand. USES: Vegetable Transplants, Fruit Transplants, Tobacco Transplants, Germination of Tobacco and Vegetable Seeds, Float Trays, Subirrigation systems).

• 'BRK' Blend. PRO-MIX BRK is a medium-weight, Peat/Bark-based growing medium designed for the cultivation of horticulture plants. Processed pine bark adds weight and reduces water retention of media while Sphagnum peat moss is light-weight and possesses high water-holding ability. This combination forms a base for a "general use" growing medium that provides conditions necessary to establish plant growth, particularly when container stability and low- water retention are required.

• 'BRK20' Blend. Similar to the BRK Blend, PRO-MIX BRK20 is Peat/Bark-based growing medium with 20% processed pine bark to add weight and reduce water retention of media. This combination forms a base for a "general use" growing medium that provides conditions necessary to establish plant growth when less bark is required.

To determine the best **PRO-MIX<sup>®</sup> TANDEM Alternate brand name: PRO-MIX<sup>®</sup> BIOFUNGICIDE<sup>TM</sup> + MYCORRHIZAE<sup>TM</sup>** for your growing needs consult the following baseformula table. For technical assistance, plant compatibility information and crop culture guidelines, **contact PREMIER GROWER SERVICES – USA:** 1 800 424-2554 – **Canada:** 1 800 667-5366.

| Blends | Sphagnum<br>peat moss                  | Perlite        | Vermiculite                 | Glomus<br>intraradices                   | Starter<br>nutrients  | Limestone                             | Wetting<br>agent | Bark           |
|--------|--|----------------|-----------------------------|--|---|---------------------------------------|------------------|----------------|
| BX _   | H.T.C.VR.                              | and the second | alaa ta sili ta             | We see a                                 | uistan t  | જે : ત્રાવ્યું દ્વાપાર્થ કે           | Darren a         |                |
| HP     | 244 22                                 | <b>新羅</b> 派会長  |                             | a in star                                |   |                                       | 1 Pr             |                |
| LP15   | Exa ( 28                               |                |                             | 1  | 1.Georg. 7  | 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 | in addition      |                |
| TA _   | 1 miled star 1 sta                     |                | <u>پیدینی</u><br>plug-grade | · · · · · · · · · · · · · · · · · · ·    | :- *[#:\  |                                       | 50. Mar.         |                |
| FPX _  | 100 - 10 - 10 - 10 - 10 - 10 - 10 - 10 | plug-grade     |                             | an a |   |                                       | 7 Stat 7         |                |
| MPX _  | 1. SAN 38.                             | in contractor  |                             | <u>. 所用同一</u>                            |   | 1 - 12 mg/m                           |                  |                |
| PGX _  | Traint, ML                             |                | plug-grade                  | يو من الم                                |   | a                                     | Dr. S.F.         |                |
| VFT    | <u></u>                                |                | plug-grade                  | 5 2 m 5 m . 1                            |   | <u> </u>                              | L. Mark          |                |
| BRK    | 和他们。影                                  | M. C.A.        |                             | Sec. Mart                                | $\Phi_{i_1}^{\mu_1,\mu_2} \bigotimes^{\mu_1} \varepsilon_{i_1} \varepsilon_{i_2}^{\mu_2} \varepsilon_{i_1}$ | v ( <sup>p</sup> ), <sup>e</sup> set  | J                | and the second |
| BRK20  | Sant 2 - AL                            | State P        |                             | 15 - 10 - 10 - 10 - 10 - 10 - 10 - 10 -  | 2. 19.854   | 20 20                                 | 1921. 27. 2.1    | 國際部分           |

# DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labelling. For any requirements specific to your State or Tribe, consult the State or Tribal agency responsible for pesticide regulation. Do not apply this product in a way that will contact workers or other persons, either directly or through drift. Only protected handlers may be in the area during application.

# AGRICULTURAL USE REQUIREMENTS

Use this product only in accordance with its labelling and with the Worker Protection Standard, 40 CFR Part 170. This Standard contains requirements for the protection of agricultural workers on farms, forests, nurseries and greenhouses, and handlers of agricultural pesticides. It contains requirements for training, decontamination, notification, and emergency assistance. It also contains specific instructions and exceptions pertaining to the statements on this label about personal protective equipment (PPE), and restricted entry intervals (REI). The requirements in this box only apply to uses of this product that are covered by the Worker Protection Standard.

There is a zero (0) restricted entry interval for this product.

# PREPARATION

Open package at the time of seeding, potting or transplanting. Potting benches and equipment should be located in a clean, weed-free area. Add water to **PRO-MIX**<sup>®</sup> **TANDEM Alternate brand name** : **PRO-MIX**<sup>®</sup> **BIOFUNGICIDE<sup>TM</sup> + MYCORRHIZAE<sup>TM</sup>** until slightly moist to the touch. Transplant cuttings, plugs, seedlings, etc. in moistened medium taking care to avoid compaction (do not press down around seed or root systems). After transplanting, add water to settle medium. Place newly transplanted trays and pots in a suitable growing area within the greenhouse.

IMPORTANT: PRO-MIX<sup>®</sup> TANDEM Alternate brand name: PRO-MIX<sup>®</sup> BIOFUNGICIDE<sup>TM</sup> + MYCORRHIZAE<sup>TM</sup> is suitable for fruit and vegetable transplants. PRO-MIX<sup>®</sup> TANDEM Alternate brand name: PRO-MIX<sup>®</sup> BIOFUNGICIDE<sup>TM</sup> + MYCORRHIZAE<sup>TM</sup> is for use in protected growing environments only (e.g. glasshouse or greenhouse): not for use in non-protected environments (e.g. non-contained nurseries or slat houses).

# FERTILIZATION

Initial plant development will occur without immediate fertilization. It is essential to initiate a fertilization program at the emergence of the first set of true leaves, this will ensure plants receive adequate nutrients. Select a fertilization program that is appropriate for the plant species grown, stage of development and water nutrient content. If you frequently analyze media nutrient levels and plant tissue throughout the production cycle, you can insure plants receive proper nutritional requirements.

### WATER MANAGEMENT

An essential part of crop culture is water management. When plants require water, irrigate the crop early in the day. This will allow plant foliage and medium surface to dry. Also, medium temperature can warm to normal level by evening. Irrigate thoroughly so water 'runs through' to prevent salt accumulation and to ensure uniform wetting and drying of containers throughout the crop. If

### PRO-MIX® Tandem Master Label

preferred, additional wetting agent can be applied during the crop cycle at irrigation to reduce surface tension of water for more thorough water penetration and movement throughout the root zone.

# APPLICATION INFORMATION

### • Use **PRO-MIX<sup>®</sup> TANDEM Alternate brand name : PRO-MIX<sup>®</sup> BIOFUNGICIDE<sup>TM</sup> + MYCORRHIZAE<sup>TM</sup>** "as is" from package. Add water to moisten.

- Thoroughly moisten medium to "water-in" plants after transplanting and placing in the greenhouse.
- Do not add fertilizers when sowing seeds.
- Use for plants requiring a growing pH between 5.0 and 7.0.

# • Do not sterilize or pasteurize PRO-MIX<sup>®</sup> TANDEM Alternate brand name : PRO-MIX<sup>®</sup> BIOFUNGICIDE<sup>TM</sup> + MYCORRHIZAE<sup>TM</sup>.

- Do not store wet growing media, as pH will tend to climb from activation of limestone.
- Store products in sealed bags to avoid intrusion from water, pathogens, pesticides and weeds.

• Pesticides and chemical growth regulator treatments can be used in combination with PRO-MIX®

TANDEM Alternate brand name : PRO-MIX<sup>®</sup> BIOFUNGICIDE<sup>TM</sup> + MYCORRHIZAE<sup>TM</sup>,

and will provide extended protection throughout the growing season.

# STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

Do not contaminate water by cleaning of equipment or disposal wastes.

**STORAGE:** Store in a dry place at ambient temperature (-30 to 30 °C).

**PESTICIDE DISPOSAL:** Wastes resulting from the use of this product may be disposed of on site, or at an approved waste disposal facility.

**CONTAINER HANDLING:** Nonrefillable container. Do not reuse or refill this container. Completely empty bag by shaking and tapping sides and bottom to loosen clinging particles. Offer for recycling if available or dispose of bag in trash.

# QUALITY GUARANTEE

PREMIER TECH HORTICULTURE is committed to quality. If you are not satisfied with the quality of this product, PREMIER TECH HORTICULTURE guarantees to replace it or refund its purchase price. To the extent consistent with applicable law, all other remedies and liabilities including, liability for direct or consequential damages, warranties of merchantability and fitness for a particular purpose are excluded.

### PLEASE RECYCLE RESPECTS ALL LEGISLATION ON HEAVY METALS

PRO-MIX® Tandem Master Label

9159

7/57



Manufactured For: PREMIER HORTICULTURE INC. Quakertown, PA USA 18951 For additional information, call: 1 800 525-2553 www.pthorticulture.com

Manufactured By: PREMIER HORTICULTURE LTD Rivière-du-Loup (Québec) Canada G5R 6C1 For additional information, call: 1 800 667-5366 www.pthorticulture.com

### **Product of Canada**

2013-07-02

(Master Label : 7/7)

# PRO-MIX<sup>®</sup> BIOFUNGICIDE<sup>TM</sup> + MYCORRHIZAE<sup>TM</sup> BX

### PROFESSIONAL

### SPHAGNUM PEAT-BASED GROWING MEDIUM

WITH BIOFUNGICIDE™ FOR GREENHOUSE OR CONTAINED NURSERY

USE

### CAUTION: KEEP OUT OF REACH OF CHILDREN See Additional Precautionary Statements on Back Panel

| ACTIVE INGREDIENT:<br>Bacillus pumilus GHA180 (not less than 5 X<br>10 <sup>4</sup> viable spore per gram of media)0.001%<br>OTHER INGREDIENTS: <u>99.999%</u><br>Total100.00 %  | EPA Reg. No. 74267-4<br>EPA Establishment No. 4267-CAN-<br>01/02/03/04/05   |  |  |
|--|---|--|--|
| For identification of establishment number,<br>refer to the manufacturing identification, which<br>is ink-jet printed within side bar. This indicates<br>year / month / day / manufacture location /<br>manufacture shift, military time and product<br>identification. For example: 2002 / 07 / 01 1 02<br>02:45 BX. Manufacturing locations are coded<br>as: | <ol> <li>for Rivière-du-Loup, Quebec - compressed products<br/>(EPA Establishment No. 74267-CAN-01)</li> <li>for Rivière-du-Loup. Quebec - loose fill products<br/>(EPA Establishment No. 74267-CAN-02)</li> <li>for St. Anne, Manitoba (EPA Establishment No.<br/>74267-CAN-03)</li> <li>for Northal, Alberta (EPA Establishment No. 74267-<br/>CAN-04)</li> <li>for Rexton, New Brunswick (EPA Establishment No.<br/>74267-CAN-05)</li> </ol> |  |  |
| www.pthorticulture.com   |   |  |  |

2.8 cu ft loose (85 L), 3.8 cu ft compressed (107 L), 55 cu ft compressed (1 557 L), 60 cu ft loose (1 700 L), 70 cu ft loose (1 980 L), 80 cu ft loose (2 265 L), 135 cu ft compressed (3 825 L).

### **PRODUCT OF CANADA**

PREMIER HORTICULTURE INC. 127 South 5<sup>th</sup> street Quakertown, PA USA 18951

### **PRODUIT DU CANADA**

PREMIER HORTICULTURE LTEE 1 avenue Premier Rivière-du-Loup, Quebec Canada G5R 6C1

Batch Code:

2013-07-02

10/59

Sub-label

<u>9/57</u>

11150

(Back Panel)

### PROFESSIONAL PRO-MIX<sup>®</sup> BIOFUNGICIDE<sup>TM</sup> + MYCORRHIZAE<sup>TM</sup> BX

### PRECAUTIONARY STATEMENTS

Hazards to Humans and Domestic Animals. CAUTION: Causes moderate eye irritation .Avoid contact with eyes or clothing. Prolonged or frequently repeated skin contact may cause allergic reactions in some individuals. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco or using the toilet.

**Personal Protective Equipment (PPE):** As a general precaution when exposed to living microbial products such as this, applicators (persons opening bags and/or filling potting machines) must wear a dust/mist filtering respirator meeting NIOSH standards of at least N-95, R-95 or P-95. Follow manufacturer's instructions for cleaning / maintaining PPE.

Environmental Hazards: For terrestrial uses, do not apply directly to water, or to areas where surface water is present. Do not contaminate water when cleaning equipment or disposing of equipment wash water.

### User Safety Recommendations:

Users should remove clothing/PPE immediately if product gets inside. Then wash thoroughly and put on clean clothing.

FIRST AID

| If in Eyes | <ul> <li>Hold eye open and rinse slowly and gently with water for 15-20 minutes.</li> <li>Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.</li> <li>Contact a poison control center or doctor for treatment advice.</li> </ul> |
|------------|--|
|            | Have the product container or label with you when calling a poison control center or doctor or going for treatment.  |
|            | For emergency information on (product, use, etc.), call the National Pesticides Information Center at 1-800-858-7378, 6:30 AM to 4:30 PM Pacific time (PT), seven days a week. During other times, call the poison control center 1-800-222-1222.                      |

**PRO-MIX<sup>®</sup> BIOFUNGICIDE<sup>TM</sup> + MYCORRHIZAE<sup>TM</sup> BX** has been enriched with GHA180 (active ingredient: *Bacillus pumilus* GHA180), a biofungicide that prevents root diseases. The *Bacillus pumilus* bacteria colonize developing root systems, and suppress disease-causing organisms, such as *Pythium, Fusarium, Rhizoctonia, Alternaria* and *Aspergillus*, which attack root systems. The bacteria also act as a biostimulant developing with the growing root system. As a result, a vigorous root system is then established that results in more uniform plant stands after transplanting and in greater crop response. In addition, the *Glomus intraradices* fungi, contained in **PRO-MIX<sup>®</sup> BIOFUNGICIDE<sup>TM</sup> + MYCORRHIZAE<sup>TM</sup> BX**, attach to and colonize root systems working in symbiosis with plants. Endomycorrhizal fungi benefit the host plant by increasing acquisition of

2013-07-02

(BX Sub-label: 2/5)

water and nutrients (especially phosphorus, copper and zinc) by forming an extensive mycorrhizal root system. In exchange, the plant provides soluble sugars to the fungus. This symbiotic relationship between fungi and plant results in overall improved plant growth.

### PRO-MIX<sup>®</sup> BIOFUNGICIDE<sup>TM</sup> + MYCORRHIZAE<sup>TM</sup> BX

PRO-MIX BX is a peat-based 'General Purpose' growing medium formulated for the cultivation of horticultural plants. This growing medium contains a blend of select Canadian Sphagnum peat moss, perlite, vermiculite, dolomitic and calcitic limestone. This formulation is lightweight, uniform and provides conditions necessary to establish plant growth.

### **DIRECTIONS FOR USE**

It is a violation of Federal Law to use this product in a manner inconsistent with its labelling. For any requirements specific to your State or Tribe, consult the State or Tribal agency responsible for pesticide regulation. Do not apply this product in a way that will contact workers or other persons, either directly or through drift. Only protected handlers may be in the area during application.

an the second

## AGRICULTURAL USE REQUIREMENTS

Use this product only in accordance with its labelling and with the Worker Protection Standard, 40 CFR Part 170. This Standard contains requirements for the protection of agricultural workers on farms, forests, nurseries and greenhouses, and handlers of agricultural pesticides. It contains requirements for training, decontamination, notification, and emergency assistance. It also contains specific instructions and exceptions pertaining to the statements on this label about personal protective equipment (PPE), and restricted entry intervals (REI). The requirements in this box only apply to uses of this product that are covered by the Worker Protection Standard.

There is a zero (0) restricted entry interval for this product.

## PREPARATION

Open package at the time of seeding, potting or transplanting. Potting benches and equipment should be located in a clean, weed-free area. Add water to **PRO-MIX**<sup>®</sup> **BIOFUNGICIDE**<sup>TM</sup> + **MYCORRHIZAE**<sup>TM</sup> **BX** until slightly moist to the touch. Transplant cuttings, plugs, seedlings, etc. in moistened medium taking care to avoid compaction (do not press down around seed or root systems). After transplanting, add water to settle medium. Place newly transplanted trays and pots in a suitable growing area within the greenhouse.

IMPORTANT: PRO-MIX<sup>®</sup> BIOFUNGICIDE<sup>TM</sup> + MYCORRHIZAE<sup>TM</sup> BX is suitable for fruit and vegetable transplants. PRO-MIX<sup>®</sup> BIOFUNGICIDE<sup>TM</sup> + MYCORRHIZAE<sup>TM</sup> BX is for use in protected growing environments only (e.g. glasshouse or greenhouse): not for use in nonprotected environments (e.g. non-contained nurseries or slat houses).

### FERTILIZATION

Initial plant development will occur without immediate fertilization. It is essential to initiate a fertilization program at the emergence of the first set of true leaves, this will ensure plants receive adequate nutrients. Select a fertilization program that is appropriate for the plant species grown,

stage of development and water nutrient content. If you frequently analyze media nutrient levels and plant tissue throughout the production cycle, you can insure plants receive proper nutritional requirements.

### WATER MANAGEMENT

An essential part of crop culture is water management. When plants require water, irrigate the crop early in the day. This will allow plant foliage and medium surface to dry. Also, medium temperature can warm to normal level by evening. Irrigate thoroughly so water 'runs through' to prevent salt accumulation and to ensure uniform wetting and drying of containers throughout the crop. If preferred, additional wetting agent can be applied during the crop cycle at irrigation to reduce surface tension of water for more thorough water penetration and movement throughout the root zone.

# APPLICATION INFORMATION

• Use **PRO-MIX<sup>®</sup> BIOFUNGICIDE<sup>TM</sup> + MYCORRHIZAE<sup>TM</sup> BX** "as is" from package. Add water to moisten.

- Thoroughly moisten medium to "water-in" plants after transplanting and placing in the greenhouse.
- Do not add fertilizers when sowing seeds.
- Use for plants requiring a growing pH between 5.0 and 7.0.
- Do not sterilize or pasteurize PRO-MIX<sup>®</sup> BIOFUNGICIDE<sup>TM</sup> + MYCORRHIZAE<sup>TM</sup> BX.
- Do not store wet growing media, as pH will tend to climb from activation of limestone.
- Store products in sealed bags to avoid intrusion from water, pathogens, pesticides and weeds.

• Pesticides and chemical growth regulator treatments can be used in combination with **PRO-MIX**<sup>®</sup> **BIOFUNGICIDE**<sup>TM</sup> + **MYCORRHIZAE**<sup>TM</sup> **BX**, and will provide extended protection throughout

the growing season.

# STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

Do not contaminate water by cleaning of equipment or disposal wastes.

**STORAGE:** Store in a dry place at ambient temperature (-30 to 30 °C).

**PESTICIDE DISPOSAL:** Wastes resulting from the use of this product may be disposed of on site, or at an approved waste disposal facility.

1.1.2.2.2

**CONTAINER HANDLING:** Nonrefillable container. Do not reuse or refill this container. Completely empty bag by shaking and tapping sides and bottom to loosen clinging particles. Offer for recycling if available or dispose of bag in trash.

# QUALITY GUARANTEE

PREMIER TECH HORTICULTURE is committed to quality. If you are not satisfied with the quality of this product, PREMIER TECH HORTICULTURE guarantees to replace it or refund its purchase price. To the extent consistent with applicable law, all other remedies and liabilities including, liability for direct or consequential damages, warranties of merchantability and fitness for a particular purpose are excluded.

### PRO-MIX® BIOFUNGICIDE<sup>TM</sup> + MYCORRHIZAE<sup>TM</sup> BX

PREMIER TECH

Manufactured For: PREMIER HORTICULTURE INC. Quakertown, PA USA 18951 For additional information, call: 1 800 525-2553 www.pthorticulture.com

Manufactured By: PREMIER HORTICULTURE LTD Rivière-du-Loup (Québec) Canada G5R 6C1 For additional information, call: 1 800 667-5366 www.pthorticulture.com

**Product of Canada** 

2013-07-02

<u>12/57</u>

14150

# $\frac{PRO-MIX^{\text{®}} BIOFUNGICIDE^{TM} + MYCORRHIZAE^{TM}}{HP}$

### PROFESSIONAL

### SPHAGNUM PEAT-BASED GROWING MEDIUM WITH BIOFUNGICIDE<sup>TM</sup> FOR GREENHOUSE OR CONTAINED NURSERY

USE

### CAUTION: KEEP OUT OF REACH OF CHILDREN See Additional Precautionary Statements on Back Panel

| ACTIVE INGREDIENT:<br>Bacillus pumilus GHA180 (not less than 5 X<br>10 <sup>4</sup> viable spore per gram of media)0.001%<br>OTHER INGREDIENTS: <u>99.999%</u><br>Total100.00 %  | EPA Reg. No. 74267-4<br>EPA Establishment No. 4267-CAN-<br>01/02/03/04/05   |  |  |  |
|--|---|--|--|--|
| For identification of establishment number,<br>refer to the manufacturing identification, which<br>is ink-jet printed within side bar. This indicates<br>year / month / day / manufacture location /<br>manufacture shift, military time and product<br>identification. For example: 2002 / 07 / 01 1 02<br>02:45 BX. Manufacturing locations are coded<br>as: | <ol> <li>for Rivière-du-Loup, Quebec - compressed products<br/>(EPA Establishment No. 74267-CAN-01)</li> <li>for Rivière-du-Loup. Quebec - loose fill products<br/>(EPA Establishment No. 74267-CAN-02)</li> <li>for St. Anne, Manitoba (EPA Establishment No.<br/>74267-CAN-03)</li> <li>for Northal, Alberta (EPA Establishment No. 74267-<br/>CAN-04)</li> <li>for Rexton, New Brunswick (EPA Establishment No.<br/>74267-CAN-05)</li> </ol> |  |  |  |
| www.pthorticulture.com   |   |  |  |  |

2.8 cu ft loose (85 L), 3.8 cu ft compressed (107 L), 55 cu ft compressed (1 557 L), 60 cu ft loose (1 700 L), 70 cu ft loose (1 980 L), 80 cu ft loose (2 265 L), 135 cu ft compressed (3 825 L).

### **PRODUCT OF CANADA**

PREMIER HORTICULTURE INC. 127 South 5<sup>th</sup> street Quakertown, PA USA 18951

### **PRODUIT DU CANADA**

PREMIER HORTICULTURE LTEE 1 avenue Premier Rivière-du-Loup, Quebec Canada G5R 6C1

Batch Code:

15/59

<u>13/57</u>

#### PRO-MIX® BIOFUNGICIDE<sup>TM</sup> + MYCORRHIZAE<sup>TM</sup> HP

Sub-label

14/57

16/50

(Back Panel)

### PROFESSIONAL PRO-MIX<sup>®</sup> BIOFUNGICIDE<sup>TM</sup> + MYCORRHIZAE<sup>TM</sup> HP

### PRECAUTIONARY STATEMENTS

**Hazards to Humans and Domestic Animals. CAUTION:** Causes moderate eye irritation Avoid contact with eyes or clothing. Prolonged or frequently repeated skin contact may cause allergic reactions in some individuals. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco or using the toilet.

**Personal Protective Equipment (PPE):** As a general precaution when exposed to living microbial products such as this, applicators (persons opening bags and/or filling potting machines) must wear a dust/mist filtering respirator meeting NIOSH standards of at least N-95, R-95 or P-95. Follow manufacturer's instructions for cleaning / maintaining PPE.

Environmental Hazards: For terrestrial uses, do not apply directly to water, or to areas where surface water is present. Do not contaminate water when cleaning equipment or disposing of equipment wash water.

User Safety Recommendations:

Users should remove clothing/PPE immediately if product gets inside. Then wash thoroughly and put on clean clothing.

FIRST AID

| If in Eyes | <ul> <li>Hold eye open and rinse slowly and gently with water for 15-20 minutes.</li> <li>Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.</li> <li>Contact a poison control center or doctor for treatment advice.</li> </ul> |
|------------|--|
|            | Have the product container or label with you when calling a poison control center or doctor or going for treatment.  |
|            | For emergency information on (product, use, etc.), call the National Pesticides<br>Information Center at 1-800-858-7378, 6:30 AM to 4:30 PM Pacific time (PT), seven<br>days a week. During other times, call the poison control center 1-800-222-1222.                |

**PRO-MIX<sup>®</sup> BIOFUNGICIDE<sup>TM</sup> + MYCORRHIZAE<sup>TM</sup> HP** has been enriched with GHA180 (active ingredient: *Bacillus pumilus* GHA180), a biofungicide that prevents root diseases. The *Bacillus pumilus* bacteria colonize developing root systems, and suppress disease-causing organisms, such as *Pythium, Fusarium, Rhizoctonia, Alternaria* and *Aspergillus*, which attack root systems. The bacteria also act as a biostimulant developing with the growing root system. As a result, a vigorous root system is then established that results in more uniform plant stands after transplanting and in greater crop response. In addition, the *Glomus intraradices* fungi, contained in **PRO-MIX<sup>®</sup> BIOFUNGICIDE<sup>TM</sup> + MYCORRHIZAE<sup>TM</sup> HP**, attach to and colonize root systems working in symbiosis with plants. Endomycorrhizal fungi benefit the host plant by increasing acquisition of

2013-07-02

(HP Sub-label: 2/5)

water and nutrients (especially phosphorus, copper and zinc) by forming an extensive mycorrhizal root system. In exchange, the plant provides soluble sugars to the fungus. This symbiotic relationship between fungi and plant results in overall improved plant growth.

17159

15/57

### PRO-MIX<sup>®</sup> BIOFUNGICIDE<sup>TM</sup> + MYCORRHIZAE<sup>TM</sup> HP

PRO-MIX HP is a 'High Porosity' peat-based growing medium designed for the cultivation of horticultural plants. This lightweight and porous growing medium provides conditions necessary to establish plant growth, especially when growing situations require medium with high air-capacity and low water-retention. This formulation is excellent for use with water sensitive crops, propagation of plant cuttings and /or low-light growing conditions.

# DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labelling. For any requirements specific to your State or Tribe, consult the State or Tribal agency responsible for pesticide regulation. Do not apply this product in a way that will contact workers or other persons, either directly or through drift. Only protected handlers may be in the area during application.

### AGRICULTURAL USE REQUIREMENTS

Use this product only in accordance with its labelling and with the Worker Protection Standard, 40 CFR Part 170. This Standard contains requirements for the protection of agricultural workers on farms, forests, nurseries and greenhouses, and handlers of agricultural pesticides. It contains requirements for training, decontamination, notification, and emergency assistance. It also contains specific instructions and exceptions pertaining to the statements on this label about personal protective equipment (PPE), and restricted entry intervals (REI). The requirements in this box only apply to uses of this product that are covered by the Worker Protection Standard.

There is a zero (0) restricted entry interval for this product.

## PREPARATION

Open package at the time of seeding, potting or transplanting. Potting benches and equipment should be located in a clean, weed-free area. Add water to **PRO-MIX® BIOFUNGICIDETM** + **MYCORRHIZAETM HP** until slightly moist to the touch. Transplant cuttings, plugs, seedlings, etc. in moistened medium taking care to avoid compaction (do not press down around seed or root systems). After transplanting, add water to settle medium. Place newly transplanted trays and pots in a suitable growing area within the greenhouse.

IMPORTANT: PRO-MIX<sup>®</sup> BIOFUNGICIDE<sup>TM</sup> + MYCORRHIZAE<sup>TM</sup> HP is suitable for fruit and vegetable transplants. PRO-MIX<sup>®</sup> BIOFUNGICIDE<sup>TM</sup> + MYCORRHIZAE<sup>TM</sup> HP is for use in protected growing environments only (e.g. glasshouse or greenhouse): not for use in nonprotected environments (e.g. non-contained nurseries or slat houses).

# FERTILIZATION

Initial plant development will occur without immediate fertilization. It is essential to initiate a fertilization program at the emergence of the first set of true leaves, this will ensure plants receive

adequate nutrients. Select a fertilization program that is appropriate for the plant species grown, stage of development and water nutrient content. If you frequently analyze media nutrient levels and plant tissue throughout the production cycle, you can insure plants receive proper nutritional requirements.

### WATER MANAGEMENT

An essential part of crop culture is water management. When plants require water, irrigate the crop early in the day. This will allow plant foliage and medium surface to dry. Also, medium temperature can warm to normal level by evening. Irrigate thoroughly so water 'runs through' to prevent salt accumulation and to ensure uniform wetting and drying of containers throughout the crop. If preferred, additional wetting agent can be applied during the crop cycle at irrigation to reduce surface tension of water for more thorough water penetration and movement throughout the root zone.

# APPLICATION INFORMATION

• Use **PRO-MIX**<sup>®</sup> **BIOFUNGICIDE<sup>TM</sup> + MYCORRHIZAE<sup>TM</sup> HP** "as is" from package. Add water to moisten.

- Thoroughly moisten medium to "water-in" plants after transplanting and placing in the greenhouse.
- Do not add fertilizers when sowing seeds.
- Use for plants requiring a growing pH between 5.0 and 7.0.
- Do not sterilize or pasteurize PRO-MIX<sup>®</sup> BIOFUNGICIDE<sup>TM</sup> + MYCORRHIZAE<sup>TM</sup> HP.
- Do not store wet growing media, as pH will tend to climb from activation of limestone.
- Store products in sealed bags to avoid intrusion from water, pathogens, pesticides and weeds.

• Pesticides and chemical growth regulator treatments can be used in combination with **PRO-MIX**<sup>®</sup> **BIOFUNGICIDE**<sup>TM</sup> + **MYCORRHIZAE**<sup>TM</sup> **HP**, and will provide extended protection throughout the growing season.

# STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

Do not contaminate water by cleaning of equipment or disposal wastes.

**STORAGE:** Store in a dry place at ambient temperature (-30 to 30 °C).

**PESTICIDE DISPOSAL:** Wastes resulting from the use of this product may be disposed of on site, or at an approved waste disposal facility.

**CONTAINER HANDLING:** Nonrefillable container. Do not reuse or refill this container. Completely empty bag by shaking and tapping sides and bottom to loosen clinging particles. Offer for recycling if available or dispose of bag in trash.

45

# QUALITY GUARANTEE

PREMIER TECH HORTICULTURE is committed to quality. If you are not satisfied with the quality of this product, PREMIER TECH HORTICULTURE guarantees to replace it or refund its purchase price. To the extent consistent with applicable law, all other remedies and liabilities including, liability for direct or consequential damages, warranties of merchantability and fitness for a particular purpose are excluded.

### PRO-MIX® BIOFUNGICIDE<sup>TM</sup> + MYCORRHIZAE<sup>TM</sup> HP

Sub-label

#### PLEASE RECYCLE RESPECTS ALL LEGISLATION ON HEAVY METALS

PREMIER TECH HORTICULTURE

Manufactured For: PREMIER HORTICULTURE INC. Quakertown, PA USA 18951 For additional information, call: 1 800 525-2553 www.pthorticulture.com

Manufactured By: PREMIER HORTICULTURE LTD Rivière-du-Loup (Québec) Canada G5R 6C1 For additional information, call: 1 800 667-5366 www.pthorticulture.com

Product of Canada

2013-07-02

(HP Sub-label: 5/5)

# PRO-MIX<sup>®</sup> BIOFUNGICIDE<sup>TM</sup> + MYCORRHIZAE<sup>TM</sup> LP15

### PROFESSIONAL SPHAGNUM PEAT-BASED GROWING MEDIUM WITH BIOFUNGICIDE™ FOR GREENHOUSE OR CONTAINED NURSERY USE

#### CAUTION: KEEP OUT OF REACH OF CHILDREN See Additional Precautionary Statements on Back Panel

| ACTIVE INGREDIENT:<br>Bacillus pumilus GHA180 (not less than 5 X<br>10 <sup>4</sup> viable spore per gram of media)0.001%<br>OTHER INGREDIENTS: <u>99.999%</u><br>Total100.00 %  | EPA Reg. No. 74267-4<br>EPA Establishment No. 4267-CAN-<br>01/02/03/04/05   |  |  |  |
|--|---|--|--|--|
| For identification of establishment number,<br>refer to the manufacturing identification, which<br>is ink-jet printed within side bar. This indicates<br>year / month / day / manufacture location /<br>manufacture shift, military time and product<br>identification. For example: 2002 / 07 / 01 1 02<br>02:45 BX. Manufacturing locations are coded<br>as: | <ol> <li>for Rivière-du-Loup, Quebec - compressed products<br/>(EPA Establishment No. 74267-CAN-01)</li> <li>for Rivière-du-Loup. Quebec - loose fill products<br/>(EPA Establishment No. 74267-CAN-02)</li> <li>for St. Anne, Manitoba (EPA Establishment No.<br/>74267-CAN-03)</li> <li>for Northal, Alberta (EPA Establishment No. 74267-<br/>CAN-04)</li> <li>for Rexton, New Brunswick (EPA Establishment No.<br/>74267-CAN-05)</li> </ol> |  |  |  |
| www.pthorticulture.com   |   |  |  |  |

2.8 cu ft loose (85 L), 3.8 cu ft compressed (107 L), 55 cu ft compressed (1 557 L), 60 cu ft loose (1 700 L), 70 cu ft loose (1 980 L), 80 cu ft loose (2 265 L), 135 cu ft compressed (3 825 L).

### **PRODUCT OF CANADA**

PREMIER HORTICULTURE INC. 127 South 5<sup>th</sup> street Quakertown, PA USA 18951

#### **PRODUIT DU CANADA**

18/57

PREMIER HORTICULTURE LTEE 1 avenue Premier Rivière-du-Loup, Quebec Canada G5R 6C1

Batch Code:

(Back Panel)

### PROFESSIONAL PRO-MIX<sup>®</sup> BIOFUNGICIDE<sup>TM</sup> + MYCORRHIZAE<sup>TM</sup> LP15

### PRECAUTIONARY STATEMENTS

Hazards to Humans and Domestic Animals. CAUTION: Causes moderate eye irritation .Avoid contact with eyes or clothing. Prolonged or frequently repeated skin contact may cause allergic reactions in some individuals. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco or using the toilet.

**Personal Protective Equipment (PPE):** As a general precaution when exposed to living microbial products such as this, applicators (persons opening bags and/or filling potting machines) must wear a dust/mist filtering respirator meeting NIOSH standards of at least N-95, R-95 or P-95. Follow manufacturer's instructions for cleaning / maintaining PPE.

Environmental Hazards: For terrestrial uses, do not apply directly to water, or to areas where surface water is present. Do not contaminate water when cleaning equipment or disposing of equipment wash water.

User Safety Recommendations:

Users should remove clothing/PPE immediately if product gets inside. Then wash thoroughly and put on clean clothing.

FIRST AID

| If in Eyes | <ul> <li>Hold eye open and rinse slowly and gently with water for 15-20 minutes.</li> <li>Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.</li> <li>Contact a poison control center or doctor for treatment advice.</li> </ul> |
|------------|--|
|            | Have the product container or label with you when calling a poison control center or doctor or going for treatment.  |
|            | For emergency information on (product, use, etc.), call the National Pesticides Information Center at 1-800-858-7378, 6:30 AM to 4:30 PM Pacific time (PT), seven days a week. During other times, call the poison control center 1-800-222-1222.                      |

**PRO-MIX<sup>®</sup> BIOFUNGICIDE<sup>TM</sup> + MYCORRHIZAE<sup>TM</sup> LP15** has been enriched with GHA180 (active ingredient: *Bacillus pumilus* GHA180), a biofungicide that prevents root diseases. The *Bacillus pumilus* bacteria colonize developing root systems, and suppress disease-causing organisms, such as *Pythium, Fusarium, Rhizoctonia, Alternaria* and *Aspergillus*, which attack root systems. The bacteria also act as a biostimulant developing with the growing root system. As a result, a vigorous root system is then established that results in more uniform plant stands after transplanting and in greater crop response. In addition, the *Glomus intraradices* fungi, contained in **PRO-MIX<sup>®</sup> BIOFUNGICIDE<sup>TM</sup> + MYCORRHIZAE<sup>TM</sup> LP15**, attach to and colonize root systems working in symbiosis with plants. Endomycorrhizal fungi benefit the host plant by increasing acquisition of

2013-07-02

(LP15 Sub-label: 2/5)

21/59

<u>19/57</u>

<u>20/57</u>

22/59

water and nutrients (especially phosphorus, copper and zinc) by forming an extensive mycorrhizal root system. In exchange, the plant provides soluble sugars to the fungus. This symbiotic relationship between fungi and plant results in overall improved plant growth.

### PRO-MIX<sup>®</sup> BIOFUNGICIDE<sup>TM</sup> + MYCORRHIZAE<sup>TM</sup> LP15

PRO-MIX LP15 is a multipurpose peat-based, perlite professional growing medium designed for growers that prefer a low amount of aggregate and no vermiculite. PRO-MIX LP15 is suitable for a wide range of greenhouse and transplanting applications.

# DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labelling. For any requirements specific to your State or Tribe, consult the State or Tribal agency responsible for pesticide regulation. Do not apply this product in a way that will contact workers or other persons, either directly or through drift. Only protected handlers may be in the area during application.

### AGRICULTURAL USE REQUIREMENTS

Use this product only in accordance with its labelling and with the Worker Protection Standard, 40 CFR Part 170. This Standard contains requirements for the protection of agricultural workers on farms, forests, nurseries and greenhouses, and handlers of agricultural pesticides. It contains requirements for training, decontamination, notification, and emergency assistance. It also contains specific instructions and exceptions pertaining to the statements on this label about personal protective equipment (PPE), and restricted entry intervals (REI). The requirements in this box only apply to uses of this product that are covered by the Worker Protection Standard.

There is a zero (0) restricted entry interval for this product.

### PREPARATION

Open package at the time of seeding, potting or transplanting. Potting benches and equipment should be located in a clean, weed-free area. Add water to **PRO-MIX**<sup>®</sup> **BIOFUNGICIDE<sup>TM</sup>** + **MYCORRHIZAE<sup>TM</sup> LP15**until slightly moist to the touch. Transplant cuttings, plugs, seedlings, etc. in moistened medium taking care to avoid compaction (do not press down around seed or root systems). After transplanting, add water to settle medium. Place newly transplanted trays and pots in a suitable growing area within the greenhouse.

IMPORTANT: PRO-MIX<sup>®</sup> BIOFUNGICIDE<sup>TM</sup> + MYCORRHIZAE<sup>TM</sup> LP15 is suitable for fruit and vegetable transplants. PRO-MIX<sup>®</sup> BIOFUNGICIDE<sup>TM</sup> + MYCORRHIZAE<sup>TM</sup> LP15 is for use in protected growing environments only (e.g. glasshouse or greenhouse): not for use in non-protected environments (e.g. non-contained nurseries or slat houses).

### FERTILIZATION

Initial plant development will occur without immediate fertilization. It is essential to initiate a fertilization program at the emergence of the first set of true leaves, this will ensure plants receive adequate nutrients. Select a fertilization program that is appropriate for the plant species grown, stage of development and water nutrient content. If you frequently analyze media nutrient levels and

<u>21/57</u>

plant tissue throughout the production cycle, you can insure plants receive proper nutritional requirements.

### WATER MANAGEMENT

An essential part of crop culture is water management. When plants require water, irrigate the crop early in the day. This will allow plant foliage and medium surface to dry. Also, medium temperature can warm to normal level by evening. Irrigate thoroughly so water 'runs through' to prevent salt accumulation and to ensure uniform wetting and drying of containers throughout the crop. If preferred, additional wetting agent can be applied during the crop cycle at irrigation to reduce surface tension of water for more thorough water penetration and movement throughout the root zone.

# APPLICATION INFORMATION

• Use **PRO-MIX**<sup>®</sup> **BIOFUNGICIDE**<sup>TM</sup> + **MYCORRHIZAE**<sup>TM</sup> LP15 "as is" from package. Add water to moisten.

- Thoroughly moisten medium to "water-in" plants after transplanting and placing in the greenhouse.
- Do not add fertilizers when sowing seeds.
- Use for plants requiring a growing pH between 5.0 and 7.0.
- Do not sterilize or pasteurize PRO-MIX<sup>®</sup> BIOFUNGICIDE<sup>TM</sup> + MYCORRHIZAE<sup>TM</sup> LP15.
- Do not store wet growing media, as pH will tend to climb from activation of limestone.
- Store products in sealed bags to avoid intrusion from water, pathogens, pesticides and weeds.

• Pesticides and chemical growth regulator treatments can be used in combination with **PRO-MIX**<sup>®</sup> **BIOFUNGICIDE<sup>TM</sup> + MYCORRHIZAE<sup>TM</sup> LP15**, and will provide extended protection throughout the growing season.

# STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

Do not contaminate water by cleaning of equipment or disposal wastes.

**STORAGE:** Store in a dry place at ambient temperature (-30 to 30 °C).

**PESTICIDE DISPOSAL:** Wastes resulting from the use of this product may be disposed of on site, or at an approved waste disposal facility.

**CONTAINER HANDLING:** Nonrefillable container. Do not reuse or refill this container. Completely empty bag by shaking and tapping sides and bottom to loosen clinging particles. Offer for recycling if available or dispose of bag in trash.

# QUALITY GUARANTEE

PREMIER TECH HORTICULTURE is committed to quality. If you are not satisfied with the quality of this product, PREMIER TECH HORTICULTURE guarantees to replace it or refund its purchase price. To the extent consistent with applicable law, all other remedies and liabilities including, liability for direct or consequential damages, warranties of merchantability and fitness for a particular purpose are excluded.

0

<u>22/57</u>

24159

### PLEASE RECYCLE RESPECTS ALL LEGISLATION ON HEAVY METALS

PREMIER TECH HORTICULTURE

Manufactured For: PREMIER HORTICULTURE INC. Quakertown, PA USA 18951 For additional information, call: 1 800 525-2553 www.pthorticulture.com

Manufactured By: PREMIER HORTICULTURE LTD Rivière-du-Loup (Québec) Canada G5R 6C1 For additional information, call: 1 800 667-5366 www.pthorticulture.com

**Product of Canada** 

(LP15 Sub-label: 5/5)

# $\frac{PRO-MIX^{\text{®}} BIOFUNGICIDE^{TM} + MYCORRHIZAE^{TM}}{TA}$

### PROFESSIONAL

# SPHAGNUM PEAT-BASED GROWING MEDIUM WITH BIOFUNGICIDE™ FOR GREENHOUSE OR CONTAINED NURSERY

USE

#### CAUTION: KEEP OUT OF REACH OF CHILDREN See Additional Precautionary Statements on Back Panel

| ACTIVE INGREDIENT:<br>Bacillus pumilus GHA180 (not less than 5 X<br>10 <sup>4</sup> viable spore per gram of media)0.001%<br>OTHER INGREDIENTS: <u>99.999%</u><br>Total100.00 %  | EPA Reg. No. 74267-4<br>EPA Establishment No. 4267-CAN-<br>01/02/03/04/05   |  |  |  |
|--|---|--|--|--|
| For identification of establishment number,<br>refer to the manufacturing identification, which<br>is ink-jet printed within side bar. This indicates<br>year / month / day / manufacture location /<br>manufacture shift, military time and product<br>identification. For example: 2002 / 07 / 01 1 02<br>02:45 BX. Manufacturing locations are coded<br>as: | <ol> <li>for Rivière-du-Loup, Quebec - compressed products<br/>(EPA Establishment No. 74267-CAN-01)</li> <li>for Rivière-du-Loup. Quebec - loose fill products<br/>(EPA Establishment No. 74267-CAN-02)</li> <li>for St. Anne, Manitoba (EPA Establishment No.<br/>74267-CAN-03)</li> <li>for Northal, Alberta (EPA Establishment No. 74267-<br/>CAN-04)</li> <li>for Rexton, New Brunswick (EPA Establishment No.<br/>74267-CAN-05)</li> </ol> |  |  |  |
| www.pthorticulture.com   |   |  |  |  |

2.8 cu ft loose (85 L), 3.8 cu ft compressed (107 L), 55 cu ft compressed (1 557 L), 60 cu ft loose (1 700 L), 70 cu ft loose (1 980 L), 80 cu ft loose (2 265 L), 135 cu ft compressed (3 825 L).

### **PRODUCT OF CANADA**

PREMIER HORTICULTURE INC. 127 South 5<sup>th</sup> street Quakertown, PA USA 18951

#### **PRODUIT DU CANADA**

PREMIER HORTICULTURE LTEE 1 avenue Premier Rivière-du-Loup, Quebec Canada G5R 6C1

Batch Code:

#### PRO-MIX® BIOFUNGICIDE<sup>TM</sup> + MYCORRHIZAE<sup>TM</sup> TA

Sub-label

24/57

16/50

(Back Panel)

### PROFESSIONAL PRO-MIX<sup>®</sup> BIOFUNGICIDE<sup>TM</sup> + MYCORRHIZAE<sup>TM</sup> TA

### PRECAUTIONARY STATEMENTS

**Hazards to Humans and Domestic Animals. CAUTION:** Causes moderate eye irritation .Avoid contact with eyes or clothing. Prolonged or frequently repeated skin contact may cause allergic reactions in some individuals. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco or using the toilet.

**Personal Protective Equipment (PPE):** As a general precaution when exposed to living microbial products such as this, applicators (persons opening bags and/or filling potting machines) must wear a dust/mist filtering respirator meeting NIOSH standards of at least N-95, R-95 or P-95. Follow manufacturer's instructions for cleaning / maintaining PPE.

Environmental Hazards: For terrestrial uses, do not apply directly to water, or to areas where surface water is present. Do not contaminate water when cleaning equipment or disposing of equipment wash water.

# User Safety Recommendations:

Users should remove clothing/PPE immediately if product gets inside. Then wash thoroughly and put on clean clothing.

|            | FIRST AID  |
|------------|--|
| If in Eyes | <ul> <li>Hold eye open and rinse slowly and gently with water for 15-20 minutes.</li> <li>Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.</li> <li>Contact a poison control center or doctor for treatment advice.</li> </ul> |
|            | Have the product container or label with you when calling a poison control center or doctor or going for treatment.  |
|            | For emergency information on (product, use, etc.), call the National Pesticides<br>Information Center at 1-800-858-7378, 6:30 AM to 4:30 PM Pacific time (PT), seven<br>days a week. During other times, call the poison control center 1-800-222-1222.                |

**PRO-MIX**<sup>®</sup> **BIOFUNGICIDE<sup>TM</sup> + MYCORRHIZAE<sup>TM</sup> TA** has been enriched with GHA180 (active ingredient: *Bacillus pumilus* GHA180), a biofungicide that prevents root diseases. The *Bacillus pumilus* bacteria colonize developing root systems, and suppress disease-causing organisms, such as *Pythium, Fusarium, Rhizoctonia, Alternaria* and *Aspergillus*, which attack root systems. The bacteria also act as a biostimulant developing with the growing root system. As a result, a vigorous root system is then established that results in more uniform plant stands after transplanting and in greater crop response. In addition, the *Glomus intraradices* fungi, contained in **PRO-MIX**<sup>®</sup> **BIOFUNGICIDE<sup>TM</sup> + MYCORRHIZAE<sup>TM</sup> TA**, attach to and colonize root systems working in symbiosis with plants. Endomycorrhizal fungi benefit the host plant by increasing acquisition of

2013-07-02

(TA Sub-label: 2/5)

water and nutrients (especially phosphorus, copper and zinc) by forming an extensive mycorrhizal root system. In exchange, the plant provides soluble sugars to the fungus. This symbiotic relationship between fungi and plant results in overall improved plant growth.

### PRO-MIX<sup>®</sup> BIOFUNGICIDE<sup>TM</sup> + MYCORRHIZAE<sup>TM</sup> TA

PRO-MIX TA is a peat-based growing medium formulated for germinating and growing-on of Tobacco and Agriculture transplants. This blend is ideal for use with trays/flats cultivated in subirrigated float systems and conventional irrigation methods. This fine textured blend is user-friendly for filling small cell trays and flats with automated equipment or by hand.

# DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labelling. For any requirements specific to your State or Tribe, consult the State or Tribal agency responsible for pesticide regulation. Do not apply this product in a way that will contact workers or other persons, either directly or through drift. Only protected handlers may be in the area during application.

### AGRICULTURAL USE REQUIREMENTS

Use this product only in accordance with its labelling and with the Worker Protection Standard, 40 CFR Part 170. This Standard contains requirements for the protection of agricultural workers on farms, forests, nurseries and greenhouses, and handlers of agricultural pesticides. It contains requirements for training, decontamination, notification, and emergency assistance. It also contains specific instructions and exceptions pertaining to the statements on this label about personal protective equipment (PPE), and restricted entry intervals (REI). The requirements in this box only apply to uses of this product that are covered by the Worker Protection Standard.

There is a zero (0) restricted entry interval for this product.

# PREPARATION

Open package at the time of seeding, potting or transplanting. Potting benches and equipment should be located in a clean, weed-free area. Add water to **PRO-MIX**<sup>®</sup> **BIOFUNGICIDE<sup>TM</sup>** + **MYCORRHIZAE<sup>TM</sup> TA** until slightly moist to the touch. Transplant cuttings, plugs, seedlings, etc. in moistened medium taking care to avoid compaction (do not press down around seed or root systems). After transplanting, add water to settle medium. Place newly transplanted trays and pots in a suitable growing area within the greenhouse.

IMPORTANT: PRO-MIX<sup>®</sup> BIOFUNGICIDE<sup>TM</sup> + MYCORRHIZAE<sup>TM</sup> TA is suitable for fruit and vegetable transplants. PRO-MIX<sup>®</sup> BIOFUNGICIDE<sup>TM</sup> + MYCORRHIZAE<sup>TM</sup> TA is for use in protected growing environments only (e.g. glasshouse or greenhouse): not for use in nonprotected environments (e.g. non-contained nurseries or slat houses).

# FERTILIZATION

Initial plant development will occur without immediate fertilization. It is essential to initiate a fertilization program at the emergence of the first set of true leaves, this will ensure plants receive adequate nutrients. Select a fertilization program that is appropriate for the plant species grown,

stage of development and water nutrient content. If you frequently analyze media nutrient levels and plant tissue throughout the production cycle, you can insure plants receive proper nutritional requirements.

ye Constant

### WATER MANAGEMENT

An essential part of crop culture is water management. When plants require water, irrigate the crop early in the day. This will allow plant foliage and medium surface to dry. Also, medium temperature can warm to normal level by evening. Irrigate thoroughly so water 'runs through' to prevent salt accumulation and to ensure uniform wetting and drying of containers throughout the crop. If preferred, additional wetting agent can be applied during the crop cycle at irrigation to reduce surface tension of water for more thorough water penetration and movement throughout the root zone.

# APPLICATION INFORMATION

• Use **PRO-MIX<sup>®</sup> BIOFUNGICIDE<sup>TM</sup> + MYCORRHIZAE<sup>TM</sup> TA** "as is" from package. Add water to moisten.

- Thoroughly moisten medium to "water-in" plants after transplanting and placing in the greenhouse.
- Do not add fertilizers when sowing seeds.
- Use for plants requiring a growing pH between 5.0 and 7.0.
- Do not sterilize or pasteurize PRO-MIX<sup>®</sup> BIOFUNGICIDE<sup>TM</sup> + MYCORRHIZAE<sup>TM</sup> TA.
- Do not store wet growing media, as pH will tend to climb from activation of limestone.
- Store products in sealed bags to avoid intrusion from water, pathogens, pesticides and weeds.

• Pesticides and chemical growth regulator treatments can be used in combination with **PRO-MIX**<sup>®</sup> **BIOFUNGICIDE<sup>TM</sup> + MYCORRHIZAE<sup>TM</sup> TA**, and will provide extended protection throughout the growing season.

# STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

Do not contaminate water by cleaning of equipment or disposal wastes.

**STORAGE:** Store in a dry place at ambient temperature (-30 to 30 °C).

**PESTICIDE DISPOSAL:** Wastes resulting from the use of this product may be disposed of on site, or at an approved waste disposal facility.

**CONTAINER HANDLING:** Nonrefillable container. Do not reuse or refill this container. Completely empty bag by shaking and tapping sides and bottom to loosen clinging particles. Offer for recycling if available or dispose of bag in trash.

# QUALITY GUARANTEE

PREMIER TECH HORTICULTURE is committed to quality. If you are not satisfied with the quality of this product, PREMIER TECH HORTICULTURE guarantees to replace it or refund its purchase price. To the extent consistent with applicable law, all other remedies and liabilities including, liability for direct or consequential damages, warranties of merchantability and fitness for a particular purpose are excluded.

28/59

26/57

### $\mathsf{PRO-MIX} \textcircled{\begin{subarray}{c} \mathsf{BIOFUNGICIDE^{TM} + MYCORRHIZAE^{TM} TA \\ } \end{array}}$

Sub-label

<u>27/57</u>

291

#### PLEASE RECYCLE RESPECTS ALL LEGISLATION ON HEAVY METALS



Manufactured For: PREMIER HORTICULTURE INC. Quakertown, PA USA 18951 For additional information, call: 1 800 525-2553 www.pthorticulture.com

Manufactured By: PREMIER HORTICULTURE LTD Rivière-du-Loup (Québec) Canada G5R 6C1 For additional information, call: 1 800 667-5366 www.pthorticulture.com

**Product of Canada** 

(TA Sub-label: 5/5)

# PRO-MIX<sup>®</sup> BIOFUNGICIDE<sup>TM</sup> + MYCORRHIZAE<sup>TM</sup> FPX

### PROFESSIONAL

### SPHAGNUM PEAT-BASED GROWING MEDIUM

WITH BIOFUNGICIDE™ FOR GREENHOUSE OR CONTAINED NURSERY

USE

#### CAUTION: KEEP OUT OF REACH OF CHILDREN See Additional Precautionary Statements on Back Panel

| ACTIVE INGREDIENT:<br>Bacillus pumilus GHA180 (not less than 5 X<br>10 <sup>4</sup> viable spore per gram of media)0.001%<br>OTHER INGREDIENTS: <u>99.999%</u><br>Total100.00 %  | EPA Reg. No. 74267-4<br>EPA Establishment No. 4267-CAN-<br>01/02/03/04/05   |  |  |
|--|---|--|--|
| For identification of establishment number,<br>refer to the manufacturing identification, which<br>is ink-jet printed within side bar. This indicates<br>year / month / day / manufacture location /<br>manufacture shift, military time and product<br>identification. For example: 2002 / 07 / 01 1 02<br>02:45 BX. Manufacturing locations are coded<br>as: | <ol> <li>for Rivière-du-Loup, Quebec - compressed products<br/>(EPA Establishment No. 74267-CAN-01)</li> <li>for Rivière-du-Loup. Quebec - loose fill products<br/>(EPA Establishment No. 74267-CAN-02)</li> <li>for St. Anne, Manitoba (EPA Establishment No.<br/>74267-CAN-03)</li> <li>for Northal, Alberta (EPA Establishment No. 74267-<br/>CAN-04)</li> <li>for Rexton, New Brunswick (EPA Establishment No.<br/>74267-CAN-05)</li> </ol> |  |  |
| www.pthorticulture.com   |   |  |  |

2.8 cu ft loose (85 L), 3.8 cu ft compressed (107 L), 55 cu ft compressed (1 557 L), 60 cu ft loose (1 700 L), 70 cu ft loose (1 980 L), 80 cu ft loose (2 265 L), 135 cu ft compressed (3 825 L).

### **PRODUCT OF CANADA**

PREMIER HORTICULTURE INC. 127 South 5<sup>th</sup> street Quakertown, PA USA 18951

### PRODUIT DU CANADA

PREMIER HORTICULTURE LTEE 1 avenue Premier Rivière-du-Loup, Quebec Canada G5R 6C1

Batch Code:

30/59

<u>28/57</u>

<u>29/57</u>

31/50

(Back Panel)

### PROFESSIONAL PRO-MIX<sup>®</sup> BIOFUNGICIDE<sup>TM</sup> + MYCORRHIZAE<sup>TM</sup> FPX

### PRECAUTIONARY STATEMENTS

Hazards to Humans and Domestic Animals. CAUTION: Causes moderate eye irritation .Avoid contact with eyes or clothing. Prolonged or frequently repeated skin contact may cause allergic reactions in some individuals. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco or using the toilet.

**Personal Protective Equipment (PPE):** As a general precaution when exposed to living microbial products such as this, applicators (persons opening bags and/or filling potting machines) must wear a dust/mist filtering respirator meeting NIOSH standards of at least N-95, R-95 or P-95. Follow manufacturer's instructions for cleaning / maintaining PPE.

Environmental Hazards: For terrestrial uses, do not apply directly to water, or to areas where surface water is present. Do not contaminate water when cleaning equipment or disposing of equipment wash water.

### User Safety Recommendations:

Users should remove clothing/PPE immediately if product gets inside. Then wash thoroughly and put on clean clothing.

|            | FIRST AID  |
|------------|--|
| If in Eyes | <ul> <li>Hold eye open and rinse slowly and gently with water for 15-20 minutes.</li> <li>Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.</li> <li>Contact a poison control center or doctor for treatment advice.</li> </ul> |
|            | Have the product container or label with you when calling a poison control center or doctor or going for treatment.  |
|            | For emergency information on (product, use, etc.), call the National Pesticides<br>Information Center at 1-800-858-7378, 6:30 AM to 4:30 PM Pacific time (PT), seven<br>days a week. During other times, call the poison control center 1-800-222-1222.                |

**PRO-MIX<sup>®</sup> BIOFUNGICIDE<sup>TM</sup> + MYCORRHIZAE<sup>TM</sup> FPX** has been enriched with GHA180 (active ingredient: *Bacillus pumilus* GHA180), a biofungicide that prevents root diseases. The *Bacillus pumilus* bacteria colonize developing root systems, and suppress disease-causing organisms, such as *Pythium, Fusarium, Rhizoctonia, Alternaria* and *Aspergillus*, which attack root systems. The bacteria also act as a biostimulant developing with the growing root system. As a result, a vigorous root system is then established that results in more uniform plant stands after transplanting and in greater crop response. In addition, the *Glomus intraradices* fungi, contained in **PRO-MIX<sup>®</sup> BIOFUNGICIDE<sup>TM</sup> + MYCORRHIZAE<sup>TM</sup> FPX**, attach to and colonize root systems working in symbiosis with plants. Endomycorrhizal fungi benefit the host plant by increasing acquisition of

2013-07-02

(FPX Sub-label: 2/5)

<u>30/57</u>

32150

water and nutrients (especially phosphorus, copper and zinc) by forming an extensive mycorrhizal root system. In exchange, the plant provides soluble sugars to the fungus. This symbiotic relationship between fungi and plant results in overall improved plant growth.

### PRO-MIX<sup>®</sup> BIOFUNGICIDE<sup>TM</sup> + MYCORRHIZAE<sup>TM</sup> FPX

PRO-MIX FPX is a fine peat/perlite-based growing medium for germinating ornamental and vegetable seeds in small cell plug trays. It contains a base blend of short-fibered Sphagnum peat moss and fine perlite for easy filling of trays with minimal bridging. When in use, this blend retains less water than peat/vermiculite blends.

# DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labelling. For any requirements specific to your State or Tribe, consult the State or Tribal agency responsible for pesticide regulation. Do not apply this product in a way that will contact workers or other persons, either directly or through drift. Only protected handlers may be in the area during application.

# AGRICULTURAL USE REQUIREMENTS

Use this product only in accordance with its labelling and with the Worker Protection Standard, 40 CFR Part 170. This Standard contains requirements for the protection of agricultural workers on farms, forests, nurseries and greenhouses, and handlers of agricultural pesticides. It contains requirements for training, decontamination, notification, and emergency assistance. It also contains specific instructions and exceptions pertaining to the statements on this label about personal protective equipment (PPE), and restricted entry intervals (REI). The requirements in this box only apply to uses of this product that are covered by the Worker Protection Standard.

There is a zero (0) restricted entry interval for this product.

## PREPARATION

Open package at the time of seeding, potting or transplanting. Potting benches and equipment should be located in a clean, weed-free area. Add water to **PRO-MIX**<sup>®</sup> **BIOFUNGICIDE<sup>TM</sup>** + **MYCORRHIZAE<sup>TM</sup> FPX** until slightly moist to the touch. Transplant cuttings, plugs, seedlings, etc. in moistened medium taking care to avoid compaction (do not press down around seed or root systems). After transplanting, add water to settle medium. Place newly transplanted trays and pots in a suitable growing area within the greenhouse.

**IMPORTANT: PRO-MIX<sup>®</sup> BIOFUNGICIDE<sup>TM</sup> + MYCORRHIZAE<sup>TM</sup> FPX is suitable for fruit and vegetable transplants. PRO-MIX<sup>®</sup> BIOFUNGICIDE<sup>TM</sup> + MYCORRHIZAE<sup>TM</sup> FPX is** for use in protected growing environments only (e.g. glasshouse or greenhouse): not for use in nonprotected environments (e.g. non-contained nurseries or slat houses).

# FERTILIZATION

Initial plant development will occur without immediate fertilization. It is essential to initiate a fertilization program at the emergence of the first set of true leaves, this will ensure plants receive adequate nutrients. Select a fertilization program that is appropriate for the plant species grown,

2013-07-02

(FPX Sub-label: 3/5)

stage of development and water nutrient content. If you frequently analyze media nutrient levels and plant tissue throughout the production cycle, you can insure plants receive proper nutritional requirements.

# WATER MANAGEMENT

An essential part of crop culture is water management. When plants require water, irrigate the crop early in the day. This will allow plant foliage and medium surface to dry. Also, medium temperature can warm to normal level by evening. Irrigate thoroughly so water 'runs through' to prevent salt accumulation and to ensure uniform wetting and drying of containers throughout the crop. If preferred, additional wetting agent can be applied during the crop cycle at irrigation to reduce surface tension of water for more thorough water penetration and movement throughout the root zone.

# **APPLICATION INFORMATION**

• Use **PRO-MIX**<sup>®</sup> **BIOFUNGICIDE**<sup>TM</sup> + **MYCORRHIZAE**<sup>TM</sup> **FPX** "as is" from package. Add water to moisten.

- Thoroughly moisten medium to "water-in" plants after transplanting and placing in the greenhouse.
- Do not add fertilizers when sowing seeds.
- Use for plants requiring a growing pH between 5.0 and 7.0.
- Do not sterilize or pasteurize PRO-MIX<sup>®</sup> BIOFUNGICIDE<sup>TM</sup> + MYCORRHIZAE<sup>TM</sup> FPX.
- Do not store wet growing media, as pH will tend to climb from activation of limestone.
- Store products in sealed bags to avoid intrusion from water, pathogens, pesticides and weeds.

• Pesticides and chemical growth regulator treatments can be used in combination with PRO-MIX®

**BIOFUNGICIDE<sup>TM</sup>** + **MYCORRHIZAE<sup>TM</sup>** FPX, and will provide extended protection throughout the growing season.

# STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

Do not contaminate water by cleaning of equipment or disposal wastes.

**STORAGE:** Store in a dry place at ambient temperature (-30 to 30 °C).

**PESTICIDE DISPOSAL:** Wastes resulting from the use of this product may be disposed of on site, or at an approved waste disposal facility.

**CONTAINER HANDLING:** Nonrefillable container. Do not reuse or refill this container. Completely empty bag by shaking and tapping sides and bottom to loosen clinging particles. Offer for recycling if available or dispose of bag in trash.

# QUALITY GUARANTEE

PREMIER TECH HORTICULTURE is committed to quality. If you are not satisfied with the quality of this product, PREMIER TECH HORTICULTURE guarantees to replace it or refund its purchase price. To the extent consistent with applicable law, all other remedies and liabilities including, liability for direct or consequential damages, warranties of merchantability and fitness for a particular purpose are excluded.

31/57

<u>32/57</u>

341E

#### PLEASE RECYCLE RESPECTS ALL LEGISLATION ON HEAVY METALS

PREMIER TECH

Manufactured For: PREMIER HORTICULTURE INC. Quakertown, PA USA 18951 For additional information, call: 1 800 525-2553 www.pthorticulture.com

Manufactured By: PREMIER HORTICULTURE LTD Rivière-du-Loup (Québec) Canada G5R 6C1 For additional information, call: 1 800 667-5366 www.pthorticulture.com

**Product of Canada** 

(FPX Sub-label: 5/5)

# PRO-MIX<sup>®</sup> BIOFUNGICIDE<sup>TM</sup> + MYCORRHIZAE<sup>TM</sup> MPX

### PROFESSIONAL

# SPHAGNUM PEAT-BASED GROWING MEDIUM WITH BIOFUNGICIDE™ FOR GREENHOUSE OR CONTAINED NURSERY

USE

### CAUTION: KEEP OUT OF REACH OF CHILDREN See Additional Precautionary Statements on Back Panel

| ACTIVE INGREDIENT:<br>Bacillus pumilus GHA180 (not less than 5 X<br>10 <sup>4</sup> viable spore per gram of media)0.001%<br>OTHER INGREDIENTS: <u>99.999%</u><br>Total100.00 %  | EPA Reg. No. 74267-4<br>EPA Establishment No. 4267-CAN-<br>01/02/03/04/05   |  |  |
|--|---|--|--|
| For identification of establishment number,<br>refer to the manufacturing identification, which<br>is ink-jet printed within side bar. This indicates<br>year / month / day / manufacture location /<br>manufacture shift, military time and product<br>identification. For example: 2002 / 07 / 01 1 02<br>02:45 BX. Manufacturing locations are coded<br>as: | <ol> <li>for Rivière-du-Loup, Quebec - compressed products<br/>(EPA Establishment No. 74267-CAN-01)</li> <li>for Rivière-du-Loup. Quebec - loose fill products<br/>(EPA Establishment No. 74267-CAN-02)</li> <li>for St. Anne, Manitoba (EPA Establishment No.<br/>74267-CAN-03)</li> <li>for Northal, Alberta (EPA Establishment No. 74267-<br/>CAN-04)</li> <li>for Rexton, New Brunswick (EPA Establishment No.<br/>74267-CAN-05)</li> </ol> |  |  |
| www.pthorticulture.com   |   |  |  |

2.8 cu ft loose (85 L), 3.8 cu ft compressed (107 L), 55 cu ft compressed (1 557 L), 60 cu ft loose (1 700 L), 70 cu ft loose (1 980 L), 80 cu ft loose (2 265 L), 135 cu ft compressed (3 825 L).

### **PRODUCT OF CANADA**

PREMIER HORTICULTURE INC. 127 South 5<sup>th</sup> street Quakertown, PA USA 18951

### **PRODUIT DU CANADA**

PREMIER HORTICULTURE LTEE 1 avenue Premier Rivière-du-Loup, Quebec Canada G5R 6C1

Batch Code:

2013-07-02

35/59

(Back Panel)

### PROFESSIONAL PRO-MIX<sup>®</sup> BIOFUNGICIDE<sup>TM</sup> + MYCORRHIZAE<sup>TM</sup> MPX

### PRECAUTIONARY STATEMENTS

Hazards to Humans and Domestic Animals. CAUTION: Causes moderate eye irritation .Avoid contact with eyes or clothing. Prolonged or frequently repeated skin contact may cause allergic reactions in some individuals. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco or using the toilet.

**Personal Protective Equipment (PPE):** As a general precaution when exposed to living microbial products such as this, applicators (persons opening bags and/or filling potting machines) must wear a dust/mist filtering respirator meeting NIOSH standards of at least N-95, R-95 or P-95. Follow manufacturer's instructions for cleaning / maintaining PPE.

**Environmental Hazards:** For terrestrial uses, do not apply directly to water, or to areas where surface water is present. Do not contaminate water when cleaning equipment or disposing of equipment wash water.

# User Safety Recommendations:

Users should remove clothing/PPE immediately if product gets inside. Then wash thoroughly and put on clean clothing.

The second s

| If in Eyes | ld eye open and rinse slowly and gently with water for 15-20 minutes.<br>move contact lenses, if present, after the first 5 minutes, then continue rinsing eye.<br>ntact a poison control center or doctor for treatment advice.                      |  |
|------------|---|--|
|            | Have the product container or label with you when calling a poison control center or doctor or going for treatment.   |  |
|            | For emergency information on (product, use, etc.), call the National Pesticides<br>Information Center at 1-800-858-7378, 6:30 AM to 4:30 PM Pacific time (PT), seven<br>days a week. During other times call the poison control center 1-800-222-1222 |  |

**PRO-MIX**<sup>®</sup> **BIOFUNGICIDE<sup>TM</sup> + MYCORRHIZAE<sup>TM</sup> MPX** has been enriched with GHA180 (active ingredient: *Bacillus pumilus* GHA180), a biofungicide that prevents root diseases. The *Bacillus pumilus* bacteria colonize developing root systems, and suppress disease-causing organisms, such as *Pythium, Fusarium, Rhizoctonia, Alternaria* and *Aspergillus*, which attack root systems. The bacteria also act as a biostimulant developing with the growing root system. As a result, a vigorous root system is then established that results in more uniform plant stands after transplanting and in greater crop response. In addition, the *Glomus intraradices* fungi, contained in **PRO-MIX**<sup>®</sup> **BIOFUNGICIDE<sup>TM</sup> + MYCORRHIZAE<sup>TM</sup> MPX**, attach to and colonize root systems working in symbiosis with plants. Endomycorrhizal fungi benefit the host plant by increasing acquisition of

water and nutrients (especially phosphorus, copper and zinc) by forming an extensive mycorrhizal root system. In exchange, the plant provides soluble sugars to the fungus. This symbiotic relationship between fungi and plant results in overall improved plant growth.

## PRO-MIX<sup>®</sup> BIOFUNGICIDE<sup>TM</sup> + MYCORRHIZAE<sup>TM</sup> MPX

PRO-MIX MPX is a peat-based professional growing medium designed for the cultivation of horticultural greenhouse plants. It is uniform and blended to the highest degree of consistency to provide conditions necessary to establish plant growth. PRO-MIX 'MPX' is suitable for a wide variety of plant species.

# DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labelling. For any requirements specific to your State or Tribe, consult the State or Tribal agency responsible for pesticide regulation. Do not apply this product in a way that will contact workers or other persons, either directly or through drift. Only protected handlers may be in the area during application.

## AGRICULTURAL USE REQUIREMENTS

Use this product only in accordance with its labelling and with the Worker Protection Standard, 40 CFR Part 170. This Standard contains requirements for the protection of agricultural workers on farms, forests, nurseries and greenhouses, and handlers of agricultural pesticides. It contains requirements for training, decontamination, notification, and emergency assistance. It also contains specific instructions and exceptions pertaining to the statements on this label about personal protective equipment (PPE), and restricted entry intervals (REI). The requirements in this box only apply to uses of this product that are covered by the Worker Protection Standard.

There is a zero (0) restricted entry interval for this product.

# PREPARATION

Open package at the time of seeding, potting or transplanting. Potting benches and equipment should be located in a clean, weed-free area. Add water to **PRO-MIX**<sup>®</sup> **BIOFUNGICIDE<sup>TM</sup>** + **MYCORRHIZAE<sup>TM</sup> MPX** until slightly moist to the touch. Transplant cuttings, plugs, seedlings, etc. in moistened medium taking care to avoid compaction (do not press down around seed or root systems). After transplanting, add water to settle medium. Place newly transplanted trays and pots in a suitable growing area within the greenhouse.

IMPORTANT: PRO-MIX<sup>®</sup> BIOFUNGICIDE<sup>TM</sup> + MYCORRHIZAE<sup>TM</sup> MPX is suitable for fruit and vegetable transplants. PRO-MIX<sup>®</sup> BIOFUNGICIDE<sup>TM</sup> + MYCORRHIZAE<sup>TM</sup> MPX is for use in protected growing environments only (e.g. glasshouse or greenhouse): not for use in non-protected environments (e.g. non-contained nurseries or slat houses).

# FERTILIZATION

Initial plant development will occur without immediate fertilization. It is essential to initiate a fertilization program at the emergence of the first set of true leaves, this will ensure plants receive adequate nutrients. Select a fertilization program that is appropriate for the plant species grown,

(MPX Sub-label: 3/5)

35/57

stage of development and water nutrient content. If you frequently analyze media nutrient levels and plant tissue throughout the production cycle, you can insure plants receive proper nutritional requirements.

### WATER MANAGEMENT

An essential part of crop culture is water management. When plants require water, irrigate the crop early in the day. This will allow plant foliage and medium surface to dry. Also, medium temperature can warm to normal level by evening. Irrigate thoroughly so water 'runs through' to prevent salt accumulation and to ensure uniform wetting and drying of containers throughout the crop. If preferred, additional wetting agent can be applied during the crop cycle at irrigation to reduce surface tension of water for more thorough water penetration and movement throughout the root zone.

# **APPLICATION INFORMATION**

• Use **PRO-MIX**<sup>®</sup> **BIOFUNGICIDE<sup>TM</sup> + MYCORRHIZAE<sup>TM</sup> MPX** "as is" from package. Add water to moisten.

- Thoroughly moisten medium to "water-in" plants after transplanting and placing in the greenhouse.
- Do not add fertilizers when sowing seeds.
- Use for plants requiring a growing pH between 5.0 and 7.0.
- Do not sterilize or pasteurize PRO-MIX<sup>®</sup> BIOFUNGICIDE<sup>TM</sup> + MYCORRHIZAE<sup>TM</sup> MPX.
- Do not store wet growing media, as pH will tend to climb from activation of limestone.
- Store products in sealed bags to avoid intrusion from water, pathogens, pesticides and weeds.

• Pesticides and chemical growth regulator treatments can be used in combination with **PRO-MIX**<sup>®</sup> **BIOFUNGICIDE<sup>TM</sup> + MYCORRHIZAE<sup>TM</sup> MPX**, and will provide extended protection

throughout the growing season.

# STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

Do not contaminate water by cleaning of equipment or disposal wastes.

**STORAGE:** Store in a dry place at ambient temperature (-30 to 30 °C).

**PESTICIDE DISPOSAL:** Wastes resulting from the use of this product may be disposed of on site, or at an approved waste disposal facility.

**CONTAINER HANDLING:** Nonrefillable container. Do not reuse or refill this container. Completely empty bag by shaking and tapping sides and bottom to loosen clinging particles. Offer for recycling if available or dispose of bag in trash.

# QUALITY GUARANTEE

PREMIER TECH HORTICULTURE is committed to quality. If you are not satisfied with the quality of this product, PREMIER TECH HORTICULTURE guarantees to replace it or refund its purchase price. To the extent consistent with applicable law, all other remedies and liabilities including, liability for direct or consequential damages, warranties of merchantability and fitness for a particular purpose are excluded.

(MPX Sub-label: 4/5)

38/59

37/57

PLEASE RECYCLE RESPECTS ALL LEGISLATION ON HEAVY METALS

PREMIER TECH HORTICULTURE

Manufactured For: PREMIER HORTICULTURE INC. Quakertown, PA USA 18951 For additional information, call: 1 800 525-2553 www.pthorticulture.com

Manufactured By: PREMIER HORTICULTURE LTD Rivière-du-Loup (Québec) Canada G5R 6C1 For additional information, call: 1 800 667-5366 www.pthorticulture.com

**Product of Canada** 

2013-07-02

(MPX Sub-label: 5/5)

# PRO-MIX<sup>®</sup> BIOFUNGICIDE<sup>TM</sup> + MYCORRHIZAE<sup>TM</sup>

PGX

### PROFESSIONAL SPHAGNUM PEAT-BASED GROWING MEDIUM WITH BIOFUNGICIDE™ FOR GREENHOUSE OR CONTAINED NURSERY USE

#### CAUTION: KEEP OUT OF REACH OF CHILDREN See Additional Precautionary Statements on Back Panel

| ACTIVE INGREDIENT:<br>Bacillus pumilus GHA180 (not less than 5 X<br>10 <sup>4</sup> viable spore per gram of media)0.001%<br>OTHER INGREDIENTS: <u>99.999%</u><br>Total100.00 %  | EPA Reg. No. 74267-4<br>EPA Establishment No. 4267-CAN-<br>01/02/03/04/05   |
|--|---|
| For identification of establishment number,<br>refer to the manufacturing identification, which<br>is ink-jet printed within side bar. This indicates<br>year / month / day / manufacture location /<br>manufacture shift, military time and product<br>identification. For example: 2002 / 07 / 01 1 02<br>02:45 BX. Manufacturing locations are coded<br>as: | <ol> <li>for Rivière-du-Loup, Quebec - compressed products<br/>(EPA Establishment No. 74267-CAN-01)</li> <li>for Rivière-du-Loup. Quebec - loose fill products<br/>(EPA Establishment No. 74267-CAN-02)</li> <li>for St. Anne, Manitoba (EPA Establishment No.<br/>74267-CAN-03)</li> <li>for Northal, Alberta (EPA Establishment No. 74267-<br/>CAN-04)</li> <li>for Rexton, New Brunswick (EPA Establishment No.<br/>74267-CAN-05)</li> </ol> |
| www.ptho   | ticulture.com   |

2.8 cu ft loose (85 L), 3.8 cu ft compressed (107 L), 55 cu ft compressed (1 557 L), 60 cu ft loose (1 700 L), 70 cu ft loose (1 980 L), 80 cu ft loose (2 265 L), 135 cu ft compressed (3 825 L).

#### **PRODUCT OF CANADA**

PREMIER HORTICULTURE INC. 127 South 5<sup>th</sup> street Quakertown, PA USA 18951

#### **PRODUIT DU CANADA**

PREMIER HORTICULTURE LTEE 1 avenue Premier Rivière-du-Loup, Quebec Canada G5R 6C1

Batch Code:

<u>38/57</u>

39/57

41/59

(Back Panel)

### PROFESSIONAL PRO-MIX<sup>®</sup> BIOFUNGICIDE<sup>TM</sup> + MYCORRHIZAE<sup>TM</sup> PGX

### PRECAUTIONARY STATEMENTS

**Hazards to Humans and Domestic Animals. CAUTION:** Causes moderate eye irritation .Avoid contact with eyes or clothing. Prolonged or frequently repeated skin contact may cause allergic reactions in some individuals. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco or using the toilet.

**Personal Protective Equipment (PPE):** As a general precaution when exposed to living microbial products such as this, applicators (persons opening bags and/or filling potting machines) must wear a dust/mist filtering respirator meeting NIOSH standards of at least N-95, R-95 or P-95. Follow manufacturer's instructions for cleaning / maintaining PPE.

Environmental Hazards: For terrestrial uses, do not apply directly to water, or to areas where surface water is present. Do not contaminate water when cleaning equipment or disposing of equipment wash water.

# User Safety Recommendations:

Users should remove clothing/PPE immediately if product gets inside. Then wash thoroughly and put on clean clothing.

FIRST AIDIf in Eyes• Hold eye open and rinse slowly and gently with water for 15-20 minutes.<br/>• Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.<br/>• Contact a poison control center or doctor for treatment advice.Have the product container or label with you when calling a poison control center or doctor or going for treatment.

For emergency information on (product, use, etc.), call the National Pesticides Information Center at 1-800-858-7378, 6:30 AM to 4:30 PM Pacific time (PT), seven days a week. During other times, call the poison control center 1-800-222-1222.

**PRO-MIX<sup>®</sup> BIOFUNGICIDE<sup>™</sup> + MYCORRHIZAE<sup>™</sup> PGX** has been enriched with GHA180 (active ingredient: *Bacillus pumilus* GHA180), a biofungicide that prevents root diseases. The *Bacillus pumilus* bacteria colonize developing root systems, and suppress disease-causing organisms, such as *Pythium, Fusarium, Rhizoctonia, Alternaria* and *Aspergillus*, which attack root systems. The bacteria also act as a biostimulant developing with the growing root system. As a result, a vigorous root system is then established that results in more uniform plant stands after transplanting and in greater crop response. In addition, the *Glomus intraradices* fungi, contained in **PRO-MIX<sup>®</sup> BIOFUNGICIDE<sup>™</sup> + MYCORRHIZAE<sup>™</sup> PGX**, attach to and colonize root systems working in symbiosis with plants. Endomycorrhizal fungi benefit the host plant by increasing acquisition of

2013-07-02

(PGX Sub-label: 2/5)

<u>40/57</u>

1450

water and nutrients (especially phosphorus, copper and zinc) by forming an extensive mycorrhizal root system. In exchange, the plant provides soluble sugars to the fungus. This symbiotic relationship between fungi and plant results in overall improved plant growth.

### PRO-MIX<sup>®</sup> BIOFUNGICIDE<sup>TM</sup> + MYCORRHIZAE<sup>TM</sup> PGX

PRO-MIX PGX is a peat-based growing medium designed for germinating ornamental and vegetable seeds. This fine textured blend contains a base of short-fibered Sphagnum peat moss and fine grade vermiculite and is well suited for traditional seeding and plug-system applications.

# DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labelling. For any requirements specific to your State or Tribe, consult the State or Tribal agency responsible for pesticide regulation. Do not apply this product in a way that will contact workers or other persons, either directly or through drift. Only protected handlers may be in the area during application.

### AGRICULTURAL USE REQUIREMENTS

Use this product only in accordance with its labelling and with the Worker Protection Standard, 40 CFR Part 170. This Standard contains requirements for the protection of agricultural workers on farms, forests, nurseries and greenhouses, and handlers of agricultural pesticides. It contains requirements for training, decontamination, notification, and emergency assistance. It also contains specific instructions and exceptions pertaining to the statements on this label about personal protective equipment (PPE), and restricted entry intervals (REI). The requirements in this box only apply to uses of this product that are covered by the Worker Protection Standard.

There is a zero (0) restricted entry interval for this product.

# PREPARATION

Open package at the time of seeding, potting or transplanting. Potting benches and equipment should be located in a clean, weed-free area. Add water to **PRO-MIX**<sup>®</sup> **BIOFUNGICIDE<sup>TM</sup>** + **MYCORRHIZAE<sup>TM</sup> PGX** until slightly moist to the touch. Transplant cuttings, plugs, seedlings, etc. in moistened medium taking care to avoid compaction (do not press down around seed or root systems). After transplanting, add water to settle medium. Place newly transplanted trays and pots in a suitable growing area within the greenhouse.

IMPORTANT: PRO-MIX<sup>®</sup> BIOFUNGICIDE<sup>TM</sup> + MYCORRHIZAE<sup>TM</sup> PGX is suitable for fruit and vegetable transplants. PRO-MIX<sup>®</sup> BIOFUNGICIDE<sup>TM</sup> + MYCORRHIZAE<sup>TM</sup> PGX is for use in protected growing environments only (e.g. glasshouse or greenhouse): not for use in non-protected environments (e.g. non-contained nurseries or slat houses).

# FERTILIZATION

Initial plant development will occur without immediate fertilization. It is essential to initiate a fertilization program at the emergence of the first set of true leaves, this will ensure plants receive adequate nutrients. Select a fertilization program that is appropriate for the plant species grown, stage of development and water nutrient content. If you frequently analyze media nutrient levels and

2013-07-02

(PGX Sub-label: 3/5)

41/57

plant tissue throughout the production cycle, you can insure plants receive proper nutritional requirements.

# WATER MANAGEMENT

An essential part of crop culture is water management. When plants require water, irrigate the crop early in the day. This will allow plant foliage and medium surface to dry. Also, medium temperature can warm to normal level by evening. Irrigate thoroughly so water 'runs through' to prevent salt accumulation and to ensure uniform wetting and drying of containers throughout the crop. If preferred, additional wetting agent can be applied during the crop cycle at irrigation to reduce surface tension of water for more thorough water penetration and movement throughout the root zone.

# APPLICATION INFORMATION

• Use **PRO-MIX**<sup>®</sup> **BIOFUNGICIDE<sup>TM</sup> + MYCORRHIZAE<sup>TM</sup> PGX** "as is" from package. Add water to moisten.

- Thoroughly moisten medium to "water-in" plants after transplanting and placing in the greenhouse.
- Do not add fertilizers when sowing seeds.
- Use for plants requiring a growing pH between 5.0 and 7.0.
- Do not sterilize or pasteurize **PRO-MIX**<sup>®</sup> **BIOFUNGICIDE<sup>TM</sup> + MYCORRHIZAE<sup>TM</sup> PGX**.
- Do not store wet growing media, as pH will tend to climb from activation of limestone.
- Store products in sealed bags to avoid intrusion from water, pathogens, pesticides and weeds.

• Pesticides and chemical growth regulator treatments can be used in combination with **PRO-MIX**<sup>®</sup> **BIOFUNGICIDE<sup>TM</sup> + MYCORRHIZAE<sup>TM</sup> PGX**, and will provide extended protection throughout the growing season.

# STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

Do not contaminate water by cleaning of equipment or disposal wastes.

**STORAGE:** Store in a dry place at ambient temperature (-30 to 30 °C).

**PESTICIDE DISPOSAL:** Wastes resulting from the use of this product may be disposed of on site, or at an approved waste disposal facility.

**CONTAINER HANDLING:** Nonrefillable container. Do not reuse or refill this container. Completely empty bag by shaking and tapping sides and bottom to loosen clinging particles. Offer for recycling if available or dispose of bag in trash.

## QUALITY GUARANTEE

PREMIER TECH HORTICULTURE is committed to quality. If you are not satisfied with the quality of this product, PREMIER TECH HORTICULTURE guarantees to replace it or refund its purchase price. To the extent consistent with applicable law, all other remedies and liabilities including, liability for direct or consequential damages, warranties of merchantability and fitness for a particular purpose are excluded.

#### PRO-MIX® BIOFUNGICIDE<sup>TM</sup> + MYCORRHIZAE<sup>TM</sup> PGX

Sub-label

42/57

44/50

#### PLEASE RECYCLE **RESPECTS ALL LEGISLATION ON HEAVY METALS**

PREMIER TECH

**Manufactured For:** PREMIER HORTICULTURE INC. Quakertown, PA USA 18951 For additional information, call: 1 800 525-2553 www.pthorticulture.com

**Manufactured By:** PREMIER HORTICULTURE LTD Rivière-du-Loup (Québec) Canada G5R 6C1 For additional information, call: 1 800 667-5366 www.pthorticulture.com

**Product of Canada** 

2013-07-02

(PGX Sub-label: 5/5)

# PRO-MIX<sup>®</sup> BIOFUNGICIDE<sup>TM</sup> + MYCORRHIZAE<sup>TM</sup> VFT

### PROFESSIONAL SPHAGNUM PEAT-BASED GROWING MEDIUM WITH BIOFUNGICIDE™ FOR GREENHOUSE OR CONTAINED NURSERY USE

#### CAUTION: KEEP OUT OF REACH OF CHILDREN See Additional Precautionary Statements on Back Panel

| ACTIVE INGREDIENT:<br>Bacillus pumilus GHA180 (not less than 5 X<br>10 <sup>4</sup> viable spore per gram of media)0.001%<br>OTHER INGREDIENTS: <u>99.999%</u><br>Total100.00 %  | EPA Reg. No. 74267-4<br>EPA Establishment No. 4267-CAN-<br>01/02/03/04/05   |
|--|---|
| For identification of establishment number,<br>refer to the manufacturing identification, which<br>is ink-jet printed within side bar. This indicates<br>year / month / day / manufacture location /<br>manufacture shift, military time and product<br>identification. For example: 2002 / 07 / 01 1 02<br>02:45 BX. Manufacturing locations are coded<br>as: | <ol> <li>for Rivière-du-Loup, Quebec - compressed products<br/>(EPA Establishment No. 74267-CAN-01)</li> <li>for Rivière-du-Loup. Quebec - loose fill products<br/>(EPA Establishment No. 74267-CAN-02)</li> <li>for St. Anne, Manitoba (EPA Establishment No.<br/>74267-CAN-03)</li> <li>for Northal, Alberta (EPA Establishment No. 74267-<br/>CAN-04)</li> <li>for Rexton, New Brunswick (EPA Establishment No.<br/>74267-CAN-05)</li> </ol> |
| www.pthor  | ticulture.com   |

2.8 cu ft loose (85 L), 3.8 cu ft compressed (107 L), 55 cu ft compressed (1 557 L), 60 cu ft loose (1 700 L), 70 cu ft loose (1 980 L), 80 cu ft loose (2 265 L), 135 cu ft compressed (3 825 L).

### **PRODUCT OF CANADA**

PREMIER HORTICULTURE INC. 127 South 5<sup>th</sup> street Quakertown, PA USA 18951

#### **PRODUIT DU CANADA**

PREMIER HORTICULTURE LTEE 1 avenue Premier Rivière-du-Loup, Quebec Canada G5R 6C1

Batch Code:

45/59

<u>43/57</u>

<u>44/57</u>

#### (Back Panel)

### PROFESSIONAL PRO-MIX<sup>®</sup> BIOFUNGICIDE<sup>TM</sup> + MYCORRHIZAE<sup>TM</sup> VFT

### PRECAUTIONARY STATEMENTS

**Hazards to Humans and Domestic Animals. CAUTION:** Causes moderate eye irritation .Avoid contact with eyes or clothing. Prolonged or frequently repeated skin contact may cause allergic reactions in some individuals. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco or using the toilet.

**Personal Protective Equipment (PPE):** As a general precaution when exposed to living microbial products such as this, applicators (persons opening bags and/or filling potting machines) must wear a dust/mist filtering respirator meeting NIOSH standards of at least N-95, R-95 or P-95. Follow manufacturer's instructions for cleaning / maintaining PPE.

Environmental Hazards: For terrestrial uses, do not apply directly to water, or to areas where surface water is present. Do not contaminate water when cleaning equipment or disposing of equipment wash water.

User Safety Recommendations:

Users should remove clothing/PPE immediately if product gets inside. Then wash thoroughly and put on clean clothing.

FIRST AID

| If in Eyes | <ul> <li>Hold eye open and rinse slowly and gently with water for 15-20 minutes.</li> <li>Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.</li> <li>Contact a poison control center or doctor for treatment advice.</li> </ul> |
|------------|--|
|            | Have the product container or label with you when calling a poison control center or doctor or going for treatment.  |
|            | For emergency information on (product, use, etc.), call the National Pesticides Information Center at 1-800-858-7378, 6:30 AM to 4:30 PM Pacific time (PT), seven days a week. During other times, call the poison control center 1-800-222-1222.                      |

**PRO-MIX**<sup>®</sup> **BIOFUNGICIDE<sup>TM</sup> + MYCORRHIZAE<sup>TM</sup> VFT** has been enriched with GHA180 (active ingredient: *Bacillus pumilus* GHA180), a biofungicide that prevents root diseases. The *Bacillus pumilus* bacteria colonize developing root systems, and suppress disease-causing organisms, such as *Pythium, Fusarium, Rhizoctonia, Alternaria* and *Aspergillus*, which attack root systems. The bacteria also act as a biostimulant developing with the growing root system. As a result, a vigorous root system is then established that results in more uniform plant stands after transplanting and in greater crop response. In addition, the *Glomus intraradices* fungi, contained in **PRO-MIX**<sup>®</sup> **BIOFUNGICIDE<sup>TM</sup> + MYCORRHIZAE<sup>TM</sup> VFT**, attach to and colonize root systems working in symbiosis with plants. Endomycorrhizal fungi benefit the host plant by increasing acquisition of

2013-07-02

(VFT Sub-label: 2/5)

water and nutrients (especially phosphorus, copper and zinc) by forming an extensive mycorrhizal root system. In exchange, the plant provides soluble sugars to the fungus. This symbiotic relationship between fungi and plant results in overall improved plant growth.

### PRO-MIX<sup>®</sup> BIOFUNGICIDE<sup>TM</sup> + MYCORRHIZAE<sup>TM</sup> VFT

PRO-MIX VFT is a peat-based growing medium formulated for germinating and growing-on of vegetable, fruit and tobacco transplants. This blend is designed for use with trays/flats cultivated in sub-irrigated float systems and conventional irrigation methods. (Optional Text: This formulation contains a blend of ingredients that allow oxygen and water to move freely for uniform seed germination and plant growth. This fine textured blend is user-friendly for filling small cell trays and flats with automated equipment or by hand. USES: Vegetable Transplants, Fruit Transplants, Tobacco Transplants, Germination of Tobacco and Vegetable Seeds, Float Trays, Subirrigation systems).

# DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labelling. For any requirements specific to your State or Tribe, consult the State or Tribal agency responsible for pesticide regulation. Do not apply this product in a way that will contact workers or other persons, either directly or through drift. Only protected handlers may be in the area during application.

### AGRICULTURAL USE REQUIREMENTS

Use this product only in accordance with its labelling and with the Worker Protection Standard, 40 CFR Part 170. This Standard contains requirements for the protection of agricultural workers on farms, forests, nurseries and greenhouses, and handlers of agricultural pesticides. It contains requirements for training, decontamination, notification, and emergency assistance. It also contains specific instructions and exceptions pertaining to the statements on this label about personal protective equipment (PPE), and restricted entry intervals (REI). The requirements in this box only apply to uses of this product that are covered by the Worker Protection Standard.

There is a zero (0) restricted entry interval for this product.

## PREPARATION

Open package at the time of seeding, potting or transplanting. Potting benches and equipment should be located in a clean, weed-free area. Add water to **PRO-MIX**<sup>®</sup> **BIOFUNGICIDE<sup>TM</sup>** + **MYCORRHIZAE<sup>TM</sup> VFT** until slightly moist to the touch. Transplant cuttings, plugs, seedlings, etc. in moistened medium taking care to avoid compaction (do not press down around seed or root systems). After transplanting, add water to settle medium. Place newly transplanted trays and pots in a suitable growing area within the greenhouse.

**IMPORTANT: PRO-MIX<sup>®</sup> BIOFUNGICIDE<sup>TM</sup> + MYCORRHIZAE<sup>TM</sup> VFT** is suitable for fruit and vegetable transplants. **PRO-MIX<sup>®</sup> BIOFUNGICIDE<sup>TM</sup> + MYCORRHIZAE<sup>TM</sup> VFT** is for use in protected growing environments only (e.g. glasshouse or greenhouse): not for use in non-protected environments (e.g. non-contained nurseries or slat houses).

# FERTILIZATION

48150

46/57

Initial plant development will occur without immediate fertilization. It is essential to initiate a fertilization program at the emergence of the first set of true leaves, this will ensure plants receive adequate nutrients. Select a fertilization program that is appropriate for the plant species grown, stage of development and water nutrient content. If you frequently analyze media nutrient levels and plant tissue throughout the production cycle, you can insure plants receive proper nutritional requirements.

# WATER MANAGEMENT

An essential part of crop culture is water management. When plants require water, irrigate the crop early in the day. This will allow plant foliage and medium surface to dry. Also, medium temperature can warm to normal level by evening. Irrigate thoroughly so water 'runs through' to prevent salt accumulation and to ensure uniform wetting and drying of containers throughout the crop. If preferred, additional wetting agent can be applied during the crop cycle at irrigation to reduce surface tension of water for more thorough water penetration and movement throughout the root zone.

# **APPLICATION INFORMATION**

• Use **PRO-MIX<sup>®</sup> BIOFUNGICIDE<sup>TM</sup>** + **MYCORRHIZAE<sup>TM</sup> VFT** "as is" from package. Add water to moisten.

- Thoroughly moisten medium to "water-in" plants after transplanting and placing in the greenhouse.
- Do not add fertilizers when sowing seeds.
- Use for plants requiring a growing pH between 5.0 and 7.0.
- Do not sterilize or pasteurize PRO-MIX<sup>®</sup> BIOFUNGICIDE<sup>TM</sup> + MYCORRHIZAE<sup>TM</sup> VFT.
- Do not store wet growing media, as pH will tend to climb from activation of limestone.
- Store products in sealed bags to avoid intrusion from water, pathogens, pesticides and weeds.
- Pesticides and chemical growth regulator treatments can be used in combination with **PRO-MIX**<sup>®</sup>

**BIOFUNGICIDE<sup>TM</sup> + MYCORRHIZAE<sup>TM</sup> VFT**, and will provide extended protection throughout the growing season.

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

Do not contaminate water by cleaning of equipment or disposal wastes.

**STORAGE:** Store in a dry place at ambient temperature (-30 to 30 °C).

**PESTICIDE DISPOSAL:** Wastes resulting from the use of this product may be disposed of on site, or at an approved waste disposal facility.

**CONTAINER HANDLING:** Nonrefillable container. Do not reuse or refill this container. Completely empty bag by shaking and tapping sides and bottom to loosen clinging particles. Offer for recycling if available or dispose of bag in trash.

# QUALITY GUARANTEE

PREMIER TECH HORTICULTURE is committed to quality. If you are not satisfied with the quality of this product, PREMIER TECH HORTICULTURE guarantees to replace it or refund its purchase price. To the extent consistent with applicable law, all other remedies and liabilities

2013-07-02

including, liability for direct or consequential damages, warranties of merchantability and fitness for a particular purpose are excluded.

### PLEASE RECYCLE RESPECTS ALL LEGISLATION ON HEAVY METALS



Manufactured For: PREMIER HORTICULTURE INC. Quakertown, PA USA 18951 For additional information, call: 1 800 525-2553 www.pthorticulture.com

Manufactured By: PREMIER HORTICULTURE LTD Rivière-du-Loup (Québec) Canada G5R 6C1 For additional information, call: 1 800 667-5366 www.pthorticulture.com

**Product of Canada** 

2013-07-02

(VFT Sub-label: 5/5)

49159

47/57

# PRO-MIX<sup>®</sup> BIOFUNGICIDE<sup>TM</sup> + MYCORRHIZAE<sup>TM</sup> BRK

### PROFESSIONAL

### SPHAGNUM PEAT-BASED GROWING MEDIUM

WITH BIOFUNGICIDE™ FOR GREENHOUSE OR CONTAINED NURSERY

USE

#### CAUTION: KEEP OUT OF REACH OF CHILDREN See Additional Precautionary Statements on Back Panel

| ACTIVE INGREDIENT:<br>Bacillus pumilus GHA180 (not less than 5 X<br>10 <sup>4</sup> viable spore per gram of media)0.001%<br>OTHER INGREDIENTS: <u>99.999%</u><br>Total100.00 %  | EPA Reg. No. 74267-4<br>EPA Establishment No. 4267-CAN-<br>01/02/03/04/05   |
|--|---|
| For identification of establishment number,<br>refer to the manufacturing identification, which<br>is ink-jet printed within side bar. This indicates<br>year / month / day / manufacture location /<br>manufacture shift, military time and product<br>identification. For example: 2002 / 07 / 01 1 02<br>02:45 BX. Manufacturing locations are coded<br>as: | <ol> <li>for Rivière-du-Loup, Quebec - compressed products<br/>(EPA Establishment No. 74267-CAN-01)</li> <li>for Rivière-du-Loup. Quebec - loose fill products<br/>(EPA Establishment No. 74267-CAN-02)</li> <li>for St. Anne, Manitoba (EPA Establishment No.<br/>74267-CAN-03)</li> <li>for Northal, Alberta (EPA Establishment No. 74267-<br/>CAN-04)</li> <li>for Rexton, New Brunswick (EPA Establishment No.<br/>74267-CAN-05)</li> </ol> |
| www.ptho   | rticulture.com  |

2.8 cu ft loose (85 L), 3.8 cu ft compressed (107 L), 55 cu ft compressed (1 557 L), 60 cu ft loose (1 700 L), 70 cu ft loose (1 980 L), 80 cu ft loose (2 265 L), 135 cu ft compressed (3 825 L).

### **PRODUCT OF CANADA**

PREMIER HORTICULTURE INC. 127 South 5<sup>th</sup> street Quakertown, PA USA 18951

#### **PRODUIT DU CANADA**

PREMIER HORTICULTURE LTEE 1 avenue Premier Rivière-du-Loup, Quebec Canada G5R 6C1

Batch Code:

2013-07-02

50/59

<u>48/57</u>

(Back Panel)

# PROFESSIONAL

# PRO-MIX<sup>®</sup> BIOFUNGICIDE<sup>TM</sup> + MYCORRHIZAE<sup>TM</sup> BRK

# PRECAUTIONARY STATEMENTS

Hazards to Humans and Domestic Animals. CAUTION: Causes moderate eye irritation .Avoid contact with eyes or clothing. Prolonged or frequently repeated skin contact may cause allergic reactions in some individuals. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco or using the toilet.

**Personal Protective Equipment (PPE):** As a general precaution when exposed to living microbial products such as this, applicators (persons opening bags and/or filling potting machines) must wear a dust/mist filtering respirator meeting NIQSH standards of at least N-95, R-95 or P-95. Follow manufacturer's instructions for cleaning / maintaining PPE.

Environmental Hazards: For terrestrial uses, do not apply directly to water, or to areas where surface water is present. Do not contaminate water when cleaning equipment or disposing of equipment wash water.

### User Safety Recommendations:

Users should remove clothing/PPE immediately if product gets inside. Then wash thoroughly and put on clean clothing.

FIRSTAID

| If in Eyes | <ul> <li>Hold eye open and rinse slowly and gently with water for 15-20 minutes.</li> <li>Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.</li> <li>Contact a poison control center or doctor for treatment advice.</li> </ul> |
|------------|--|
|            | Have the product container or label with you when calling a poison control center or doctor or going for treatment.  |
|            | For emergency information on (product, use, etc.), call the National Pesticides<br>Information Center at 1-800-858-7378, 6:30 AM to 4:30 PM Pacific time (PT), seven<br>days a week. During other times call the poison control center 1-800-222-1222                  |

**PRO-MIX<sup>®</sup> BIOFUNGICIDE<sup>TM</sup> + MYCORRHIZAE<sup>TM</sup> BRK** has been enriched with GHA180 (active ingredient: *Bacillus pumilus* GHA180), a biofungicide that prevents root diseases. The *Bacillus pumilus* bacteria colonize developing root systems, and suppress disease-causing organisms, such as *Pythium, Fusarium, Rhizoctonia, Alternaria* and *Aspergillus*, which attack root systems. The bacteria also act as a biostimulant developing with the growing root system. As a result, a vigorous root system is then established that results in more uniform plant stands after transplanting and in greater crop response. In addition, the *Glomus intraradices* fungi, contained in **PRO-MIX<sup>®</sup> BIOFUNGICIDE<sup>TM</sup> + MYCORRHIZAE<sup>TM</sup> BRK**, attach to and colonize root systems working in symbiosis with plants. Endomycorrhizal fungi benefit the host plant by increasing acquisition of

2013-07-02

(BRK Sub-label: 2/5)

<u>49/57</u>

water and nutrients (especially phosphorus, copper and zinc) by forming an extensive mycorrhizal root system. In exchange, the plant provides soluble sugars to the fungus. This symbiotic relationship between fungi and plant results in overall improved plant growth.

### PRO-MIX<sup>®</sup> BIOFUNGICIDE<sup>TM</sup> + MYCORRHIZAE<sup>TM</sup> BRK

PRO-MIX BRK is a medium-weight, Peat/Bark-based growing medium designed for the cultivation of horticulture plants. Processed pine bark adds weight and reduces water retention of media while Sphagnum peat moss is light-weight and possesses high water-holding ability. This combination forms a base for a "general use" growing medium that provides conditions necessary to establish plant growth, particularly when container stability and low- water retention are required.

# DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labelling. For any requirements specific to your State or Tribe, consult the State or Tribal agency responsible for pesticide regulation. Do not apply this product in a way that will contact workers or other persons, either directly or through drift. Only protected handlers may be in the area during application.

### AGRICULTURAL USE REQUIREMENTS

Use this product only in accordance with its labelling and with the Worker Protection Standard, 40 CFR Part 170. This Standard contains requirements for the protection of agricultural workers on farms, forests, nurseries and greenhouses, and handlers of agricultural pesticides. It contains requirements for training, decontamination, notification, and emergency assistance. It also contains specific instructions and exceptions pertaining to the statements on this label about personal protective equipment (PPE), and restricted entry intervals (REI). The requirements in this box only apply to uses of this product that are covered by the Worker Protection Standard.

There is a zero (0) restricted entry interval for this product.

#### PREPARATION

Open package at the time of seeding, potting or transplanting. Potting benches and equipment should be located in a clean, weed-free area. Add water to **PRO-MIX**<sup>®</sup> **BIOFUNGICIDE<sup>TM</sup>** + **MYCORRHIZAE<sup>TM</sup> BRK** until slightly moist to the touch. Transplant cuttings, plugs, seedlings, etc. in moistened medium taking care to avoid compaction (do not press down around seed or root systems). After transplanting, add water to settle medium. Place newly transplanted trays and pots in a suitable growing area within the greenhouse.

**IMPORTANT: PRO-MIX<sup>®</sup> BIOFUNGICIDE<sup>TM</sup> + MYCORRHIZAE<sup>TM</sup> BRK** is suitable for fruit and vegetable transplants. **PRO-MIX<sup>®</sup> BIOFUNGICIDE<sup>TM</sup> + MYCORRHIZAE<sup>TM</sup> BRK** is for use in protected growing environments only (e.g. glasshouse or greenhouse): not for use in non-protected environments (e.g. non-contained nurseries or slat houses).

### FERTILIZATION

Initial plant development will occur without immediate fertilization. It is essential to initiate a fertilization program at the emergence of the first set of true leaves, this will ensure plants receive

2013-07-02

<u>50/57</u>

adequate nutrients. Select a fertilization program that is appropriate for the plant species grown, stage of development and water nutrient content. If you frequently analyze media nutrient levels and plant tissue throughout the production cycle, you can insure plants receive proper nutritional requirements.

## WATER MANAGEMENT

An essential part of crop culture is water management. When plants require water, irrigate the crop early in the day. This will allow plant foliage and medium surface to dry. Also, medium temperature can warm to normal level by evening. Irrigate thoroughly so water 'runs through' to prevent salt accumulation and to ensure uniform wetting and drying of containers throughout the crop. If preferred, additional wetting agent can be applied during the crop cycle at irrigation to reduce surface tension of water for more thorough water penetration and movement throughout the root zone.

# **APPLICATION INFORMATION**

• Use **PRO-MIX**<sup>®</sup> **BIOFUNGICIDE<sup>TM</sup> + MYCORRHIZAE<sup>TM</sup> BRK** "as is" from package. Add water to moisten.

- Thoroughly moisten medium to "water-in" plants after transplanting and placing in the greenhouse.
- Do not add fertilizers when sowing seeds.
- Use for plants requiring a growing pH between 5.0 and 7.0.
- Do not sterilize or pasteurize PRO-MIX<sup>®</sup> BIOFUNGICIDE<sup>TM</sup> + MYCORRHIZAE<sup>TM</sup> BRK.
- Do not store wet growing media, as pH will tend to climb from activation of limestone.
- Store products in sealed bags to avoid intrusion from water, pathogens, pesticides and weeds.

• Pesticides and chemical growth regulator treatments can be used in combination with **PRO-MIX**<sup>®</sup> **BIOFUNGICIDE<sup>TM</sup> + MYCORRHIZAE<sup>TM</sup> BRK**, and will provide extended protection throughout the growing season.

# STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

Do not contaminate water by cleaning of equipment or disposal wastes.

**STORAGE:** Store in a dry place at ambient temperature (-30 to 30 °C).

**PESTICIDE DISPOSAL:** Wastes resulting from the use of this product may be disposed of on site, or at an approved waste disposal facility.

**CONTAINER HANDLING:** Nonrefillable container. Do not reuse or refill this container. Completely empty bag by shaking and tapping sides and bottom to loosen clinging particles. Offer for recycling if available or dispose of bag in trash.

# QUALITY GUARANTEE

PREMIER TECH HORTICULTURE is committed to quality. If you are not satisfied with the quality of this product, PREMIER TECH HORTICULTURE guarantees to replace it or refund its purchase price. To the extent consistent with applicable law, all other remedies and liabilities including, liability for direct or consequential damages, warranties of merchantability and fitness for a particular purpose are excluded.

<u>51/57</u>

53/59

52/57

#### PLEASE RECYCLE RESPECTS ALL LEGISLATION ON HEAVY METALS



Manufactured For: PREMIER HORTICULTURE INC. Quakertown, PA USA 18951 For additional information, call: 1 800 525-2553 www.pthorticulture.com

Manufactured By: PREMIER HORTICULTURE LTD Rivière-du-Loup (Québec) Canada G5R 6C1 For additional information, call: 1 800 667-5366 www.pthorticulture.com

**Product of Canada** 

2013-07-02

(BRK Sub-label: 5/5)

# PRO-MIX<sup>®</sup> BIOFUNGICIDE<sup>TM</sup> + MYCORRHIZAE<sup>TM</sup> BRK20

### PROFESSIONAL

#### SPHAGNUM PEAT-BASED GROWING MEDIUM

WITH BIOFUNGICIDE™ FOR GREENHOUSE OR CONTAINED NURSERY

USE

#### CAUTION: KEEP OUT OF REACH OF CHILDREN See Additional Precautionary Statements on Back Panel

| ACTIVE INGREDIENT:<br>Bacillus pumilus GHA180 (not less than 5 X<br>10 <sup>4</sup> viable spore per gram of media)0.001%<br>OTHER INGREDIENTS: <u>99.999%</u><br>Total100.00 %  | EPA Reg. No. 74267-4<br>EPA Establishment No. 4267-CAN-<br>01/02/03/04/05   |
|--|---|
| For identification of establishment number,<br>refer to the manufacturing identification, which<br>is ink-jet printed within side bar. This indicates<br>year / month / day / manufacture location /<br>manufacture shift, military time and product<br>identification. For example: 2002 / 07 / 01 1 02<br>02:45 BX. Manufacturing locations are coded<br>as: | <ol> <li>for Rivière-du-Loup, Quebec - compressed products<br/>(EPA Establishment No. 74267-CAN-01)</li> <li>for Rivière-du-Loup. Quebec - loose fill products<br/>(EPA Establishment No. 74267-CAN-02)</li> <li>for St. Anne, Manitoba (EPA Establishment No.<br/>74267-CAN-03)</li> <li>for Northal, Alberta (EPA Establishment No. 74267-<br/>CAN-04)</li> <li>for Rexton, New Brunswick (EPA Establishment No.<br/>74267-CAN-05)</li> </ol> |
| www.pthor  | ticulture.com   |

2.8 cu ft loose (85 L), 3.8 cu ft compressed (107 L), 55 cu ft compressed (1 557 L), 60 cu ft loose (1 700 L), 70 cu ft loose (1 980 L), 80 cu ft loose (2 265 L), 135 cu ft compressed (3 825 L).

### **PRODUCT OF CANADA**

PREMIER HORTICULTURE INC. 127 South 5<sup>th</sup> street Quakertown, PA USA 18951

#### **PRODUIT DU CANADA**

PREMIER HORTICULTURE LTEE 1 avenue Premier Rivière-du-Loup, Quebec Canada G5R 6C1

Batch Code:

2013-07-02

(Back Panel)

### PROFESSIONAL PRO-MIX<sup>®</sup> BIOFUNGICIDE<sup>™</sup> + MYCORRHIZAE<sup>™</sup> BRK20

### **PRECAUTIONARY STATEMENTS**

Hazards to Humans and Domestic Animals. CAUTION: Causes moderate eye irritation .Avoid contact with eyes or clothing. Prolonged or frequently repeated skin contact may cause allergic reactions in some individuals. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco or using the toilet.

**Personal Protective Equipment (PPE):** As a general precaution when exposed to living microbial products such as this, applicators (persons opening bags and/or filling potting machines) must wear a dust/mist filtering respirator meeting NIOSH standards of at least N-95, R-95 or P-95. Follow manufacturer's instructions for cleaning / maintaining PPE.

Environmental Hazards: For terrestrial uses, do not apply directly to water, or to areas where surface water is present. Do not contaminate water when cleaning equipment or disposing of equipment wash water.

User Safety Recommendations:

Users should remove clothing/PPE immediately if product gets inside. Then wash thoroughly and put on clean clothing.

FIRST AID

| • | If in Eyes | <ul> <li>Hold eye open and rinse slowly and gently with water for 15-20 minutes.</li> <li>Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.</li> <li>Contact a poison control center or doctor for treatment advice.</li> </ul> |  |
|---|------------|--|--|
|   |            | Have the product container or label with you when calling a poison control center or doctor or going for treatment.  |  |
|   |            | For emergency information on (product, use, etc.), call the National Pesticides<br>Information Center at 1-800-858-7378, 6:30 AM to 4:30 PM Pacific time (PT), seven<br>days a week. During other times, call the poison control center 1-800-222-1222.                |  |

**PRO-MIX**<sup>®</sup> **BIOFUNGICIDE<sup>TM</sup> + MYCORRHIZAE<sup>TM</sup> BRK20** has been enriched with GHA180 (active ingredient: *Bacillus pumilus* GHA180), a biofungicide that prevents root diseases. The *Bacillus pumilus* bacteria colonize developing root systems, and suppress disease-causing organisms, such as *Pythium, Fusarium, Rhizoctonia, Alternaria* and *Aspergillus*, which attack root systems. The bacteria also act as a biostimulant developing with the growing root system. As a result, a vigorous root system is then established that results in more uniform plant stands after transplanting and in greater crop response. In addition, the *Glomus intraradices* fungi, contained in **PRO-MIX**<sup>®</sup> **BIOFUNGICIDE<sup>TM</sup> + MYCORRHIZAE<sup>TM</sup> BRK20**, attach to and colonize root systems working in symbiosis with plants. Endomycorrhizal fungi benefit the host plant by increasing acquisition of

2013-07-02

(BRK20 Sub-label: 2/5)

<u>54/57</u>

55/57

#### PRO-MIX® BIOFUNGICIDETM + MYCORRHIZAETM BRK20 Sub-label

water and nutrients (especially phosphorus, copper and zinc) by forming an extensive mycorrhizal root system. In exchange, the plant provides soluble sugars to the fungus. This symbiotic relationship between fungi and plant results in overall improved plant growth.

### PRO-MIX<sup>®</sup> BIOFUNGICIDE<sup>TM</sup> + MYCORRHIZAE<sup>TM</sup> BRK20

Similar to the BRK Blend, PRO-MIX BRK20 is Peat/Bark-based growing medium with 20% processed pine bark to add weight and reduce water retention of media. This combination forms a base for a "general use" growing medium that provides conditions necessary to establish plant growth when less bark is required.

# DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labelling. For any requirements specific to your State or Tribe, consult the State or Tribal agency responsible for pesticide regulation. Do not apply this product in a way that will contact workers or other persons, either directly or through drift. Only protected handlers may be in the area during application.

### AGRICULTURAL USE REQUIREMENTS

Use this product only in accordance with its labelling and with the Worker Protection Standard, 40 CFR Part 170. This Standard contains requirements for the protection of agricultural workers on farms, forests, nurseries and greenhouses, and handlers of agricultural pesticides. It contains requirements for training, decontamination, notification, and emergency assistance. It also contains specific instructions and exceptions pertaining to the statements on this label about personal protective equipment (PPE), and restricted entry intervals (REI). The requirements in this box only apply to uses of this product that are covered by the Worker Protection Standard.

There is a zero (0) restricted entry interval for this product.

## PREPARATION

Open package at the time of seeding, potting or transplanting. Potting benches and equipment should be located in a clean, weed-free area. Add water to **PRO-MIX**<sup>®</sup> **BIOFUNGICIDE<sup>TM</sup>** + **MYCORRHIZAE<sup>TM</sup> BRK20**until slightly moist to the touch. Transplant cuttings, plugs, seedlings, etc. in moistened medium taking care to avoid compaction (do not press down around seed or root systems). After transplanting, add water to settle medium. Place newly transplanted trays and pots in a suitable growing area within the greenhouse.

IMPORTANT: PRO-MIX<sup>®</sup> BIOFUNGICIDE<sup>TM</sup> + MYCORRHIZAE<sup>TM</sup> BRK20is suitable for fruit and vegetable transplants. PRO-MIX<sup>®</sup> BIOFUNGICIDE<sup>TM</sup> + MYCORRHIZAE<sup>TM</sup> BRK20 is for use in protected growing environments only (e.g. glasshouse or greenhouse): not for use in non-protected environments (e.g. non-contained nurseries or slat houses).

# FERTILIZATION

Initial plant development will occur without immediate fertilization. It is essential to initiate a fertilization program at the emergence of the first set of true leaves, this will ensure plants receive adequate nutrients. Select a fertilization program that is appropriate for the plant species grown,

stage of development and water nutrient content. If you frequently analyze media nutrient levels and plant tissue throughout the production cycle, you can insure plants receive proper nutritional requirements.

## WATER MANAGEMENT

An essential part of crop culture is water management. When plants require water, irrigate the crop early in the day. This will allow plant foliage and medium surface to dry. Also, medium temperature can warm to normal level by evening. Irrigate thoroughly so water 'runs through' to prevent salt accumulation and to ensure uniform wetting and drying of containers throughout the crop. If preferred, additional wetting agent can be applied during the crop cycle at irrigation to reduce surface tension of water for more thorough water penetration and movement throughout the root zone.

# APPLICATION INFORMATION

• Use **PRO-MIX<sup>®</sup> BIOFUNGICIDE<sup>TM</sup> + MYCORRHIZAE<sup>TM</sup> BRK20** "as is" from package. Add water to moisten.

- Thoroughly moisten medium to "water-in" plants after transplanting and placing in the greenhouse.
- Do not add fertilizers when sowing seeds.
- Use for plants requiring a growing pH between 5.0 and 7.0.
- Do not sterilize or pasteurize PRO-MIX<sup>®</sup> BIOFUNGICIDE<sup>TM</sup> + MYCORRHIZAE<sup>TM</sup> BRK20.
- Do not store wet growing media, as pH will tend to climb from activation of limestone.
- Store products in sealed bags to avoid intrusion from water, pathogens, pesticides and weeds.

• Pesticides and chemical growth regulator treatments can be used in combination with **PRO-MIX**<sup>®</sup> **BIOFUNGICIDE<sup>TM</sup> + MYCORRHIZAE<sup>TM</sup> BRK20**, and will provide extended protection throughout the growing season.

# STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

Do not contaminate water by cleaning of equipment or disposal wastes.

**STORAGE:** Store in a dry place at ambient temperature (-30 to 30 °C).

**PESTICIDE DISPOSAL:** Wastes resulting from the use of this product may be disposed of on site, or at an approved waste disposal facility.

**CONTAINER HANDLING:** Nonrefillable container. Do not reuse or refill this container. Completely empty bag by shaking and tapping sides and bottom to loosen clinging particles. Offer for recycling if available or dispose of bag in trash.

# QUALITY GUARANTEE

PREMIER TECH HORTICULTURE is committed to quality. If you are not satisfied with the quality of this product, PREMIER TECH HORTICULTURE guarantees to replace it or refund its purchase price. To the extent consistent with applicable law, all other remedies and liabilities including, liability for direct or consequential damages, warranties of merchantability and fitness for a particular purpose are excluded.

57/57

PLEASE RECYCLE RESPECTS ALL LEGISLATION ON HEAVY METALS

PREMIER TECH HORTICULTURE

Manufactured For: PREMIER HORTICULTURE INC. Quakertown, PA USA 18951 For additional information, call: 1 800 525-2553 www.pthorticulture.com

Manufactured By: PREMIER HORTICULTURE LTD Rivière-du-Loup (Québec) Canada G5R 6C1 For additional information, call: 1 800 667-5366 www.pthorticulture.com

**Product of Canada** 

(BRK20 Sub-label: 5/5)