



74331-2

05/03/2007

1/6

<p align="center">U.S. ENVIRONMENTAL PROTECTION AGENCY Office of Pesticide Programs Antimicrobials Division (7510C) 1200 Pennsylvania Avenue NW Washington, D.C. 20460</p>  <p align="center"><b>NOTICE OF PESTICIDE:</b> <u>  x  </u> Registration <u>    </u> Reregistration</p> <p>(under FIFRA, as amended)</p>	<p>EPA Reg. Number: <b>74331-2</b></p>	<p>Date of Issuance: <b>03-May-07</b></p>
	<p>Term of Issuance: <b>Unconditional</b></p>	
	<p>Name of Pesticide Product:  <b>DisinFx™</b></p>	
<p>Name and Address of Registrant (include ZIP Code)</p> <p align="center">SteriFx, Inc. 1868 Kings Highway Shreveport, LA 71103</p>		
<p>Note: Changes in labeling differing in substance from that accepted in connection with this registration must be submitted to and accepted by the Registration Division prior to use of the label in commerce. In any correspondence on this product always refer to the above EPA registration number.</p>		
<p>On the basis of information furnished by the registrant, the above named pesticide is hereby registered reregistered under the Federal Insecticide, Fungicide and Rodenticide Act.</p> <p>Registration is in no way to be construed as an endorsement or recommendation of this product by the Agency. In order to protect health and the environment, the Administrator, on his motion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by others.</p> <p>This product is unconditionally registered in accordance with FIFRA sec 3(c)(5) provided that you: Submit and/or cite all data required for registration of your product under FIFRA sec. 3(c)(5) when the Agency requires all registrants of similar products to submit such data; and submit acceptable responses required for reregistration of your product under FIFRA section 4.</p> <p>If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA sec. 6(e). Your release for shipment of the product constitutes acceptance of these conditions.</p> <p>A stamped copy of the label is enclosed for your records.</p>		
<p>Signature of Approving Official:</p>  <p>Adam Heyward Product Manager Team-34 Regulatory Management Branch II Antimicrobials Division (7510C)</p>	<p>Date:  03-May-2007</p>	

# DisinFx™


## GENERAL DISINFECTANT

For Use In:

INSTITUTIONAL, INDUSTRIAL, RESIDENTIAL FACILITIES & FOOD CONTACT AREAS

Effective Against:

- Staphylococcus aureus* (ATCC 6538)
- Salmonella enterica* (ATCC 10708)
- Escherichia coli* (ATCC 11229)
- Campylobacter jejuni* (ATCC 29428)
- Listeria monocytogenes* (ATCC 19117)
- Avian Influenza A (H3N2) Virus



Active Ingredients:

Citric Acid _____	2.05%
Phosphoric Acid _____	1.64%
Hydrochloric Acid _____	0.66%
OTHER INGREDIENTS _____	95.65%
TOTAL _____	100.00%

### CAUTION

KEEP OUT OF REACH OF CHILDREN

EPA Reg. No. 74331-2

EPA EST No. 008743-OK-001

US Patent 6,375,976  
Net Contents: 1 gal, bulk

DisinFx™ is an effective disinfectant against *Staphylococcus aureus*, *Salmonella enterica*, *Escherichia coli*, *Campylobacter jejuni*, *Listeria monocytogenes* and Avian Influenza A (H3N2) Virus.

DisinFx™ is an effective disinfectant on hard, nonporous nonfood and food contact surfaces.

DisinFx™ can be used near food and in food preparation areas.

DisinFx™ disinfects hard, nonporous surfaces that may contain the Avian Influenza Virus.

DisinFx™ controls the Avian Influenza Virus on hard, nonporous surfaces found in food preparation areas.

Use DisinFx™ on poultry farms in areas such as egg receiving areas, egg holding areas, tray dumping areas, poultry buildings, ceilings, wall, floors, drinkers, grow-out breeder barns, laying operations, and hatcheries, including hatchers and setters, evaporative coolers, fogging systems, humidifying systems, live haul equipment, chick busses, transfer trucks, coop washing, chick boxes, foot pans, trays, feed bins and buggies.

Use DisinFx™ on swine farms in areas such as waterers, feeders, dressing plants, creep areas, chutes, farrowing and nursery units, finishing floors, grow barns, confinement units, and transport vehicles; calving facilities, including calf hutches and pens, freshening pens, and birthing pens.

**Types of Hard, Nonporous Surfaces:** Appliances, Bathroom Fixtures, Bathtubs, Cabinets, Cages, Chairs, Cooking Utensils, Counter Tops, Desks, Dishes, Doorknobs and Handles, Drinking Fountains, Empty Diaper Pails, External Hard Surfaces Of Computers, Floors, Food Preparation and Storage Areas, Garbage Cans, Glassware, Highchairs, Kennel Runs, Microwave Ovens, Outdoor Furniture, Refrigerators, Restroom Fixtures, Showers, Silverware, Sinks, Stove Tops, Tables, Tanning Beds, Telephones, Toilets, Tubs, Tiles, Ultrasonic Baths, Urinals, Walls and Windows.

For Use on Hard, Nonporous Surfaces Composed of Glazed Ceramic, Glazed Enameled Surfaces, Glass, Laminated Surfaces, Metal, Plastic, Glazed Porcelain, Stainless Steel and Finished Woodwork.

**Areas of Use:** Airplanes, Airports, Animal Laboratories, Athletic Facilities, Barber Shops, Bars, Bathrooms, Boats, Buses, Business and Office Buildings, Cafeterias, Camp Grounds, Campers, Cars, Churches, Classrooms, Colleges, Convenience Stores, Correctional Facilities, Courthouses, Dairy Farms, Day Care Centers, Department Stores, Dormitories, Dressing Rooms, Emergency Vehicles, Exercise Facilities, Factories, Farms, Fast Food Operations, Food Processing Plants, Food Storage Areas, Funeral Homes, Gymnasiums, Hog Farms, Homes, Hotels, Institutional

Facilities, Institutional Kitchens, Institutions, Jails, Kennels, Kitchens, Libraries, Locker Rooms, Mobile Homes, Motels, Museums, Mushroom Farms, Nurseries, Pet Animal Quarters, Pet Shops, Play Ground Equipment, Police Stations, Poultry Farms, Prisons, Public Facilities, Public Rest Rooms, Restaurants, Retail Establishments, Salons, Schools, Ships, Shopping Malls, Shower and Bath Areas, Spas, Sports Arenas, Supermarkets, Tanning Salons, Tattoo Parlors, Taxis, Theaters, Trailers, Trains, Transportation Terminals, Turkey Farms, USDA Inspected Food Processing Facilities and Zoos.

**DIRECTIONS FOR USE:**

**It is a violation of Federal law to use this product in a manner inconsistent with its labeling.**

**GENERAL DISINFECTION DIRECTIONS:** Pre-clean surface before use. Spray, sponge, or immerse in solution to thoroughly wet all surfaces for 10 minutes. Prepare a fresh solution daily or more often if the solution becomes visibly dirty. For food contact areas, rinse with potable water.

**Non-Acid Toilet Bowl and Urinal Disinfectant Directions:** Remove heavy soil prior to disinfection. Empty toilet bowl or urinal and apply DisinFx™ to exposed surfaces with a cloth, sponge or sprayer. Brush or swab thoroughly, then allow to sit for 10 minutes, then flush.

**Salon and/or Barber Instruments and Tools Disinfection Directions:** Completely immerse blades, brushes, combs, rollers, razors, scissors and other salon instruments and tools for 10 minutes. For heavily soiled instruments and tools, a preliminary cleaning is required. Rinse thoroughly and dry before use. Prepare a fresh solution daily or more often if the solution becomes visibly dirty.

**Ultrasonic Bath Disinfectant Directions:** Use to disinfect hard, nonporous non-critical instruments/objects compatible with Ultrasonic cleaning units. Pour DisinFx™ directly into bath chamber. Pre-clean soiled objects. Place objects into unit and operate for a minimum of 10 minutes, according to manufacturer's use directions. Remove objects and rinse with sterile water (sterile water for injection) or allow to air dry. Prepare a fresh solution for each use.

**Mushroom Farm Premise Use:** Remove gross contamination and debris. This may be accomplished by using a broom, shovel or vacuum. Apply DisinFx™ with a cloth, mop, sponge, sprayer or by immersion to thoroughly wet the surfaces. Let surfaces remain wet for 10 minutes. Wipe or allow to air dry. Do not apply DisinFx™ to the mushroom crop, compost or casing. For heavily soiled areas, pre-clean first. Prepare a fresh solution for each use or more often if solution becomes visibly dirty

**Animal Care, Animal Laboratory, Kennels, Pet Shop and Zoos Disinfection**

**Directions:** For cleaning and disinfecting hard, nonporous surfaces of cages, catteries, crates, equipment used for animal food or water, instruments, kennels, stables and utensils. Remove all animals and feed from premises, vehicles and enclosures. Remove all litter, droppings and manure. Empty all troughs, racks and other feeding and watering appliances. Thoroughly clean surfaces with soap or detergent and rinse with water. Saturate surfaces with DisinFx™ for 10 minutes. Immerse all forks, halters, ropes, scrapers, shovels and other types of equipment. Ventilate buildings and other closed spaces.

**Farm Premise Disinfection Directions:** Remove all animals and feed from premises, vehicles and enclosures. Remove all litter, droppings and manure. Empty all troughs, racks and other feeding and watering appliances. Thoroughly clean surfaces with soap or detergent and rinse with water. Saturate surfaces with DisinFx™ for 10 minutes. Immerse all forks, halters, ropes, scrapers, shovels and other types of equipment. Ventilate buildings and other closed spaces. Thoroughly scrub all treated feed racks, mangers, troughs, automatic feeders, fountains and waterers with soap or detergent, and rinse with potable water before reuse.

**Poultry and Swine Premise Disinfection Directions:** Remove all poultry and feeds from premises, trucks, coops and crates. Remove all litter droppings from floors, walls and surfaces of facilities occupied or traversed by poultry. Empty all troughs, racks and other feeding and watering appliances. Thoroughly clean all surfaces with soap or detergent and rinse with water. Saturate surfaces with DisinFx™ for 10 minutes. Immerse all forks, halters, ropes, scrapers, shovels and other types of equipment used in handling and restraining animals, as well as forks, shovels, and scrapers used for removing litter and manure. Ventilate buildings, coops and other closed spaces. Do not house poultry or employ equipment until treatment has been absorbed, set or dried. Thoroughly scrub treated feed racks, troughs, automatic feeders, fountains and waterers with soap or detergent, and rinse with potable water before reuse.

**Hatcheries:** Use DisinFx™ to treat carts, delivery trucks, hatchers, racks, setters, sexing tables, trays and other hard nonporous surfaces. Let surfaces remain wet for 10 minutes. Allow to air dry.

**Vehicles:** Pre-clean all vehicles including crates, cabs, mats and wheels. Apply DisinFx™ to all vehicles. Let surfaces remain wet for 10 minutes. Allow to air dry.

**Dressing Plants:** Cover or remove all food and packaging materials. Remove all heavy soils prior to application. Saturate all surfaces with DisinFx™ and scrub to loosen all soils. Let surfaces remain wet for 10 minutes.

6/6

### **STORAGE AND DISPOSAL:**

Store container at room temperature and pressure. Do not reuse container. Place empty bottle in trash collection or recycle bin when empty.

SteriFx, Inc.  
1431 Dalzell Street  
Shreveport, LA 71103  
318.425.2515  
[www.sterifx.com](http://www.sterifx.com)