



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
WASHINGTON D.C., 20460

OFFICE OF
PREVENTION, PESTICIDES AND
TOXIC SUBSTANCES

Keller and Heckman LLP
c/o for EFT Holdings
1001 G Street, N.W.
Washington, DC 20001

APR 1 2011

Attention: Cathy Rice
Regulatory Specialist

Subject: Easy DECON Part 1
EPA Reg. No. 74436-1
Amendment Dated November 30, 2010

The following amendment, submitted in connection with registration under section 3(c)(7)(A) of the Federal Insecticide, Fungicide, and Rodenticide Act (FIFRA), as amended, is acceptable, with the following comments:

1. Under the Precautionary Statements section, make the following changes:
 - o Delete the following language: "Wear protective clothing such as safety glasses, chemical resistant gloves..." In its place, insert the following language: "Wear goggles, face shield or safety glasses. When mixing and loading, wear a chemical-resistant apron".
 - o After the word tobacco, add "or using restroom"

Submit and/or cite all data required for registration/reregistration of your product under FIFRA section 3(c)(5) and section 4(a) when the Agency requires all registrants of similar products to submit such data.


If the above conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA section 6(e). Your release for shipment of the product bearing the amended labeling constitutes acceptance of these conditions.

A stamped copy of the accepted labeling is enclosed. Submit three copies of your final printed labeling to the Agency before distributing or selling the product bearing the revised labeling.

276


If you have any questions concerning this letter, please contact Demson Fuller at (703) 308-8062.

Sincerely,

A handwritten signature in black ink, appearing to read "M Swindell". The signature is fluid and cursive, with the first name "M" being particularly prominent.

Marshall Swindell
Product Manager (33)
Regulatory Management Branch 1
Antimicrobials Division (7510C)

3 26



EasyDECON Part 1

For use as a Disinfectant, Virucide*, Deodorizer for Hospitals, Nursing Homes, Homes, Hotel & Motels, Industrial, Institutional, Schools, Poultry/Turkey, Farm, and Harvesting Equipment. Only for use when added to EasyDECON Part 2 (EPA Reg. No. 74436-2).

ACTIVE INGREDIENTS:

n-Alkyl (C12-C16)-N, N-dimethyl-N-benzylammonium chloride.....	3.20%
INERT INGREDIENTS:	96.80%
TOTAL	100.000 %

E.P.A. Reg. No. 74436-1

E.P.A. Est. No. 74436-AL-001

E.P.A. Est. No. 1606-NY-01

KEEP OUT OF THE REACH OF CHILDREN
DANGER

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

DANGER

CORROSIVE: Causes skin burns. Causes substantial but temporary eye injury. Harmful if swallowed or inhaled. Do not get in eyes, on skin, or on clothing. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum or using tobacco. Remove and wash contaminated clothing before reuse.

FOR EMERGENCY MEDICAL INFORMATION CALL TOLL FREE:

1-800-900-4044

Have the product container or label with you when calling a poison control center or doctor, or going for treatment. **NOTE TO PHYSICIAN:** Probable mucosal damage may contraindicate the use of gastric lavage. Measures against shock, respiratory depression, and convulsion may be needed. This product is not to be used as a terminal sterilant/high level disinfectant on any surface or instrument that (1) is introduced directly into the human body, either into or in contact with the bloodstream or normally sterile areas of the body, or (2) contacts intact mucous membranes but which does not ordinarily penetrate the blood barrier or otherwise enter normally sterile areas of the body. This product may be used to pre-clean or decontaminate critical or semi-critical medical devices prior to sterilization or high-level disinfection.

ADDED PRECAUTIONARY STATEMENTS FOR FINISHED BLENDS:

If inhaled, move to fresh air. If breathing becomes labored, consider oxygen, get medical attention.

Give rescue breathing if breathing stops. **DO NOT REBREATHE VAPORS** with CO₂ canisters. **See EPA Letter Dated:**

[Batch Code]

APR 1 2011

Under the Federal Insecticide, Fungicide, and Rodenticide Act as amended, for the pesticide, registered under EPA Reg. No. 74436-1

FIRST AID

IF ON SKIN OR CLOTHING: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15 - 20 minutes. Call a poison control center or doctor for treatment advice.

IF IN EYES: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice.

IF SWALLOWED: Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to by a poison control center or doctor. Do not give anything by mouth to an unconscious person.

IF INHALED: Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferable mouth to mouth, if possible. Call poison control center or doctor for further treatment advice.

STORAGE AND DISPOSAL

DO NOT CONTAMINATE WATER, FOOD, AND FEED BY STORAGE OR DISPOSAL

Product should be kept in the original container in a cool dry area not susceptible to UV light. Sealed containers exposed to fire may burst. Do not store in metal containers. Store product containers in an upright position. Avoid creasing or impacting of sidewalls.

PESTICIDE DISPOSAL: Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide, spray, or mixture of rinsate is a violation of Federal Law. If these wastes cannot be disposed of by user according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

CONTAINER DISPOSAL:

For containers ≤ 5 gallons. Non refillable container. Do not reuse or refill this containers. Offer for recycling, if available. Triple rinse container (or equivalent) promptly after emptying. Triple rinse as follows: Empty the remaining contents into application equipment or a mix tank and drain for 10 seconds after the flow begins to drip. Fill the container ¼ full with water and recap. Shake for 10 seconds. Pour rinsate into application equipment or a mix tank or store rinsate for later use or disposal. Drain for 10 seconds after the flow begins to drip. Repeat this procedure two more times.

For containers > 50 gallons. Refillable container. Refill this container with pesticide only. Do not reuse this container for any other purpose. Cleaning the container before final disposal is the responsibility of the person disposing of the container. Cleaning before refilling is the responsibility of the refiller. To clean the container before final disposal, empty the remaining contents from this container into application equipment or tank mix. Fill the container about 10 pull with water. Agitate vigorously or recirculate water with the pump for 2 minutes. Pour or rump rinsate into application equipment or rinsate collection system. Repeat this rinsing procedure two more times.

ENVIRONMENTAL HAZARDS: For small spills, flush with copious amounts of water. Keep out of water supplies.

PRODUCT APPLICATIONS

When used as directed, this product will deodorize hard surfaces where bacteria growth can cause malodors. Cross-contamination is a major housekeeping concern. This product has been formulated to aid in the reduction of cross-contamination on treated surfaces not only in hospitals, but also in schools, institutions, and industries.

This product is a concentrated hospital-use disinfectant that is effective on bacteria, is virucidal*, and eliminates odor causing bacteria when used as directed.

This product is a solution that can be used with a mop and bucket, trigger sprayer, sponge, soaking, or in a coarse-spray apparatus.

This product is a versatile Disinfectant for Veterinarian, Veterinary Practices, Animal Care, Hospital, Laboratory, and Agricultural and Farm Premise applications.

When used as directed, this product kills bacterial growth on hard non-porous surfaces and deodorizes by killing microorganisms that cause offensive odors on hard non-porous surfaces, porous, and semi-porous surfaces.

This product is for use as a disinfectant on hard non-porous surfaces. A potable water rinse is required after application on food contact surfaces.

This product is a one-step disinfectant that is effective against a broad spectrum of bacteria, is virucidal* (including HIV-1), kills mold and inhibits the growth of mold and mildew and their odors when used as directed.

This product may be applied through low-pressure sprayers, and fogging (wet mist) systems.

This product neutralizes musty odors and tough odors from smoke, pet accidents, and spills on contact.

This product is specially formulated to effectively eliminate offensive odors caused by mold and mildew.

This product is effective against odors caused by animal waste, septic tank or sewage backup, smoke and bathroom and kitchen odors.

Use this product on surfaces responsible for cross-contamination.

This product is effective at controlling mold and mildew on shower curtains. Use this product to clean, sanitize and disinfect hard non-porous ambulance equipment and surfaces by rinsing all equipment that comes in prolonged contact with skin before reuse with clean warm water (about 120°F), and allow to air dry.

Hospital use Disinfectant, Institutional Disinfectant

For use in:

- Hospitals, nursing homes, medical and dental offices and clinics, physician offices, operating rooms/theaters, isolation wards, quarantine areas, ophthalmic/optometric facilities, and medical research facilities, cadaver processing areas.
- Patient care rooms & facilities, recovery rooms, anesthesia rooms, Emergency Rooms, X-Ray cat labs, orthopedics, footbath surfaces, out-patient surgical centers, labs, blood collection rooms, central supply, housekeeping & janitorial rooms, exam rooms, radiology rooms.
- EMS & fire facilities, emergency vehicles, ambulances, ambulance equipment/surfaces, police cars, fire trucks.

- Acute care centers, alternate care institutions, home healthcare institutions.
- Life care retirement communities, elderly care facilities.
- Crime scenes, funeral homes, mortuaries, burial vaults, mausoleums, autopsy rooms.
- Institutional facilities, laboratories, factories, business and office buildings, restrooms, hotels and motels and transportation terminals.
- Hotel, motel, dormitories.
- Homes (households), apartments.
- Police stations, courthouses, correctional facilities, jails, prisons, correctional institutions, municipal government buildings, penitentiaries, bus stations, train stations.
- Institutions, schools and colleges, churches, classrooms, community colleges, universities, athletic facilities, locker rooms, exercise rooms, gymnasiums, community facilities, gymsnasiums.
- Household and automotive garages, boats, ships, barges, campers, trailers, mobile homes, cars, trucks, buses, trains, taxis, airplanes, helicopters, automobile interiors.
- Veterinary clinics, animal life science laboratories, kennels, dog/cat animal kennels, breeding and grooming establishments, pet animal quarters, zoos, pet shops, tack shops, and other animal care facilities.
- Cruise lines, airline terminals, airports, shipping terminals, public transportation.
- Basements, cellars, bedrooms, attics, living rooms, and porches.

ACCEPTED
 with Capital Letters
 in EPA Letter 2011
 Under the Federal Insecticide, Fungicide, and Rodenticide Act
 amended under EPA Reg. No. 170.104

TO PREPARE AND USE FINISHED BLEND

DIRECTIONS FOR USE: It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

Mixing and Usage Instructions: DO NOT MIX IN METAL CONTAINERS

Pour the complete contents of the EasyDECON Part 1 (EPA Reg. No. 74436-1) container into a mixing container (plastic or glass), large enough to hold both components when completely mixed. Add the complete contents of the EasyDECON Part 2 (EPA Reg. No. 74436-2) container into the mixing container holding the EasyDECON Part 1 (EPA Reg. No. 74436-1) and stir the solution until it is well mixed (15-20 seconds). The mixture is now ready to apply.

WHEN USING THE OPTIONAL BOOSTER Pour the complete contents of the EasyDECON Part 1 (EPA Reg. No. 74436-1) container into a mixing container (plastic or glass), large enough to hold all three components when completely mixed. Add the complete contents of the EasyDECON Part 2 (EPA Reg. No. 74436-2) container into the mixing container holding the EasyDECON Part 1 (EPA Reg. No. 74436-1) and stir the solution until it is well mixed (15-20 seconds). Add the complete contents of the Booster container into the mixing container holding the EasyDECON Part 1 (EPA Reg. No. 74436-1) and EasyDECON Part 2 (EPA Reg. No. 74436-2) and stir the solution until it is well mixed (15 - 20 seconds). The mixture is now ready to apply.

Contact time for contaminated surfaces: After using one of the above methods to apply the mixture, keep the surfaces wet for 10 minutes. The mixture must be reapplied if it dries out or becomes diluted by any liquid during the 10 minute contact time.

This product is Bactericidal according to the AOAC Use Dilution Test method on hard inanimate surfaces with a 10 minute contact time:

- Staphylococcus aureus (ATCC 6538), Escherichia coli 0157:H7 (ATCC 35150)
- Salmonella enterica (ATCC 10708), Pseudomonas aeruginosa (ATCC 15442), Staphylococcus aureus MRSA (Methicillin resistant) (ATCC 33592)

576

Fungicidal against:
Aspergillus niger (ATCC 16404), Penicillium digitatum (ATCC 90595)

***Virucidal performance:** The final mixture treated according to the Virucidal qualification on hard inanimate surfaces, modified in the presence of 5% organic serum against the following with a 10 minute contact time:

Murine Norovirus	Hepatitis A
Feline calicivirus (Agency's acceptable surrogate for human norovirus)	Rhino Virus 16
HIV type 1 (AIDS virus)	

Disinfection/*Virucidal/Fungicidal Directions: Apply the mixture at a rate of 1 gallon per 30,000 cubic feet (1L/225M³) to hard, inanimate, non-porous surfaces, thoroughly wetting the surface as recommended and required, with a cloth, mop, sponge, or sprayer. For heavily soiled areas, a preliminary cleaning is required. For spray applications, use a coarse spray device. Spray 6 to 8 inches from the surface. Do not breathe the spray. All treated areas must stay wet for at least 10 minutes.

Before using this product, food products and packaging materials must be removed from the room or carefully protected. After use, all surfaces in the area must be thoroughly rinsed with potable water. Prepare a fresh solution every 8 hours or when the mixture becomes soiled.

***KILLS HIV-1 ON PRECLEANED ENVIRONMENTAL SURFACES PREVIOUSLY SOILED WITH BODY FLUIDS:** In health care settings or other settings in which there is an expected likelihood of soiling of inanimate surfaces with body fluids and in which the surfaces likely to be soiled with blood or other body fluids can be associated with the potential for transmission of human immunodeficiency virus Type 1 (HIV-1 associated with AIDS), follow these **SPECIAL INSTRUCTIONS FOR CLEANING AND DECONTAMINATION AGAINST HIV-1 ON SURFACES SOILED WITH**

BLOOD/BODY FLUIDS:
Personal Protection: Cleanup must always be done wearing protective latex gloves, gowns, masks and eye protection. (Specific barrier protection items to be used when handling items soiled with blood or body fluids as disposable latex gloves, gowns, masks or eye coverings.)
Cleaning Procedure: Blood and other body fluids containing HIV-1 must be thoroughly cleaned from surfaces and other objects before applying this product.

Disposal of Infectious materials: Blood, body fluids, cleaning materials and clothing should be autoclaved and disposed of according to federal, state, and local regulations for infectious waste disposal.
Contact Time: Keep all surfaces to be disinfected wet for 10 minutes with the mixture.

SHOE BATH DIRECTIONS: Remove growth filth. To prevent cross contamination from area to area in animal areas and in the packaging and storage areas of food plants, shoe baths containing one inch of freshly made mixture should be placed at all entrances to buildings, hatcheries, and at all the entrances to the production and packing areas. Change the sanitizing solution every 8 hours or when the solution gets dirty. For use on shoes that are hard non-porous only.

WATER AND SMOKE DAMAGE RESTORATION: EasyDECON DF200 may be used as part of a comprehensive remediation /restoration program for water and smoke damage restoration. The mixture is effective against odor-causing bacteria and fungi found in homes, institutions, industries and hospitals. This product is particularly suitable for use in water damage restoration situations against odor causing bacteria on the following porous and semi-porous materials:

carpets, carpet cushions, upholstery, drapes, sub floors, drywall, trim, frame lumber, tack strips,

and paneling. Using the mixture, saturate these items with enough solution to remain wet for 10 minutes. When doing this type of restoration, use proper ventilation. EasyDECON DF200 should be applied evenly by paintbrush, airless sprayer, low pressure handwand, backpack sprayer or other compressed air foam deployment system. Assure uniform coverage of surfaces to be protected (approximately 500 square feet per gallon). Surfaces should be evenly wet without runoff or pooling.

SMOKE DAMAGE RESTORATION: The mixture is suitable for use in smoke damage restoration situations against odor causing bacteria and fungi on the following porous and semi-pours materials: carpets, carpet cushions, upholstery, drapes, sub floors, drywall, trim, frame lumber, tack-strips, and paneling. Follow directions as outlined in the Water Damage Restoration section. Use proper ventilation.

SEWER BACKUP AND RIVER FLOODING: EasyDECON DF200 may be used as part of a comprehensive remediation /restoration program for sewer backup and river flooding. Remove gross filth or heavy soil along with non-salvageable materials. During mitigation procedures, use the mixture to saturate all affected areas with a spray using a coarse spray before and after cleaning and extraction. EasyDECON DF200 should be applied evenly by paintbrush, airless sprayer, low pressure handwand, backpack sprayer or other compressed air foam deployment system. Assure uniform coverage of surfaces to be protected (approximately 500 square feet per gallon). Surfaces should be evenly wet without runoff or pooling.

Carpet, carpet cushions, upholstery, drapes and other porous materials such as sub floors, drywall, trim, frame lumber, tack-strips, and paneling: For water damage from a clean water source, extract excess water. Test a hidden area for colorfastness. Use the mixture allowing for the diluting effect of absorbed water within saturated materials. Remove gross filth or heavy soil. Apply directly with a sprayer using a coarse spray to fully saturate affected materials. Roll, brush or agitate into the materials affected and allow to remain damp for 10 minutes. Apply evenly. Follow with a thorough extraction. Dry rapidly and thoroughly. One gallon of EasyDECON DF200 will cover 400 square feet of carpet, carpet cushions, upholstery, and drapes.

Special Instructions for Cleaning Carpet against Odor Causing Bacteria: This product may be used in industrial and institutional areas such as homes, motels and hotels, nursing homes, schools, and hospitals. For use on most wet cleanable synthetic fibers. Do Not Use on Wool. Vacuum the carpet thoroughly prior to cleaning. Test the fabric for color-fastness in a hidden area. Use the mixture for portable extraction, tank mounted, and rotary floor units.

Do not mix this product with other cleaning products. Follow the cleaning procedures specified by the equipment manufacturers. After using this product, set the carpet pile and protect the carpet from furniture legs and bases while drying. Do not over-wet the carpet. If applied to a stain resistant nylon carpet, apply a new coat of fabric protector according to the carpet manufacturer's directions once the carpet has dried. Dry rapidly and thoroughly. One gallon of EasyDECON DF200 will cover 400 square feet of carpet

The following associations and internet sites should be consulted for information on standards and guidelines for remedial treatment of mold and mildew:

- IAQA-Indoor Air Quality Association www.iaqa.org
- EPA-Environmental Protection Agency www.epa.gov
- DOH-New York City Department of Health www.ci.nyc.us/html/doh/html/ep/moldrpt1.html
- IICRC-International Institute of Cleaning and Restoration Certification www.iicrc.org

APR 1 2011

Under the Federal Insecticide, Fungicide, and Rodenticide Act, amended, for the registered under:

74436-1

676

Directions for Fogging: Prior to fogging, food products and packaging material must be removed from the room or carefully protected. After cleaning, fog desired areas using one quart of the mixture per 5000 cubic feet of room area (16,000 ppm). Vacate area of all personnel during fogging and for a minimum of 8 hours after fogging. All food contact surfaces must be thoroughly rinsed prior to reuse with potable water.

NOTE: The fog generated is irritating to the eyes, skin and mucous membranes. Under no circumstances should a room or building be entered by anyone within eight hours of the actual fogging. If the building must be entered, than the individual entering the building must wear a self-contained respirator approved by NIOSH/MSHA, goggles, long sleeves and long pants.

FOGGING IS TO BE USED AS AN ADJUNCT TO ACCEPTABLE MANUAL CLEANING AND DISINFECTING OF ROOMS AND MACHINE SURFACES.

HATCHERY ROOMS USING FOGGING DEVICES Remove all animals and feed from premises, vehicles and enclosures. Remove all litter and manure from floors, walls and surfaces of the room to be treated. Empty all troughs, racks and other feeding and watering appliances. Close room off so fog is confined to room treated. Using the mixture, insert the nozzle of the fogger through a suitable opening into the room. With the setting at maximum output, fog using one quart for each 5,000 cubic feet of space in the room. When fogging is completed, ventilate building and any other closed space. Do not house livestock or employ equipment until the treated area has completely dried. Thoroughly clean all surfaces with soap or detergent and rinse with water.

FOOD PROCESSING PLANTS USING FOGGING DEVICES Prior to fogging, food products and packaging materials must be removed from the room or carefully protected. After cleaning, fog desired areas using one quart of the mixture per 5,000 cubic feet of room area. Vacate the area of all personnel for a minimum of 8 hours after fogging. All food contact surfaces must be thoroughly rinsed prior to reuse with potable water.

Manufactured For:

EFT Holdings, Inc.
1275 Rock Creek Circle
Lafayette, Colorado 80026

**ACCEPTED
with COMMENTS
in EPA Letter Dated:**

APR 1 2011

Net Content: Lot Number:

**Under the Federal Insecticide,
Fungicide, and Rodenticide Act as
amended, for the pesticide,
registered under EPA Reg. No.**

74436-1