UNITED STATES ENVIRONMENTAL PROTECTION AGENCY WASHINGTON, D.C. 20460

APR 09 2014

OFFICE OF CHEMICAL SAFETY AND POLLUTION PREVENTION

Mr. Jeff Jones Arborjet, Inc. c/o Delta Analytical Corp. 12510 Prosperity Drive, Suite 160 Silver Spring, MD 20904

Subject: Revised Label to Make a Minor Label Change for Application Method to Linden, Basswood, or other Tilia Species in the State of Oregon.

Dear Mr. Jones:

The Agency is in receipt of your Application(s) for Pesticide Notification under Pesticide Registration Notice (PRN) 98-10 dated March 25, 2014 for:

EPA Registration 74578-6

IMA-jet 10%

The Registration Division (RD) has conducted a review of this request of applicability under PRN 98-10 and finds that the label changes(s) requested falls within the scope of PRN 98-10. The label has been date-stamped "Notification" and will be placed in our records.

If you have any questions, call me at 703 305-5409 or electronically at daniel.dani@epa.gov.

Sincerely, an Sanil

Dani Daniel Registration Division (7504P) Insecticide/Rodenticide Branch

Pleasœ read instructions on reverse befo	re completing	NOTIFICAT	ON Form Appr	ONB No. 2070-006	29
Sepa		Environmental P	States Totection Agency a, DC 20460	□ Registration □ Amendment X Other	OPP Identifier Number
		Application for Pe	sticide - Section I		
1. Company/Product Number 74578-6			2-EPA-Product Manager		3. Proposed Classification
4. Company/Product (Name) Arborjet / IMA-jet 10%			РМ# 1		X None
5. Name and Address of Applicant (Include Arborjet c/o Delta Analytical Corp. 125 10 Prosperity Drive, Suite Silver Spring, MD 20904	160	his is a new address	6. Expedited Review. product is similar or identica EPA Reg. No Product Name	al in composition and labelin	g to:
		Secti	on - li		
 Amendment - Explain below Resubmission in response to Agency let X Notification - Explain below. 	ter dated		 □ Final printed labels in res □ "Me Too" Application. □ Other - explain below. 	ponse to Agency letter date	d
Explanation: Use additional page(s) if ne Notification under PR Notice 98-10 f This notification is consistent with thepro confidential statement of formula of this p understand that if this notification is not to enforcement action and penalties under	to make min ovisions of pr r product. I unde consistent with	or label changes for Ima- notice 98-10 and epa regulatio erstand that it is a violation of 1 the terms of PR Notice 98-1	ons at 40 cfr 152.46 and no ot 18 U.S.C. Sec. 1001 to willfu	llv make anv false statemer	t to EPA. I further
		Section	on - III		
1. Material this Product will be Package	ed <u>in:</u>				
Child-Resistant Packaging □ Yes* Ⅹ No	Unit Packaging □ Yes Ⅹ No		Water Soluble Packaging □ Yes X No		2. Type of Container ☐ Metal X Plastic
* Certification must be submitted.	lf "Yes," Unit Package	e wgt. No. per container	lf "Yes," Unit Package wgt. No. p	per container	Glass Paper Other (Specify)
3. Location of Net Contents Information X Label Container		4. Size(s) of Retail Containe 1.06 qt. (1 liter)	er	5. Location of Label Direc X On Label □ On Labeling accom	
6. Manner In Which Label Is Affixed to Pro	duct	□ Lithograph X Paper glued □ Stenciled	🗆 Other	ς ο ο ο ο ο ο ο ο ο ς α	0 0 3 3 3 4 0
	<u></u>		on - IV	د د د د د د د د د د د	
1. Contact Point (Complete items directly b	elow for identil	fication of individual to be cont	acted, if necessary, to process	s this application.)	<u>د د د</u> د د د د
Name Jeff Jones			Title Agent for Arborjet		Telephone No. (Include Area Code) 301-580-7971
I certify that the statements I have made or of knowingly false or misleading statement	n this form and may be punish	Certific all attachments thereto are tru able by fine or imprisonment of	e, accurate and complete. I a	acknowledge that any kind	G € Cate Application Received
2. Signature			3. Title Agent for Arborjet		(Stamped)
4. Typed Name Jeff Jones			^{5. Date} March 25, 2014		
EPA Form 8570-1 (Rev. 8-94) Previou	is editions are	e obsolete.	Whit	e - EPA File Copy (origina	I) Yellow - Applicant copy



Document Processing Desk (NOTIF) Office of Pesticide Programs (7504P) Environmental Protection Agency One Potomac Yard 2777 S. Crystal Drive, Room S-4900 Arlington VA 22202

Attn: Venus Eagle (PM

Re: Notification of Minor Label Revision Required by State of Oregon

Product:	lma-jet 10%
Company:	Arborjet, Inc.
EPA Reg. No.:	74578-6

Dear Venus:

On behalf of Arborjet, Inc., I am submitting a notification per PR Notice 98-10 to make a minor label change for Ima-jet 10%.

The change to the label is limited to the following statement at the beginning of the Directions for Use section:

Do not apply this product, by any application method, to linden, basswood or other Tilia species in the State of Oregon.

Enclosures

EPA form 8570-1

Two copies of the label, one with revision highlighted.

If you have any questions regarding this submission, please contact me at jjones@delta-ac.com or 301-680-7971.


Sincerely,

Jeff Jones Agent, Arborjet, Inc.

ιιίι

12510 Prosperity Drive Suite 160 Silver Spring, Maryland 20904 (301) 680-7971 fax (301) 680-7975 www.delta-ac.com





APR 0 9 2014

IMA-jet 10% [Alternate Brand Name: IMA-jet 10]

[Systemic Insecticide for Micro-Infusion] [Arboriculture in Motion][Diverse Pest Control]

Systemic Microinjection Insecticide for use with Arborjet Injection Systems and Other Specified Systems in the Management of Listed Insect Pests of Trees in Ornamental Landscapes, Forest and Woodland Areas & Interior Plantscapes

Active Ingredient:	1
Imidacloprid, 1-[(6-chloro-3-pyridinyl)methyl]-N-nitro-2-imidazolidinimine	
Other Ingredients	<u>90.0%</u>
Total	

STOP—read the entire label before use.

KEEP OUT OF REACH OF CHILDREN CAUTION

Precaución al usuario: Si usted no puede leer o entender inglés, no use este producto hasta que la etiqueta le haya sido explicada ampliamente. To the user: If you cannot read or understand English, do not use this product until the label has been fully explained to you.

	FIRST AID		
lf on Skin or Clothing	 Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a Poison Control Center or doctor for treatment advice. 		
If Swallowed	 Call Poison Control Center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a Poison Control Center or doctor. Do not give anything by mouth to an unconscious person. 		
If in Eyes	 Hold eye open and rinse slowly and gently with water for 15-20 minutese Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a Poison Control Center or doctor for treatment advice. 		
	uct container or label with you when calling a Poison Control Center or doctor erace nent. You may also contact the Infotrac Chemical Emergency Response System ເວັ 053		
Note to Physician: No specific antidote is available. Treat the patient symptomatically.			

Manufactured by:

Arborjet 99 Blueberry Hill Road Woburn, MA 01801 Phone: 781 935-9070

EPA Reg. No. 74578-6 EPA Est. No. 74578-MA-001

Net Contents: [1 Quart], [2.5 Gallons], [30 Gallons], [50 Gallons], [250 mL], [500 mL], [1000 mL]

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION: Harmful if absorbed through skin. Harmful if swallowed. Causes moderate eye irritation. Avoid contact with skin, eyes or clothing. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco or using the toilet.

Prolonged or frequently repeated skin contact may cause allergic reactions in some individuals. Keep children and pets away from treatment area until injection and uptake are complete.

PERSONAL PROTECTIVE EQUIPMENT (PPE)

Wear long-sleeved shirt and long pants, socks, shoes, and gloves. Remove and wash contaminated clothing before reuse. Wear protective eyewear.

ENVIRONMENTAL HAZARDS

This pesticide is highly toxic to fish and aquatic invertebrates. Do not apply directly to water, to areas where surface water is present or to intertidal areas below the mean high water mark. Do not contaminate water when disposing of equipment washwater or rinsate. This product is highly toxic to honeybees. Do not apply this product to pollen-shedding or nectar producing plants visited by honeybees while plant is in bloom.

PHYSICAL OR CHEMICAL HAZARDS

Do not use or store near heat or open flame.

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

IMPORTANT: Read the entire label before use. Failure to follow label directions may result in poor control or plant injury. Failure to follow label directions may cause injury to people, animals and environment. The buyer accepts and understands that failure to follow label directions is the responsibility of the buyer.

Do not apply this product, by any application method, to linden, basswood or other *Tilia* species in the State of Oregon.

APPLICATION TO TREES AND ORNAMENTAL TREES

IMA-jet is a systemic insecticide used to control a variety of insect pests of ornamental trees and forest trees as listed in the table, "Applications for Use in Trees in Ornamental Landscapes & Forest and Woodland Areas". Use IMA-jet as directed in trees in residential, business and commercial areas, golf courses, airports, cemeteries, parks, street trees, playgrounds, athletic fields, commercial forestry production, seed orchard trees, nurseries, and in private, municipal, state, federal, county and local recreational forests.

When to Treat

For optimum results, apply IMA-jet prior to infestation. Also apply when insects are intesting and feeding upon the tree. IMA-jet insecticide moves upward into the tree's canopy from the application sites. Systemic activity occurs only after the active ingredient is translocated upward in the tree. This product must be 'applied below the bark into the sapwood (i.e., the vascular) tissues. Use rates are based on tree diameter for small, intermediate, and large (<12", 12-23" and >23" DBH, respectively) trees and for severity of infestation. The use of low to high rates is based on the professional judgment of the applicator as to what constitutes a light, moderate or severe infestation. Higher rates tend to provide longer residual and control of rippre control insects. In the case of severe infestation, use the highest label rate for the targeted pest. In trees larger than 23" use the highest rate listed for that insect pest. Dosages are designed for insector activity to establish a damage threshold for treatment.

The need for an application can be based on historical monitoring of the site, previous records or experiences, current season adult trapping and other methods. Due to potential foliar injury or poor (i.e., slow) uptake, do not apply to trees stressed by drought or extreme heat.

Basic Injection Procedure

For insect control, this product must be placed into the tree's sapwood, the conductive tissue that moves water to the canopy. Make applications around the base of the tree. Inject into tree roots exposing them by careful excavation or, alternatively into the trunk flare or tissue immediately above the trunk flare, locating the injection site in the first few xylem (i.e., sapwood) elements. Drill holes through the bark and into the sapwood a minimum of 3/8" deep. When using the Arborjet Arborplug, drill a minimum of 5/8" deep into the sapwood.

Calculating Application Rate

The dosages and number of application sites are based on tree diameter.

To determine the application/dose rate per tree:

- Measure the tree diameter in inches at chest height (4½ feet from ground) to find the Diameter at Breast Height (DBH). (If measuring tree circumference, divide circumference by 3 to obtain the DBH in inches.)
- 2) Calculate the number of injection sites by dividing the DBH in inches by 2.
- 3) Multiply the tree DBH by the dosage rate (see table below for appropriate dosage rate) to calculate the total dose in milliliters per tree.
- 4) Divide the total dose by the number of injection sites to determine required dosage per injection site.

Example: For a tree with a DBH of 12 inches (or circumference of 36 inches) and a 2 mL dosage rate:

- 1) DBH = 12" (circumference 36" ÷ 3 = 12")
- 2) Divide DBH of 12" by 2 = 6 injection sites.
- 3) Multiply DBH of 12 by 2 mL = 24 mL total dose per tree.
- 4) Divide 24 mL by 6 injection sites = 4 mL per injection site to deliver the required dosage.

To apply the highest dosage rate to trees as specified in the table, "Applications for Use in Listed Trees in Ornamental Landscapes & Forest and Woodlands Areas," it may be necessary to increase the number of injection sites applied. In the example given in "Calculating Application Rate," if the total dose per tree applied is less than the calculated 24 mLs, place the remaining dosage into a new injection site. Do not place injection sites closer than 2" apart. Treat Cycads (i.e., gymnosperms) using this method of application. In resinous conifers (such as pine and spruce), start the injection immediately after drilling. A prolonged delay may reduce uptake on account of resin flow. In palms (i.e., monocots), only one injection site is required: locate the application site 1-3' from the soil level and drill 4" deep into the stem.

Application Equipment

IMA-jet is designed for use with the Arborjet Tree Injection Systems or with other tree injection devices that meet the label requirements and are chemically resistant. For all injection systems, read carefully and follow manufacturer's directions for use.

CCCCC CCCCC CCCCCC

čeccie

Use of IMA-jet

Use as formulated. Do not mix with water.

Compatibility

Test the physical compatibility of IMA-jet before use with other products.

IMPORTANT: Before applying any tank mixture not specifically on this label, it is best to test the safety to the target tree. Do NOT apply liquid flowables, suspension concentrates, or dispersible granules that do not completely dissolve.

Applications for Use in Trees in Ornamental Landscapes & Forest and Woodland Areas					
Use Sites	f Pest	Low Rate for Light to Moderate Infestation++	High Rate for Moderate to Severe Infestation++	Comments	
Trees Including shade trees, ornamental trees, evergreens and palms	Adelgids (including Hemlock Woolly Adelgid*) Aphids Gall Wasps (including	For trees <12" DBH,** apply 1.0 - 2.0 mL per inch trunk diameter ++	For trees <12" DBH,** apply 2.0 - 4.0 mL per inch trunk diameter ++	Space injection holes approximately 6" apart, around the	
In the following sites: Interior Plantscapes Non-urban Forests, Tree Plantations, Parks, Planted Christmas Trees, Rural Shelter Belts, Rangeland Trees Woodland Trees including Conifers	, Erythrina Gall Wasp) Lacebugs Leafhoppers Leaf miners Mealybugs	For trees 12-23" DBH,** apply 2.0 - 4.0 mL per inch trunk diameter ++	For trees 12-23" DBH,** apply 3.0 - 6.0 mL per inch trunk diameter ++	1	
	Psyllids Soft scales Thrips Whiteflies		For trees >23" DBH,** apply 3.0 - 6.0 mL per inch trunk diameter ++	minimum of three injection holes around the base of the	
	Flatheaded Borers (including Bronze birch borer, Emerald ash borer) adults Japanese Beetles	For trees <12" DBH,** apply 2.0 mL per inch trunk diameter.	For trees <12" DBH,** apply 4.0 mL per inch trunk diameter.	tree.	
	(adults) Leaf Beetles (including elm leaf beetle) Leaf bugs (including leaf footed seed bugs)	For trees 12-23" DBH,** apply 4.0 mL per inch trunk diameter	For trees 12-23" DBH,** apply 6.0 mL per inch trunk diameter		
	Pine tip moth larvae Roundheaded Borers (including Eucalyptus longhorned borer) Royal palm bug Sawfly larvae		For trees >23" DBH,** apply 6.0 mL per inch trunk diameter		

*IMA-jet provides 1-2 years of residual control of Hemlock Woolly Adelgid. Trees infested with Hemlock Woolly Adelgid might require two applications before significant control is seen.

**diameter breast height = $4\frac{1}{2}$ feet from the ground.

++The use of low to high rates is based on the professional judgment of the applicator as to what constitutes a light, moderate or severe infestation. Higher rates tend to provide longer residual and control of more difficult to control insects. Dosage rates are designed for insect control and retreatment is generally not necessary during the year after initial treatment, however, a second application may be generally not same year in warmer climate states for the following insects with multiple or overlapping generations; esc aphids, leafhoppers, mealybugs, psyllids, soft scales, thrips and whiteflies.

00000 000 000

εείε

Restrictions

- Do not make applications when trees are in flower to protect pollinating insects.
- This product is not to be used on trees that will produce food within 1 year (365 days) following treatment.
- Do not use on syrup-producing sugar maples where sap is harvested.

For use under USDA Supervision Only				
Host Trees	Pest	DBH Range	Dose Rate mL/DBH"	
Elm, Maple, Birch, Willow, Box elder, Horsechestnut, Buckeye, European Mountain Ash, Ash, Poplar, Albizia, London Plane, Hackberry, Sycamore and Katsura tree, including ALB host species as annotated and specified in contract documents by USDA- APHIS-PPQ.	Asian Longhorned Beetle	2 - 23" 24" +	2.0 mL 4.0 mL	

•

INFUSION PROCEDURES for ARBORJET MICRO-INFUSION™

Basic Arborjet Micro-Infusion[™] Procedures:

- 1. Determine the dosage based on target pest and tree diameter.
- 2. Pour concentrate into the medicament bottle and cap.
- For Tree I.V.: pressurize the contents from 25 to 60 PSI and prime the lines by opening each injector valve slowly to purge the air; close the valve when liquid begins to flow, or <u>For Hydraulic Device</u>: pressurize the contents to 15 PSI and prime the lines by depressing the trigger and pulling back slowly on the dose-sizer.
- 4. Determine the number and placement of injection sites around the base of the tree. Drill through the bark then 5/8" into the sapwood using the appropriate sized drill bit. For best results, use clean and sharp Brad point drill bits.
- Insert the Arborplug[™] using the set tool and mallet. Use the #4 Arborplug (3/8" d) for most applications, including conifers. In hardwoods, you may also use smaller diameter Arborplugs including the #3 (9/32" d). Insert the VIPER needle into the Arborplug. <u>To start the Tree I.V.</u> infusion, open the needle valve. Close the valve and remove the VIPER needle upon completion of infusion. <u>To inject with the Hydraulic Device</u>, depress the trigger to apply the dose.

Alternative Arborjet STINGER and USDS tip Procedure:

 Alternatively, insert the #2 (7/32" drill bit) STINGER or USDA injector tip 5/8" deep into the sapwood in the predrilled hole with a hand push or by gently tapping the injector tip into the sapwood with a mallet. Remove STINGERS upon completion of infusion process by pulling and twisting out counter-clockwise. Use a cleaner or an EPA registered disinfectant between trees when using the reusable STINGER tips.

INJECTION PROCEDURES for M3 INJECTOR

Use root flare injections—IMA-jet Infusible Insecticide can be used with a variety of reliable tree infusion devices. For all injection devices, read carefully and follow all manufacturer use directions.

Installation and Application using the Rainbow Treecare Scientific Advancement Mainjector

- 1. Examine the tree for the presence of root flare. If flares are not visible, excavate the foot collar. Make Infusion sites 5-10 inches below the top of the root flare.
- 2. Thoroughly brush all dirt from the tree. A dirty root flare will dull the drill bit and increase uptake time.

SCCCCC

- 3. Lay the injectors around the tree to select injection sites. The application rate is 1 injection site for every 2 diameter inches (approximately 1 injection site every 6 inches) evenly spaced around the root-flares. Using an 11/64" or 3/16" (4.5 to 5 cm) HIGH HELIX drill bit, drill a hole at a downward angle into each selected buttress root flare above the soil line. Drill to a depth of 1 to 1.5 cm (3/8 to 1/2") into healthy xylem tissue.
- 4. Insert the injector tip into the hole and seat firmly with hand pressure.
- 5. Close the control valve.
- 6. Inject treatment liquid into the M3 injector reservoir through the black duckbill (filling) valve.

- 7. Inject air into the M3 injector reservoir through the filling valve. Do not inject more than 25 cc of air. Care must be taken when pressurizing the capsule. If the tool used to pressurize the capsule passes all of the way through the duckbill, the duckbill will not close and the capsule will not be pressurized.
- 8. Open the control valve just to the point where the liquid starts to flow into the tree.
- 9. Check for leaks. If leaks are found close the valve, seat firmly into the tree and re-open the valve. If leaks persist the problem may be too shallow of a hole, close the valve, remove the injector and re-drill to a deeper depth.
- 10. Uptake usually occurs within minutes. When all of the treatment liquid is out of the injector, a wash solution of water can be injected into the M3 injector and it can be re-pressurized or the M3 injector can be closed and removed from the tree. Wash solutions are not compatible with all formulations. Check for compatibility prior to rinsing the M3 injector into the tree.
- 11. Remove the M3 injector from the tree and store properly for reuse. .

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

PESTICIDE STORAGE: Store bottles in a cool, dry place above 45° F. Store in original container out of reach of children, preferably in a locked storage area.

PESTICIDE DISPOSAL: Wastes resulting from the use of this product must be disposed of on site or at an approved waste disposal facility.

CONTAINER DISPOSAL: Nonrefillable container. Do not reuse or refill this container. Offer for recycling, if available, or puncture and dispose of empty bottle in a sanitary landfill.

NOTICE OF WARRANTY

ARBORJET makes no warranty of fitness of this product for any other purpose, beyond its uses under normal conditions in keeping with the statements made on this label.