

74621-4

09/27/2007

113



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY

WASHINGTON, D.C. 20460

SEP 27 2007

OFFICE OF
PREVENTION, PESTICIDES
AND TOXIC SUBSTANCES

Mr. Darwin Holland
The Bug Stomper Company of LA, Inc.
P.O. Box 704
Springhill, LA 71075

Subject: Label Amendment
EPA Reg. No. 74621-4
Bug Stomper II
Your submission dated December 22, 2006

Dear Mr. Holland:

The labeling referred to above, submitted in connection with registration under the Federal Insecticide, Fungicide and Rodenticide Act (FIFRA), as amended, is acceptable subject to the comments listed below. A stamped copy of the label is enclosed for your records.

1. Revise the First Aid statements by listing The "If in eyes" statements first.
2. Revise the 2nd bullet under the "If Swallowed" statements to read "Do not give any liquid to the person."
3. Under Precautionary statements, move the last two sentences ("Personnel should vacate....prior to reentry by personnel") to the Directions for Use section of the label.
4. Revise the Pesticide Disposal statements to read: "Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide, spray mixture, or rinsate is a violation of Federal Law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste Representative at the nearest EPA Regional Office for guidance."
5. Under *Where to Use* delete, "Not for use in outside residential misting systems." You are adding this use to the label.
6. Under *Where to Use* add "Not for use on plants being grown for sale or other commercial use, or for commercial seed production or for research purposes. Not for use on sod farm or golf course turf."
7. Replace the entire section under *Outdoors* with the following directions for use: "Apply the diluted product (1 part concentrate to 21 parts water) at a rate of 6 to 12 fl.oz. per 1000 sq. ft. of area. Use only equipment that produces coarse, non-ULV sprays for residual

treatment of vegetation or other surfaces. Not for Wide Area Mosquito Adulticide Use. Do not apply with handheld or truck mounted aerosol ULV sprayers and thermal fogging devices. Use handheld, backpack or truck mounted misters or sprayers only."

Please note that a notice of availability of EPA's reregistration eligibility document (RED) for products containing permethrin was published in the FR on June 28, 2006 (Vol. 71 No. 124 pg. 36788). Additional data and/or labeling changes may be required for products containing permethrin.

If you have any questions regarding this action, please contact Olga Odiott of my team at (703) 308-9369.

Sincerely,



George T. LaRocca
Product Manager (13)
Insecticide Branch
Registration Division (7505P)

Enclosure

FIRST AID

IF ON SKIN OR CLOTHING	<ul style="list-style-type: none"> Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice.
IF SWALLOWED	<ul style="list-style-type: none"> Call Poison Control Center or doctor immediately for treatment advice. Have person sip a glass of water, if able to swallow. Do not induce vomiting unless told to do so by the Poison Control Center or doctor. Do not give anything by mouth to an unconscious person.
IF IN EYES	<ul style="list-style-type: none"> Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a Poison Control Center or doctor for treatment advice.

HOT LINE NUMBER

Have the product container or label with you when calling a poison control center or doctor, or when going for treatment. You may also contact 1-888-740-8712 for emergency medical treatment information.

NOTE TO PHYSICIAN: "May pose an aspiration pneumonia hazard." Contains petroleum distillate.

PRECAUTIONARY STATEMENTS

Hazards to Humans & Domestic Animals **DANGER**

Corrosive. Causes irreversible eye damage. Do not get in eyes or on clothing. Wear protective eyewear (goggles, face shield or safety glasses). Harmful if swallowed. Avoid contact with skin. Prolonged or frequently repeated skin contact may cause allergic reactions in some individuals. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum or using tobacco. Remove and wash contaminated clothing before reuse. Personnel should vacate containment areas (i.e. horse barns, dog kennels) to be treated while treatment is in progress. Treatment areas should be thoroughly ventilated prior to re entry by personnel.

ENVIRONMENTAL HAZARDS

This product is highly toxic to fish and other aquatic organisms. Drift or runoff may adversely affect fish. Do not apply directly to water, or to areas where surface water is present or to intertidal areas below the mean high water mark. Do not contaminate water by cleaning of equipment or disposal of equipment washwaters. This product is highly toxic to bees exposed to direct treatment on blooming crops and weeds. Do not apply this product or allow it to drift to blooming crops or weeds while bees are actively visiting the treatment area.

PHYSICAL/CHEMICAL HAZARDS

Combustible - Do not use or store near heat or open flame.

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

STORAGE: Keep in a cool, dry area preferably locked away from children and pets. Do not store below 32°F (0°C) in case of spill or leakage, soak up with an absorbent material such as sand, sawdust, earth, fuller's earth, etc... Dispose of with chemical waste.

PESTICIDE DISPOSAL: Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

CONTAINER DISPOSAL: Triple-rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or incineration, or, if allowed by state and local authorities, by burning. If burned stay out of smoke.

BUG STOMPER

II

Effectively kills and repels: houseflies, stable flies, fruit flies, black flies, deer flies, horn flies, mosquitoes, gnats, biting and non-biting midges, bott flies, face flies.

FOR COMMERCIAL/INDUSTRIAL USE ONLY

ACTIVE INGREDIENTS

Pyrethrins	4.50%
*Piperonyl Butoxide, Technical	15.00%
**Permethrin	3.00%
***OTHER INGREDIENTS	80.50%
TOTAL	100.00%

***CONTAINS PETROLEUM DISTILLATE

* Equivalent to 12.0% (butylcarbityl)(6-propylpiperonyl ether and 3.0% related compounds.
 ** (3-phenoxyphenol) methyl (+/-) cis/trans 3-(2,2-dichloroethenyl) 2,2-dimethyl cyclopropane-carboxylate). Cis/trans ratio Max. 65% (+/-) trans and min. 35% (+/-) cis.

KEEP OUT OF REACH OF CHILDREN

DANGER

SEE SIDE PANEL FOR ADDITIONAL

PRECAUTIONARY STATEMENTS

MANUFACTURED BY
The Bug Stomper Co.

P.O. Box 704 • Springhill, LA 71075

EPA Reg No. 74621-4 • EPA EST. No. 74621-LA-1



ACCEPTED
with COMMENTS
in EPA Letter Dated
SEP 27 2007
Under the Federal Insecticide,
Fungicide, and Rodenticide Act,
as amended, for the pesticide
registered under EPA Reg. No.
74621-4



DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling. Do not treat areas where food crops are growing.

DILUTION/USE RATE

Dilute before using. When used as a space spray and ultra low volume spray, dilute by adding 5 quarts of the Space Spray Concentrate to a 55 gallon drum and fill with clean water. Mix thoroughly prior to application. For less than 55 gallons add ounces of Space Spray Concentrate to each gallon of clean water mixing thoroughly prior to application.

WHERE TO USE

Use as a space spray in horse barns, dog kennels and zoological quarters. (Not for use in Outdoor Residential Mist Systems.) Use as an outdoor area spray for temporary reduction of listed insects on and around homes, patios, tennis court, pool areas, bench houses and lawn areas. Do not apply the product to horses intended for slaughter or human consumption. Do not apply this product in horse barn (stables) where horses intended for slaughter or human consumption will be maintained.

APPLICATION DIRECTIONS

Indoors: To apply as a space spray, use mechanical (non-thermal) spray equipment such as Bug Stomper Automist Space Spray System. Adjust spray nozzles to deliver a fine mist to the entire treatment area at a rate of 1 ounce diluted product per 1,000 cubic feet of area.

Outdoors: When used as an ultra low volume spray to outdoor area site, apply the diluted product at a rate of 6-12 fl. oz. per 1,000 sq. ft. of area. This product may be applied with non-thermal application equipment including portable backpack sprayers, vehicle mounted non-thermal ULV equipment, ULV Cold Aerosol Generator, Microgen Curtis, Lone Air or other application equipment designed for ULV aerosol generation. Direct the diluted spray into tall grass, shrubbery and around lawns where these pests may hover or rest. Apply when the air is still and avoid wetting foliage. Do not apply when wind speeds exceed 10 mph. Do not apply within 100 feet of lakes and streams. Do not allow spray treatment to drift to ornamental ponds, pasture lands, cropland, poultry ranges or water supplies. Repeat treatments as necessary to maintain control of nuisance pests.

DIRECTIONS FOR USE IN OUTDOOR RESIDENTIAL MIST SYSTEMS:

Installers and service technicians must comply with the license certification, or registration requirements of the state(s), tribe(s) or local authority(ies) where they are installed. Do not apply this pesticide when people, pets, and food are present.

Do not use in an evaporative cooling system. Direct nozzles to spray towards the target area and away from swimming pools, water bodies, or eating and cooking areas. If used in a system with a reservoir tank for the end use dilution the system reservoir tank must be locked. Securely attach the end use pesticide label and a dilution statement to the system reservoir tank in a weather protected area or plastic sleeve.

DILUTION STATEMENT: This container holds 1(one) part Bug Stomper II to 43(forty three) parts water. This product must only be used in systems that have been calibrated to apply no more than the maximum application rate of 2.8 ounces of diluted product that is equal to 0.00058 lbs. a Piperonyl Butoxide per 1000 cubic ft. per day