8-19-2003

AUG 1 9 2003

Jack Tully Regulatory Manager Hercules incorporated, Pulp & Paper Division 1313 N. Market Street Wilmington, DE 18984

Subject:

Slime-Trol DPB 865

EPA Registration No. 74655-10 Amendment dated: May 21, 2003 EPA Received date: May 23, 2003

Dear: Mr. Jack Tully,

The following amendment submitted in connection with registration under the Federal Insecticide, Fungicide, and Rodenticide Act (FIFRA) as amended, is acceptable with the following conditions listed below:

Proposed Amendment

Amendment per PR Notice 2001-1

Conditions

Revise the label as follows:

The Precautionary Statement must read :

Corrosive. Causes irreversible eye damage and skin burns. Do not get in eyes, on skin, or on clothing. Wear protective eyewear (goggles, face shield, or safety glasses) rubber gloves, and protective clothing. Harmful if absorbed through the skin , swallowed, or inhaled. Wash throughly with soap and water after handling. Remove contaminated clothing and wash before reuse.

Delete the following headings(Person Protective Equipment, User Safety Requirements and User Safety Recommendations) and associated sections from the proposed label. This 2. language is not appropriate for this product. Only products which bear directions for use involving the production of an agricultural plant on a farm, forest, nursery, or greenhouse are subject to Worker Protection Standard.

CONCURRENCES												
LOGWA	7510(c)		·		,							
URHAME				·								
ATE)	8/18/03		-		***************************************		·					
EPA Form 1320-1A (1/90)			Printed on Recycled Paner				OFFICIAL FILE COPY					

7/3

- 3. Move the General Misuse Statement (Do Not contaminate water, food, or feed by storage or disposal) from PESTICIDE DISPOSAL to follow below the STORAGE AND DISPOSAL heading.
- 4. Reorder your First Aid statements: IF IN EYES, IF ON SKIN OR CLOTHING, IF SWALLOWED followed by IF IN INHALED.
- 5. Delete the word "objectionable" from the PULP AND PAPER SYSTEMS directions for use.

General Comments

A stamped label is enclosed for your records. Please submit three (3) copies of your final printed d label before distributing or selling the product bearing the revised labeling. If the above comments are not complied with, the registration will be subject to cancellation in accordance with FIFRA section 6 (e). Your release for shipment of the product bearing the amended labeling constitutes acceptance of these conditions.

Sincere

Velma Noble

Product Manager (31)

Regulatory Management Branch1 Antimicrobial Divisions (7510c)

IHERCULES

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS DANGER

CORROSIVE, HARMFUL OR FATAL IF SWALLOWED, CAUSES SKIN AND EYE BURNS. Do not get into eyes, on skin or on clothing. Do not inhale vapor or mist. Use with adequate ventilation. Wear rubber gloves, goggles and face shield when handling, immediately remove contaminated clothing and wesh before reuse. Wash thoroughly after handling.

PERSONAL PROTECTIVE FOLIPMENT

Applicators and their bendess sust wear.

- Coveralls over sheet that the part and
- Googles or face shield
- Chemical resistant gloves (such as barrier lamineta, bublioitrile, or
- A non-powered air purifying respirator with air organic valor (OV)

20100

USED CAFETY REQUIREMENTS

Discard clother of the system majories that have been deenched or heavily contaminated with this product's concentrate. It is not necessitive.

Pollow planufacturer's instructions for closingly point sing PPE. If no such instructions for examples and with PPE separately from other teundry. ----

USER SAFETY RECOMMENSATIONS

or using the toiler 1 total about remove clothing immediately if pesticitie gets. riside. Then some screening and put on clear making. User should remove personal profitches equipment immediately after handling this product. Wash outstiff of gloves before removing. As econ as possible wash hiproughly and change join chast clothing.

ENVIRONMENTAL HAZARDS

This product is toxic to fish and wildlife. Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans or other waters unless in accordance with the requirements of a National Polluntant Discharge Elimination System (NPDES) permit and the permitting authority has been notified in writing prior to discharge. Do not discharge effluent containing this product to sewer systems without previously notifying the local sewage treatment plant authority. For guidance contact your State Water Board or Regional Office of the EPA. Apply this pesticide only as specified on this label.

PHYSICAL AND CHEMICAL HAZARDS

Do not use, pour or store near heat or open

CONNENTS in EPA Letter Dated

Under the Pade of Control Farmoido, and Prof. Ande Miles

Lot Number Material I Net Welght: Packaging Date:

SLIME-TROL®DPB-865

SLIME CONTROL AGENT

MADE IN USA

ACTIVE INGREDIENTS: Bis(trichloromethyl) sulfone 18.0% N-Alkyl (C12-40%, C14-50%, C16-10%) dimethylbenzyl ammonium chloride 15.2% **INERT INGRÉDIENTS*** 66.8% 100.0% TOTAL "Inert ingredients include solubilizing and dispersing agents.

CONTENTS: LIQUID POUNDS PER GALLON: 9.08 (70°F) **EPA REGISTRATION NUMBER: 74655-10 EPA ESTABLISHMENT NUMBER: 74855-GA-01**

KEEP OUT OF REACH OF CHILDREN DANGER

FIRST AID

IF IN EYES:

Hold eye open and rinse slowly and gently with water for 15-20 minutes Remove contact lenses, if present, after the first 5 minutes, then continue rinsing

Call a poison control center or doctor for treatment advice.

IF INHALED:

Move person to fresh air.

If person is not breathing, call 911 or ambulance, and then give ertificial respiration, preferable mouth-to-mouth if possible.

Call a poison control center or doctor for treatment advice.

IF ON SKIN OR CLOTHING:

Take off contaminated clothing.

Rinse skin immediately with plenty of water for 15-20 minutes.

Call a poison control center or doctor for treatment advice.

IF SWALLOWED:

Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water is able to swallow

Do not induce varniting unless told to do so by the poison control center or

Do not give anything by mouth to an unconscious person.

For Emergency Information Call 302-594-5000

Have the product container or label with you when calling a poison control center or doctor, or going for treatment. For emergency information call 302-594-5000

NOTE TO PHYSICIAN:

Probable mucosal damage may contraindicate use of gastric lavage

For Industrial Use. Technical advice regarding specific site problems is available from Hercules Incorporated, Pulp & Paper Division. A Meterial Safety Data Sheet containing more detailed information relative to this product is available upon

	HEALTH	<u>.</u> .	3	
	FLAMMABILITY	,	2	
	REACTIVITY		0	
	PERSONAL PROTECTION	•	D	•

DIRECTIONS FOR USE: It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

GENERAL PRECAUTIONS AND RESTRICTIONS

Do not apply this product in a way that will contact workers or other persons. PULP AND PAPER SYSTEMS

This product aids in the control of objectionable bacteria and fungi in pulp, paper mill and the additive system, and for the preservation of pulp, pigment slumes, alum, emulsions, adhesives, defoamers, polymers and paper products. Additions can be made on a continuous or intermittent basis, depending upon the severity of the contamination, BADLY FOULED SYSTEMS must be cleaned before treatment is begun.

FOR SLIME CONTROL

The product should be added directly to the pulp and paper mill systems. Apply at a point in the system where the product will be uniformly mixed. INTERMITTENT OR SLUG METHOD - INITIAL DOSE: When the system is noticeably fouled, add this product at the rate of 0.2 to 3.0 pound per ton of pulp or pener produced. Additions to the additive system should be made directly at the rate of 0.5 to 2.0 pounds (60 to 240 ppm) per 1000 gallons. Repeat until control is achieved. SUBSEQUENT DOSE: When microbial control is evident, add this product at the rate of 0.1 to 2.0 pound per ton of pulp or paper produced. Treat the system as needed to maintain control. Additions to the additive system may be reduced to 0.2 to 1.0 pound (24 to 120 ppm) per 1000

CONTINUOUS FEED METHOD - INITIAL DOSE: When the system is noticeably fouled, add this product at the rate of 0.2 to 3.0 pound per ton of pulp or paper produced. Additions to the additive system should be made directly at the rate of 0.5 to 1.0 pound (60 to 120 ppm) per 1000 gallons. Continue until control is achieved. SUBSEQUENT DOSE; Maintain the following level by continuous feed of this product at the rate of 0.2 to 0.75 pound per ton of pulp and paper produced. Treat the system as needed to maintain control. Additions to the additive system should be at the rate of 0.2 to 2.0 pound (24 to 240 ppm) per 1000 gallons.

FOR PRESERVATION

This product should be added directly to the material to be preserved prior to manufacturing into the finished product, i.e., pulp, broke, polymer, defoamers, alum, emulsions, adhesives, paper mill coatings, pigment slurries and paper products. The dosage rate will depend upon the material to be preserved and the storage time. The usual additions should be 200 to 300 ppm and under extreme conditions of spoilage the dosage rate should be increased to 250 to 800 ppm. The above recommendations are based on a maximum storage time of two weeks. For storage time greater than two weeks, the maximum concentration should be increased to 1000 ppm.

STORAGE AND DISPOSAL

PESTICIDE STORAGE: Keep container tightly closed. Protect from freezing. Store in a dry place. Do not store at elevated temperatures.

PESTICIDE DISPOSAL: Do not contaminate water, food or feed by storage or disposal. Pesticide wastes are acutely hazardous and/or toxic. Improper disposal of excess pesticide, spray mixture, or rinsate is a violation of Federal Law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency or the Hazardous Waste Representative at the nearest EPA Regional Office for guidance. CONTAINER DISPOSAL -

METAL & PLASTIC CONTAINERS: Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfilt, or incinerate or burn, if allowed by state and local authorities. If burned, stay out of smoke.

FIBER DRUMS WITH LINERS: Completely empty liner by shaking and tapping sides and bottom to loosen clinging particles. Empty residue into application equipment. Then dispose of liner and drum in a sanitary landfill or incinerate if allowed by state and local authorities. Do not reuse empty drum or liner.

74655-10 Thereules Incorporated, Pulp & Paper Division, 1313 N. Market Street, Wilmington, DE 18984 Emergency and Business Phone: 302-594-5000