# UNITED STATES ENVIRONMENTAL PROTECTION AGENCY



# UNITED STATES ENVIRONMENTAL PROTECTION AGENCY WASHINGTON, D.C. 20460

OFFICE OF PREVENTION, PESTICIDES AND TOXIC SUBSTANCES

Ms. Kathryn Ingram Ashland Hercules Water Technologies 7910 Baymeadows Way Jacksonville, FL 32256

Subject:

Spectrum RX-47

EPA Registration No.: 74655-12 Notification Date: June 8, 2009 EPA Receipt Date: June 16, 2009

Dear Ms. Ingram,

This letter acknowledges receipt of your notification submitted in connection with registration under the provisions of PR Notice 98-10 and Federal Insecticide, Fungicide, and Rodenticide Act (FIFRA) section 3(c)9.

# **Proposed Notification**

Update Container Disposal Statements per PR Notice 2007-4

# **General Comments**

Based on a review of the material submitted, your notification to update container disposal statements is acceptable. A copy has been placed in our records for future reference.

Should you have any questions or comments concerning this letter, please contact Velma Noble at (703) 308-6233 or Jacqueline McFarlane at (703) 308-6416.

Sincerely,

Velma Noble

Product Manager (31)

Regulatory Management Branch I Antimicrobial Division (7510P)

CONCURRENCES									
SYMBOL	-			,			• • • • • • • • • • • • • • • • • • • •		
SURNAME	*************								
DATE				***********	**************	*************		*************	
EPA Form 1320-1A (1/90)		Printed on Recycled Paper			OFFICIAL FILE COPY				

Rrint Form Please read instructions on reverse before mpleting form. Form App OMB No. 2070-0060 **OPP Identifier Number United States** Registration **Environmental Protection Agency Amendment** Washington, DC 20460 Other Application for Pesticide - Section I 1. Company/Product Number 2. EPA Product Manager 3. Proposed Classification 74655-12 Velma Noble - #31 X None Restricted 4. Company/Product (Name) PM# Spectrum RX-47 31 5. Name and Address of Applicant (Include ZIP Code) 6. Expedited Review. In accordance with FIFRA Section 3(c)(3) (b)(i), my product is similar or identical in composition and labeling Hercules Incorporated, Paper Technologies & Ventures 1313 North Market Street, Wilmington, DE 19894 EPA Reg. No. Check if this is a new address **Product Name** Section - II Amendment - Explain below. Final printed labels in response to Agency letter dated Resubmission in response to Agency letter dated\_ "Me Too" Application. X Notification - Explain below. Other - Explain below. Explanation: Use additional page(s) if necessary. (For section I and Section II.) Notification of a label change per PR Notice 2007-4. This notification is consistent with the guidance in PR Notice 2007-4 and the requirements of EPA's regulations at 40 CFR 156.10, 156.140, 156.144, 156.146 and 156.156. See attached letter for additional statements. Section - III 1. Material This Product Will Be Packaged In: Water Soluble Packaging Child-Resistant Packaging Unit Packaging 2. Type of Container Yes\* Metal Yes Yes Plastic No Nο Nο Glass If "Yes" Paper If "Yes" No. per No. per \* Certification must Unit Packaging wgt. Package wat container Other (Specify) container be submitted 3. Location of Net Contents Information 4. Size(s) Retail Container 5. Location of Label Directions On Label Container Label On Labeling accompanying product 6. Manner in Which Label is Affixed to Product Lithograph Other Paper glued Stenciled Section - IV 1. Contact Point (Complete items directly below for identification of individual to be contacted, if necessary, to process this application.) Name Title Telephone No. (Include Area Code) Regulatory Specialist Kathryn Ingram 904/256-0311, 300 6. Date Application Certification Received I certify that the statements I have made on this form and all attachments thereto are true, accurate and complete. l acknowledge that any knowingly false or misleading statement may be punishable by fine or imprisonment of the both under applicable law. go(Stamped) 2. Signature ں ں Regulatory Specialist ر ړ د د د

5. Date

June 5, 2009

Kathryn Ingram



Ashland Hercules Water Technologies

Name Kathryn Ingram Title Regulatory Specialist 7910 Baymeadows Way Jacksonville, FL 32256

KRIngram@Ashland.com

June 8, 2009

Document Processing Desk (NOTIF)
Office of Pesticides Programs (7504P)
Antimicrobials Division
U.S. Environmental Protection Agency
Room S-4900, One Potomac Yard
2777 South Crystal Drive
Arlington, VA 22202-4501

Subject: Spectrum RX-47; EPA Registration # 74655-12

Notification per PR Notice 2007-4

Dear Ms. Noble:

This submission is to notify the EPA of a label change to the Storage & Disposal section of the Spectrum RX-47 label per PR Notice 2007-4.

This notification is consistent with the guidance in PR Notice 2007-4 and the requirements of EPA's regulations at 40 CFR 156.10, 156.140, 156.144, 156.146, and 156.156. No other changes have been made to the labeling or the Confidential Statement of Formula for this product. I understand that it is a violation of 18 U.S.C. Sec. 1001 to willfully make any false statement to EPA. I further understand that if the amended label is not consistent with the requirements of 40 CFR 156.10, 156.140, 156.144, 156.146, and 156.156, this product may be in violation of FIFRA and I may be subject to enforcement action and penalties under sections 12 and 14 of FIFRA.

Enclosed are the following:

- Application form, EPA Form 8570-1
- Revised product label with changes clearly marked

Please send all correspondence to the following address:

Ashland Inc 7910 Baymeadows Way Jacksonville, FL 32256 Attn: Kathryn Ingram

Please contact me at 904-256-0311 or via email at <a href="mailto:KRIngram@Ashland.com">KRIngram@Ashland.com</a> with questions or comments regarding this submission. Thank you for your assistance.

Thank you,

Jathryn Ingam Rathryn Ingam

# SPECTRUM® RX-47 microbiocide agent

# PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS

# DANGER

CORROSIVE, CAUSES IRREVERSIBLE EYE DAMAGE AND SKIN BURNS, Do not get in eyes, on skin or on clothing. Wear protective eyewear (goggles or face shield) rubber gloves, and protective clothing. Harmful if swallowed or inhaled. Avoid breathing dust, vapor or spray mist. Wash thoroughly with soap and water after handling. Remove contaminated clothing and wash before reuse.

#### **ENVIRONMENTAL HAZARDS**

This product is toxic to fish and wildlife. Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans or other waters unless in accordance with the requirements of a National Polluntant Discharge Elimination System (NPDES) permit and the permitting authority has been notified in writing prior to discharge. Do not discharge effluent containing this product to sewer systems without previously notifying the local sewage treatment plant authority. For guidance contact your State Water Board or Regional Office of the EPA. Apply this pesticide only as specified on this label,

#### PHYSICAL AND CHEMICAL HAZARDS tot use, pour or store near heat or open flame.

# **STORAGE AND DISPOSAL**

Do not contaminate water, food or feed by storage or disposal. PESTICIDE STORAGE: Keep container tightly closed. Protect from freezing. Store in a dry place. Do not store at elevated temperatures

PESTICIDE DISPOSAL: Pesticide wastes are acutely hazardous and/or toxic, Improper disposal of excess pesticide, spray mixture, or rinsate is a violation of Federal Law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency or the Hazardous Waste Representative at the nearest EPA Regional Office for guidance.

### CONTAINER HANDLING -

Nonrefillable container. Do not reuse or refill this container. Triple rinse container (or equivalent) promptly after emptying. Offer for reconditioning, if appropriate. Triple rinse as follows: Empty the remaining contents into application equipment or a mix tank. Fill the container 1/4 full with water. Replace and tighten closures Tip container on its side and toll it back and forth, ensuring at least one complete revolution, for 30 seconds. Stand the container on its end and tip it back and forth several times. Turn the container over onto its other end and tip it back and forth several times. Empty the rinsate into application equipment or a mix tank or store rinsate for later use or disposal. Repeat this procedure two more times.

For Industrial Use. Technical advice regarding specific site problems is available from Hercules Incorporated, Paper Technologies & Ventures. A Material Safety Sheet containing more detailed information relative to this product is ible upon request.

### MADE IN USA

ACTIVE INGREDIENTS:	
Dodecylguanidine hydrochloride	5.0%
N-Alkyl (C12-40%, C14-50%, C16-10%)	
dimethylbenzyl ammonium chloride	8.0%
INERT INGREDIENTS*	87.0%
TOTAL	100.0%
*Inert ingredients include solubilizing and dispersing	n agents

CONTENTS: LIQUID POUNDS PER GALLON: 8.5 (70°F) EPA REGISTRATION NUMBER: 74655-12 EPA ESTABLISHMENT NUMBER:

# KEEP OUT OF REACH OF CHILDREN DANGER

# FIRST AID

### IF IN EYES: Hold eye open and rinse slowly and gently with water for 15-20 minutes Remove contact lenses, if present, after the first 5 minutes, then continue rinsing

Call a poison control center or doctor for treatment advice.

### IF ON SKIN OR CLOTHING:

Take off contaminated clothing.

Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice

### IF SWALLOWED:

Call a poison control center or doctor immediately for treatment advice. Have person sip a class of water is able to swallow.

Do not induce vomiting unless told to do so by the poison control center or

Do not give anything by mouth to an unconscious person.

#### IF INHALED:

Move person to fresh air.

If person is not breathing, call 911 or ambulance, and then give artificial respiration, preferable mouth-to-mouth if possible.

Call a poison control center or doctor for treatment advice.

### For Emergency Information Call 302-594-5000

Have the product container or label with you when calling a poison control center or doctor, or going for treatment. For emergency information call 302-594-5000

## NOTE TO PHYSICIAN:

Probable mucosal damage may contraindicate use of gastric lavage.

Produced for Hercules Incorporated

Lot Number:

Material ID:

NOTIFICATION

Dete Reviewed: \_\_\_\_\_\_

Reviewed By: \_\_\_\_\_

**Net Weight:** 

# Packaging Date:

DIRECTIONS FOR USE: It is a violation of Federal Law to use this product in a manner inconsistent with its labeling. 

mill and the additive system, and for the preservation of pulp pigment slurries, alum, emulsions, adhesives, defoamers, polymers and paper products. Additions can be made on a continuous or intermittent basis, depending upon the severity of the contamination, BADLY FOULED SYSTEMS must be cleaned before treatment is begun. FOR SLIME CONTROL 300 0 5 5

The product should be added directly to the pulpland paper mill systems. Apply at a point in the system where the product will be uniformly mixed.

INTERMITTENT OR SLUG METHOD - INITIAL DOSE: When the system is noticeably fouled, add this product at the rate of 0.15 to 2.0 pound per ton of pulp or paper produced. Additions to the additive system should be made directly at the rate of 0.1 to 2.0 pounds (12 to 240 ppm) per 1000 gallons. Repeat until control is achieved. SUBSEQUENT DOSE: When microbial control is evident, add this product at the rate of 0.15 to 2.0 pound per ton of pulp and paper produced. Treat the system as needed to maintain control. Additions to the additive system may be reduced to 0.1 to 1.5 pound (12 to 180 ppm) per 1000 gallons.

CONTINUOUS FEED METHOD - INITIAL DOSE: When the system is noticeably fouled, add this product at the rate of 0.15 to 2.0 pound per ton of pulp or paper produced. Additions to the additive system should be made directly at the rate of 0.1 to 1.0 pound (12 to 120 ppm) per 1000 gallons. Continue until control is achieved. SUBSEQUENT DOSE: Maintain the following level by continuous feed of this product at the rate of 0.15 to 2.0 pound per ton of pulp and paper produced. Treat the system as needed to maintain control. Additions to the additive system should be at the rate of 0.1 to 1.5 pound (12 to 180 ppm) per 1000 gallons. FOR PRESERVATION

This product should be added directly to the material to be preserved prior to manufacturing into the finished product, i.e., pulp, broke, polymer, defoamers, alum, emulsions, adhesives, paper mill coatings. pigment slurries and paper products. The dosage rate will depend upon the material to be preserved and the storage time. The usual additions should be 200 to 300 ppm and under extreme conditions of spoilage the dosage rate should be increased to 250 to 800 ppm. The above recommendations are based on a maximum storage time of two weeks. For storage time greater than two weeks, the maximum concentration should be increased to 1000 ppm.

HEALTH	3
FLAMMABILITY	2
REACTIVITY	0
PERSONAL PROTECTION	D

# **E**HERCULES

Hercules Incorporated Paper Technologies & Ventures 1313'N. Market Street Wilmington, DE 19894 302-594-5000 (24 hours)