UNITED STATES ENVIRONMENTAL PROTECTION AGENCY WASHINGTON, D.C. 20460



United States Environmental Protection Agency Office of Pesticide Programs

Special Materials Company 70 West 40th Street New York, New York 10018

DEC 1 0 2013

Attention:

J. Michael Kelly, Ph.D.

Subject:

AVANCID® 75

EPA Registration No: 74712-3

Notification Dated: October 18, 2013

This will acknowledge receipt of your Notification to update the container handling statement per PR Notice 2007-4 and make other minor changes to the product label, submitted under the provision of FIFRA Section 3(c)(9).

Proposed Notification:

To minor typographical corrections

General Comments:

Based on a review of the submitted material, the following comments apply:

The Notification dated October 18, 2013 to make minor typographical corrections and clarification under the directions for use is acceptable. This information has been added to your file.

If you have any questions concerning this letter, please contact Zebora Johnson at (703) 308-63417.

Sincerely

Marshall Swindell

Product Manger (33)

Regulatory Management Branch I Antimicrobial's Division (7501P)

1						1
Approve	JMB No.	2070-0060.	Approval	expires	05-31-	98

Please read instructions or	n reverse side before complet, orm.		Form	1 Approve	JMB No. 2070	0-0060. Approval expires 05-31-98	
ŞEPA	Environmental F	United States Environmental Protection Agency Washington, DC 20460			gistration endment er	OPP Identifier Number	
	App	lication for P	Pesticide – Se	ction 1			
1. Company/Product	Number 74712 / 3	!	2. EPA Product M	lanager Swindell		3. Proposed Classification	
4. Company/Product	(Name)		PM Number			None Restricted	
Special Mat	terials Company / AVAN	NCID® 75	33				
5. Name And Address Of Applicant (Include ZIP Code) Special Materials Company 70 West 40th Street New York, New York 10018			6. Expedited Review . In accordance with FIFRA Section 3(c)(3) (b)(i), my product is similar or identical in composition and labeling to: EPA Reg. No				
Check if this is a	new address		Product Name				
		Sec	ction II				
Notification – Ex	n response to Agency letter	"Me T	Printed labels in res Foo" Application. r – Explain Below.	ponse to A	gency letter da	ted	
Notification of N This notification is o have been made to Sec. 1001 to willful	additional page(s) if necessary. (For finor Label Changes. consistent with the provisions to the labeling or the confidentially make any false statement to CFR 152.46, this product mand 14 of FIFRA.	of PR Notice 98- al statement of fo EPA. I further u	10 and EPA regulormula of this produced in the	uct. I unde his notifica	erstand that it ation is not co	is a violation of 18 U.S.C. nsistent with the terms of PR	
		Sec	ction III				
1. Material This Produ	uct Will Be Packaged In:						
Child Resistant Packa Yes* No * Certification must be submitted	Yes No If "Yes"	o. per If "Yes		o. per ontainer	2. Type of Cor Met Plas Glas Pap Oth	al stic	
3. Location of Net Co	ntents Information	4. Size(s) Retail (Container		ocation of Labe	I Directions	
Label	Container		,	· 1		Labeling accompanying product	
6. Manner in Which L	abel is Affixed to Product	Lithograp Stenciled		er glued er			
		Sec	tion IV				
Contact Point (Contact Point) Name	nplete items directly below for ider	······································		if necessar		nis application.) hone No. (Include Area Code)	
Michael Keiley, Ph.D. Author		Authorized R	thorized Representative for Special terials Company				
	Cert ments I have made on this form ar y knowingly false or misleading sta					6. Date Application Received	
2. Signature [Mello]		3. Title Authorized Representative for Special Materials Company					
4. Typed Name		5. Date					
I Michael Kelley Ph D			October 18	2013		}	

toXcel

Toxicology & Regulatory Affairs 7140 Heritage Village Plaza Gainesville, VA 20155 USA

Phone: 703-754-0248

Fax: 703-310-6950

Hand Delivered

October 18, 2013

Document Processing Desk (NOTIF)
Office of Pesticide Programs (7504C)
U.S. Environmental Protection Agency
Room S-4900, 4th Floor, One Potomac Yard
2777 South Crystal Drive
Arlington, VA 22202-4501

RE: Notification of Label Revisions per PR Notice 98-10

(AVANCID® 75 / 74712-3)

Dear Mr. Swindell,

On behalf of Special Materials Company, toXcel is submitting a notification to update the label for AVANCID® 75 (EPA Reg. No. 74712-3) with minor typographical corrections and a clarification in the directions for use, which better identifies the use instructions for Water Floods.

Please find enclosed one marked-up copy of the label with changes clearly indicated and two copies of the final label. This version, dated 20131017 in the document footer, supercedes the label that was submitted to the Agency via notification on September 4, 2013.

This notification is consistent with the provisions of PR Notice 98-10 and EPA regulations at 40 CFR 152.46, and no other changes have been made to the labeling or the confidential statement of formula of this product. I understand that it is a violation of 18 U.S.C. Sec. 1001 to willfully make any false statement to EPA. I further understand that if this notification is not consistent with the terms of PR Notice 98-10 and 40 CFR 152.46, this product may be in violation of FIFRA and I may be subject to enforcement action and penalties under sections 12 and 14 of FIFRA.

If you have any questions about the information provided, please do not hesitate to contact me via email at Mike.Kelley@toxcel.com or by phone at (703) 754-0248 x112.

Sincerely.

Mike Kelley

Authorized Representative, Special Materials Company

cc: Perry Collins (Special Materials)
Phil Ostrowski (Special Materials)

Adam Feldman (Special Materials)

AVANCID® 75

FOR INDUSTRIAL USE ONLY

NOTIFICATION	r
Date Reviewed:	13
Reviewed By:	

Active Ingre	
	kis(hydroxymethyl) phosphonium sulfate
Total:	dients:
100011	KEEP OUT OF REACH OF CHILDREN
	DANGER
	FIRST AID
If In Eyes	Hold eye open and rinse slowly and gently with water for 15-20 minutes.
-	· Remove contact lenses, if present, after the first 5 minutes, then continue rinsing
	eye.
	- Call a poison control center or doctor for treatment advice.
lf On Skin Or	Take off contaminated clothing.
Clothing	· Rinse skin immediately with plenty of water for 15-20 minutes.
	Call a poison control center or doctor for treatment advice.
If Inhaled	Move person to fresh air.
4	· If person is not breathing, call 911 or an ambulance, then give artificial respiration,
	preferably by mouth-to-mouth, if possible.
	· Call a poison control center or doctor for further treatment advice. If breathing is
	difficult, oxygen should be administered by a qualified professional.
If Swallowed	· Call a poison control center or doctor immediately for treatment advice.
	· Have person sip a glass of water if able to swallow. Do not induce vomiting unless
	told to do so by the poison control center or doctor.
	Do not give anything by mouth to an unconscious person.
	HOT LINE NUMBER
IN CASE OF E	MERGENCY endangering life or property involving this product, call 800-424-9300.
Have product c	ontainer or label with you when calling a poison control center or doctor or going to
treatment.	
	NOTE TO PHYSICIAN
Probable muco	sal damage may contraindicate the use of gastric lavage. Maintain adequate
ventilation and	oxygenation of the patient. No specific antidote. Treatment of exposure should be

EPA Reg. No. 74712-3

EPA Est. No. 74712-CHN-C01

Special Materials Company 70 West 40th Street New York, New York 10018

directed at the control of symptoms and the clinical condition of the patient.

Net Contents: Lot	Number:
-------------------	---------

PRECAUTIONARY STATEMENTS

Hazards to Humans and Domestic Animals

Danger: Corrosive. Causes irreversible eye damage. May be fatal if swallowed. Harmful if inhaled. Harmful if absorbed through the skin. Do not get in eyes, on skin, or on clothing. Prolonged or frequently repeated skin contact may cause allergic reactions in some individuals. Avoid breathing vapor or spray. Wear long sleeved shirt and pants or coveralls, goggles or face shield, and chemical resistant gloves. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum and using tobacco or using the toilet. Remove and wash contaminated clothing before use.

User Safety Recommendations

Users must remove clothing immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing. Users must wash hands before eating, drinking, chewing gum, or using the toilet. Users must remove PPE immediately after handling this product. Wash outside of gloves before removing. As soon as possible, wash thoroughly. If no such instructions exist for washables, use detergent and hot water. Keep and wash PPE separately from other laundry.

ENVIRONMENTAL HAZARDS

This product is toxic to fish.

Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans, or other waters unless in accordance with the requirements of a National Pollutant Discharge Elimination System (NPDES) permit and the permitting authority has been notified prior to discharge. Do not discharge effluent containing this product to sewer systems without previously notifying the local sewage treatment plant authority. For guidance contact your State Water Board or Regional Office of the EPA.

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

OIL FIELD AND PETROCHEMICAL OPERATIONS

AVANCID® 75 is effective in controlling the growth of sulfate reducing bacteria, general aerobic bacteria, and microorganisms that contribute to biofilm formation in oil field recovery, processing and distribution applications and supporting systems; such as injection water, water holding tanks, disposal well water, recirculating water handling systems, and pipelines. AVANCID® 75 has been shown to dissolve iron sulfide and sequester iron when used under these conditions, leading to improvements in pump and filter life, injectivity, oil water separation, and reduction of sheen. AVANCID® 75 is also effective for use in controlling microbial growth in fluids used for drilling and stimulation of oil and gas formations.

Produced and Injection Water Treatment (Water Floods)

AVANCID® 75 should be added to a produced or injection water system at a point where uniform mixing will occur.

Initial Treatment:

For a noticeably fouled system, add 93-350 ppm AVANCID® 75. When added to a flowing system, shock dose for 2-6 hours based on flow rates. Repeat as necessary until control is achieved.

Subsequent Treatment:

Once control has been achieved, add 14-98 ppm AVANCID® 75 weekly or as needed to maintain control. When added to a flowing system, shock dose for 2-6 hours based on flow rates.

Continuous Treatment:

AVANCID® 75 can be dosed continuously at a level of 14-67 ppm.

Transmission Pipelines and Systems

AVANCID® 75 should be added at a point in the pipeline where uniform mixing will occur. The application should be conducted to ensure maximum distribution of product through the internal surface of the pipeline by adding an amount of biocide which eventually comes out the other end of the pipeline. Criteria for success of the treatment will be reduction in bacterial count and/or corrosion rates.

Slug Dosing:

Follow instructions for injection water treatment.

Continuous Dosing:

AVANCID® 75 can be dosed continuously at a level of 14-100 ppm.

Drilling Muds, Packer Fluids, Completion and Workover Fluids:

Add AVANCID® 75 at a point where uniform mixing will occur. Add 33-1400 ppm of product to a freshly prepared fluid depending on severity of contamination.

Gas Storage Wells and Systems

14.20 Section 14.20

Individual wells should be treated in the same manner and at the same application rates as described under Water Floods. Individual drips should be treated with a sufficient quantity of product to produce a concentration of 33.3-133.3 ppm when diluted by the water present in the drip. Repeat as needed to maintain control.

Well Remediation Operations

Individual production or injection wells may be bullheaded with AVANCID® 75 to control bacteria and dissolve iron sulfide deposits. Pump the product into the well as an aqueous solution containing from 13.3 to 40% AVANCID® 75. The well should be shut in for at least 6 hours before putting it back into operation.

Hydrotesting

Water used to hydrotest pipelines or vessels should contain 66.6-666.5 ppm AVANCID® 75 depending on water quality and length of time the equipment will remain idle.

Pipeline Pigging and Scraping

Add AVANCID® 75 to a slug of water contained between the scraper and the trailing pig to produce a concentration of 70-700 ppm in the water at the discharge point or pig trap, depending on the length of the pipe and the severity of biofouling.

Note: For cooling water systems of equal to or greater than 4000 gallons, do not apply by open pouring of liquid too cooling water systems; a metering pump delivery system is required for this use and application method.

INDUSTRIAL AND/OR COMMERCIAL RECIRCULATING COOLING WATER SYSTEMS (for control of bacteria, fungi, and algae)

Initial Slug Dose: Add 133.3-1000 ppm AVANCID® 75 based on total water volume. Repeat until control is obtained.

Subsequent Treatment: Add either **intermittently** 33.3-400 ppm of AVANCID® 75 or **continuously** 20-67 ppm AVANCID® 75. Dirty systems must be cleaned prior to treatment.

HEAT TRANSFER SYSTEMS (Evaporative Condensers, Dairy Sweetwater Systems, Hydrostatic Sterilizers and Retorts, Brewery and Other Pasteurizers, and Warmers).

Add AVANCID® 75 at the same application rates, and in the same manner as described for recirculating cooling water. Add to the system at a point where uniform mixing and circulation will occur.

AIR WASHER SYSTEMS

For control of bacteria and fungi. Pre-clean the system with detergent and allow air washer to run with fan on for two hours. Flush and check nozzles, manually cleaning as necessary. Add 50-133.3 ppm AVANCID® 75 at a point where uniform mixing and even distribution will occur. Repeat as needed to maintain control.

FIRE PROTECTION SYSTEMS

AVANCID® 75 is effective at controlling microbial growth in waters and on pipe surfaces in fire protection systems. Such microbial growth when combined with other forms of corrosion can lead to accelerated corrosion rates and pitting corrosion, commonly referred to as microbiologically influenced corrosion. AVANCID® 75 also helps to remove free oxygen from the water, thus eliminating an important nutrient for bacteria and an important reactant in many corrosion reactions.

AVANCID® 75 should be added to a fire protection system using a chemical metering pump. Inject at a point, such as a riser, manifold, or makeup feed water line, where uniform mixing and even distribution will occur. Add 100-400 ppm AVANCID® 75 depending on severity of contamination in the system. Repeat as needed.

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage or disposal.

STORAGE: Store this product in a cool, dry area away from direct sunlight and heat to avoid deterioration. Keep container tightly closed when not in use. In case of a spill, flood the area with large quantities of water.

PESTICIDE DISPOSAL: Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide, spray mixture, or rinsate is violation of Federal Law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste Representative at the nearest EPA Regional Office for guidance.

CONTAINER Disposal: Nonrefillable container. Do not reuse or refill this container. Triple rinse container (or equivalent) promptly after emptying. Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or by other procedures approved by state and local authorities.