



U.S. ENVIRONMENTAL PROTECTION AGENCY
Office of Pesticide Programs
Antimicrobials Division (7510P)
1200 Pennsylvania Ave., N.W.
Washington, D.C. 20460

EPA Reg. Number:

74748-2

Date of Issuance:

9/8/22

NOTICE OF PESTICIDE:

Registration
 Reregistration
(under FIFRA, as amended)

Term of Issuance:

Unconditional

Name of Pesticide Product:

AquaMax Stabilized Chlorinating
Tablets

Name and Address of Registrant (include ZIP Code):

Matthew Feinberg
Authorized Representative of
MT Pool Distributors, Inc.
Electronic Transmittal: mfeinberg@exponent.com.

Note: Changes in labeling differing in substance from that accepted in connection with this registration must be submitted to and accepted by the Antimicrobials Division prior to use of the label in commerce. In any correspondence on this product always refer to the above EPA registration number.

On the basis of information furnished by the registrant, the above named pesticide is hereby registered under the Federal Insecticide, Fungicide and Rodenticide Act (FIFRA).

Registration is in no way to be construed as an endorsement or recommendation of this product by the Agency. In order to protect health and the environment, the Administrator, on his motion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by others.

This product is unconditionally registered in accordance with FIFRA section 3(c)(5) provided that you:

1. Submit and/or cite all data required for registration/reregistration/registration review of your product when the Agency requires all registrants of similar products to submit such data.

Signature of Approving Official:

Demson Fuller
Product Manager 32 RMB1
Antimicrobials Division (7510P)

Date:

9/8/22

2. Make the following label changes before you release the product for shipment:
 - Revise the EPA Registration Number to read, “EPA Reg. No. 74748-2.”
3. Submit one copy of the revised final printed label for the record before you release the product for shipment.

Should you wish to add/retain a reference to the company’s website on your label, then please be aware that the website becomes labeling under FIFRA and is subject to review by the Agency. See FIFRA section 2(p)(2). If the website is false or misleading, the product would be misbranded and unlawful to sell or distribute under FIFRA section 12(a)(1)(E). 40 CFR 156.10(a)(5) lists examples of statements EPA may consider false or misleading. In addition, regardless of whether a website is referenced on your product’s label, claims made on the website may not substantially differ from those claims approved through the registration process, FIFRA section 12(a)(1)(B). Therefore, should the Agency find or if it is brought to our attention that a website contains false or misleading statements or claims substantially differing from the EPA approved registration, the website will be referred to the EPA’s Office of Enforcement and Assurance.

If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA section 6. Your release for shipment of the product constitutes acceptance of these conditions. A stamped copy of the label is enclosed for your records. Please also note that the record for this product currently contains the following CSFs:

- Basic CSF dated 12/22/2021

If you have any questions, please contact Jack Hall by phone at (202)566-0731, or via email at hall.john.j@epa.gov

Sincerely,



Demson Fuller, Product Manager 32
Regulatory Management Branch I
Antimicrobials Division (7510P)
Office of Pesticide Programs

Enclosure

{All text in brackets [xxx] is optional and may or may not be included on a final label}

{All text in braces {xxx} is administrative and will not appear on a final label.}


AQUAMAX STABILIZED CHLORINATING TABLETS

ACTIVE INGREDIENT:

Trichloro-s-triazinetrione	86.0%
OTHER INGREDIENTS	14.0%
TOTAL INGREDIENTS	100.0%

(Available Chlorine: 77.4%)

**KEEP OUT OF REACH OF CHILDREN
DANGER / PELIGRO**



[See [back] [side] panel for First Aid and additional precautionary statements.]

Si usted no entiende la etiqueta, busque a alguien para que se la explique a usted en detalle. (If you do not understand the label, find someone to explain it to you in detail.)

FIRST AID
<p>IF IN EYES: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice.</p> <p>IF ON SKIN OR CLOTHING: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice.</p> <p>IF INHALED: Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth, if possible. Call poison control center or doctor for treatment advice.</p> <p>IF SWALLOWED: Call poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by the poison control center or doctor. Do not give anything by mouth to an unconscious person.</p>
<p>Note to Physician: Probable mucosal damage may contraindicate the use of gastric lavage.</p>
HOTLINE NUMBER
<p>Have the product container or label with you when calling a poison control center or doctor or going for treatment. For general information on product use, etc., call the National Pesticide Information Center (NPIC) at 1-800-858-7378, 8:00 am – 12:00 pm Pacific Time, Monday – Friday; email: npic@ace.orst.edu; or website: http://npic.orst.edu/. You may also contact the Poison Control Center at 1-800-222-1222 for emergency medical treatment information.</p>

Manufactured [for][by]:
MT Pool Distributors, Inc.
7400 SW 41ST STREET
Miami, FL 33155

EPA REG. NO. 74748-E
NET WEIGHT: {as indicated on container}

EPA EST. NO. XXXX-XX-XXXX
[Label ver. 08/24/2022]

{All text in brackets [xxx] is optional and may or may not be included on a final label}

{All text in braces {xxx} is administrative and will not appear on a final label.}

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS

DANGER: Corrosive. Causes irreversible eye damage and skin burns. May be fatal if inhaled. Do not breathe in dust or fumes. Irritating to nose and throat. Harmful if swallowed or absorbed through skin. Do not get in eyes, on skin, or on clothing. Wear protective eyewear, respirator and gloves. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco, or using the toilet. Remove and wash contaminated clothing before reuse.

PHYSICAL OR CHEMICAL HAZARDS:

STRONG OXIDIZING AGENT: Do not mix with other chemicals. Mix only with water. Never add water to product. Always add product to large quantities of water. When using automatic feeding devices, always follow manufacturer's directions as to the proper addition of sanitizer product to chlorinators. Use clean dry utensils. Do not add this product to any dispensing device containing remnants of any other product. Such use may cause a violent reaction leading to fire or explosion. Contamination with moisture, organic matter, or other chemicals will start a chemical reaction and generate heat, hazardous gas, possible fire and explosion. In case of contamination or decomposition, do not reseal container. If possible, isolate container in open air or well-ventilated area. Flood area with large volumes of water.

{Environmental hazards statement for end-use products in containers of less than 50 pounds (solid, dry weight).}

[ENVIRONMENTAL HAZARDS: This pesticide is toxic to fish and aquatic organisms.]

{Environmental hazards statement for end-use products in containers of equal to or greater than 50 pounds (solid, dry weight).}

[ENVIRONMENTAL HAZARDS: This pesticide is toxic to fish and aquatic organisms. Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans or other waters unless in accordance with the requirements of a National Pollutant Discharge Elimination System (NPDES) permit and the permitting authority has been notified in writing prior to discharge. Do not discharge effluent containing this product to sewer systems without previously notifying the local sewage treatment plant authority. For guidance contact your State Water Board or Regional Office of the EPA.]

[NOTE: Buyer assumes all responsibility for safety and use not in accordance with directions.]

{All text in brackets [xxx] is optional and may or may not be included on a final label}

{All text in braces {xxx} is administrative and will not appear on a final label.}

{Optional use claims that may be used with swimming pool sanitization and algaecide.}

[Algae killer]

[As Needed*][*Please refer to directions for use] *{Application frequency per routine swimming pool algaecide maintenance directions}*

[Bleaches out organic stains]

[Concentrated stabilized chlorinating tablets]

[Concentrated]

[Controls algae]

[Controls bacteria and algae]

[Do not mix with other products]

[For use in Automatic Feeders or Floaters]

[For use in white plaster pools only]

[For white plaster pools only]

[Kills bacteria]

[Kills black algae on pool walls]

[Kills black algae]

[Long lasting]

[Sanitizer]

[Slow dissolving Sanitizer for Use in Automatic Feeders or Floaters]

[Slow Dissolving]

[Stabilized]

[Stain Remover]

{Optional marketing statements that may be used with **large tablets**}

[Concentrated, Stabilized 3" Tablets]

[Stabilized chlorinating tablets for feeder and skimmer application.]

[3" Size]

[3" Tablets]

[Giant 3" Size]

[Unwrapped]

[Sanitizer]

[3" Chlorinating Tablets]

[For feeder and skimmer application.]

[Step 1] *{Sanitizers are marketed as step one of a three step program to treat swimming pool water.}*

[Professional Pool Care Commercial and Service Use] *{For use on larger size containers sold to pool service professionals}*

[Approximate weight of each tablet: "x" ounces] {"x" equals weight of tablet.}

[Slow-Dissolving Sanitizer for Use in Automatic Feeders or Floaters]

[For use in Automatic Feeders or Floaters]

[Slow Dissolving Stabilized Tablets]

{Optional marketing statements that may be used with large tablets for **skimmer application**}

[Concentrated, Stabilized 3" Tablets]

[Concentration, Stabilized 3" Tablets]

{All text in brackets [xxx] is optional and may or may not be included on a final label}

{All text in braces {xxx} is administrative and will not appear on a final label.}

[Stabilized chlorinating tablets for skimmer application.]

[For skimmer application.]

[3" Size]

[3" Tablets]

[Giant 3" Size]

[Unwrapped]

[3" Chlorinating Tablets]

[Approximate weight of each tablet: "x" ounces] {"x" equals weight of tablet.}

*{Optional marketing statements that may be used with **floating canister containing chlorinating tablets**}*

[For convenient use in above ground and in-ground pools]

[Concentrated, Stabilized, Slow-Dissolving Sanitizer for convenient use in above ground and in-ground pools]

*{Optional marketing statements that may be used with **winter floater**}*

[For continuous winter chlorination.]

[FOR WHITE PLASTER POOLS ONLY.]

[Winter Floater]

{All text in brackets [xxx] is optional and may or may not be included on a final label}

{All text in braces {xxx} is administrative and will not appear on a final label.}

{The following sets of directions are for recreational water treatment.}

*{Directions to be used for **large tablets**}*

SWIMMING POOL SANITIZER

When used as directed, this product is an effective stabilized chlorinating sanitizing agent. This slow dissolving product delivers chlorine to reduce the growth of harmful algae and micro-organisms in pools. The dosage necessary for your pool will change considerably depending on those factors that burden the sanitization system. Some of the factors that will vary the required dosages are water temperature, bather load, exposure to windblown debris, thunder or rainstorms and length of filtration cycle.

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling. Read entire label and use strictly in accordance with precautionary statements and directions.

Ensure all pool equipment works properly. Clean or backwash filter following manufacturer's directions. Adjust pH of the pool to between 7.2-7.6. Add [brand name stabilizer] to establish a stabilizer level of 40-100 ppm to minimize the degradative effects of sunlight upon the chlorine. Chlorinate the pool so that a residual chlorine concentration of between 1-4 ppm is obtained. When using other products as outlined in directions for this product, always follow manufacturer's Directions for Use.

WHEN USED IN AUTOMATIC CHLORINATORS AND FLOATERS:

This product can be used in feeding mechanisms such as automatic chlorinators and floaters as a maintenance treatment. Fill unit with product and adjust the feeding mechanism to ensure a constant treatment level of 2-4 ppm available chlorine in the pool water. Normally, a daily application of 1-2 tablets of this product per 10,000 gallons will be needed. Monitor chlorine levels using a test kit or test strips and adjust the chlorine feed mechanism as needed. Check and refill chlorinator as needed. Do not let this product come in direct contact with vinyl liners or other bleachable surfaces as damage may occur.

WHEN USED IN SKIMMERS:

This product may be used in plastic skimmers only if skimmer and the piping between skimmer and pump are plastic. When using this product in skimmers, do not add other chemicals in skimmer as an explosion or fire may result. When [tablets are] [this product is] in skimmer do not turn pump off for more than 8 hours in vinyl pools. Initially add one tablet per 10,000 gallons of water. Add additional product as determined by a test kit or test strips to maintain chlorine concentrations of 2-4 ppm.

First, add one tablet per 10,000 gallons of water. Next, on the following day, test the chlorine residual using test strips or a test kit. If the residual is less than 1 ppm, add additional product and/or increase the number of hours the pump operates each day. Adjust the amount of product added and the hours of pump operation to maintain a chlorine levels of 1-4 ppm. Replenish the product as necessary to maintain a chlorine level of 1-4ppm.

Reentry into treated swimming pools is prohibited above levels of 4 ppm chlorine due to risk of body injury.

{All text in brackets [xxx] is optional and may or may not be included on a final label}

{All text in braces {xxx} is administrative and will not appear on a final label.}

{Directions to be used for tablets for skimmer application}

SWIMMING POOL SANITIZER FOR SKIMMER APPLICATION

When used as directed, this product is an effective stabilized chlorinating product for sanitization of swimming pools. This slow dissolving product releases sufficient chlorine to reduce the growth of harmful algae and micro-organisms in your pool.

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling. Read entire label and use strictly in accordance with precautionary statements and directions.

Ensure all pool equipment works properly. Clean or backwash filter following manufacturer's directions. Adjust pH of the pool to between 7.2-7.6. Add [brand name stabilizer] to establish a stabilizer level of 40-100 ppm to minimize the degradative effects of sunlight upon the chlorine. Chlorinate the pool so that a residual chlorine concentration of between 1-4 ppm is obtained. When using other products as outlined in directions for this product, always follow manufacturer's Directions for Use.

SKIMMERS APPLICATION:

SPECIAL NOTE: This product may be used in plastic skimmers **only** if skimmer and the piping between skimmer and pump are plastic. Do not add other chemicals through the skimmer when using this product in skimmer as an explosion or fire may result. Do not turn pump off for more than 8 hours in vinyl pools when [tablets] [this product is] in skimmer.

First, add one tablet per 10,000 gallons of water. Next, on the following day, test the chlorine concentration in the pool using test strips or a test kit. To maintain a chlorine residual of 1-4 ppm, adjust the hours of pump operation appropriately (increase pump run time to raise chlorine level or decrease pump run time to lower chlorine level) and/or add additional product.

Reentry into treated swimming pools is prohibited above levels of 4 ppm chlorine due to risk of body injury.

{Directions to be used for floating canister containing chlorinating tablets}

SWIMMING POOL SANITIZER

This product regulates the chlorine levels in water which sanitize pools. When used as directed, this product controls algae and micro-organisms in pools for several weeks.

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling. Read entire label and use strictly in accordance with precautionary statements and directions.

Ensure all pool equipment works properly. Clean or backwash filter following manufacturer's directions. Adjust pH of the pool to between 7.2-7.6. Add [brand name stabilizer] to establish a stabilizer level of 40-100 ppm to minimize the degradative effects of sunlight upon the chlorine. Chlorinate the pool so that a residual chlorine concentration of between 1-4 ppm is obtained. When using other products as outlined in directions for this product, always follow manufacturer's Directions for Use.

{All text in brackets [xxx] is optional and may or may not be included on a final label}

{All text in braces {xxx} is administrative and will not appear on a final label.}

Floater is marked in volume increments from 5,000 to 40,000 gallons. To use, cut off all feeder nubs on both sides of cartridge up to and including the one corresponding to the pool size. If pool is between sizes indicated, open next higher nubs. Use a sharp knife and cut in direction away from your body and limbs. Make certain holes are open and not obstructed to allow water to flow through freely.

Place floater with open holes in center of the pool. After 24 hours, measure the chlorine level with a test kit or test strips. If the chlorine level is below 1.0 ppm, cut-off one additional nub until chlorine stabilizes at 1-4 ppm. If the chlorine level is too high, seal one set of holes with waterproof plastic tape. When ready for replacement, this product will float on its side.

SPECIAL NOTE: Do not completely submerge floater. Do not allow floater to sink and do not allow holes to become clogged. This could trap excess amount of chlorine gas possibly resulting in an explosion. Do not attempt to open or refill this product.

Reentry into treated swimming pools is prohibited above levels of 4 ppm chlorine due to risk of body injury.

{Directions to be used for winter floater}

WINTER SWIMMING POOL TREATMENT

When used as directed, [AQUAMAX STABILIZED CHLORINATING TABLETS] [this product] provides a source of effective sanitizing agent for winterized pools. **Do not** allow swimming in pool while this product is in use.

DIRECTIONS FOR USE

It is a violation of federal law to use this product in any manner inconsistent with its labeling. Read entire label and use strictly in accordance with precautionary statements and directions.

THIS PRODUCT IS FOR USE IN WHITE PLASTER POOLS ONLY AND SHOULD ONLY BE USED AS A SUPPLEMENTAL SOURCE OF SANITIZER FOR THE PURPOSES OF WINTERIZATION.

Before using this product, the pool water should be properly balanced and appropriately treated with winterizing products for your geographic area. Consult with your [MT Pool Distributors] [dealer] for proper winterization procedures.

After winterization procedures are complete, place [AQUAMAX STABILIZED CHLORINATING TABLETS] [this product] into the center of the pool in the deep end of the pool. The bag containing the chlorinating tablets will hang below the surface of the water and be kept afloat. Use one (1) [AQUAMAX STABILIZED CHLORINATING TABLETS] [of this product] for each 10,000 gallons of pool water. This product may be used with mesh or solid covers.

Additional applications may be needed and are recommended in the following circumstances:

A. If the pool is uncovered and the water temperature is above 60°F, 30 to 45 days following initial application, apply one (1) [AQUAMAX STABILIZED CHLORINATING TABLETS] [of this product] for each 10,000 gallons. Place this product into the center of the pool at the deep end of the pool. Monitor pool water temperature and reapply every 30 to 45 days when water temperature is above 60°F.

{All text in brackets [xxx] is optional and may or may not be included on a final label}

{All text in braces {xxx} is administrative and will not appear on a final label.}

B. If the cover was placed on the pool before the water temperature was below 60°F, 30 to 45 days after initial application, apply one (1) [AQUAMAX STABILIZED CHLORINATING TABLETS] [of this product] for each 10,000 gallons. Pull the cover back from the deep end of the pool an adequate distance to allow this product to be placed away from the sides of the pool. Replace the cover and secure properly.

DISPOSAL OF PACKAGE AFTER USE:

WEAR GOGGLES AND RUBBER GLOVES WHEN REMOVING CARTRIDGES FROM THE POOL.

When the pool is opened in the spring, the empty [AQUAMAX STABILIZED CHLORINATING TABLETS] [floater] should empty by draining or disposal into trash collection. If any undissolved product remains in the floater at the time of pool opening, remove the floater from the pool and drain off any water inside the bag area into the pool. Open the bag and remove the solid product from the bag. Place the product into an empty pool skimmer basket. Operate the circulation system of the pool at least 12 hours per day until the product has completely dissolved. DO NOT PLACE THIS PRODUCT INTO A SKIMMER WHERE OTHER PRODUCTS ARE PRESENT. DO NOT PLACE OTHER PRODUCTS INTO A SKIMMER WHERE THIS PRODUCT IS PRESENT. Dispose of the floatation material and plastic bag by placing into trash collection.

NOTE: THE FLOATATION MATERIAL CONTAINED IN THIS PRODUCT ALONG WITH THE PLASTIC BAG SHOULD BE DISPOSED OF BY PLACING THEM INTO TRASH COLLECTION.

Reentry into treated swimming pools is prohibited above levels of 4 ppm chlorine due to risk of body injury.

{The following is optional text to be used at MT Pool's discretion with swimming pool use directions. This information is non-essential and will be provided only as a courtesy. Will not appear on all swimming pool products.}

HOW TO CALCULATE POOL CAPACITY

Shape of Pool	Gallons of water
Rectangular	Average depth x average length x average width x 7.5
Circular	Diameter x diameter x average depth x 5.9
Oval	Full width x full length x average depth x 6.7
Irregular	Consult pool builder

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage or disposal.

PESTICIDE STORAGE: Keep this product dry in original tightly closed container when not in use. Store in a cool, dry and well-ventilated area away from heat or open flame. Avoid moisture getting into container. Keep off wet floors. In case of spillage, wash with large amounts of water. OXIDIZING MATERIAL. Avoid contact with organic material.

{All text in brackets [xxx] is optional and may or may not be included on a final label}

{All text in braces {xxx} is administrative and will not appear on a final label.}

PESTICIDE DISPOSAL: Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide, spray mixture, or rinsate is a violation of Federal law. Do not put spilled product, filled or partially filled containers in the trash. Dispose of waste materials according to the label use directions, otherwise call 1-800-CLEANUP for guidance from your local solid waste agency.

SPILLS: When handling or dealing with spills, use goggles with side-shields, or face shield; protective clothing, including chemical resistant gloves and boots; use a dust respirator if dusting occurs. Sweep up dry spills and dispose of as described for pesticide disposal. If contents are contaminated or decomposing, do not reseal container; isolate unsealed container in the open or in a well-ventilated area; flood with large volumes of water if necessary.

{Nonrefillable container – household/residential use; size: 50 pounds or less.}

[**CONTAINER HANDLING:** Nonrefillable container. Do not reuse or refill this container. Triple rinse container (or equivalent) promptly after emptying to dissolve all material prior to disposal. Offer for recycling, if available.]

{Nonrefillable container- non-household/residential use; size: 50 pounds or more.}

[**CONTAINER HANDLING:** Nonrefillable container. Do not reuse or refill this container. Triple rinse container (or equivalent) promptly after emptying to dissolve all material prior to disposal. Offer for recycling, if available.]