74779-9

01/12/2012



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY WASHINGTON, D.C. 20460

5,907730 332/1300

1/12

OFFICE OF CHEMICAL SAFETY AND POLLUTION PREVENTION

January 12, 2012

Mr. David L. Anderson, Director Manufacturing & Regulatory Affairs Rainbow Treecare Scientific Advancements 11571 K-Tel Drive Minnetonka, MN 55343

Subject: RTSA HORTICULTURAL OIL EPA Registration No. 74779-9 Notification Submitted on November 23, 2011

Dear Mr. Anderson:

The Agency has received your application for Pesticide Notification under Pesticide Registration Notice (PRN) 98-10 for the product RTSA Horticultural Oil, EPA Reg. No. 74779-9. The Registration Division (RD) finds that the actions requested fall within the scope of PRN 98-10. The label submitted for this product on November 23, 2011, has been stamped "Notification" and placed in our records.

If you have any questions regarding this letter, you may reach me by telephone at 703-305-6406, by FAX at 703-308-0029, or via e-mail at jacobs.bill@epa.gov.

Sincerely yours,

William W. Jacobs Insecticide-Rodenticide Branch Registration Division (7505P)

Please read instructions on reverse before EPA Env	Unite ironmental I	orm. d States Protection Agenc on, DC 20460		tration		2 Intifier Number
			Other	1.		
Company/Product Number	A	pplication for Pe	the second s	nı	2 Drawood C	la a sifi a sti a s
1. Company/Product Number 74779 - 9			2. EPA Product Manager Venus Eagle		3. Proposed Classification	
 Company/Product (Name) RTSA Horticultural Oil 	PM#	PM#		None None	Restricted	
5. Name and Address of Applicant (Inc Rainbow Treecare Scienti 11571 K-Tel Minnetonka, M	ific Advance Drive N 55343	ments (b)(l), n to: EPA R	edited Review. In ny product is simila eg. No ct Name			
		The second se	on – II			
Amendment – Explain below. Resubmission in response to Agen Notification – Explain below. Explanation: Use additional page(s) if Notification of raising the lower application California. This notification is consistent with the prov the confidential statement of formula of the understand that if this notification is not co	necessary. (Fo n rate to meet com visions of PR Noti product. I under	or section I and Section apliance issues in Californ the 98-10 and EPA regulat stand that it is a violation	Me Too" Applie Other - Explain II.) ia and identification of pu- tions at 40 CFR 152.46, a of 18U.S.C. Sec. 1001 to	cation below ests for which prod nd no further chan, willfully make any	ges have been made t y false statement to El	or use in o the labeling or PA. I further
to enforcement action and penalties under s			and 40 CFR 152.45, uns	product may be m	VIOLATION OF FIFKA a	nu i may be subject
		Sectio	on – III			Sanda Star
Material This Product Will Be Packa Child-Resistant Packaging Yes* No *Certification must be submitted	Iged In: Unit Packaging Yes No If "Yes" Unit Packaging	No. per			2. Type of Conta Metal Plastic Glass Paper	iner I laminate film
3. Location of Net Contents Information	ainer	Size(s) Retail Containe 1 qt to 55 gal	r	On La	of Label Directions	
Manner in Which Label is Affixed to	Lithograph Paper glued Stenciled	aper glued			с.	
		Sectio	on - IV		C C C	
1. Contact Point (<i>Complete items dir</i> Name: David Anderson	ectly below for id	Title	I to be contacted, if new Manufacturing & R		Telephone No. (Ind	clude Arca Ccde) 52-0541
I certify that the statements I have m I acknowledge that any knowingly fai both under applicable law.	ade on this form	ertification	ereto are true, accurate	and complete.	6. Date Appli Received	
2. Signature Lauril L Anduson			Director, Manufacturing & Reg. Affairs			C L
4. Typed Name David L. Anderso	5. Date November 23, 2	5. Date November 23, 2011				
EPA Form 8570-1 (Rev. 8-94) Previous	editions are of	osolete	White	EPA File Copy	(original) Yello	ow- Applicant Co



November 23, 2011

Ms. Venus Eagle Document Processing Desk (NOTIF) Office of Pesticide Programs US Environmental Protection Agency One Potomac Yard, Room S-4900 2777 Crystal Drive Arlington VA 22202

SUBJECT: RTSA Horticultural Oil, EPA File Symbol 74779-9 Notification

Dear Ms. Eagle:

Rainbow Treecare Scientific Advancements (Rainbow) hereby submits the enclosed notification to raise the lower rate limit for our RTSA Horticultural Oil (EPA Reg. No. 74779-9). We are requesting this new lower rate in order to meet requirements by the state of state of California for product registration. Please note that the new lower rate limits falls within the currently approved rate ranges. In addition, we have added asterisks to note pests for which the product is not registered to treat in California.

Please find enclosed:

- Cover Letter
- EPA Form 8570-1 (Application for pesticide notification)
- 1 copy of the draft label with the proposed revisions tracked
- I clean copies of the draft label.

Should you have any questions concerning this request, please contact me at phone number (952) 252-0541 or via email at <u>Danderson@treecarescience.com</u>.

Sincerely David L. Anderson

Director, Manufacturing & Regulatory Affairs Rainbow Treecare Scientific Advancements 11571 K-Tel Drive Minnetonka, MN 55343

Enclosures

fax 952.252-0504

.....

...

eccco

12

RTSA Horticultural Oil

KEEP OUT OF REACH OF CHILDREN CAUTION

Si usted no entiende la etiqueta, busque a alguien para que se la explique a usted en detalle. (If you do not understand the label, find someone to explain it to you in detail.)

See Side/Back Panel for Additional Precautionary Statements, First Aid and Directions for Use

A superior spray oil for insect, mite and fungal pests on fruit trees and ornamentals.

Active Ingredient	
Mineral Oil*	98.8%
Other Ingredients:	1.2%
Total	100%
*Contains petroleum distillates	

*Unsulfonated Residue of Petroleum Distillate	92.0% Min
*50% Distillation Point of Petroleum Distillate	414.0 °F
*Flash Point	345.0 °F
Weight per Gallon	7.1 lbs

EPA Reg. No. 74779-9

*atr.

EPA Est. No. 52467-WI-1

Net Contents:

NOTIFICATION

JAN 1 2 2012

cecce

CCCC

Rainbow Treecare Scientific Advancements 11571 K-Tel Drive Minnetonka, MN 55343 1-877-ARBORIST 1-877-272-6747 www.treecarescience.com

November 23, 2011

	5	
	\mathcal{O}	1
		V

FIRST AID				
IF ON SKIN OR CLOTHING	 Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call poison control center or doctor for treatment advice. 			
IF SWALLOWED	 Immediately call a poison control center or doctor. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give any liquid to the person. 			
ALC: NO DE LA CONTRACTOR	• Do not give anything by mouth to an unconscious person.			
IF IN EYES	• Hold eye open and rinse slowly and gently with water for 15-20 minutes.			
	• Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.			
State of the second state	• Call poison control center or doctor for treatment advice.			
IF INHALED	Move person to fresh air			
	• If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible.			
	• Call a poison control center or doctor for treatment advice.			

Have the product container or label with you when calling a poison control center or doctor or going for treatment. For 24 hour medical emergency assistance (human or animal), or chemical emergency assistance (spill, leak or accident). Call CHEMTREC at 1-800-424-9300.

NOTES TO PHYSICIAN

Petroleum distillate poses aspiration pneumonia hazard. Only minor irritation should be expected from any type of exposure other than pulmonary aspiration. Ingestion may result in some gastroenteritis and mild diarrhea. Since systemic toxicity is not expected, the added risk of aspiration from attempts to induce vomiting or lavage are deemed not warranted.

PRECAUTIONARY STATEMENT HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION: Harmful if absorbed through skin. Avoid contact with skin, eyes, or clothing. Prolonged or frequently repeated skin contact may cause allergic reactions in some individuals

PERSONAL PROTECTIVE EQUIPMENT (PPE):

Some materials that are chemical-resistant to this product are listed below. If you want more options, control follow the instruction for category G on an EPA chemical-resistant category selection chart.

Applicators and other handlers must wear:

- Long-sleeved shirt and long pants
- Chemical resistant gloves (Barrier Laminate or Viton)
- Shoes plus socks

Follow manufacturer's instructions for cleaning and maintaining PPE. If no such instructions for washables' exist, use detergent and hot water. Keep and wash PPE separately from other laundry.

Engineering control statements:

When handlers use closed systems, or enclosed cabs in a manner that meets with requirements listed in the Worker Protection Standard (WPS) for agricultural pesticides [40 CFR 170.240 (d) (4-6)], the handler PPE requirements may be reduced or modified as specified in the WPS.

USER SAFETY RECOMMENDATIONS:

Users should:

- Wash hands before eating, drinking, chewing gum, using tobacco or using the toilet. .
- Remove clothing/PPE immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing.
- Remove PPE immediately after handling this product. Wash the outside of gloves before removing. As . soon as possible, wash thoroughly and change into clean clothing.

ENVIRONMENTAL HAZARDS

This pesticide is toxic to fish. Do not apply directly to water, or to areas where surface water is present, or to intertidal areas below the mean high water mark. Do not contaminate water when disposing of equipment wash waters or rinsate. Apply this product only as specified on the label.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

READ ENTIRE LABEL. USE STRICTLY IN ACCORDANCE WITH PRECAUTIONARY STATEMENTS AND DIRECTIONS AND WITH APPLICABLE STATE AND FEDERAL **REGULATIONS.**

Use Restrictions

This product may be used on the plants listed on this label when they are growing on utility rights-of-way, residential areas, urban areas, or other non-crop areas as well as on Christmas tree farms.Do not apply this product through any type of irrigation system.

Do not apply this product in a way that will contact workers or other persons, either directly or through drift. Only protected handlers may be in the area during application. For any requirements specific to your State or Tribe, consult the agency responsible for pesticide regulation.

Do not apply this product by air.

Do not apply during periods of drought or when plants exhibit moisture stress.

Do not spray when there is obvious moisture deficit in leaves, or the plant is under stress.

Spray only when the temperature is above 40°F and there is no danger of freezing.

Shake well before use. If product is in a drum, roll the drum before use.

Use Precautions

All horticultural oils interfere with or slow plant transpiration and respiration during the period of evaporation.

Phytotoxicity may result if product is sprayed on plants during periods of prolonged high temperature and high relative humidity.

Keep applications away from open blooms as bleaching and spotting has been observed with open blooms' of certain plants.

Protect painted surfaces, carpet and furnishings from overspray, as discoloration may occur.

AGRICULTURAL USE REQUIREMENTS

Use this product only in accordance with its labeling and with the Worker Protection Standard, 40 CFR part 170. This Standard contains requirements for the protection of agricultural workers on farms, forests, nurseries and greenhouses, and handlers of agricultural pesticides. It contains requirements for training, decontamination, notification and emergency assistance. It also contains specific instructions and exceptions pertaining to the statements on this label about personal protective equipment (PPE) and restricted entry interval. The requirements in this box only apply to uses of this product that are covered by the Worker Protection Standard.

Do not enter or allow worker entry into treated areas during the restricted-entry interval (REI) of 4 hours.

PPE required for early entry to treated areas that is permitted under the Worker Protection Standard and that involves contact with anything that has been treated, such as plants, soil, or water, is: coveralls over long-sleeved shirt and long pants, shoes plus socks and chemical-resistant gloves made of any waterproof material.

NON-AGRICULTURAL USE REQUIREMENTS

The requirements in this box apply to uses of this product that are NOT within the scope of the Worker Protection Standard for agricultural pesticides (40 CFR Part 170). The WPS applies when this product is used to produce agricultural plants on farms, forests, nurseries, or greenhouses.

Do not enter or allow others to enter until sprays have dried.

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal. Open dumping is prohibited. Do not reuse empty container.

Pesticide Storage: Keep container closed when not in use. Do not store near food or feed. Protect from freezing. In case of spill or leak on floor or paved surfaces, soak up with sand, earth, or synthetic absorbent. Remove to chemical waste area.

Pesticide Disposal: Pesticide wastes are toxic. Improper disposal of excess pesticide, spray mixture, or rinsate is a violation of Federal law. If these cannot be disposed of by use according to label instructions, contact your state pesticide or environmental control agency, or the hazardous waste representative at the nearest EPA regional office for guidance.

Container Disposal:

Non-refillable container: Do not reuse or refill this container. Triple rinse or pressure rinse container (or equivalent) promptly after emptying. Offer for recycling, if available or puncture and dispose of in a sanitary landfill, or incineration, or if allowed by state and local authorities, by burning. If burned, stay out of smoke.

(non-refillable <5 gallons) Triple rinse as follows: Empty the remaining contents into application equipment or a mix tank and drain for 10 seconds after the flow begins to drip. Fill the container ¼ full with water and recap. Shake for 10 seconds. Pour rinsate into application equipment or a mix tank or store rinsate for later use or disposal. Drain for 10 seconds after the flow begins to drip. Repeat this procedure two more times.

(non-refillable >5 gallons): Triple rinse as follows: Empty the remaining contents into application equipment or mix tank. Fill the container ¼ full with water. Replace and tighten closures. Tip container on its side and roll it back and forth, ensuring at least one complete revolution, for 30 seconds. Stand the container on its end and tip it back and forth several times. Turn the container over onto its other end and tip it back and forth several times. Turn the container or a mix tank or store container for later use or disposal. Repeat this procedure two more times.

Pressure rinse as follows: Empty the remaining contents into application equipment or a mix tank and continue to drain for 10 seconds after the flow begins to drip. Hold container upside down over application equipment or mix tank or collect rinsate for later use for disposal. Insert pressure rinsing nozzle in the side of the container, and rinse at about 40 PSI for at least 30 seconds. Drain for 10 seconds after the flow begins to drip.

SPRAY DRIFT MANAGEMENT

A variety of factors including weather conditions (e.g., wind direction, wind speed, temperature, and relative humidity) and method of application (e.g., ground or airblast) can influence pesticide drift. The

applicator and grower must evaluate all factors and make appropriate adjustments when applying this product.

Wind Speed: Do not apply at wind speeds greater than 15 mph at the application site.

Temperature Inversions: If applying at wind speeds less than 3 mph, the applicator must determine if a) conditions of temperature inversion exist, or b) stable atmospheric conditions exist at or below nozzle height. Do not make applications into areas of temperature inversions.

Droplet Size: Apply as a medium or coarser spray (ASABE standard 572), and the minimum volume mean diameter (VMD) for spinning atomizer nozzles.

For Ground-based Equipment Applications, apply using a nozzle height of no more than 4 feet above the ground or crop canopy.

For **Airblast Applications**, turn off outward pointing nozzles at row ends and when spraying outer row. To minimize spray loss over the top in applications to trees, spray must be directed into the canopy.

Mixing Directions

- 1. Use only in equipment with sufficient agitation to keep spray thoroughly mixed. Be sure tank is clean.
- 2. Partially fill tank with water and start agitator.
- 3. Add other desired pesticide. If wettable powder formulation, mix the water and powder thoroughly so that the powder is totally suspended in the water before the oil is added. If other pesticide to be added is an emulsifiable formulation, add after the oil and water have been thoroughly mixed.
- 4. Add oil under agitation, when the tank is ³/₄ full topping off with water to form milky solution.
- 5. Maintain agitation until solution is used.
- 6. In small equipment lacking agitators, stir or shake diluted spray frequently during application.
- 7. Flush fluid in sprayer hose lines back into tank reservoir if fluid is allowed to stand for more than 20 minutes.

Application Instructions

To obtain adequate pest control, spray to obtain thorough coverage until completely wet but without significant runoff.

Dilute Applications are defined as the number of gallons needed to completely cover the entire tree, but not to the point of runoff. For most tree fruits this can be as much as 300-400 gallons per acre or as low as 100 gallons per acre for smaller trees. For mature citrus trees this can be as much as 800-1500 gallons per acre. Do not exceed 1500 gallons of spray per acre. Dilute applications ensure the best coverage.

Tank Mixes

This product may be tank mixed with other pesticides to improve the level of pest control. Use $\frac{1}{4}$ to $\frac{1}{6}$ RTSA Horticultural Oil (0.25 – 1 gallon RTSA Horticultural Oil per 100 gallons of finished solution) in combination with other products or follow label directions for the product that the oil is to be mixed with. Test all combinations prior to use to ensure compatibility. The combination of RTSA Horticultural Oil "the more than one pesticide is not recommended. Use caution and read and follow all directions and "core restrictions on the labels of the proposed tank mix products.

Do not tank mix with any insecticide, herbicide, fungicide, or miticide whose label indicates that it should not be used with oil. Do not use in combination with or immediately before or after spraying with Anilazine, Captan, captofol, cyprex, chlorothalonil, dimethoate, dinocap, dithianon, fentin hydroxide, fentinacetate, folpet, methiocarb, oxythioquinox, PMA, propargite, lime sulfur, wettable sulfur, or any other product containing sulfur. If possible, either keep the spray equipment used for these compounds separate from the equipment used for oil, or make sure that the sprayer is thoroughly cleaned so that no

c.....

residues from these compounds remain. Do not use with Sevin brand 50W carbaryl on deciduous fruit trees.

PLANTS	PEST	Gallons of Oil per 100 gallons of water	APPLICATION TIMING	COMMENTS
Shade trees and ornamental plants including conifers, deciduous broadleaf evergreens & woody	Aphids Adelgids Bugs (immature) Cankerworms* Certain caterpillars Eriophyid mites	2-3	Winter dormant period as needed	Do not spray more than 1 time per week. Do not spray when there is an obvious
ornamentals in landscapes, along city streets, rights- of-ways, and other non-crop areas. Flowers and foliage plants including roses and other flowering shrubs, foliage ornamentals and bedding plants	Gall mites Gall mites Lace bug Leaf beetle larvae Leafhoppers Leaf miner Leaftiollers Leaftiers* Mealybug Plantbugs* Psyllids Sawfly Scale Insects Mites Webworms Whiteflies Thrips Will kill other immature forms of insects if spray covers the insect.	0.75-2	Summer (foliar or cover) as needed	moisture deficit in leaves, or the plant is under stress. Follow the spray schedule outlined in the Directions for Use or specified by your State Agricultural Extension Service Spray Guide for seasonal applications of Horticultural Spray Oils.
Residential fruit trees: apples, pears, pecan, peaches, plume, and prune	Apple red bug Fruit tree leaf roller European red mite San Jose scale Pear leaf blister mite Pear psylla Spider mites Plant bugs*	1 – 3 0.75 - 2	Winter dormant period as needed Summer (foliar or cover) as needed	
Residential Citrus	Scale Greasy spot* Spot mold* Sooty mold Spider mites Rust mites Whitefly California red scale	0.5 - 3	Apply post bloom	Oils applied after October may increase cold damage to citrus trees; applied in August and September may
	Cantornia red scale	1.5 - 1.0		affect solid contents, may retard color.

*Not registered for this use in California

November 23, 2011

RTSA Horticultural Oil EPA Reg. No. 74779-9

PLANTS	PEST	Fl. oz. of Oil per gallon of water	APPLICATION TIMING	COMMENTS
Christmas Trees	Adelgids Aphids Scale Spider mites	2-3	Winter dormant period as needed	
		0.75 - 2	Summer (foliar or cover) as needed	

Note: This product removes the glaucous (blue) bloom from such evergreens as Colorado Blue Spruce and Koster Spruce. Use with Caution and reduced dosage for summer application on Japanese Red Maple, Amur Maple and Black Walnut. Use with Caution and reduced dosage for dormant application on Sugar Maple, Redbud, Japanese Holly, Cryptomeria, Chamaecyparis, Red Cedar and Smoketree.

Use enough spray solution to completely penetrate the leaf canopy and cover both top and bottom of all of the leaves and stems until wet but without significant runoff.

1 gallon of oil per 100 gallons of water is approximately equal to 1.3 fl oz of oil per gallon of water.

CONDITIONS OF SALE AND LIMITATION OF WARRANTY AND LIABILITY

Notice: Read the entire Directions for Use and Conditions of Sale and Limitation of Warranty and Liability before buying or using this product. If the terms are not acceptable, return the product at once, unopened, and the purchase price will be refunded.

The Directions for Use of this product must be followed carefully. It is impossible to eliminate all risks inherently associated with the use of this product. Tree injury, ineffectiveness or other unintended consequences may result because of such factors as manner of use or application, weather or tree conditions, presence of other materials or other influencing factors in the use of the product, which are beyond the control of RAINBOW TREECARE SCIENTIFIC ADVANCEMENTS or seller. To the extent consistent with applicable law, all such risks shall be assumed by Buyer and User, and Buyer and User agree to hold RAINBOW TREECARE SCIENTIFIC ADVANCEMENTS and seller harmless for any claims relating to such factors.

RAINBOW TREECARE SCIENTIFIC ADVANCEMENTS warrants that this product conforms to the chemical description on the label and is reasonably fit for the purposes stated in the Directions for Use, subject to the inherent risks referred to above, when used in accordance with directions. This warranty does not extend to the use of the product contrary to label instructions, and Buyer and User assume the risk of any such use. TO THE EXTENT CONSISTENT WITH APPLICABLE LAW, RAINBOW TREECARE MAKES NO WARRANTIES OR MERCHANABILITY OR OF FITNESS FOR A PARTICULAR PURPOSE NOR ANY OTHER EXPRESS OR IMPLIED WARRANTY EXCEPT AS STATED ABOVE.

To the fullest extent permitted by law, RAINBOW TREECARE SCIENTIFIC ADVANCEMENTS or Seller shall not be liable for any incidental, consequential or special damages resulting from the use or handling of this product. TO THE EXTENT CONSISTENT WITH APPLICABLE LAW, THE EXCLUSIVE REMEDY OF THE USER OR BUYER, INJURIES OR DAMAGES (INCLUDING CLAIMS BASED ON BREACH OF WARRANTY, CONTRACT, NEGLIGENCE, TORT, STRICT LIABLITY OR OTHERWISE) RESULTING FROM THE USE OR HANDLING OF THIS PRODUCT, SHALL BE THE RETURN OF THE PURCHASE PRICE OF THE PRODUCT OR, AT THE ELECTION OF RAINBOW TREECARE OR SELLER, THE REPLACEMENT OF THE PRODUCT.

e e cecce

0000

C C C C C C

C C

11/12

RAINBOW TREECARE SCIENTIFIC ADVANCEMENTS and Seller offer this product, subject to the foregoing Conditions of Sale and Limitation of Warranty and Liability, which may not be modified except by written agreement signed by a duly authorized representative of RAINBOW TREECARE SCIENTIFIC ADVANCMENTS.

All [™] property of RAINBOW Treecare Scientific Advancements. © Copyright 2009 RAINBOW Treecare Scientific Advancements. The RAINBOW logo is a trademark of RAINBOW Treecare Scientific Advancements.

November 23, 2011

i cccic

cece

 $C\in C\in \zeta$

OPTIONAL MARKETING CLAIMS



-9-