7



U.S. ENVIRONMENTAL PROTECTION AGENCY

Office of Pesticide Programs
Registration Division (H7505P)
-1200-Pennsylvania Avenue NW

Washington, D.C. 20460

EPA Reg.

Date of Issuance:

74779-11

Term of Issuance: Unconditional

Name of Pesticide Product:

XytectTM Injectable 10%

NOTICE OF PESTICIDE:

x Registration

__ Reregistration

(under FIFRA, as amended)

Name and Address of Registrant (include ZIP Code):

Mr. David L. Anderson Rainbow Treecare Scientific Advancements 11571 K-Tel Drive

Minnetonka, MN 55343

Note: Changes in labeling differing in substance from that accepted in connection with this registration must be submitted to and accepted by the Registration Division prior to use of the label in commerce. In any correspondence on this product always refer to the above EPA registration number

On the basis of information furnished by the registrant, the above named pesticide is hereby registered/reregistered under the Federal Insecticide, Fungicide and Rodenticide Act.

Registration is in no way to be construed as an endorsement or recommendation of this product by the Agency. In order to protect health and the environment, the Administrator, on his motion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by others.

This product is unconditionally registered in accordance with FIFRA sec. 3(c)5. Once a pesticide is registered, however, it is not regarded as permanently acceptable. Registration does not eliminate the need for continual reassessment of pesticides. If the Agency determines that, at any time, additional data are required to maintain in effect an existing registration, the Agency will require submission of such data under FIFRA section (3)(c)(2)(B).

1. Revise the EPA Registration Number to read, EPA Reg. No. "74779-11".

Signature of Approving Official:

Date

Venus Eagle

Product Manager 01

Insecticide-Rodenticide Branch Registration Division (7504P) MAY 2 4 2011

2. Submit two copies of your final printed label before you release the product for shipment. If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA section 6(e). Your release for shipment of the product constitute acceptance of these conditions.

A stamped copy of the label is enclosed for your records. If you have any questions regarding this notice contact Dani Daniel at 703 305-5409.

Page 1 of 5

Xytect™ Injectable 10%

Systemic Insecticide for tree injection.

ACTIVE INGREDIENT: Imidacloprid (110.7 mg/mL) Total

EPA Reg. No. 74779-XX

EPA Est. No. XXXXX-XX-XX

KEEP OUT OF REACH OF CHILDREN CAUTION

See additional Precautionary Statement, First Aid and Directions for Use inside booklet.

STOP - Read the label before use.

PRECAUCION AL USUARIO: Si usted no puede leer o entender ingles, no use este producto hasta que la etiqueta le haya sido explicada ampliamente. (TO THE USER: If you cannot read or understand English, do not use this product until the label has been fully explained to you.)

NET CONTENTS:

Distributed By: Rainbow Treecare Scientific Advancements 11571 K-Tel Drive Minnetonka, MN 55343 1-877-272-6747 www.treecarescience.com

ACCEPTED

MAY 2 4 2011 Under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, for the pesticide registered under:

EPA. Reg. No: 74 779- //

FIRST AID	
IF SWALLOWED	Call a poison control center or doctor for treatment advice.
	 Have person sip a glass of water if able to swallow.
	 Do not induce vomiting unless told to do so by a poison control center or doctor.
	Do not give anything by mouth to an unconscious person.
IF ON SKIN OR CLOTHING	Take off contaminated clothing.
	 Rinse skin immediately with plenty of water for 15 – 20 minutes.
	 Call a poison control center or doctor for treatment advice.
IF IN EYES	 Hold eye open and rinse slowly and gently with water for 15 – 20 minutes.
	• Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.
	Call a poison control center or doctor for treatment advice.
IF INHALED	Move person to fresh air.
	 If person is not breathing, call 911 or an ambulance, then give artificial respiration.
	 Call a poison control center or doctor for further treatment advice.
	HOT LINE NUMBER
	label with you when calling a poison control center or doctor, or going for
	al emergency assistance (human or animal), or chemical emergency
assistance (spill, leak or accide	ent). Call CHEMTREC at 1-800-424-9300.
	NOTE TO PHYSICIAN
There is not specific antidote a	evailable Treat Patient symptomatically

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION: Harmful if swallowed or absorbed through the skin. Avoid contact with skin, eyes or clothing. Causes eye irritation. Wash thoroughly with soap and water after handling. Avoid breathing vapors. Remove contaminated clothing and wash before reuse.

PERSONAL PROTECTIVE EQUIPMENT:

Some materials that are chemical-resistant to this product are listed below. If you want more options, follow the instructions for category C on an EPA chemical resistance category selection chart.

Applicator and other handlers must wear:

- Long-sleeved shirt and long pants
- Shoes plus socks
- Chemical resistant gloves, such as polyethylene or butyl rubber or neoprene rubber or Viton.
- Protective eyewear

Follow manufacturer's instructions for cleaning/maintaining PPE. If no such instructions for washables exist, use detergent and hot water. Keep and wash PPE separately from other laundry.

ENVIRONMENTAL HAZARDS:

This pesticide is highly toxic to aquatic invertebrates. Do not apply directly to water, or to areas below the mean high water mark. Do not contaminate water when disposing of equipment washwaters.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Do not apply this product in a way that will contact workers or other persons, either directly or through drift. Only protected handlers may be in the area during application. For any requirement specific to your State or Tribe, consult the agency responsible for pesticide regulation.

AGRICULTURAL USE REQUIREMENTS

Use this product only in accordance with its labeling and the Worker Protection Standard, 40 CFR 170. This standard contains requirements for the protection of agricultural workers on farms, forests, nurseries and greenhouses, and the handlers of agricultural pesticides. It contains requirements for training, decontamination, notification, and emergency assistance. It also contains specific instructions and exceptions pertaining to the statements on this label about personal protective equipment (PPE). The requirements in this box only apply to uses of this product that are covered by the Worker Protection Standard.

RESTRICTIONS

- Do not inject trees that are less than two inches in diameter.
- This product is not to be used on trees which will produce food within the year following treatment unless food crop on treated trees is discarded or destroyed.

APPLICATION EQUIPMENT

Xytect™ Injectable 10% is an insecticide for use with tree injection devices that meet the label and dose requirements. Test for compatibility with the injector and its liquid contact components before regular use. Clean the interior of the injector with a solvent cleaner to remove any residual liquid from prior use. Disinfect injector tips between tree injection use. Use tree injection devices with care and in a safe manner, in addition to following manufacturer's directions and precautions.

DIRECTIONS

Follow manufacturer's directions and precautions in the use of pressurized tree injector systems. Measure the tree at chest height in inches. If measuring the circumference of the tree, divide this number by six (6) to determine the number of injection sites needed. If measuring the diameter of the tree (DBH), divide this number by two (2) to determine the number of injection sites needed. Apply the injector sites into the active sapwood, evenly spaced around the tree at the root buttress region avoiding the root valleys. Follow good injection practices.

Use the following rates as a function of tree diameter at breast height (DBH):

1 ml per inch DBH for trees 2 to 10 inches DBH

1.5 ml per inch DBH for trees 10 to 36 inches DBH

2 ml per inch DBH for trees 36 inches DBH and above

Dosage per injection site is determined by dividing the number of injection sites into the total dosage per tree as per the above rate schedule.

For heavier infestation and/or more resistant insects, use 1.5 ml or 2 ml rates on trees having a DBH of 2 inches and above.

Trees in advanced stages of insect infestation may not respond to treatment. The health of the tree and the environmental conditions will determine the rate of uptake.

Table 1: Target insects on Forest and Ornamental Trees

Adelgids

Aphids

Black Vine Weevil Larvae

Bronze Birch Borer

Diptera (including Rhododendron Gall Midge and Honey Locust Gall Midge)

Douglas Fir Gall Midge

Douglas Fir Cone Moth Larvae

Elm Leaf Beetle

Flatheaded Borer (including Alder and Birch Borer)

Froghopper

Galls (including Hickory Stem Gall)

Japanese Beetle

Lacebugs

Leafhoppers

Leafminers

Mealybugs

Pine Tip Moth Larvae

Plant Bug

Plant Hopper

Psyllids (including Lerp Psyllid)

Roundheaded Borers (including Asian Longhorned Beetle, Citrus Longhorned Beetle, Cottonwood Longhorned Borer, and Eucalyptus Longhorned Borer)

Royal Palm Bugs

Sawfly Larvae

Scale Insects

Thrips

Treehopper

Whiteflies

USDA Rate Specification for Asian and Citrus Longhorned Beetle Programs. For Use Only Under U.S.D.A. Supervision. For Use With U.S.D.A. Approved Injection Devices.

Read and follow the manufactures' written documentation on the proper use and maintenance of the injector you are using. Use the following rates as a function of tree diameter at breast height (DBH).

2 to 23 inches DBH – 2 ml per diameter inch.

23 inches DBH and above – 4 ml per diameter inch.

DIRECTIONS:

To determine the initial number of needed injection holes, measure the tree at breast height using a standard forestry tape measure.

- a) If measuring the circumference, divide this number by six (6) to determine the number of holes needed.
- b) If measuring the diameter, divide this number by two (2) to determine the number of injection holes needed.
- c) Make initial injector sites in the active sapwood, evenly spaced around the tree at the root buttress region and avoiding the root valleys.
- d) If a single hole cannot accept its full dose, that dose may be divided among the other initial injection holes.
- e) If additional holes are needed they may be spaced horizontally or vertically from the initial holes. The minimum horizontal spacing for injection sites is about 3 inches. The minimum vertical spacing for injection sites is 6 inches. Stagger vertical spacing and do not align. **Do not apply more than once per calendar year.**

6

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage and disposal.

PESTICIDE STORAGE: Store containers in an upright position, above 45°F, in a cool, dry place.

PESTICIDE DISPOSAL: Waste resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

CONTAINER DISPOSAL: Non-refillable container. Do not reuse or refill this container. Triple rinse or pressure rinse container (or equivalent) promptly after emptying. Offer for recycling, if available or puncture and dispose of in a sanitary landfill, or by incineration if allowed by state and local authorities, by burning. If burned, stay out of smoke.

(non-refillable ≤ 5 gallons): Triple rinse as follows: Empty the remaining contents into application equipment or a mix tank and drain for 10 seconds after the flow begins to drip. Fill the container ¼ full with water and recap. Shake for 10 seconds. Pour rinsate into application equipment or a mix tank or store rinsate for later use or disposal. Drain for 10 seconds after the flow begins to drip. Repeat this procedure two more times.

(non-refillable > 5 gallons): Triple rinse as follows: Empty the remaining contents into application equipment or a mix tank. Fill the container ½ full with water. Replace and tighten closures. Tip container on its side and roll it back and forth, ensuring at least one complete revolution, for 30 seconds. Stand the container on its end and tip back and forth several times. Turn the container over onto its other end and tip it back and forth several times. Empty the rinsate into application equipment or a mix tank or store rinsate for later use or disposal. Repeat this procedure two or more times.

Pressure rinse as follows: Empty the remaining contents into application equipment or a mix tank and continue to drain for 10 seconds after the flow begins to drip. Hold container upside down over application equipment or mix tank or collect rinsate for later use or disposal. Insert pressure rinsing nozzle in the side of the container and rinse at 40 PSI for at least 30 seconds. Drain for 10 seconds after the flow begins to drip.

NOTICE OF WARRANTY

TO THE EXTENT CONSISTENT WITH APPLICABLE LAW, RAINBOW TREECARE SCIENTIFIC ADVANCEMENTS MAKES NO WARRANTY OF MERCHANTABILITY, FITNESS FOR ANY PURPOSE OR OTHERWISE, EXPRESSED OR IMPLIED CONCERNING THIS PRODUCT OR ITS USE WHICH EXTEND BEYOND THE USE OF THE PRODUCT UNDER NORMAL CONDITIONS IN ACCORD WITH THE STATMENTS MADE ON THIS LABEL.

All ™ property of Rainbow Treecare Scientific Advancements
© Copyright 2010 Rainbow Treecare Scientific Advancements
The Rainbow logo is a trademark of Rainbow Treecare Scientific Advancements

