

74779-11

03/05/2012

1/8



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY  
WASHINGTON, D.C. 20460

MAR 05 2012

OFFICE OF CHEMICAL SAFETY  
AND POLLUTION PREVENTION

Dr. David Anderson  
Rainbow Treecare Scientific Advancements  
1157 K-Tel Drive  
Minnetonka, MN 55343

Subject: Accepted Alternate Brand Name

Dear Mr. Anderson:

The Agency is in receipt of your Application(s) for Pesticide Notification under Pesticide Registration Notice (PRN) 98-10 dated February 15, 2012 for:

**EPA Registration 74779-11**

Xytect Injectable: Alternate Name- Xytect 10% Infusible Insecticide

The Registration Division (RD) has conducted a review of this request of applicability under PRN 98-10 and finds that the label changes(s) requested falls within the scope of PRN 98-10. The label has been date-stamped "Notification" and will be placed in our records.

If you have any questions, call me at 703 305-5409 or electronically at [daniel.dani@epa.gov](mailto:daniel.dani@epa.gov).

Sincerely,

A handwritten signature in cursive script that reads "Dani Daniel".

Dani Daniel  
Registration Division (7504P)  
Insecticide/Rodenticide Branch





United States  
Environmental Protection Agency  
Washington, DC 20460

NOTIFICATION

MAR 05 2012

Registration  
Amendment  
☒ Other

OPP Identifier Number

## Application for Pesticide - Section I

|   |   |  |
|---|---|--|
| 1. Company/Product Number<br>74779-11   | 2. EPA Product Manager<br>Venus Eagle   | 3. Proposed Classification<br><input checked="" type="checkbox"/> None <input type="checkbox"/> Restricted |
| 4. Company/Product (Name)<br>Xytect Injectable  | PM#<br>1  |  |
| 5. Name and Address of Applicant (Include ZIP Code)<br>Rainbow Treecare Scientific Advancements<br>11571 K-Tel Drive<br>Minnetonka, MN 55343<br><input type="checkbox"/> Check if this is a new address | 6. Expedited Review. In accordance with FIFRA Section 3(c)(3)(b)(i), my product is similar or identical in composition and labeling to:<br>EPA Reg. No. _____<br>Product Name _____ |  |

## Section - II

|  |   |
|--|---|
| <input type="checkbox"/> Amendment - Explain below.                            | <input checked="" type="checkbox"/> Final printed labels in response to Agency letter dated _____ |
| <input type="checkbox"/> Resubmission in response to Agency letter dated _____ | <input type="checkbox"/> "Me Too" Application.  |
| <input checked="" type="checkbox"/> Notification - Explain below.              | <input type="checkbox"/> Other - Explain below.   |

Explanation: Use additional page(s) if necessary. (For section I and Section II.)

Notification of Alternate Brand Name "Xytect 10% Infusible Insecticide" per PR Notice 98-10.

This notification is consistent with the provisions of PR Notice 98-10 and EPA regulations at 40 CFR 152.46, and no other changes have been made to the labeling or the confidential statement of formula of this product. I understand that it is a violation of 18 U.S.C. Sec. 1001 to willfully make any false statement to EPA. I further understand that if this notification is not consistent with the terms of PR Notice 98-10 and 40 CFR 152.46, this product may be in violation of FIFRA and I may be subject to enforcement action and penalties under sections 12 and 14 of FIFRA.

## Section - III

|  |  |   |                                      |   |   |
|--|--|---|--------------------------------------|---|---|
| 1. Material This Product Will Be Packaged In:  |  |   |                                      | 2. Type of Container  |   |
| Child-Resistant Packaging<br><input type="checkbox"/> Yes<br><input checked="" type="checkbox"/> No  | Unit Packaging<br><input type="checkbox"/> Yes<br><input checked="" type="checkbox"/> No | Water Soluble Packaging<br><input type="checkbox"/> Yes<br><input checked="" type="checkbox"/> No |                                      | <input type="checkbox"/> Metal  | <input checked="" type="checkbox"/> Plastic |
| * Certification must be submitted  |  |   |                                      | <input type="checkbox"/> Glass  | <input type="checkbox"/> Paper              |
|  | If "Yes" Unit Packaging wgt.   | No. per container   | If "Yes" Package wgt                 | No. per container   | Other (Specify) _____                       |
| 3. Location of Net Contents Information<br><input checked="" type="checkbox"/> Label <input type="checkbox"/> Container  |  | 4. Size(s) Retail Container<br>250 ml - 55 gallon   |                                      | 5. Location of Label Directions<br><input checked="" type="checkbox"/> On label |   |
| 6. Manner in Which Label is Affixed to Product<br><input checked="" type="checkbox"/> Lithograph<br><input type="checkbox"/> Paper glued<br><input type="checkbox"/> Stenciled |  |   | <input type="checkbox"/> Other _____ |   |   |

## Section - IV

|  |  |   |   |
|--|--|---|---|
| 1. Contact Point (Complete items directly below for identification of individual to be contacted, if necessary, to process this application.)  |  |   |   |
| Name<br>David L. Anderson  |  | Title<br>Director of Regulatory Affairs           |   |
|  |  | Telephone No. (Include Area Code)<br>952-252-0541 |   |
| <b>Certification</b><br>I certify that the statements I have made on this form and all attachments thereto are true, accurate and complete. I acknowledge that any knowingly false or misleading statement may be punishable by fine or imprisonment or both under applicable law. |  |   | 6. Date Application Received<br>(Stamped) |
| 2. Signature<br>   |  | 3. Title<br>Director of Regulatory Affairs        |   |
| 4. Typed Name<br>David L. Anderson   |  | 5. Date<br>February 16, 2012                      |   |





February 16, 2012

Courier

Document Processing Desk [NOTIF]  
Office of Pesticide Programs (7504P)  
US Environmental Protection Agency  
Room S-4900, One Potomac Yard  
2777 South Crystal Drive  
Arlington, VA 22202


ATTENTION: Venus Eagle  
Product Manager, Team 1

SUBJECT: Rainbow Treecare Scientific Advancements  
Xytect Injectable 10%  
(EPA Reg. No. 74779-11)  
Notification

Rainbow Treecare Scientific Advancements hereby submits a notification of an alternate brand name for Xytect Injectable 10% (EPA Reg. No. 74779-11). The alternate name for the product is "Xytect 10% Infusible Insecticide".


I am submitting one (1) copy of draft labeling for your review and acceptance. If you have any questions, please contact me either by phone at 952-252-0541 or by email at [danderson@treecarescience.com](mailto:danderson@treecarescience.com).

Sincerely,

  
David Anderson

Director of Regulatory Affairs  
Rainbow Treecare Scientific Advancements  
11571 K-Tel Drive  
Minnetonka, MN 55343

Enclosures:





**Xytect™ 10% Infusible Insecticide**

Systemic Insecticide for tree injection.

**ACTIVE INGREDIENT:**

Imidacloprid (110.7 mg/mL)

1-[(6-Chloro-3-pyridinyl)methyl]-N-nitro-2-imidazolidinimine.....10.0%

**OTHER INGREDIENTS**.....90.0%

Total 100.0%

EPA Reg. No. 74779-11

EPA Est. No. XXXXX-XX-XX

**KEEP OUT OF REACH OF CHILDREN  
CAUTION**


See additional Precautionary Statement, First Aid and Directions for Use inside booklet.

STOP – Read the label before use.

PRECAUCION AL USUARIO: Si usted no puede leer o entender ingles, no use este producto hasta que la etiqueta le haya sido explicada ampliamente. (TO THE USER: If you cannot read or understand English, do not use this product until the label has been fully explained to you.)

**NET CONTENTS:**

Distributed By:  
Rainbow Treecare Scientific Advancements  
11571 K-Tel Drive  
Minnetonka, MN 55343  
1-877-272-6747  
[www.treecarescience.com](http://www.treecarescience.com)





| <b>FIRST AID</b>  |  |
|---|--|
| IF SWALLOWED  | <ul style="list-style-type: none"> <li>• Call a poison control center or doctor for treatment advice.</li> <li>• Have person sip a glass of water if able to swallow.</li> <li>• Do not induce vomiting unless told to do so by a poison control center or doctor.</li> <li>• Do not give anything by mouth to an unconscious person.</li> </ul> |
| IF ON SKIN OR CLOTHING  | <ul style="list-style-type: none"> <li>• Take off contaminated clothing.</li> <li>• Rinse skin immediately with plenty of water for 15 – 20 minutes.</li> <li>• Call a poison control center or doctor for treatment advice.</li> </ul>  |
| IF IN EYES  | <ul style="list-style-type: none"> <li>• Hold eye open and rinse slowly and gently with water for 15 – 20 minutes.</li> <li>• Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.</li> <li>• Call a poison control center or doctor for treatment advice.</li> </ul>  |
| IF INHALED  | <ul style="list-style-type: none"> <li>• Move person to fresh air.</li> <li>• If person is not breathing, call 911 or an ambulance, then give artificial respiration.</li> <li>• Call a poison control center or doctor for further treatment advice.</li> </ul>   |
| <b>HOT LINE NUMBER</b><br>Have the product container or label with you when calling a poison control center or doctor, or going for treatment. For 24 hour medical emergency assistance (human or animal), or chemical emergency assistance (spill, leak or accident). Call CHEMTREC at 1-800-424-9300. |  |
| <b>NOTE TO PHYSICIAN</b><br>There is not specific antidote available. Treat Patient symptomatically.  |  |

### PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS

**CAUTION:** Harmful if swallowed or absorbed through the skin. Avoid contact with skin, eyes or clothing. Causes eye irritation. Wash thoroughly with soap and water after handling. Avoid breathing vapors. Remove contaminated clothing and wash before reuse.

#### PERSONAL PROTECTIVE EQUIPMENT:

Some materials that are chemical-resistant to this product are listed below. If you want more options, follow the instructions for category C on an EPA chemical resistance category selection chart.

Applicator and other handlers must wear:

- Long-sleeved shirt and long pants
- Shoes plus socks
- Chemical resistant gloves, such as polyethylene or butyl rubber or neoprene rubber or Viton.
- Protective eyewear

Follow manufacturer's instructions for cleaning/maintaining PPE. If no such instructions for washables exist, use detergent and hot water. Keep and wash PPE separately from other laundry.

#### ENVIRONMENTAL HAZARDS:

This pesticide is highly toxic to aquatic invertebrates. Do not apply directly to water, or to areas below the mean high water mark. Do not contaminate water when disposing of equipment washwaters.



**DIRECTIONS FOR USE**

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Do not apply this product in a way that will contact workers or other persons, either directly or through drift. Only protected handlers may be in the area during application. For any requirement specific to your State or Tribe, consult the agency responsible for pesticide regulation.

**AGRICULTURAL USE REQUIREMENTS**

Use this product only in accordance with its labeling and the Worker Protection Standard, 40 CFR 170. This standard contains requirements for the protection of agricultural workers on farms, forests, nurseries and greenhouses, and the handlers of agricultural pesticides. It contains requirements for training, decontamination, notification, and emergency assistance. It also contains specific instructions and exceptions pertaining to the statements on this label about personal protective equipment (PPE). The requirements in this box only apply to uses of this product that are covered by the Worker Protection Standard.

**RESTRICTIONS**

- Do not inject trees that are less than two inches in diameter.
- This product is not to be used on trees which will produce food within the year following treatment unless food crop on treated trees is discarded or destroyed.

**APPLICATION EQUIPMENT**

Xytect™ 10% Infusible Insecticide is an insecticide for use with tree injection devices that meet the label and dose requirements. Test for compatibility with the injector and its liquid contact components before regular use. Clean the interior of the injector with a solvent cleaner to remove any residual liquid from prior use. Disinfect injector tips between tree injection use. Use tree injection devices with care and in a safe manner, in addition to following manufacturer's directions and precautions.

**DIRECTIONS**

Follow manufacturer's directions and precautions in the use of pressurized tree injector systems. Measure the tree at chest height in inches. If measuring the circumference of the tree, divide this number by six (6) to determine the number of injection sites needed. If measuring the diameter of the tree (DBH), divide this number by two (2) to determine the number of injection sites needed. Apply the injector sites into the active sapwood, evenly spaced around the tree at the root buttress region avoiding the root valleys. Follow good injection practices.

Use the following rates as a function of tree diameter at breast height (DBH):

- 1 ml per inch DBH for trees 2 to 10 inches DBH
- 1.5 ml per inch DBH for trees 10 to 36 inches DBH
- 2 ml per inch DBH for trees 36 inches DBH and above

Dosage per injection site is determined by dividing the number of injection sites into the total dosage per tree as per the above rate schedule.

For heavier infestation and/or more resistant insects, use 1.5 ml or 2 ml rates on trees having a DBH of 2 inches and above.

Trees in advanced stages of insect infestation may not respond to treatment. The health of the tree and the environmental conditions will determine the rate of uptake.



7/8

**Table 1: Target insects on Forest and Ornamental Trees**

Adelgids  
 Aphids  
 Black Vine Weevil Larvae  
 Bronze Birch Borer  
 Diptera (including Rhododendron Gall Midge and Honey Locust Gall Midge)  
 Douglas Fir Gall Midge  
 Douglas Fir Cone Moth Larvae  
 Elm Leaf Beetle  
 Flatheaded Borer (including Alder and Birch Borer)  
 Froghopper  
 Galls (including Hickory Stem Gall)  
 Japanese Beetle  
 Lacebugs  
 Leafhoppers  
 Leafminers  
 Mealybugs  
 Pine Tip Moth Larvae  
 Plant Bug  
 Plant Hopper  
 Psyllids (including Lerp Psyllid)  
 Roundheaded Borers (including Asian Longhorned Beetle, Citrus Longhorned Beetle, Cottonwood Longhorned Borer, and Eucalyptus Longhorned Borer)  
 Royal Palm Bugs  
 Sawfly Larvae  
 Scale Insects  
 Thrips  
 Treehopper  
 Whiteflies

**USDA Rate Specification for Asian and Citrus Longhorned Beetle Programs. For Use Only Under U.S.D.A. Supervision. For Use With U.S.D.A. Approved Injection Devices.**

Read and follow the manufactures' written documentation on the proper use and maintenance of the injector you are using. Use the following rates as a function of tree diameter at breast height (DBH).

2 to 23 inches DBH – 2 ml per diameter inch.

23 inches DBH and above – 4 ml per diameter inch.

**DIRECTIONS:**

To determine the initial number of needed injection holes, measure the tree at breast height using a standard forestry tape measure.

- If measuring the circumference, divide this number by six (6) to determine the number of holes needed.
- If measuring the diameter, divide this number by two (2) to determine the number of injection holes needed.
- Make initial injector sites in the active sapwood, evenly spaced around the tree at the root buttress region and avoiding the root valleys.
- If a single hole cannot accept its full dose, that dose may be divided among the other initial injection holes.
- If additional holes are needed they may be spaced horizontally or vertically from the initial holes. The minimum horizontal spacing for injection sites is about 3 inches. The minimum vertical spacing for injection sites is 6 inches. Stagger vertical spacing and do not align. **Do not apply more than once per calendar year.**



**STORAGE AND DISPOSAL**

Do not contaminate water, food or feed by storage and disposal.

**PESTICIDE STORAGE:** Store containers in an upright position, above 45°F, in a cool, dry place.

**PESTICIDE DISPOSAL:** Waste resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

**CONTAINER DISPOSAL:** Non-refillable container. Do not reuse or refill this container. Triple rinse or pressure rinse container (or equivalent) promptly after emptying. Offer for recycling, if available or puncture and dispose of in a sanitary landfill, or by incineration if allowed by state and local authorities, by burning. If burned, stay out of smoke.

(non-refillable ≤ 5 gallons): Triple rinse as follows: Empty the remaining contents into application equipment or a mix tank and drain for 10 seconds after the flow begins to drip. Fill the container ¼ full with water and recap. Shake for 10 seconds. Pour rinsate into application equipment or a mix tank or store rinsate for later use or disposal. Drain for 10 seconds after the flow begins to drip. Repeat this procedure two more times.

(non-refillable > 5 gallons): Triple rinse as follows: Empty the remaining contents into application equipment or a mix tank. Fill the container ¼ full with water. Replace and tighten closures. Tip container on its side and roll it back and forth, ensuring at least one complete revolution, for 30 seconds. Stand the container on its end and tip back and forth several times. Turn the container over onto its other end and tip it back and forth several times. Empty the rinsate into application equipment or a mix tank or store rinsate for later use or disposal. Repeat this procedure two or more times.

Pressure rinse as follows: Empty the remaining contents into application equipment or a mix tank and continue to drain for 10 seconds after the flow begins to drip. Hold container upside down over application equipment or mix tank or collect rinsate for later use or disposal. Insert pressure rinsing nozzle in the side of the container and rinse at 40 PSI for at least 30 seconds. Drain for 10 seconds after the flow begins to drip.

**NOTICE OF WARRANTY**

TO THE EXTENT CONSISTENT WITH APPLICABLE LAW, RAINBOW TREECARE SCIENTIFIC ADVANCEMENTS MAKES NO WARRANTY OF MERCHANTABILITY, FITNESS FOR ANY PURPOSE OR OTHERWISE, EXPRESSED OR IMPLIED CONCERNING THIS PRODUCT OR ITS USE WHICH EXTEND BEYOND THE USE OF THE PRODUCT UNDER NORMAL CONDITIONS IN ACCORD WITH THE STATEMENTS MADE ON THIS LABEL.

All ™ property of Rainbow Treecare Scientific Advancements  
© Copyright 2010 Rainbow Treecare Scientific Advancements  
The Rainbow logo is a trademark of Rainbow Treecare Scientific Advancements

