



United States
Environmental Protection Agency
Washington, DC 20460

<input type="checkbox"/>	Registration
<input type="checkbox"/>	Amendment
<input checked="" type="checkbox"/>	Other

OPP Identifier Number
280498

Application for... NOTIFICATION TO ADD A BRAND NAME.

1. Company/Product Number 75023-1	2. EPA Product Manager George T. LaRocca	3. Proposed Classification <input type="checkbox"/> None <input type="checkbox"/> Restricted ID NO 280498
4. Company/Product (Name) SYNPER 30-30	PM# PM-13	OP#
5. Name and Address of Applicant (Include ZIP Code) TITAN PRODUCTS LLC 105 RIVER OAK DRIVE DONALDSONVILLE, LA 70346 <input type="checkbox"/> Check if this is a new address	6. Expedited Review. In accordance with FIFRA Section 3(c)(3) (b)(i), my product is similar or identical in composition and labeling to: EPA Reg. No. > N/A Product Name > N/A	

Section - II

<input type="checkbox"/> Amendment - Explain below.	<input type="checkbox"/> Final printed labels in response to Agency letter dated	NOTIFICATION MAY 08 2003
<input type="checkbox"/> Resubmission in response to Agency letter dated	<input type="checkbox"/> "Me Too" Application.	
<input type="checkbox"/> Notification - Explain below.	<input type="checkbox"/> Other - Explain below.	
TO ADD A BRAND NAME		

Explanation: Use additional page(s) if necessary. (For section I and Section II.)

>This is a NOTIFICATION to add an additional Brand name as follows: i.e. "AVANTAGE TRENTIE TRENTIE (30-30)" ULV . We enclose 2 (TWO) copies of this additional brand name label for the EPA permanent file. See the Certification in our cover letter for this submission.

Section - III

1. Material This Product Will Be Packaged In:			
Child-Resistant Packaging <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	Unit Packaging <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	Water Soluble Packaging <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	2. Type of Container <input checked="" type="checkbox"/> Metal <input checked="" type="checkbox"/> Plastic <input type="checkbox"/> Glass <input type="checkbox"/> Paper <input type="checkbox"/> Other (Specify) other
* Certification must be submitted		If "Yes" Unit Packaging wgt.	No. per container
3. Location of Net Contents Information <input type="checkbox"/> on label <input type="checkbox"/> Container		If "Yes" Package wgt.	No. per container
4. Size(s) Retail Container 2.5; 5; 30 Gal		5. Location of Label Directions <input checked="" type="checkbox"/> On Label <input type="checkbox"/> On Labeling accompanying product	
6. Manner in Which Label is Affixed to Product Adhesive <input checked="" type="checkbox"/> Lithograph <input type="checkbox"/> Paper glued <input type="checkbox"/> Stenciled <input type="checkbox"/> Other			

Section - IV

1. Contact Point (Complete items directly below for identification of individual to be contacted, if necessary, to process this application.)		
Name R. MCLANE INC. By H. R. McLane;	Title Agent 305 661 1706 TITAN PRODUCTS LLC	Telephone No. (include Area Code) 205-913 5682
I certify that the statements I have made on this form and all attachments thereto are true, accurate and complete. I acknowledge that any knowingly false or misleading statement may be punishable by fine or imprisonment or both under applicable law.		h. Date Application Received (Stamped)
2. Signature 	3. Title Authorized Agent	
4. Typed Name MR. DAYNE LEBLANC. DIRECTOR	5. Date APR 22 2003 04-22-03	

7/3 EPT



H. R. MCLANE, INC.

7210 Red Road, Suite 206A - Miami, Florida 33143-5321
Phone: 305-661-1706 / Fax: 305-661-3036
Chemical Consultants in EPA Regulatory Affairs
FIFRA Licensing & Registrations- Since 1956

APR 22, 2003

MR. GEORGE T. LARocca PM-13
DOCUMENT PROCESSING DESK (NOTIFICATION)
OFFICE OF PESTICIDE PROGRAMS (7504C)
U.S. ENVIRONMENTAL PROTECTION AGENCY
ARIEL RIOS BUILDING
1200 PENNSYLVANIA AVE. N.W.
WASHINGTON DC 30460-0001

U.S.MAIL

OPP ID NO 280496

Registrant: ITAN PRODUCTS LLC - EPA EST. NO. 75023.
105 RIVER OAK DRIVE - DONALDSONVILLE, LA 70346

Subject: NOTIFICATION TO ADD AN ADDITIONAL BRAND NAME:

Product: SYNPER 30-30 ULV
EPA Reg. No.: 75023-1

We enclose 2 copies of the labeling for this new brand name:
i.e.:

-----> "AVANTAGE TRENTE TRENTE (30-30) ULV

-----> CERTIFICATION FOR THIS NOTIFICATION

NOTIFICATION
MAY 08 2003

"This NOTIFICATION is consistent with the provisions of PR Notice 98-10 and EPA regulations at 40 CFR 152.46, and the registered product labeling and A.I. and no other changes other than name and a.i. have been made to the labeling or the confidential statement of formula for this product. I understand that it is a violation of 18 U.S.C. Sec. 1001 to willfully make any false statement to EPA. I further understand that if this notification is not consistent with the terms of PR Notice 98-10 and 40 CFR 152.46, this product may be in violation of FIFRA and I may be subject to enforcement action and penalties under sections 12 and 14 of FIFRA"

Sincerely
H. R. MCLANE, INC.


H. R. McLane, Ph.D. Authorized Agent for
R. DAYNE LeBLANC - DIRECTOR

HRM/nb/ENCL:2 COPIES OF ADDED NAME LABEL. cc/DL/TPLLC

Avantage Trente Trente (30-30)

For Application by Public Health Officials and Trained Personnel of Mosquito Abatement Districts and Other Mosquito Control Programs. An All Temperature, Quick Knockdown, Low Odor, Non-Corrosive, Synergized, Synthetic Pyrethroid for use in the control of Adult mosquitoes, Biting and Non-Biting Midges and Black flies in Residential, Recreational, and Non-Crop Areas.

EPA Reg. No. 75023-1

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

HOW TO APPLY

For proper ground application mount the fog applicator so that the nozzle is at least 4 1/2 feet above ground level and directed out the back of the vehicle. May be applied at speeds of 5 m.p.h. up to 20 m.p.h. Failure to follow these label directions may result in reduced effectiveness. For *Aerial Application refer to the Aerial Application section on this label. AVantage 30-30 ULV may be used as is, or diluted with a suitable solvent such as a 60 to 100 Sec. mineral oil and applied at a rate not to exceed 0.9789 fl. oz. of AVantage 30-30 ULV, per acre. Both aerial and ground applications should be made when the wind is less than 10 M.P.H. For exact rates see the "UNDILUTED" or the "DILUTION" Rates charts on this label. AVantage 30-30 ULV is recommended for application as an Ultra Low Volume (U.L.V.) Thermal or Non-Thermal aerosol (cold fog) to control adult mosquitoes, and other insects as listed on this label, in residential and recreational areas where these insect pests become a problem; such as, but not limited to parks, campsites, woodlands, athletic fields, golf courses, residential areas, municipalities, gardens, playgrounds, and non-crop waste areas. Do not apply this product within 100 feet (30 Meters) of lakes and streams. Do not allow treatment to drift on pastureland, cropland, poultry-ranges, or water supplies. FOR BEST RESULTS treat when mosquitoes or insects are most active and weather conditions are conducive to keeping the fog close to the ground. e.g. cool temperatures and wind speeds are not greater than 10 m.p.h. Applications during the cool hours of night or early morning are usually preferable. Repeat treatment when recommended by Public Health officials, or mosquito Abatement Districts.

THERMAL AEROSOL FOGGING

TRUCK MOUNTED - Apply AVantage 30-30 ULV diluted or undiluted with Suitable Thermal Fogging equipment. If diluted use a 60 to 100 second viscosity mineral oil, or another suitable non-phytotoxic diluent, to reduce oil requirement and sludge buildup in equipment. Do not exceed the maximum rates. May be applied at speeds of 5 m.p.h. up to 20 m.p.h. For use with hand carried and/or lawn mower foggers, use the same rates of A.I. per acre with a 50 foot swath width at a walking speed of 2 m.p.h. Do not fog to wet foliage to runoff for tender, desirable, vegetation may be temporarily damaged. Do not fog when wind conditions exceed 10 miles per hour. Only use a clean, well maintained, and properly calibrated Fogger, known to give excellent performance. Fog Down wind. Apply AVantage 30-30 ULV to deliver 0.00175 to 0.01850 lb. of Permethrin a.i. and 0.00175 to 0.01850 lb. of Piperonyl Butoxide a.i. per acre. Droplet size of thermal "fog" will be very small usually in the 0.5 to 1.0 micron range.

AS AN INSECT BARRIER - USE A "BACKPACK" FOG - MIST BLOWER

For use in Non-Thermal ULV, motorized, portable, Backpack, Fog type Mist Blower equipment apply AVantage 30-30 ULV with equipment adjusted to deliver ULV particles of 50 to 100 mass median diameter. AVantage 30-30 ULV may be applied undiluted or diluted (see Application Rates tables section). If diluted use a 30 to 100 second mineral oil, or another, (if recommended by Public Health Officials), suitable non-phytotoxic diluent. Use 0.00175 to .0185 pound Permethrin A.I. per acre at a 50 ft. (15.2 m) swath width, while walking at a speed of 2 m.p.h. (3.2 k.p.h.). Whether applied undiluted or diluted, or at a different speed, make sure that the same amount of Permethrin A.I. is applied / acre.

*AERIAL APPLICATION

The use of specially designed aircraft capable of applying ULTRA LOW VOLUMES of AVantage 30-30 ULV at the Application Rates, may be considered necessary when conducted at the discretion of Public Health Officials, Mosquito Abatement Districts, or other trained personnel engaged in outdoor Mosquito and flying insect control programs when these insects threaten to become a public health hazard. Aerial applications should be made by suitable aerial ULV equipment capable of producing droplets with an MMD 50 or less, with no more than 2.5% exceeding 100 microns. Flow rate and swath width should be set so as not to exceed 0.9789 fluid ounces (0.0185 # permethrin and 0.0185# piperonyl butoxide a.i.) per acre. **PROHIBITION ON AERIAL USE IN FLORIDA:** Not for aerial application in the State of Florida unless specifically authorized by the Bureau of Entomology and the Florida Department of Agriculture and Consumer Services. (75-1 Trente-04-22-01)

STORAGE & DISPOSAL

Do not contaminate water, food or feed by storage or disposal. **STORAGE:** and **SPILL PROCEDURE:** Store upright at room temperature. Do not expose to extreme temperatures. In case of spill or leakage, ventilate the area, wear chemical resistant gloves, and footwear. Soak-up the liquid with absorbent material such as sawdust, soil, fuller's earth, etc. Dispose of the resulting chemical waste, as follows. **PESTICIDE DISPOSAL:** Wastes resulting from a spill or the use of this product may be disposed of on site at an approved waste disposal facility. **CONTAINER DISPOSAL:** Metal Containers - Triple rinse or equivalent. Then offer for recycling or reconditioning or puncture and dispose of in a sanitary landfill, or by other procedures approved by State and local authorities. Plastic Containers - Triple rinse or equivalent. Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill or by incineration or if allowed by State and local authorities, by burning. If burned stay out of smoke.

For Control of Adult Mosquitoes

Net Contents (5): (30): Gallons

ACTIVE INGREDIENTS:	
Permethrin: CAS [52645-53-1] - - - - -	30.0%
Piperonyl Butoxide CAS [51-03-6] - - - - -	30.0%
OTHER INGREDIENTS: * - - - - -	40.0%
	Total 100.0%

*Contains Petroleum Distillate

Contains 2.42 lbs. A.I. Permethrin per gallon and 2.42 lbs. A.I. Piperonyl Butoxide per gallon.

KEEP OUT OF REACH OF CHILDREN CAUTION

PRECAUCION AL USUARIO: Si usted no lee ingles, no use este producto hasta que la etiqueta haya sido explicado ampliamente

FIRST AID

IF SWALLOWED - Immediately call a Poison Control Center or doctor. Do not induce vomiting unless told to by a poison control center or doctor. Do not give any liquid to the person. Do not give anything by mouth to an unconscious person.

IF ON SKIN OR CLOTHING - Take off contaminated clothing. Rinse skin immediately with plenty of water for 15 to 20 minutes. Call a poison control center or doctor for treatment advice.

NOTE: Have this product container or label with you when calling a poison control center or doctor or when going for treatment. Read entire label for Additional Precautionary Statements.

NOTE TO PHYSICIAN: *Solvent presents an aspiration hazard. Gastric lavage is indicated if material was taken internally. Vomiting may cause aspiration pneumonia.

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION: Causes moderate eye damage injury. Harmful if swallowed or absorbed through the skin, or inhaled. Avoid contact with skin, eyes or clothing. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco, or using the toilet. Prolonged or frequently repeated skin contact may cause allergic reactions in some individuals. Remove contaminated clothing and wash before reuse.

ENVIRONMENTAL HAZARDS

This product is extremely toxic to fish and aquatic invertebrates. Do not apply directly to water, to areas where surface water is present, or to intertidal areas below the mean high water mark. Do not apply when weather conditions favor drift and runoff from treated areas. Drift and runoff may be hazardous to aquatic organisms in neighboring areas. Do not allow spray treatment to drift to pastureland, cropland, poultry ranges or water supplies. Do not contaminate water when disposing of equipment washwaters.

See Warning: This product is highly toxic to bees exposed to direct treatment on blooming crops or weeds. Do not apply this product or allow it to drift onto blooming crops or weeds while bees are actively visiting the treatment areas.

PHYSICAL AND CHEMICAL HAZARDS

Do not use, pour, spill or store near heat or open flame.

NOTICE:

Buyer and user assume all risk and liability of use, storage and/or handling of this product not in accordance with the terms of this label.

EPA Reg. No. 75023-1 EPA Est. No. 75023-LA-1

TITAN PRODUCTS LLC

105 RIVER OAK DRIVE
DONALDSONVILLE, LA 70346 U.S.A.

DIRECTION

ULV NON-THERMAL

AVantage 30-30 ULV is recommended aerosol (Cold Fog) to control adult mosquitoes. These insects are a problem, such as but not limited to, residential areas, municipalities, golf courses, areas. Do not apply within 100 feet (30 meters) of pastureland, cropland, poultry ranges or water supplies. Do not apply to lakes and streams. Do not allow treatment to drift on pastureland, cropland, poultry ranges, or water supplies. Do not apply this product within 100 feet (30 Meters) of lakes and streams. Do not allow treatment to drift on pastureland, cropland, poultry ranges, or water supplies. FOR BEST RESULTS treat when mosquitoes or insects are most active and weather conditions are conducive to keeping the fog close to the ground. e.g. cool temperatures and wind speeds are not greater than 10 m.p.h. Applications during the cool hours of night or early morning are usually preferable. Repeat treatment when recommended by Public Health officials, or mosquito Abatement Districts.

CONDITIONS AND RATES TO USE

pounds a.i. per acre		APPLIC. RATE	
PERMETHRIN	PBO	FL. OZ. P	5 MPH (10 I)
0.01850	0.01850	2.967	5.0
0.00700	0.00700	1.112	2.0
0.00350	0.00350	0.556	1.0
0.00175	0.00175	0.278	0.5

DILUTION RATES

MIX 1 part AVantage 30-30 ULV w		APPLIC. RATE	
pounds a.i. per acre	PBO	FL. oz. per Mi	5 MPH (10 I)
0.00700	0.00700	5.526	11.0
0.00350	0.00350	2.763	5.5
0.00175	0.00175	1.381	2.75

MIX 1 part AVantage 30-30 ULV w		APPLIC. RATE	
pounds a.i. per acre	PBO	FL. oz. per Mi	5 MPH (10 I)
0.00700	0.00700	10.000	20.0
0.00350	0.00350	5.000	10.0
0.00175	0.00175	2.500	5.0

MIX 1 part AVantage 30-30 ULV		APPLIC. RATE	
pounds a.i. per acre	PBO	FL. oz. per Mi	5 MPH (10 I)
0.00700	0.00700	3.333	6.666
0.00350	0.00350	1.666	3.333
0.00175	0.00175	0.833	1.666