Activate 5.25%

Institutional Bleach

Active Ingredient:

Other Ingredients......94.75%

Contains 5% available chlorine by weight

EPA Reg. No. 75266-1

EPA Est. No. 75266-OR-001

KEEP OUT OF REACH OF CHILDREN

DANGER

See side panel for additional precautions

FIRST AID: Call poison control center or doctor for treatment advice. Have product container or label with you when you call a poison control center or doctor or when going for treatment.

If in eyes: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.

If on skin or clothing: Take off contaminated clothing. Rinse skin with plenty of water for 15-20 minutes.

If swallowed: Have a person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by the poison control center or doctor. Do not give anything by mouth to an unconscious person.

Note to Physician: Probable mucosal damage may contraindicate the use of gastric lavage.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

TO DISINFECT HARD, NON-POROUS SURFACES:

First, clean surface by removing gross filth (loose dirt and debris, etc.). Using a coarse spray, thoroughly wet surface with dilution of 1 part of the product to 9 parts water (5,000 ppm available chlorine) and allow it to remain in contact with the surface for 10 minutes. Rinse with clean water and dry.

USE SITES and SURFACES: For use in hospitals, laboratories, commercial, institutional and veterinary premises. For use on hard non-porous surfaces such as floors, walls, ceilings, doors, glazed tiles, countertops, cabinets and equipment surfaces.

PRECAUTIONARY STATEMENTS

Hazards to Humans and Domestic Animals

DANGER: Corrosive, may cause severe skin and eye irritation or chemical burns to broken skin. Can cause eye damage. Wear safety glasses and rubber gloves when handling this product. Wash after handling. Avoid breathing vapors. Vacate poorly ventilated areas as soon as possible until strong odors have dissipated.

Physical and Chemical Hazards

Strong oxidizer. Flush drains before and after use. Do not use or mix with other chemicals such as toilet bowl cleaners, rust removers, acid or ammonia containing products. To do so will release hazardous gasses. Prolonged contact with metal may cause pitting or discoloration.

STORAGE AND DISPOSAL

Storage

Store in a cool, dry area away from direct sunlight or heat to avoid deterioration. In case of a spill, flood area with large quantities of water. Product or rinsates that cannot be used should be diluted with water before disposal in a sanitary sewer. Do not reuse empty container but place in trash collection. Do not contaminate water, food, or feed by storage, disposal, or cleaning of equipment.

Manufactured by:

Deardorff Fitzsimmons Corporation PO Box 539 Merlin, OR 97532

NET CONTENTS: 11 oz.

Under the Federal Insecticide, Fungicide, and Redenticide, Act as amended, for the

pesticide, registated under-

f:\shared\deardorff\&paamend.remove degrades.label.doc