

75512-3

2-9-2007

1/11



U.S. ENVIRONMENTAL PROTECTION AGENCY

Office of Pesticide Programs
Antimicrobials Division (7510C)
1200 Pennsylvania Avenue NW
Washington, D.C. 20460

EPA Reg. Number:
75512-3

Date of Issuance:
FEB 9 2007

Term of Issuance:
Conditional

Name of Pesticide Product:
Ebiox TruKleen Concentrate

NOTICE OF PESTICIDE:

Registration
 Reregistration

(under FIFRA, as amended)

Name and Address of Registrant (include ZIP Code):

Ebiox Ltd.
2301 Rosecrans Ave., Suite 3180
El Segundo, CA 90245

Note: Changes in labeling differing in substance from that accepted in connection with this registration must be submitted to and accepted by the Registration Division prior to use of the label in commerce. In any correspondence on this product always refer to the above EPA registration number.

On the basis of information furnished by the registrant, the above named pesticide is hereby registered/reregistered under the Federal Insecticide, Fungicide and Rodenticide Act.

Registration is in no way to be construed as an endorsement or recommendation of this product by the Agency. In order to protect health and the environment, the Administrator, on his motion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by others.

This product is conditionally registered in accordance with FIFRA sec 3(c)(7)(A) provided that you:

1. Submit and/or cite all data required for registration of your product under FIFRA sec. 3(c)(5) when the Agency requires all registrants of similar products to submit such data; and submit acceptable responses required for re-registration of your product under FIFRA section 4.
2. Make the labeling changes listed below before you release the product for shipment:
 - a.) Revise the "EPA Registration Number to read, "EPA Reg. No. 75512-3".

Signature of Approving Official:

Velma Noble
Product Manager Team-31
Regulatory Management Branch I
Antimicrobials Division (7510C)

Date:

FEB 9 2007

b) Delete the claim, "Cleans to the molecular level" because this claim has not been scientifically identified.

c) Under the "First Aid" section, separate the "Note to Physician" text from the statements, "Have the product container..... 1-800-222-1222."

d) Since the label supports container sizes ranging from 8 oz to 5 gallons, the "Storage and Disposal" statements must support the following labeling in accordance with PR Notices 83-3 and 84-1:

Containers 1 gallon or less

Storage and Disposal: Store cool dry place and in original container in areas inaccessible to children. Do not reuse empty container. Wrap and discard in trash or offer for recycling if available.

Containers greater than 1 gallon

Storage and Disposal

Do not contaminate water, food, or feed by storage or disposal

Pesticide Storage: Store in cool dry play and in original container in areas inaccessible to children and persons unfamiliar with its use.

Pesticide Disposal: Pesticide wastes are acutely hazardous. Improper disposal or excess pesticide, spray, or mixture of rinsate is a violation of Federal Law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or Hazardous Waste representative at the nearest EPA Regional Office for guidance.

Container Disposal: Do reuse empty container. Triple rinse (or equivalent), then offer for recycling or reconditioning or puncture and dispose of in a sanitary landfill, or by incineration, or if allowed by state and local authorities, by burning. If burned, stay out of smoke.

e) According to PR Notice 95-1, all pesticide products sold in five gallon containers or larger must support Environmental Hazard labeling. Add the following language after the "Storage and Disposal" section:

Environmental Hazards: Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans, or other waters unless in accordance with the requirements of a National Pollutant Discharge Effluent System (NPDES) permit and the permitting authority has been notified in writing prior to discharge. Do not discharge effluent containing this product to sewer systems without previously notifying the local sewage treatment plant authority. For guidance contact your State Water Board or Regional Office of the EPA.

f) Delete the second bullet on under the "Marketing/Label Claims" because it appears as the first paragraph under the "Directions for Use." Also, delete the organism, *S. aureus* (GRSA) because data was not submitted to support it.

g) Move the 4th, 8th, 13th, 49th, and 50th bullets under the "Marketing/Label Claims" and place them in the 4th paragraph under the "Directions for Use." Revise these bullets to be in agreement with PR Notice 2000-5, Mandatory Labeling, by deleting "recommended" and stating "For Use."

h) Claims regarding the absence of an ingredient are considered misleading statements (40 CFR 156.10 (a)(5)(i) and/or 40 CFR 156.10 (a)(5)(viii)) and unacceptable. Therefore, you must delete the 6th, 15th, 46th, and 47th claims under "Marketing/Label Claims."

i) Revise the 12th claim under "Marketing/Label Claims" by stating "Kills 99.9% of broad-spectrum bacteria, viruses, and fungi including...."

j) Delete the 45th claim under "Marketing/Label Claims" because these statements are incomplete and misleading. Specific Use directions may be added to the label indicating how surgical/critical instruments and equipment may be disinfected or cleaned prior to Sterilization.

k) Under the "Directions for Use," revise the second paragraph by adding "barber and beauty salons, homes, farms, and poultry houses."

l) Since this product makes cleaning claims, the directions be revised to support the claim by stating:

General Cleaning: Dilute 2.6 oz per gallon of water. Apply use dilution with spray bottle, cloth, sponge, mop until surfaces are thoroughly wet. Wipe or allow surfaces to air dry.

m) Under "Combination Cleaning/Disinfecting," revise the 3rd bullet by deleting the phrase, "by soaking instruments in a basin." For the treatment of instruments whether surgical/critical or beauty/barber, specific use directions must be added to the label. Also, add an 8th bullet that reads "Do not use on utensils, glasses, dishes; or interior surfaces of appliances."

n) Add the following Fungicidal labeling:

Fungicidal Activity: Ebiox TruKleen Concentrate is an effective fungicide against *T. mentagrophytes* (agent causes Athlete's Foot Fungus) at use solution of 2.6 oz per gallon of water in areas such as health spas, and shower and bath areas, health spas. Follow disinfection directions.

o) Add the following Mold and Mildew labeling:

Mold and Mildew Control: At a use solution of 2.6 oz per gallon Ebiox TruKleen Concentrate will effectively inhibit the growth of mold and mildew and odors caused by them when applied to hard nonporous surfaces. Follow disinfection directions. Repeat treatment every seven days, or more often if new growth appears.

4/11

p) Revise the proposed HIV directions to be in compliance with the Agency's HIV Labeling Policy (Federal Register Vol. 54 No. 26 dated February 9, 1989) by stating:

KILLS HIV-1 AND/OR HBV ON PRECLEANED ENVIRONMENTAL SURFACES/OBJECTS PREVIOUSLY SOILED WITH BLOOD/BODY FLUIDS in health care settings or other settings in which there is an expected likelihood of soiling of inanimate surfaces/objects with blood or body fluids and in which the surfaces/objects likely to be soiled with blood or body fluids can be associated with the potential for transmission of Human Immunodeficiency Virus Type 1 (HIV-1) and/or Hepatitis B Virus.

SPECIAL INSTRUCTIONS FOR CLEANING AND DECONTAMINATION AGAINST HIV-1 AND/OR HBV ON SURFACES/OBJECTS WITH BLOOD/BODY FLUIDS

Personal Protection: Clean-up should always be done wearing protective latex gloves, gowns, masks, and eye protection

Cleaning Procedure: Blood and other body fluids containing HIV must be thoroughly cleaned from surfaces and objects before application of this product.

Contact Time: Leave surface wet for 5 minutes. Use a 10 minute contact time for Adenovirus.

Disposal of Infectious Materials: Blood, body fluids, cleaning materials, and clothing must be autoclaved and disposed of according to local regulations for infectious waste disposal.

q) Revise the "Poultry House and Farm Premise" directions as follows:

1. Remove all *animals (poultry)* and feeds from premises, *vehicles*, trucks, coops, *enclosures*, and crates.
2. Remove all litter and droppings from floors, walls and surfaces of facilities occupied or traversed by *animals (poultry)*.
3. Empty all troughs, racks, and other feeding and watering appliances.
4. Thoroughly clean all surfaces with soap or detergent and rinse with water.
5. Saturate surfaces with *2.6 oz per gallon of water* for a period of 10 minutes.
6. *Immerse all halters, ropes, and other types of equipment used in handling and restraining animals as well as forks, shovels, and scrapers used for removing litter and manure.*
7. Ventilate buildings, coops, and other closed spaces. Do not house poultry or employ equipment until treatment has been absorbed, set, or dried.
8. Thoroughly scrub treated feed racks, troughs, automatic feeders, fountains, and waterers with soap or detergent, and rinse with potable water before reuse.

r) Since this product can be used in veterinary facilities, add the following directions:

5/11

Veterinary Facilities: For cleaning and disinfecting hard nonporous surfaces and equipment used for animal food and water, utensils, instruments, cages, kennels, stables, and catteries.

1. Remove animals and feeds from premises, animal transportation vehicles, crates, etc.
2. Remove all litter and droppings from floors, walls and surfaces of facilities occupied or traversed by animals.
3. Empty all troughs, racks, and other feeding and watering appliances.
4. Thoroughly clean all surfaces with soap or detergent and rinse with water.
5. Saturate surfaces with 2.6 oz per gallon of water for a period of 10 minutes.
6. Immerse all halters, ropes, and other types of equipment used in handling and restraining animals as well as forks, shovels, and scrapers used for removing litter and manure.
7. Ventilate buildings, coops, and other closed spaces. Do not house poultry or employ equipment until treatment has been absorbed, set, or dried.
8. Thoroughly scrub treated feed racks, troughs, automatic feeders, fountains, and waterers with soap or detergent, and rinse with potable water before reuse.

s) Add "**Vehicle**" disinfection directions that read "Treat all vehicles including mats, crates, cabs, and wheels. Apply use solution of 2.6 oz per gallon of water with cloth, mop, sponge, brush, or mechanical sprayer thoroughly wetting surfaces. Allow to remain wet for 10 minutes. Wipe dry or let surfaces air dry.

3. The proposed acute inhalation waiver rationale is acceptable.
Ebiox TruKleen Concentrate's Acute Toxicology Profile:

Acute Toxicology Study	Toxicity Category
Acute Oral	III
Acute Dermal	III
Acute Inhalation	II
Primary Eye Irritation	I
Primary Skin Irritation	I
Dermal Sensitization	Non-sensitizer

Signal Word: **Danger**

The "Precautionary Statements" must be revised to comply with the acute toxicity profile by stating:

Corrosive. Causes irreversible eye damage and skin burns. Maybe fatal if inhaled. Harmful if swallowed or absorbed through the skin. Do not get in eyes, on skin, or on clothing. Wear protective eyewear (goggles or safety glasses), protective clothing, and rubber gloves. Wear a respirator with an organic-vapor removing cartridge with a prefilter approved for

6/11

pesticides (MSHA/NIOSH approval number prefix TC-23C) or canister approved for pesticides (MSHA/NIOSH approval number prefix TC-14G), or a NIOSH approved respirator with an organic vapor (OV) cartridge or canister with any N, R, P, or HE prefilter." Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, or using tobacco. Remove and wash contaminated clothing before reuse.

4. A stamped copy of the label is enclosed for your records. Submit three (3) copies of your final printed labeling before distributing or selling the product bearing the revised labeling.

If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA sec. 6(e). Your release for shipment of the product constitutes acceptance of these conditions.

Should you have any questions regarding this letter, please contact Jacqueline McFarlane at (703) 308-6416.

Sincerely,



Velma Noble
Product Manager (31)
Regulatory Branch I
Antimicrobials Division.(7510C)

Enclosure: Stamped Label
Efficacy Data Evaluation

Text in () is optional
 Text in [] is administrative and will not appear on the labeling

ACCEPTED
 with COMMENTS
 in EPA Letter Dated:
 FEB - 9 2007

7/11

Ebiox TruKleen™ Concentrate

Fed. Insecticide,
 Fungicide, and Rodenticide Act as
 amended, for the pesticide,
 registered under EPA Reg. No.

75512-3

Broad Spectrum, Fast Acting Disinfecting Solution

{Tag line to be added on front of bottle} [REDACTED]

Active Ingredients:

Alkyl dimethyl benzyl ammonium chloride (50% C ₁₂ , 30% C ₁₄ , 17% C ₁₆ , 3% C ₁₈).....	10.15%
Didecyl dimethyl benzyl ammonium chloride.....	9.16%
Poly (iminoimidocarbonyliminoimidocarbonyliminohexamethylene) Hydrochloride (PHMB).....	2.03%
Other Ingredients:	78.66%
Total:	100.00%

KEEP OUT OF REACH OF CHILDREN

DANGER

See back panel for additional precautionary statements

FIRST AID	
If in eyes	<ul style="list-style-type: none"> • If splashed in eyes, hold eye open and rinse slowly and gently with water for 15-20 minutes. • Remove contact lenses, if present, after the first five minutes, then continue rinsing eye. • Call a poison control center or doctor for treatment advice.
If on skin	<ul style="list-style-type: none"> • Take off contaminated clothing. • Rinse skin immediately with plenty of water for 15-20 minutes. • Call a poison control center or doctor for treatment advice.
If inhaled	<ul style="list-style-type: none"> • Move person to fresh air • If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth if possible. • Call a poison control center or doctor for further treatment advice.
If swallowed	<ul style="list-style-type: none"> • Call a poison control center or doctor immediately for treatment advice. • Have person sip a glass of water if able to swallow. • Do not induce vomiting unless told to by a poison control center or doctor. • Do not give anything to an unconscious person.
<p>Note to Physician: Probable mucosal damage may contraindicate the use of gastric lavage. Have the product container or label with you when calling a poison control center or doctor, or going for treatment. In case of a medical emergency involving this product call the poison control center: 1-800-222-1222.</p>	

EPA Reg. No.: 75512-G
 EPA Est. No.: 9152-CA-1

Net Contents: (1 Gallon) (5 Gallons) (1 oz.) (2 oz.) (4 oz.) (8 oz.)

Manufactured for:
 Ebiox Ltd. (or Limited)
 2301 Rosecrans Ave., Suite 3180
 El Segundo, CA 90245

Ebiox Limited

Ebiox TruKleen™ Concentrate (pending as EPA File No. 75512-G)
 Label version (6) dated February 9, 2007
 Page 1 of 5

8/11

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

DANGER: Corrosive. Causes irreversible eye damage. Causes skin irritation. May be fatal if inhaled. Harmful if inhaled, swallowed or if absorbed through skin. Do not get in eyes, on skin, or on clothing. Wear protective eye wear and rubber gloves when handling this product. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, or using tobacco. Remove and wash contaminated clothing before reuse. Wash clothing and decontaminate footwear before reuse.

Storage and Disposal

Do not contaminate water, food or feed by storage or disposal.

Pesticide Storage: Store in a cool dry place.

Container Disposal: Do not reuse empty container. Place in trash or offer for recycling if available.

Container Disposal: (Residential Use) Do not reuse empty container. Place in trash or offer for recycling if available.

Product Disposal: Wastes resulting from the use of this product must be disposed of on site or at an approved waste disposal facility.

- Multi-purpose, fast acting technology cleans, disinfects and eliminates odors in one easy step
- Effective against *Staphylococcus aureus*, *Salmonella enterica*, *Pseudomonas aeruginosa*, *Methicillin Resistant Staphylococcus aureus (MRSA)*, *Gentamicin Resistant Staphylococcus aureus (GRSA)*, *Herpes Simplex Virus Type 1*, *Hepatitis B*, *Human Immunodeficiency Virus (HIV)*, *Human Coronavirus*, *Adenovirus 5*, and *Trichophyton mentagrophytes (Athlete's Foot fungus)*
- Bactericidal, Virucidal and Fungicidal
- [REDACTED] for use on any hard, non-porous, environmental surfaces such as counter tops, floors, walls, tables, bed frames, plastic covered mattresses, sinks, carts, cabinets, lights, etc.
- Can be used in critical care areas
- [REDACTED]
- Prevents mold and mildew
- [REDACTED] ed for use on any hard, non-porous, surfaces such as counter tops, floors, walls, tables, the outside of microwaves, refrigerators, stoves, sinks, trash cans, diaper pails, glazed tubs and tile, computers, phones, non-wooden patio furniture, etc.
- Handles all daily clean-up jobs fast
- The smart way to clean and disinfect (Poultry Houses) (Farms)!
- Multi-purpose, fast acting technology cleans, disinfects and eliminates odors in one easy step
- Kills 99.9% and removes a wide variety of bacteria including: *Staphylococcus aureus (Staph)*, *Salmonella enterica (Salmonella)*, *Pseudomonas aeruginosa (Pseudomonas)*, *Methicillin Resistant Staphylococcus aureus (MRSA)*, *Gentamicin Resistant Staphylococcus aureus (GRSA)*, *Herpes Simplex Virus Type 1*, *Hepatitis B*, *Human Immunodeficiency Virus (HIV)*, *Human Coronavirus*, *Avian Influenza Virus*, *Adenovirus 5*, and *Trichophyton mentagrophytes (Athlete's Foot fungus)*
- [REDACTED] ed for use on any hard, non-porous, surfaces such as counter tops, floors, walls, tables, the sinks, trash cans, glazed tubs, tile, feed racks, troughs, automatic feeders, fountains, and waterers etc.
- Handles all daily clean-up jobs fast
- Can be used in milk(ing) (stalls) (houses) (parlors) [REDACTED]
- Bactericidal
- Virucidal

9/11

- Fungicidal
- Cleans
- Disinfects
- (Multi) purpose
- (Multi) surface(s)
- Triple (action) formula (cleans) (disinfects)
- Leaves your (kitchen) (bathroom) (patio) (clean) (and) (fresh)
- Easy to use
- For (light touch ups) (quick clean-ups) (in one easy step)
- For most household surfaces (all around the house)
- Great for cleaning around (kitchen) (bathroom) (office) (dining room) (children's room) (office) (patio)
- (Great for) Light (heavy) duty jobs
- Makes (your job) (cleaning) (easier) (easy) (faster)
- One step disinfecting (cleaning)
- Saves (you) time cleaning
- The (easy) (fast) (smart) (way to) (disinfect) (clean)
- Cuts grease
- Kills (Household) (germs) (bacteria)
- Cuts grime
- Streak Free
- Cuts through (tough) grease)
- Antibacterial multi-surface cleaner
- Heavy duty (multi-purpose) cleaner
- Not intended for polished or bare wood surfaces
- Unplug small electrical equipment before use
- (For) (product information) (or technical information) (questions) (comments) (call) (contact) Ebiox at 888-335-4234 (or visit our) website (at) www.ebiox.com
- Effective against a wide range of microorganisms

[REDACTED]

[REDACTED]

[REDACTED]

[REDACTED]

[REDACTED]

[REDACTED]

[REDACTED]

[REDACTED]

[REDACTED]

- **Cleans most household surfaces fast**
- Additional [REDACTED] non-porous surfaces such as stainless, metal(s), glazed ceramic tile, porcelain, hard plastics, glass, plastics, non-porous vinyl
- Note optional surfaces that may be used on labels: Interior and exterior surfaces of infant incubators, basinets, cribs and warmers, infant/child care equipment surfaces, changing tables, oxygen hoods, Exterior surfaces of anesthesia machines, respiratory care equipment surfaces, patient monitoring equipment, exterior surfaces of medical device equipment, diagnostic equipment, operating room tables and lights,

10/11

laboratory equipment and surfaces, IV poles, physical therapy equipment surfaces, drained whirlpool tanks surfaces, bathing stretchers, spine back boards, ambulance equipment surfaces, gurneys, stretchers. examination table surfaces, countertops, exterior toilet bowl surfaces, sinks, exterior surfaces of refrigerators, floors, walls, stoves, dental chairs, dental office equipment surfaces, dental operating room suite exterior surfaces, dental chairs, stools, animal cage surfaces, veterinary animal care surfaces, weight lifting equipment surfaces, computer workstations, keyboards, handrails, door knobs, bed railings, shower stalls, bath tubs, cabinets, countertops, tanning bed surfaces, hair clippers, scissors, trash cans, toys

- Intended for use in ((healthcare) settings such as) (hospitals) (outpatient surgery centers) (recovery rooms) (radiology treatment areas) ((medical (offices) (and) dental (offices)) (laboratories), (isolation areas) (emergency departments) (veterinary facilities) (ambulances) (police and fire vehicles) (jails) (detention centers) (hotels) (schools) (industrial clean rooms) (health spas) (day care facilities) (home health agencies) (daycare centers) (and areas where control and prevention of cross-contamination is critical
- Patent pending

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

This product is effective against the following organisms: *Staphylococcus aureus* (Staph), *Salmonella enterica* (*Salmonella*), *Pseudomonas aeruginosa* (*Pseudomonas*), *Methicillin Resistant Staphylococcus aureus* (MRSA), *Gentamicin Resistant Staphylococcus aureus* (GRSA), *Herpes Simplex Virus Type 1*, *Hepatitis B*, *Human Immunodeficiency Virus (HIV)*, *Human Coronavirus*, *Avian Influenza Virus*, *Adenovirus 5*, and *Trichophyton mentagrophytes* (*Athlete's Foot fungus*)

This product is Intended for use in (healthcare) settings such as hospitals, outpatient surgery centers, clinics, medical and dental offices, laboratories, (isolation areas) (emergency departments) (veterinary facilities) (ambulances) (police and fire vehicles) (jails) (detention centers) (hotels) (schools) (industrial clean rooms) (health spas) (day care facilities) and areas where control and prevention of cross-contamination is critical

{For labels that list medical premises and metal and/or stainless steel surfaces :} This product is not to be used as a terminal sterilant/high level disinfectant on any surface or instrument that (1) is introduced directly into the human body, either into or in direct contact with the bloodstream or normally sterile areas of the body, or (2) contacts intact mucous membranes but which does not ordinarily penetrate the blood barrier or otherwise enter normally sterile areas of the body. This product may be used to preclean or decontaminate critical or semi-critical devices prior to sterilization or high level disinfection.

This product is [redacted] for use on any hard, non-porous, surfaces such as counter tops, floors, walls, tables, the outside of microwaves, refrigerators, stoves, sinks, trash cans, diaper pails, glazed tubs and tile, computers, phones, non-wooden patio furniture, etc.

For Combination Cleaning and Disinfecting inanimate, hard, non-porous surfaces:

- Dilute 2.6 ounces of Ebiox TruKleen™ Concentrate per gallon of water.
- For heavily soiled areas a pre-cleaning step is required.
- Apply diluted solution (Ebiox TruKleen™ Concentrate) with a spray bottle, cloth, sponge, mop, by placing solution in a spray bottle [redacted]
- Allow surfaces to remain (visibly) (thoroughly) wet for 5 minutes (10 minutes for Adenovirus).
- ((Then) (Wipe dry) (or) let (surface(s) (air) dry)).
- Prepare a fresh solution daily or, if necessary, more frequently if it becomes soiled or diluted.
- For food contact surfaces such as counters and tables, rinse or wipe surface with potable water.

On painted surfaces, test a small area first.

11/11

Special Instructions for Cleaning and Decontamination Against HIV (AIDS Virus) on Surfaces/Objects Soiled with Blood/Body Fluids:

- o **Personal Protection:** [REDACTED], wear disposable protective equipment such as gloves, gowns, masks or eye coverings should be used.
- o **Cleaning Procedure:** Blood and other body fluids must be thoroughly cleaned surfaces can be disinfected [REDACTED] [REDACTED] can be used for this purpose.
- o **Contact Time:** [REDACTED] allow to remain (visibly) (thoroughly) wet for 5 minutes. (Then) (wipe) (dry) (clean) (or) let (surface(s) (air) dry)).
- o **Disposal of Infectious Waste:** Dispose [REDACTED] in accordance with Federal, State and local regulations for infectious waste disposal.

For Disinfection of hard, Non-Porous Bath and Therapy Equipment (Whirlpool Units): After using the whirlpool unit, drain and refill with this product (product name) to just cover the intake valve. Add 2.6 ounces of Ebiox TruKleen™ Concentrate per gallon of fresh water added. Start the pump to circulate the solution. Wash down the unit sides, seat of the chair, lift and all related equipment with a clean swab, brush or sponge. Treated surfaces must remain wet for 10 minutes. After the unit has been thoroughly cleaned, drain the use-solution from the unit and rinse any cleaned surfaces with fresh water. Repeat for heavy coiled units.

Disinfection of Salon/Barber Instruments and Tools: Mix use dilution of 2.6 ounces of Ebiox TruKleen™ Concentrate per gallon of water. Immerse pre-cleaned barber/salon tools (combs, brushes, razors, manicure/pedicure tools; clippers, scissors, trimmer blades) in the use dilution for at least 10 minutes. Rinse instruments thoroughly and dry before reuse. A fresh use-solution should be prepared daily or more often if the use solution becomes cloudy or soiled. **Note:** Plastics may remain immersed until ready to use. Stainless steel shears and instruments must be removed after 10 minutes, rinsed, dried and kept in a clean non-contaminated receptacle. Prolonged immersion may cause damage to stainless steel or metal instruments.

For Poultry House and Farm Premise Disinfection

1. Remove all poultry and feeds from premises, trucks, coops, and crates.
2. Remove all litter and droppings from floors, walls and surfaces of facilities occupied or transversed by poultry.
3. Empty all troughs, racks, and other feeding and watering appliances.
4. Thoroughly clean all surfaces with soap or detergent and rinse with water.
5. Saturate surfaces with the recommended disinfecting solution for a period of 10 minutes.
6. Ventilate buildings, coops, and other closed spaces. Do not house poultry or employ equipment until treatment has been absorbed, set, or dried.
7. Thoroughly scrub treated feed racks, troughs, automatic feeders, fountains, and waterers with soap or detergent, and rinse with potable water before reuse.

[REDACTED] concentrate per gallon of

[REDACTED]

[REDACTED]

[REDACTED]

[REDACTED]

REORDER CODE: USETCXX