

75832-1

07/23/2007

116



U.S. ENVIRONMENTAL PROTECTION AGENCY

Office of Pesticide Programs
Antimicrobials Division (7510C)
1200 Pennsylvania Avenue NW
Washington, D.C. 20460

EPA Reg. Number: 75832-1

Date of Issuance: July 23, 2007

Term of Issuance: Unconditional

Name of Pesticide Product: FPRL ACC 50 WOOD PRESERVATIVE

NOTICE OF PESTICIDE:

- x Registration
Reregistration

(under FIFRA, as amended)

Name and Address of Registrant (include ZIP Code):

Forest Products Research Laboratory, LLC
4660 Main Street B-320
Springfield, OR 97478

Note: Changes in labeling differing in substance from that accepted in connection with this registration must be submitted to and accepted by the Registration Division prior to use of the label in commerce.

On the basis of information furnished by the registrant, the above named pesticide is hereby registered/reregistered under the Federal Insecticide, Fungicide and Rodenticide Act.

Registration is in no way to be construed as an endorsement or recommendation of this product by the Agency. In order to protect health and the environment, the Administrator, on his motion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act.

This product is unconditionally registered in accordance with FIFRA sec 3(c)(5) provided that you:

- 1. Submit and/or cite all data required for registration of your product under FIFRA sec. 3(c)(5) when the Agency requires all registrants of similar products to submit such data; and submit acceptable responses required for re-registration of your product under FIFRA section 4.
2. Make the labeling changes listed below before you release the product for shipment:
a. Add the phrase "EPA Registration Number 75832-1".

Signature of Approving Official:

[Handwritten signature]

Adam Heyward
Product Manager Team-34
Regulatory Management Branch II
Antimicrobials Division (7510C)

Date:

July 23, 2007

3. Submit three (3) copies of the final printed label prior to releasing this product for sale.

If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA sec. 6(e). Your release for shipment of the product constitutes acceptance of these conditions.

A stamped copy of the label is enclosed for your records.

Sincerely,



Adam Heyward
Product Manager 34
Regulatory Branch II
Antimicrobials Division (7510P)

Enclosure: (Stamped Labeling)

RESTRICTED USE PESTICIDE

DUE TO ACUTE TOXICITY AND BECAUSE THIS PRODUCT CONTAINS CHROMIUM COMPOUNDS SOME TYPES OF WHICH HAVE BEEN ASSOCIATED WITH TUMOR DEVELOPMENT IN HUMANS. FOR RETAIL SALE TO AND USE ONLY BY CERTIFIED APPLICATORS OR PERSONS UNDER THEIR DIRECT SUPERVISION, AND FOR THOSE USES COVERED BY THE CERTIFIED APPLICATOR'S CERTIFICATION.

FPRL ACC 50 WOOD PRESERVATIVE

(For Pressure Plant Use Only)
(Not For Use Or Storage In Or Around The Home)

ACTIVE INGREDIENTS:

Copper Oxide 14.07%
Chromic Acid 35.46%

INERT INGREDIENTS: 50.47%
Total: 100.00%

Metallic Copper Equivalent 11.31%

**KEEP OUT OF REACH OF CHILDREN
DANGER**

FIRST AID

If in eyes	Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, and then continue rinsing. Call a Poison Control Center or doctor for treatment advice.
If on skin or clothing	Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a Poison Control Center or doctor for treatment advice.
If inhaled	Move person to fresh air. If person is not breathing, call 911 or an ambulance, and then give artificial respiration, preferably mouth to mouth, if possible. Call a Poison Control Center or doctor for further treatment advice.
If swallowed	Call Poison Control Center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told by a Poison Control Center or doctor. Do not give anything by mouth to an unconscious person.

In case of emergency call 1-800-424-9300.

Have the product container or label with you when calling a poison control center or doctor, or going for treatment.

NOTE TO PHYSICIAN: " Probable mucosal damage may contraindicate the use of gastric lavage."


SEE SIDE PANEL FOR ADDITIONAL PRECAUTIONARY STATEMENTS

EPA EST. NO. 75832-OR-001

EPA REG. NO. 075832-R

Net contents: Gallons

FOREST PRODUCTS RESEARCH LABORATORY, LLC
4660 MAIN STREET B-320
SPRINGFIELD, OR 97478



DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

(For Pressure Plant Use Only)

FPRL ACC 50 WOOD PRESERVATIVE is designed for the pressure impregnation of wood to provide protection against decay and termites.

FPRL ACC 50 WOOD PRESERVATIVE is for the preservative treatment of wood by pressure process according to American Wood Preservers' Association (AWPA) Use Category System: Processing and Treatment Standard T1. FPRL ACC 50 WOOD PRESERVATIVE must be diluted prior to use to meet AWPAs Treatment Standard T1 to between 0.5% to 7% active ingredients in treating solution. Dilution rate will vary based on wood species, treatment cycle and final retention.

This product may only be used for preservative treatment of the following categories of forest products and in accordance with the respective cited standard (T1) of the 2001 edition of the American Wood Preservers' Association (AWPA) standards: Lumber and Timber for mine ties and bridge ties, Lumber and Timber for salt water use (also includes brackish water) only (C2), Piles (C3); Poles (C4); Wood for Highway Construction (C14); Round, Half Round and Quarter Round Fence Posts (C16); Poles, Piles and Posts Used as Structural Members on Farms (C16); Wood for Marine Construction for Salt Water Use (also includes brackish water) immersion and/or subject to saltwater (or brackish water) splash ["subject to saltwater (or brackish water) splash" means any member of a marine structure which is positioned above mean high tide but is subject to frequent wetting from wave action], [Pilings (round and square), and Timbers; Walers, Framing, Stringers and Cross Bracing (2" x 6" and/or 3" x 6" and larger nominal dimensions and treated to a minimum of 0.50 pcf) (C18); Round Poles and Posts Used in Building Construction (C23); Sawn Timber Used To Support Residential and Commercial Structures (C24); Sawn cross arms (C25), Structural Glued Laminated Members and Laminations Before Gluing (C28), Structural Composite Lumber (C33), and Shakes and Shingles (C34); and in accordance with the respective cited standard (T1) of the 2002 edition of the American Wood-Preservers' Association Standards: Lumber and Timbers for Cooling Towers (C30). Forest products treated with this product may only be sold or distributed for uses within the AWPAs Commodity Standards under which the treatment occurred.

Consumer Information Tag (CIT)

Treater shall place a Consumer Information Tag (CIT) on each piece of wood treated with FPRL ACC 50 WOOD PRESERVATIVE. The CIT shall conform to the form below and shall be firmly attached to each piece of treated wood.

1. The consumer information tag shall have the following minimum dimensions: 0.625 by 2.5 inches.
2. The consumer information tag shall include the following statements on the tag:

OBTAIN CONSUMER INFORMATION SHEET AT www.chromesafety.org

Copper and Chromium are in the pesticide applied to this wood. Chemicals may migrate from treated wood or be dislodged from the woods surfaces. **Use respiratory protection, gloves, and goggles when sanding, cutting or handling.** Cut outdoors. After working with this wood, wash exposed skin thoroughly, wash work clothes separately from other clothing.

DO NOT USE this wood where it may come into contact with drinking water except for incidental contact such as fresh water docks. Do not use in direct contact with food, animal feed, or beehives. Do not use this wood, saw dust, chips or scraps for mulch or burn in open fires or in stoves, fireplaces or residential boilers.

Product performance will vary by installation location.

ENVIRONMENTAL HAZARDS

This product is toxic to fish. Do not apply directly to water, or to areas where surface water is present or to intertidal areas below the mean high water mark. Do not apply where runoff is likely to occur. Do not contaminate water when disposing of equipment washwaters.

Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans or public waters unless in accordance with the requirements of a National Pollutant Discharge Elimination System (NPDES) permit and the permitting authority has been notified in writing prior to discharge. Do not discharge effluent containing this product to sewer systems without previously notifying the local sewage treatment plant authority. For guidance contact your State Water Board or Regional Office of the Environmental Protection Agency.

Draft Label – February 7, 2007

PHYSICAL OR CHEMICAL HAZARDS

Avoid contact with aluminum or zinc galvanized metal.
Do not mix with alkaline materials.

STORAGE AND DISPOSAL

STORAGE: Do not contaminate water, food or feed by storage or disposal. Open dumping is prohibited. Do not reuse empty container.

PESTICIDE DISPOSAL: Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide, spray mixture, or rinsate is a violation of Federal Law. If these wastes cannot be disposed of by use according to label instructions, contact your state Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for Guidance.

CONTAINER DISPOSAL: Triple rinse (or equivalent). Then offer for recycling or reconditioning or puncture and dispose of in a sanitary landfill, or by other procedures approved by state and local authorities.

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS

DANGER: Corrosive. Causes irreversible eye damage, and skin burns. May be fatal if swallowed. Harmful if inhaled. Wear protective eyewear such as goggles or face shield. Wear coveralls worn over long-sleeved shirt and chemical-resistant gloves. Wash thoroughly with soap and water after handling, before eating, drinking, chewing gum or using tobacco. Remove and wash contaminated clothing before reuse. Prolonged or frequently repeated skin contact may cause allergic reactions in some individuals.

Entry to confined spaces is regulated by Federal and/or State Occupational Safety and Health Programs. Compliance is mandated by law. Individuals who enter pressure treatment cylinders and other related equipment that is contaminated with the wood treatment solution (e.g. cylinders that are in operation or are not free of the treatment solution or solution storage tanks) must wear protective clothing and/or equipment as required by Federal and/or State Occupational Safety and Health Compliance laws .

Personal Protective Equipment

Applicators and other handlers working with or around concentrate or wood treatment solutions must wear:

- coveralls, over long-sleeved shirt and long pants
- socks and chemical resistant foot wear;
- goggles or face shields,
- chemical resistant gloves (such as barrier laminate, butyl rubber, nitrile rubber, neoprene rubber, polyvinyl chloride, viton).

For mixing/loading: Wear a chemical resistant apron.

Follow manufacturer's instructions for cleaning/maintaining PPE. If no such instructions exist for washables, use detergent and hot water. Keep and wash PPE separately from other laundry.

Applicators and other handlers must wear gloves impervious to the wood treatment formulation in all situations where dermal contact is expected (e.g. handling freshly treated wood.)

Protective clothing must be changed when it shows signs of contamination. Applicators must leave protective clothing and work shoes or boots and equipment at the plant. Worn-out protective clothing and work shoes or boots must be left at the plant and disposed of in a manner approved for pesticide disposal and in accordance with state and federal regulation.

Individuals in the work area of a wood treatment plant using FPRL ACC 50 WOOD PRESERVATIVE™ must wear properly fitting, well-maintained, high efficiency filter respirators MSHA/NIOSH-approved for hexavalent chromium, if the level of hexavalent chromium in the work area exceeds or can reasonably be expected to exceed 5.0 micrograms per cubic meter of air (5.0 µg/m³) average over an 8-hour work period or is unknown. Air monitoring programs, procedures and record retention and submission must be conducted in accordance with 29CFR Parts 1910, 1915, and 1926.

User Safety Recommendations

Applicators must not eat, drink or use tobacco products during those parts of the application process that may expose them to the wood treatment formulation (e.g. manually opening/closing cylinder doors, moving trams out of cylinders, mixing chemicals and handling freshly treated wood).

Users must wash hands before eating, drinking, chewing gum, using tobacco, or using the toilet. Users must remove clothing immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing. Users must remove PPE immediately after handling this product. Wash the outside of gloves before removing.

5/6

LIMITATION OF LIABILITY

IN NO EVENT SHALL MANUFACTURER OR SELLER BE LIABLE FOR SPECIAL, INCIDENTAL, OR CONSEQUENTIAL DAMAGES, OR FOR DAMAGES IN THE NATURE OF PENALTIES RELATING TO THE GOODS SOLD. MANUFACTURER OR SELLER SHALL NOT BE LIABLE TO BUYER OR USER BY WAY OF INDEMNIFICATION TO BUYER OR TO CUSTOMERS OF BUYER, IF ANY, OR FOR ANY DAMAGES OR SUMS OF MONEY, CLAIMS OR DEMANDS WHATSOEVER, RESULTING FROM OR BY REASON OF, OR ARISING OUT OF THE MISUSE, OR FAILURE TO FOLLOW LABEL WARNINGS OR INSTRUCTIONS FOR USE, OF THE GOODS SOLD BY MANUFACTURER OR SELLER TO BUYER. BUYER'S OR USER'S EXCLUSIVE REMEDY, AND MANUFACTURER'S OR SELLER'S TOTAL LIABILITY SHALL BE FOR DAMAGES NOT EXCEEDING THE COST OF THE PRODUCT.

6/6
WARRANTY DISCLAIMER

THE GOODS DELIVERED TO YOU ARE FURNISHED "AS IS" BY MANUFACTURER OR SELLER, MANUFACTURER AND SELLER MAKE NO OTHER WARRANTIES, GUARANTEES, OR REPRESENTATIONS OF ANY KIND TO BUYER OR USER, EITHER EXPRESS OR IMPLIED, OR BY USAGE OF TRADE, STATUTORY OR OTHERWISE, WITH REGARD TO THE PRODUCT SOLD, INCLUDING, BUT NOT LIMITED TO MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE, USE OR ELIGIBILITY OF THE PRODUCT FOR ANY PARTICULAR TRADE USAGE. UNINTENDED CONSEQUENCES MAY RESULT BECAUSE OF SUCH FACTORS AS THE PRESENCE OR ABSENCE OF OTHER MATERIALS USED IN COMBINATION WITH THE GOODS, OR THE MANNER OF USE OR APPLICATION, ALL OF WHICH ARE BEYOND THE CONTROL OF MANUFACTURER OR SELLER. IN NO CASE SHALL MANUFACTURER OR SELLER, BE LIABLE FOR CONSEQUENTIAL, SPECIAL OR INDIRECT DAMAGES RESULTING FROM THE USE OR HANDLING OF THIS PRODUCT. ALL SUCH RISKS SHALL BE ASSUMED BY THE BUYER, USER, OR ITS CUSTOMERS. THIS WRITING CONTAINS ALL OF THE REPRESENTATIONS AND AGREEMENTS BETWEEN BUYER, MANUFACTURER AND SELLER, AND NO PERSON OR AGENT OF MANUFACTURER OR SELLER HAS ANY AUTHORITY TO MAKE ANY REPRESENTATION OR WARRANTY OR AGREEMENT RELATING IN ANY WAY TO THESE GOODS.