75844-5	05/26/200	×5		
ANNON	U.S. ENVIRONMENTAL PROTECTION AGENCY Office of Pesticide Programs Antimicrobials Division (7510C) 1200 Pennsylvania Avenue NW Washington, D.C. 20460	EPA Reg. Number: 75844-5	Date of Issuance: 05/26/05	
Revial PROTECTOR NO	NOTICE OF PESTICIDE: <u>x</u> Registration	Term of Issuance: Conditional		
(under FIFRA, as amended)	Reregistration		Name of Pesticide Product: AMM-5010 Spot-on	
Name and Address of Registrant (i	nclude ZIP Code):			
Andrew M. Martin C 1802 N. Carson Stree Carson City, NV 897	et, Suite 212-2808			
	y in substance from that accepted in connection with this reg commerce. In any correspondence on this product always			
On the basis of information furnish Rodenticide Act.	ed by the registrant, the above named pesticide is hereby re-	gistered/reregistered under the Federal I	nsecticide, Fungicide and	
Administrator, on his motion, may with the registration of a product u others.	strued as an endorsement or recommendation of this produc at any time suspend or cancel the registration of a pesticide nder this Act is not to be construed as giving the registrant a tionally registered in accordance wit	in accordance with the Act. The accept right to exclusive use of the name or to	ance of any name in connection its use if it has been covered by	
1. Submit an 3(c)(5) wh	d/or cite all data required for registra en the Agency requires all registrant t acceptable responses required for r	ation of your product und ts of similar products to	der FIFRA sec. submit such data;	
	ollowing labeling changes before yo EPA Registration Number to read: "	-	•	
Signature of Approving Official:		Date:	· · · · · · · · · · · · · · · · · · ·	
En loso	む	May 26, 2005		
George LaRocca Product Manager (RN Insecticide Branch	И 13)			
Registration Division	(7505C)			
A Form 8570-6				



- 3. Remove the stable flies' claims from the label or submit to the Agency the efficacy data to support the claims. Per your request, in order to bridge the efficacy data from 75844-2 to support the stable flies' claim on the label for 75844-L, you must provide the Agency with the data from the efficacy study upon completion. Please refer to the Agency's letter and email of 03/17/04 and 05/18/05, respectively, concerning the amendment for EPA Reg #75844-2, and your letters to the Agency (dated 09/24/03 and 05/26/05).
- 4. Submit to the Agency, data on one year storage stability testing (830.6317), conducted concurrently with the corrosion characteristics study (830-6320) at 0, 3, 6, 9 and 12 months of warehouse storage.
- 5. Submit two (2) copies of the revised final printed label bearing the above stated revisions prior to releasing this product for sale.

Your failure to comply with the above stated conditions will result in the cancellation of this registration in accordance with FIFRA sec. 6(e). Also, your release for shipment of the product constitutes acceptance of these conditions.

A copy of the accepted label is enclosed for your records. If you have any questions concerning this action, please contact Dr. B. A. Akinlosotu at (703) 605-0653.

Enclosure

,

AMM-5010 SPOT-ON

- KILLS AND REPELS MOSQUITOES ON HORSES
- KILLS AND REPELS MOSQUITOES ON HORSES FOR UP TO TWO WEEKS (14 DAYS)
- PROTECTS HORSES FROM MOSQUITOES
- PROTECTS HORSES FROM MOSQUITOES FOR UP TO TWO WEEKS (14 DAYS)
- KILLS AND REPELS NUISANCE FLIES ON HORSES
- KILLS AND REPELS BITING AND NUISANCE FLIES FOR UP TO TWO WEEKS (14 DAYS)
- PROTECTS HORSES FROM NUISANCE AND BITING FLIES
- PROTECTS HORSES FROM NUISANCE AND BITING FLIES FOR UP TO TWO WEEKS (14 DAYS)
- KILLS AND REPELS TICKS ON HORSES
- KILLS AND REPELS TICKS ON HORSES FOR UP TO TWO WEEKS (14 DAYS)
- KILLS AND REPELS TICKS ON HORSES FOR UP TO THREE WEEKS (21 DAYS)
- PROTECTS HORSES FROM TICKS FOR UP TO TWO WEEKS (14 DAYS)
- PROTECTS HORSES FROM TICKS FOR UP TO THREE WEEKS (21 DAYS)
- KILLS AND REPELS HORN FLIES, FACE FLIES, STABLE FLIES, HORSE FLIES, DEER FLIES, BLACK FLIES, HOUSE FLIES, GNATS, MOSQUITOES AND TICKS ON HORSES
- KILLS AND REPELS HORN FLIES, FACE FLIES, STABLE FLIES, HORSE FLIES, DEER FLIES, BLACK FLIES, HOUSE FLIES, GNATS, MOSQUITOES AND TICKS ON HORSES FOR UP TO TWO WEEKS (14 DAYS)
- PROTECTS HORSES FROM HORN FLIES, FACE FLIES, STABLE FLIES, HORSE FLIES, DEER FLIES, BLACK
 FLIES, HOUSE FLIES, GNATS, MOSQUITOES AND TICKS
- PROTECTS HORSES FROM HORN FLIES, FACE FLIES, STABLE FLIES, HORSE FLIES, DEER FLIES, BLACK FLIES, HOUSE FLIES, GNATS, MOSQUITOES AND TICKS FOR UP TO TWO WEEKS (14 DAYS)

FOR APPLICATION BY VETERINARIANS ONLY

FOR USE ON HORSES ONLY NOT FOR USE ON FOALS UNDER THREE [3] MONTHS OF AGE

ACTIVE INGREDIENT

ACTIVE INGREDIENT	
PERMETHRIN* [CAS# 52645-53-1]	50.00%
INERT INGREDIENT	50.00%
TOTAL	100.00% [w/w]

* Cis/trans ratio: max 55%[±] cis and min 45%[±] trans

KEEP OUT OF REACH OF CHILDREN CAUTION



doral Insocticide, d Rodonticide Act,

for the pesticial

SEE BACK PANEL FOR PRECAUTIONARY STATEMENTS READ ALL DIRECTIONS BEFORE USING THIS PRODUCT

Andrew M. Martin Co. NV. Inc 1802 N. Carson Street, Suite 212-2808 Carson City, NV. 89701

EPA Registration Symbol: 75844-P___

EPA Establishment No. 75844-CA-01

75844

NET CONTENTS: 240 cc Contains 12 loading dose applications

AMM-1050LAB1Iteration2 March 27, 2005

. .

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION

Harmful if swallowed or absorbed through the skin. Causes moderate eye irritation. Avoid contact with the skin eyes or clothing. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum or using tobacco. Remove and wash contaminated clothing before re-use. Prolonged or frequently repeated skin contact may cause allergic reactions in some individuals.

FIRST AID

IF SWALLOWED

- Call a poison control center or doctor immediately for treatment advice.
 - Have person sip a glass of water if able to swallow.
 - Do not induce vomiting unless told to do so by a poison control center or doctor.

IF ON SKIN OR CLOTHING

.....

- Take off contaminated clothing.
- Rinse skin immediately with plenty of water for 15 20 minutes.
- Call a poison control center or doctor for treatment advice.

IF IN EYES

- Hold eye open and rinse slowly and gently with water for 15 20 minutes.
- Remove contact lenses, if present, after first 5 minutes, then continue rinsing.
- Call a poison control center or doctor for treatment advice.

HOT LINE NUMBER

Have product container or label with you when calling a poison control center or doctor, or going for treatment. You may also contact the Rocky Mountain Poison Control Center at 1-303-595-4869.

ENVIRONMENTAL HAZARDS

This product is extremely toxic to fish and other aquatic organisms. Do not apply directly to water.

CHEMICAL HAZARDS

Combustible. Do not use or store near heat or open flame.

AMM-1050LAB1Iteration2 March 27, 2005

STORAGE AND DISPOSAL STATEMENTS

Do not contaminate water, food or feed by storage or disposal

PESTICIDE STORAGE:	Store in a cool, dry place. Protect from freezing.	
PESTICIDE DISPOSAL:	Call your local solid waste agency or [1-800-CLEANUP or equivalent organization] for disposal instructions. Unless otherwise instructed place in the trash. Never pour unused product down the drain or on the ground.	
CONTAINER DISPOSAL:	Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or incineration, or, if allowed by state and local authorities, by burning. If burned, stay out of smoke.	

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling

Sensitivities can occur after using ANY pesticide product on animals. If signs of sensitivity occur, wash area with mild soap and rinse with large amounts of water. If signs continue, consult a veterinarian immediately.

Do not use on horses intended for food use

Not for use on foals under three [3] months of age

Ready to use, no dilution necessary

AMM-5010 is designed to control nuisance and biting flies, gnats, mosquitoes and ticks by having an initial loading dose (20 cc) applied to the horse by a veterinarian. Following this application the veterinarian will leave with the horse owner a pack containing three 10 cc tubes which may be applied at two week intervals to maintain control. Following the complete treatment cycle (2 months), the cycle should be repeated as needed depending on the local fly, mosquito and tick season.

For the initial dose, a dosing gun set for 20 cc dose should be affixed to the AMM-5010 container, and AMM-5010 applied as follows:

OR

For the initial dose, a syringe capable of delivering a 20 cc dose should be used to withdraw such a dose from the AMM-5010 container, and AMM-5010 applied as follows:

- 1] streak 2 cc on the poll.
- 2] streak 2 cc on each side of the withers. [4 cc total]
- 3] streak 2 cc on each of the shoulders [4 cc total]
- 4] streak 2 cc on the croup
- 5] streak 2 cc on each side of the of the hind quarters. [4 cc total]
- 6] spot 1 cc to the back of each front leg below the elbow. [2 cc total]
- 57 spot 1 cc above each hock, on the gaskin muscle. [2 cc total]

March 27, 2005

 φ_{lo}

WARRANTY

Andrew M. Martin, Co. NV. Inc., warrants that this product conforms to the chemical description on the label. Andrew M. Martin, Co. NV. Inc., neither makes nor authorizes any agent or representative to make any other warranty of fitness or of merchantability, guarantee or representation, express or implied, concerning this material. Andrew M. Martin, Co. NV. Inc.'s maximum liability for breach of this warranty shall not exceed the purchase price of this product. Buyer and user acknowledge and assume all risks and liabilities resulting from the handling, storage and use of this material which extend beyond the use of the product under normal conditions in accord with the statements on this label.

AMM-1050LAB1Iteration2 March 27, 2005

· · •

ŧ