

75844-5

1/6/2009

1/6



**UNITED STATES ENVIRONMENTAL PROTECTION AGENCY**

WASHINGTON, D.C. 20460

OFFICE OF  
PREVENTION, PESTICIDES  
AND TOXIC SUBSTANCES

Mr. Iain Weatherspoon  
Agent for Andrew M. Martin Company  
Technology Sciences Group, Inc.  
4061 North 156<sup>th</sup> Drive  
Goodyear, AZ 85338

JAN 6 2009

Dear Mr. Weatherspoon:

Subject: Amendment- change label verbiage  
AMM- 5010 Spot- On  
EPA Registration Number 75844-5  
Your submission dated December 15, 2008

The application referred to above, submitted in connection with registration under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, is acceptable with the following comments:

1. **Remove the stable flies' claims from the label or submit to the Agency the efficacy data to support the claims.** As stated in the Agency's Notice of Registration dated May 26, 2005 (Per your request, in order to bridge the efficacy data from 75844-2 to support the stable flies claim on the label for 75844-5, you must provide the Agency with the data from the efficacy study upon completion. Please refer to the Agency's letter and email of 03/17/04 and 05/18/05, respectively, concerning the amendment for EPA Registration Number 75844-2, and your letters to the Agency (dated 09/24/03 and 05/26/05).

Please note only master labels are stamped. Please refer to the Label Manual for further guidance.

A copy of a stamped label is enclosed for your records.

Sincerely yours,

A handwritten signature in cursive script, appearing to read "Richard Gebken".

Richard Gebken  
Product Manager (13)  
Insecticide Branch  
Registration Division (7505P)

Enclosure

**AMM-5010  
SPOT-ON  
[MASTER LABEL]**

- KILLS AND REPELS MOSQUITOES ON HORSES
- KILLS AND REPELS MOSQUITOES ON HORSES FOR UP TO TWO WEEKS (14 DAYS)
- PROTECTS HORSES FROM MOSQUITOES
- PROTECTS HORSES FROM MOSQUITOES FOR UP TO TWO WEEKS (14 DAYS)
- KILLS AND REPELS NUISANCE FLIES ON HORSES
- KILLS AND REPELS BITING AND NUISANCE FLIES FOR UP TO TWO WEEKS (14 DAYS)
- PROTECTS HORSES FROM NUISANCE AND BITING FLIES
- PROTECTS HORSES FROM NUISANCE AND BITING FLIES FOR UP TO TWO WEEKS (14 DAYS)
- KILLS AND REPELS TICKS ON HORSES
- KILLS AND REPELS TICKS ON HORSES FOR UP TO TWO WEEKS (14 DAYS)
- KILLS AND REPELS TICKS ON HORSES FOR UP TO THREE WEEKS (21 DAYS)
- PROTECTS HORSES FROM TICKS FOR UP TO TWO WEEKS (14 DAYS)
- PROTECTS HORSES FROM TICKS FOR UP TO THREE WEEKS (21 DAYS)
- KILLS AND REPELS HORN FLIES, FACE FLIES, STABLE FLIES, HORSE FLIES, DEER FLIES, BLACK FLIES, HOUSE FLIES, GNATS, MOSQUITOES AND TICKS ON HORSES
- KILLS AND REPELS HORN FLIES, FACE FLIES, STABLE FLIES, HORSE FLIES, DEER FLIES, BLACK FLIES, HOUSE FLIES, GNATS, MOSQUITOES AND TICKS ON HORSES FOR UP TO TWO WEEKS (14 DAYS)
- PROTECTS HORSES FROM HORN FLIES, FACE FLIES, STABLE FLIES, HORSE FLIES, DEER FLIES, BLACK FLIES, HOUSE FLIES, GNATS, MOSQUITOES AND TICKS
- PROTECTS HORSES FROM HORN FLIES, FACE FLIES, STABLE FLIES, HORSE FLIES, DEER FLIES, BLACK FLIES, HOUSE FLIES, GNATS, MOSQUITOES AND TICKS FOR UP TO TWO WEEKS (14 DAYS)

**FOR SALE BY VETERINARIANS ONLY**

FOR USE ON HORSES ONLY  
NOT FOR USE ON FOALS UNDER THREE [3] MONTHS OF AGE


<b>ACTIVE INGREDIENT</b>		
PERMETHRIN* [CAS# 52645-53-1] .....		50.00%
INERT INGREDIENT .....		50.00%
	<b>TOTAL</b>	<b>100.00% [w/w]</b>

\* Cis/trans ratio: max 55%[±] cis and min 45%[±] trans

**KEEP OUT OF REACH OF CHILDREN  
CAUTION**

SEE BACK PANEL FOR PRECAUTIONARY STATEMENTS  
READ ALL DIRECTIONS BEFORE USING THIS PRODUCT

Andrew M. Martin Co. NV, Inc  
1802 N. Carson Street, Suite 212-2808  
Carson City, NV, 89701



JAN 6 2009

6 2009

EPA Registration Symbol: 75844-5  
EPA Establishment No. 75844-CA-01

Package contains [8] weeks supply  
Loading dose (2 x 10 cc) provides two [2] weeks (14 days) protection.  
Each maintenance dose tube provides two [2] weeks (14 days) protection

Package contains 25 loading doses  
Loading dose (2 x 10 cc) provides two [2] weeks (14 days) protection

Each tube provides two [2] weeks (14 days) protection  
Package contains six [6] weeks supply

NET CONTENTS: 5 X 10 cc applicators  
NET CONTENTS: 500 cc bottle with preset (20 cc) dosing gun  
NET CONTENTS: 3 x 10 cc applicatirs

**PRECAUTIONARY STATEMENTS  
HAZARDS TO HUMANS AND DOMESTIC ANIMALS**

**CAUTION**

Harmful if absorbed through the skin. Causes moderate eye irritation. Avoid contact with the skin eyes or clothing. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum or using tobacco. Prolonged or frequently repeated skin contact may cause allergic reactions in some individuals.

**FIRST AID**

**IF ON SKIN OR CLOTHING**

- Take off contaminated clothing.
- Rinse skin immediately with plenty of water for 15 - 20 minutes.
- Call a poison control center or doctor for treatment advice.

**IF IN EYES**

- Hold eye open and rinse slowly and gently with water for 15 - 20 minutes.
- Remove contact lenses, if present, after first 5 minutes; then continue rinsing.
- Call a poison control center or doctor for treatment advice.

**HOT LINE NUMBER**

Have product container or label with you when calling a poison control center or doctor, or going for treatment. You may also contact the Rocky Mountain Poison Control Center at 1-303-595-4869.

**ENVIRONMENTAL HAZARDS**

This product is extremely toxic to fish and other aquatic organisms. Do not apply directly to water.

**CHEMICAL HAZARDS**

Combustible. Do not use or store near heat or open flame.

**STORAGE AND DISPOSAL STATEMENTS**

Do not contaminate water, food or feed by storage or disposal

**PESTICIDE STORAGE:** Store in a cool, dry place. Protect from freezing.

**PESTICIDE DISPOSAL:** Call your local solid waste agency or [1-800-CLEANUP or equivalent organization] for disposal instructions. Unless otherwise instructed place in the trash. Never pour unused product down the drain or on the ground.

**CONTAINER DISPOSAL:** If empty: Do not reuse this container. Place in trash or offer for recycling, if available.  
(tubes) If partly filled: Call your solid waste agency for disposal instructions. Never place unused product down any outdoor or indoor drain.

(bottle)

If empty: Nonrefillable container. Do not re-use or refill this container

If partly filled: Call your solid waste agency for disposal instructions. Never place unused product down any outdoor or indoor drain.

### DIRECTIONS FOR USE

**It is a violation of Federal law to use this product in a manner inconsistent with its labeling**

Sensitivities can occur after using ANY pesticide product on animals. If signs of sensitivity occur, wash area with mild soap and rinse with large amounts of water. If signs continue, consult a veterinarian immediately.

Do not use on horses intended for food use

Not for use on foals under three [3] months of age

Ready to use, no dilution necessary

AMM-5010 is designed to control nuisance and biting flies, gnats, mosquitoes and ticks by having an initial loading dose (20 cc) applied to the horse. Following this application, and at two weekly intervals, three by 10 cc doses should be applied to maintain control. Following the complete treatment cycle (8 weeks), the cycle should be repeated as needed depending on the local fly, mosquito and tick season.

[Tubes] For the initial loading 20 cc dose, the two tubes marked "Loading Dose" should be used sequentially as described below. The first tube is used to make application to the poll, withers and shoulders, and the second tube is used to make application to the croup, hindquarters and legs.

[Bottle] For the initial loading 20 cc dose, the dosing gun, preset at 20 cc should be affixed to the AMM-5010 bottle and the product applied as described below

- 1] streak 2 cc on the poll.
- 2] streak 2 cc on each side of the withers. [4 cc total]
- 3] streak 2 cc on each of the shoulders [4 cc total]
- 4] streak 2 cc on the croup
- 5] streak 2 cc on each side of the of the hind quarters. [4 cc total]
- 6] spot 1 cc to the back of each front leg below the elbow. [2 cc total]
- 57] spot 1 cc above each hock, on the gaskin muscle. [2 cc total]

Two weeks after the administration of the loading dose of AMM-5010, the six week maintenance treatment can be initiated. Hold tube in upright position pointing away from user's face and body. Break off tip or cut with scissors. Using the cc marks on the body of the applicator as a guide apply AMM-1050 as follows, by gently squeezing the applicator:

- 1] streak 2 cc on the poll.
- 2] streak 1 cc on each side of the withers. [2 cc total]
- 3] streak 1 cc on each side of the of the hind quarters. [2 cc total]
- 4] spot 1 cc to the back of each front leg below the elbow. [2 cc total]
- 5] spot 1 cc above each hock, on the gaskin muscle. [2 cc total]

Place empty applicator in trash or offer for recycling, if available. Do not reapply for 14 days.

**WARRANTY**

Andrew M. Martin, Co. NV. Inc., warrants that this product conforms to the chemical description on the label. Andrew M. Martin, Co. NV. Inc., neither makes nor authorizes any agent or representative to make any other warranty of fitness or of merchantability, guarantee or representation, express or implied, concerning this material. To the extent consistent with applicable law Andrew M. Martin, Co. NV. Inc.'s maximum liability for breach of this warranty shall not exceed the purchase price of this product. To the extent consistent with applicable law Buyer and user acknowledge and assume all risks and liabilities resulting from the handling, storage and use of this material which extend beyond the use of the product under normal conditions in accord with the statements on this label.

Iteration  
121408