

#### UNITED STATES ENVIRONMENTAL PROTECTION AGENCY

WASHINGTON, D.C. 20460

OFFICE OF PREVENTION, PESTICIDES AND TOXIC SUBSTANCES

Mr. Iain Weatherspoon Agent for Andrew M. Martin Company Technology Sciences Group, Inc. 4061 North 156<sup>th</sup> Drive Goodyear, AZ 85338

JAN 2 8 2009

Dear Mr. Weatherspoon:

Subject: Amendment- alternate marketing claims

Freedom 50 Plus IGR Spot On for Dogs

EPA Registration Number 75844-8

Your submission dated December 22, 2008

The application referred to above, submitted in connection with registration under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, is acceptable with the following comments:

- 1. Delete "Kills canine pests belonging to five different orders" and "Kills canine pests belonging to 5 different orders". This is a vague statement.
- 2. Delete "Contains photostable Nylar ® (ICR\*), "Contains UV stable Nylar ® (ICR\*)", \*), "Contains Nylar ® (ICR\*), stable in sunlight", " Contains Nylar ® (ICR\*), stable to sunlight", " Contains Nylar ® (ICR\*), stable to UV light", ", "Contains an ICR\* stable to UV light", "Contains Nylar ® (ICR\*) know to be more stable to (in) sunlight than S-methoprene ® and works (lasts) over 30 days longer than S- methoprene ®", "Contains Nylar ® (ICR\*) know to be more stable to (in) sunlight, and works (lasts) over 30 days longer than S- methoprene ®", and Contains Nylar ® (ICR\*) know to be much more stable to (in) sunlight, and works (lasts) many weeks longer than S- methoprene ®". Claims relating to product effectiveness may not be false or misleading, and heightened efficacy/comparative claims are not acceptable.
- 3. After ICR delete the "\*". No explanation has been provide to the Agency as what this refers to.

3/

The Agency still has the following comments cited in the Notice of Registration dated September 4, 2008.

- a. Under Environmental Hazards we note the precaution, "Do not allow treated dogs to go swimming for 12 hours following treatment.". Is this an efficacy related claim? Or does it pertain to residues in water? Is this statement based on data and has it been submitted to the Agency?
- b. You must generate studies corresponding to guidelines 830.6317 (one year storage stability) and 830.6320 (corrosion characteristics). The results must be submitted to the Agency along with and electronic format also.

A copy of a stamped label is enclosed for your records.

Sincerely yours,

Richard Gebken

Product Manager (13) Insecticide Branch

Registration Division (7505P)

Enclosure

# FREEDOM 50 PLUS IGR SPOT ON FOR DOGS

(Cat/slash icon)

For use on dogs and puppies over twelve weeks of age

#### DO NOT USE ON CATS

[Kills, repels and prevents re-infestation of fleas for up to 5 weeks] [Kills, repels and prevents re-infestation for fleas for up to 4 weeks]

[Kills flea eggs and larvae for up to 8 weeks]

[Kills flea eggs and larvae for up to 6 weeks]

[Kills flea eggs and larvae for up to 4 weeks]

[Breaks the flea life cycle]

[Kills, repels and prevents re-infestation of ticks for up to 6 weeks]
[Kills, repels and prevents re-infestation of ticks for up to 4 weeks]
[Kills or repels mosquitoes, lice and mites on dogs for up to 4 weeks]

#### **ACTIVE INGREDIENT**

Permethrin\*[CAS# 52645-53-1] ..... 50.00% Pyriproxyfen [CAS# 95737-68-1].... 1.20% OTHER INGREDIENTS ....... 48.80% TOTAL 100.00%

\* Cis/trans ration: max 55% [±] cis and min 45% [±] trans

## KEEP OUT OF REACH OF CHILDREN CAUTION

SEE BACK PANEL FOR PRECAUTIONARY STATEMENTS READ ALL DIRECTIONS BEFORE USING THIS PRODUCT

Andrew M. Martin Co., NV Inc. 1802 Carson Street, Suite 212-2808 Carson City, NV 89701

EPA Registration No. 75844-8 EPA Establishment No. 75844-CA-02 Package contains a two [2], three [3], six [6], twelve [12] months supply. (as applicable)

#### **Net Contents**

3 x 0.046 fl oz applicators; 3 x 0.092 fl oz applicators; 2 x 0.183 fl oz; 12 x 0.046 fl oz 8.12 fl oz bottle with dosing gun; 16.23 fl oz bottle with dosing gun.

3 x 1.35 cc applicators; 3 x 2.70 cc applicators; 2 x 5.4 cc applicators; 12 x 1.35 cc applicators 240 cc bottle with dosing gun; 480 cc bottle with dosing gun.

JAN 2 8 2009

## PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS

#### **CAUTION**

**Hazards to Humans:** Harmful if swallowed or absorbed through the skin. Causes moderate eye irritation. Avoid contact with skin, eyes or clothing. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum or using tobacco. Remove and wash contaminated clothing before re-use. Prolonged or frequently repeated skin contact may cause allergic reactions in some individuals.

Hazards to Domestic Animals: For external use on dogs only. Do not use on cats or animals other than dogs. Consult a veterinarian before using this product on debilitated, aged or medicated animals, pregnant or nursing pups. Consult a veterinarian before using on dogs with known organ dysfunction. Sensitivities can occur after ANY pesticide product for animals. If signs of sensitivity occur, discontinue use, bathe your pet with mild soap and rinse with large amounts of water. If signs continue, consult a veterinarian immediately. Signs of sensitivity include skin sensitivity, increased itchiness, redness, rash, hair discoloration or hair loss at the application site and lethargy.

#### DO NOT USE ON CATS.

Accidental application to cats and/or grooming a recently treated dog may result in tremors and/or unconditional muscle movements. If this occurs, immediate veterinary care should be provided

#### **FIRST AID**

#### IF SWALLOWED:

- Call a poison control center or doctor immediately for treatment advice.
- Have person sip a glass of water if able to swallow.
  - Do not induce vomiting unless told to by a poison control center or doctor.

#### IF ON SKIN OR CLOTHING

- Take off contaminated clothing.
- Rinse skin immediately with plenty of water for 15 20 minutes.
- Call a poison control center or doctor for treatment advice.

### IF IN EYES

- Hold eye open and rinse slowly and gently with water for 15 20 minutes.
- Remove contact lenses after the first 5 minutes, then continue rinsing.
- Call a poison control center or doctor for treatment advice

HOT LINE NUMBER: Have the product container or label with you when calling a poisor, control center or doctor, or going for treatment. You may also contact the Rocky Mountain Poison Control at 1-303-595-4869 for medical treatment advice.

#### **ENVIRONMENTAL HAZARDS**

This product is extremely toxic to fish and other aquatic organisms. Do not allow treated dogs to go swimming for 12 hours following treatment.

#### **CHEMICAL HAZARDS**

Do not use or store near heat or open flame.

#### STORAGE AND DISPOSAL STATEMENTS

Do not contaminate water, food or feed by storage and disposal.

PESTICIDE STORAGE:

Store on a cool, dry place. Protect from freezing.

PESTICIDE DISPOSAL:

Call your local solid waste agency or 1-800-CLEANUP or equivalent organization for disposal instructions. Unless otherwise instructed place in trash. Never pour unused product down the drain or on the ground.

CONTAINER DISPOSAL (tubes): If empty: Do not reuse or refill this container. Place in trash or offer for

recycling if available.

If partly filled: Call your local solid waste agency for disposal instructions.

Never place unused product down any indoor or outdoor drain.

CONTAINER DISPOSAL (bottle): Nonrefillable container. Do not reuse or refill this container. Place in

trash or offer for recycling

If partly filled: Call your local solid waste agency for disposal instructions.

Never place unused product down any indoor or outdoor drain.

#### **DIRECTIONS FOR USE**

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

#### DO NOT USE ON CATS

Ready to use, no dilution necessary.

- Hold tube in upright position pointing away from user's face and body. Break off tip or cut with scissors. Apply FREEDOM 50 Plus IGR Spot On For Dogs as follows by gently squeezing the applicator.
- Part dog's hair between shoulder blades.
- Apply recommended amount of solution to the skin on the dog's back between the shoulder blades. For large and extra-large dogs, application of the solution to the skin directly in front of the base of the dog's tail is also required. SEE RECOMMENDED DOSING GUIDELINES BELOW.

Package for dogs weighing 33 lbs or less

Apply 1.35cc of FREEDOM 50 Plus IGR Spot On For Dogs to the skin of the dog's back between the shoulder blades.

Package for dogs weighing 33 - 66 lbs

Apply 1,35cc of FREEDOM 50 Plus IGR Spot On For Dogs to the skin of the dog's back between the shoulder blades and 1.35cc to the skin directly in front of the base of the dog's tail.

Package for dogs weighing more than 66 lbs

Apply 2.70 cc of FREEDOM 50 Plus IGR Spot On For Dogs to the skin of the dog's back between the shoulder blades and 2.70 cc to the skin directly in front of the base of the dog's tail.

Multi package

For dogs weighing 33 lbs or less

Apply 1.35 cc of FREEDOM 50 Plus IGR Spot On For Dogs (1 tube) to the skin of the dog's back between the shoulder blades.

For dogs weighing 33 - 66 lbs

Apply 1.35 cc of FREEDOM 50 Plus IGR Spot On For Dogs (1 tube) to the skin of the dog's back between the shoulder blades and 1.355 cc (a second tube) to the skin directly in front of the base of the dog's tail.

For dogs weighing more than 66 lbs

Apply 2.70 cc of FREEDOM 50 Plus IGR Spot On For Dogs (2 tubes) to the skin of the dog's back between the shoulder blades and 2.70 cc (another 2 tubes) to the skin directly in front of the base of the dog's tail.

Dosing Gun (For use only with the 240 and 480 cc bottles in kennels, shelters and boarding and grooming establishments)

Use the FREEDOM PRE-FIXED 1.35 cc dosing gun in the same manner as the individual tubes. To mount the bottle on to the gun hold the gun upside down, slide bottle collar onto the bottle, insert puncture barb into bottle and then tighten the collar to the gun. Dose animals as described above for individual tubes.

#### WARRANTY

Andrew M. Martin Co., NV Inc., warrants that this product conforms to the chemical description on the label. Andrew M. Martin Co., NV Inc., neither makes nor authorizes any agent or representative to make any other warranty or fitness or merchantability, guarantee or representation, express of implied, concerning this material. To the extent consistent with applicable law Andrew M. Martin Co., NV Inc.'s maximum liability for breach of this warranty shall not exceed the purchase price of this product. To the extent consistent with applicable law Buyer and user acknowledge and assume all risks and liabilities resulting from the handling, storage and use of this product which extend beyond the use of the product under normal conditions and in accord with statements made on the label.

#### **APPLICATOR TUBE**

Front tube panel text:

FREEDOM 50% PLUS IGR SPOT ON FOR DOGS

PERMETHRIN INSECTICIDE 50% PYRIPROXYFEN INSECTICIDE 1.2%

Back tube panel text:

KEEP OUT OF REACH OF CHILDREN

DO NOT USE ON CATS or CAT/SLASH ICON

EPA Reg # 75844-8

Read entire label before each use.

#### ALTERNATIVE MARKETING CLAIMS

[Kills five different kinds of pests on dogs] [Kills 5 different kinds of pests on dogs]

[Kills five different canine pests]

[Kills 5 different canine pests]

[Kills canine pests belonging to five different orders]

[Kills canine pests belonging to 5 different orders]

Further additional marketing claims, ( ) indicates alternative verbiage

Contains photostable Nylar® (IGR\*)

Contains UV stable Nylar® (IGR\*)

Contains Nylar® (IGR\*), stable in sunlight

6/7

.

Contains Nylar® (IGR\*) stable to sunlight

Contains Nylar® (IGR\*) stable to UV light Contains an IGR\* stable to UV light

Contains a sunlight stable IGR\* Nylar® Contains an IGR\* stable to sunlight

Campachy {

Contains Nylar® (IGR\*) known to be more stable to (in) sunlight than S-methoprene® and work (lasts) over 30 days longer than S-methoprene®

Contains Nylar® (IGR\*) known to be more stable to (in) sunlight, and work (lasts) over 30 days longer than S-methoprene®

Contains Nylar® (IGR\*) known to be much more stable to (in) sunlight, and work (lasts) many weeks longer than S-methoprene®

Nylar® (IGR\*) kills flea eggs/larvae/pupae

Nylar® is a registered trademark of McLaughlin, Gormley, King Company

IGR\* - Insect Growth Regulator

(121808)

**ι** ι.