09/99/9005

MIRONMENTAL PROTECTION AGENCY

1/4



U.S. ENVIRONMENTAL PROTECTION AGENCY
Office of Pesticide Programs
Biopesticides and Pollution Prevention Division (7511C)
1200 Pennsylvania Avenue NW
Washington, DC 20460

EPA	Reg.	Number:

Date of Issuance:

79442-8

SEP 2 2 2005

NOTICE OF PESTICIDE:

X Registration

___ Reregistration

(under FIFRA, as amended)

Term of Issuance:

Unconditional

Name of Pesticide Product:

Exosex OLR

Name and Address of Registrant (include ZIP Code):

for Exosex, Ltd.

Technology Sciences Group, Inc. Arizona: Regulatory Division 4061 North 156th Drive Goodyear, AZ 85338

Note: Changes in labeling differing in substance from that accepted in connection with this registration must be submitted to and accepted by the Biopesticides and Pollution Prevention Division prior to use of the label in commerce. In any correspondence on this product always refer to the above EPA registration number.

On the basis of information furnished by the registrant, the above named pesticide is hereby registered/reregistered under the Federal Insecticide, Fungicide and Rodenticide Act.

Registration is in no way to be construed as an endorsement or recommendation of this product by the Agency. In order to protect health and the environment, the Administrator, on his motion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by others.

This product is unconditionally registered in accordance with FIFRA Sec. 3(c)(5) provided you: :

- 1. Submit and/or cite all data required for registration/reregistration of your product under FIFRA Sec.3 (c)(5) when the Agency requires all registrants of similar products to submit such data; and submit acceptable responses required for reregistration of your product under FIFRA Sec. 4.
- 2. Revise the EPA Registration Number to read, "EPA Reg. No. 79442-8".
- 3. Submit two (2) copies of your final printed label for the record, before you release the product for shipment..

A stamped copy of the label is enclosed:for your records.

- 1			
	Signature of Approving Official:	Date:	
土	11/1 dutto	CONCURRENCES 9/22/3	5
SFM	579 517 5 11C		
SURN	IAME DUGGARD		
DATE			

[FRONT PANEL]

ACCEPTED

SEP 2 2 2005

Under the Federal Insecticides. Fungicide. and Rodenticide Act as amended, for the pesticide registered under EPA Reg. No. 79442-8

EXOSEX - OLR

A novel pheromone product for the suppression of oblique banded leafroller (Choristoneura rosaceana) on apples, pears, peaches, cherries and plums

This package contains:

5 x high impact polystyrene autoconfusion stations

5 x naval orange worm autoconfusion trays, each with an oblique

banded leafroller lure.

AUTOCONFUSION TRAY

[Net Weight: 2.5 g of pheromone impregnated wax powder]

ACTIVE INGREDIENT:

SEX PHEROMONE LURE

[Net Weight: 714 mg (1 mg pheromone in a rubber septum)]

ACTIVE INGREDIENT:

KEEP OUT OF REACH OF CHILDREN

CAUTION

SEE BACK PANEL FOR ADDITIONAL PRECAUTIONARY STATEMENTS

EPA Registration Symbol 79442-?

EPA Establish. No. xxxxx-xxx-x Date of manufacture: mm/dd/yyyy

EXOSECT LTD 2 Venture Road Chilworth Science Park Southampton SO16 7NP United Kingdom [Back panels]

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION

Harmful if inhaled or absorbed through the skin. Causes moderate eye irritation. Avoid breathing dust, wear a dust mask, protective eyewear and chemical-resistant gloves (appropriate for applying the product). Remove contaminated clothing and wash before reuse. Avoid contact with skin, eyes and clothing. Wash thoroughly with soap and water after handling.

FIRST AID

IF INHALED

- Move person to fresh air
- If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth to mouth if possible.
- Call poison control center or doctor for treatment advice.

IF IN EYES

- Hold eye open and rinse slowly and gently with water for 15 20 minutes. Remove contact lenses, if present, after 5 minutes, then continue rinsing eye.
- Call poison control center or doctor for treatment advice.

IF ON SKIN OR CLOTHING

- Take off contaminated clothing
- Rinse skin immediately with plenty of water for 15 20 minutes.
- Call poison control center or doctor for treatment advice.

Have product container or label with you when calling a poison control center or doctor of going for treatment. You may also contact the National Pesticide Information Center at 1-800-858-7378 (between 9:30 am and 7:30 pm eastern time) for emergency treatment advice.

ENVIRONMENTAL HAZARDS

Do not apply directly to water, or to areas where surface water is present or to intertidal areas below the mean high water mark.

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal

PESTICIDE STORAGE: Store in unopened package at temperatures below 40°F. Do not open

until ready to use.

PESTICIDE DISPOSAL Wastes resulting from the use of this product must be disposed of on site

or at an approved waste disposal facility.

CONTAINER DISPOSAL: Dispose of in a sanitary landfill or incineration, or if allowed by state and

local authorities, by burning. If burned, stay out of the smoke.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling

Use within six months of manufacture
Check front panel for date of manufacture
Use experience with this product dictates a minimum treatment area of 7.5 acres.

1. CROP: Apples, pears, peaches, cherries and plums

2. PEST: Oblique banded leafroller [Choristoneura rosaceana]

3. APPLICATION: Deploy Exosex™ Autoconfusion Stations at the rate of 10 - 12 stations per acre. Place the stations as high in the tree as possible, but at least in the upper third of the canopy. Remove

the plastic coverlid from the from the autoconfusion tray. Bring the two wings of the station together, into a "click fit" to form a delta (triangle cross-section). The station is affixed to the tree with the provided ties which thread through the holes in the top

ridge of the station.

4. TIMING: Deploy the stations prior to the onset of oblique banded leafroller

emergence. The stations are active for an extended, period of time depending on the temperature. Make a second application prior to the emergence of the second moth flight but not later

than August1.

5. NOTES: If the orchard borders another orchard where oblique banded

leafroller is not controlled, migration of these moths can reduce the level of suppression achieved. To counteract this effect treat entire blocks not just sections of conventionally treated areas. Double the number of stations along such borders in a strip of 4 - 6 rows of trees. Alternatively treat this strip with insecticide. Monitor the occurrence of oblique banded leafroller in an orchard using weekly pheromone trap catches. If monitoring traps show an extremely high infestation in early spring, consider a pre-application treatment of insecticide. If monitoring traps indicate an extended period of infestation (longer than 8 weeks),

replace the Exosex™ stations to coincide with subsequent

oblique leafroller flights.

WARRANTY

This material conforms to the description on the label and is reasonably fit for the purposes referred to in the directions for use. Timing, Unfavorable temperatures, presence of other materials, weather, watering practices, nature of the soil, disease problems, condition of the crop, pre-existing conditions and other conditions influencing the use of this product are beyond the control of the seller. Buyer assumes all risks associated with the use storage, or handling of this material not in strict accordance with directions given herewith. NO OTHER EXPRESS OR IMPLIED WARRANTY OF FITNESS OR MERCHANTABILITY IS MADE.