 <p style="text-align: center;">U.S. ENVIRONMENTAL PROTECTION AGENCY Office of Pesticide Programs Registration Division (H7505C) 1200 Pennsylvania Avenue, N.W. Washington, D.C. 20460</p> <p style="text-align: center;">NOTICE OF PESTICIDE: <input checked="" type="checkbox"/> Registration <input type="checkbox"/> Reregistration</p> <p>(Under FIFRA as amended)</p>	EPA Reg. Number: 79529-30	Date of Issuance: JUN 19 2008
	Term of Issuance: Conditional	
	Name of Pesticide Product: Black Flag Home Insect Control	
Name and Address of Registrant (include ZIP Code): Black Flags Brands, LLC 25 Garden Street New York Mills, NY 13417		
<p>Note: Changes in labeling differing in substance from that accepted in connection with this registration must be submitted to and accepted by the Registration Division prior to use of the label in commerce. In any correspondence on this product always refer to the above EPA registration number.</p> <p>On the basis of information furnished by the registrant, the above named pesticide is hereby registered/reregistered under the Federal Insecticide, Fungicide and Rodenticide Act.</p> <p>Registration is in no way to be construed as an endorsement or recommendation of this product by the Agency. In order to protect health and the environment, the Administrator, on his motion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by others.</p> <p>This product is conditionally registered in accordance with FIFRA sec. 3(c)(7)(A) subject to the following provisions:</p> <ol style="list-style-type: none"> 1. You will submit and/or cite all data required for registration/reregistration of your product under FIFRA sec. 3(c)(5) when the Agency requires all registrants of similar products to submit such data; and submit acceptable responses required for reregistration of your product under FIFRA section 4. 2. You will make the following label changes before you release the product for shipment: <ol style="list-style-type: none"> a) Revise the EPA Registration Number to read "EPA Reg. No. 79529-30." b) Delete the following label claims as they are not supported by the cited data. <ul style="list-style-type: none"> ▪ Kills German Cockroaches for Up to 9 months [36 weeks][Indoors] on non-porous surfaces ▪ Up to 9 months [36 weeks] German Cockroach control [Indoors] on non-porous surfaces c) Revise the following claims by specifying that they apply only to listed pests: <ul style="list-style-type: none"> ▪ Kills home invading pests ▪ Keeps insects out of your home ▪ Whole house [home] treatment" 		

2/11

d) Delete the following claims.

- Home barrier
- Bug shield...
- Leaves no chemical odor
- Odorless
- No scent

The scent terms are subjective claims depending on the individual and may or not may be true. The barrier and shield terms imply total control or elimination of pests and are not acceptable.

e) Delete “controls” in the statement, [Controls] [Kills] ticks that may transmit Lyme disease.

f) Delete “centipedes, scorpions, and spiders” or delete [on contact] in the bullet beginning, “kills mosquitoes, flies, roaches...etc.”

g) It should also be noted that the claim “New formula!” is a time limited claim. The claim may be used for a period of 6 months following the approval of this label.

h) Revise the instructions for bed bugs to read as follows: *“Apply to crack and crevices where evidence of bed bugs occurs. This includes bed frames, box springs, inside empty dressers and clothes closets and carpet edges, high and low wall moldings and wallpaper edges. Do not use this product on mattresses, pillows, bed linens, or clothes. Remove all clothes and other articles from dressers or clothes closets before application. Allow all treated areas to dry thoroughly before use. Not recommended for use as sole protection against bedbugs. If evidence of bedbugs is found in/on mattresses use products approved for this use”*.

i) Add the following precaution to the paragraph under Outdoors: *“Remove all exposed food and cooking utensils. Cover all food handling surfaces or wash thoroughly after treatment and before use. Do not use on edible crops”*.

j) Since the product is in Toxicity Category IV for all routes of exposure, the Signal Word, Hazards to Humans and Domestic Animals, and First Aid statements are not required. You may delete these statements. Note that the Child Hazard Warning is still required.

k) The container disposal statements for pesticides have been revised. Refer to PR Notice 2007-4 and modify your label accordingly.


l) Refer to PR Notice 2008-1, and modify the label accordingly.

3. Product Chemistry data requirements for the 830 Series Subgroup A and Subgroup B guidelines are satisfied with the exception of storage stability (830.6317) and corrosion characteristics data (830.6320). **One year storage stability and corrosion characteristics data must be submitted to the Agency.**

4. Please submit three (3) copies of your final printed labeling before releasing the product for shipment. If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA section 6(e). Your release for shipment of the product bearing amended labeling constitutes acceptance of these conditions. A stamped copy of the label is enclosed for your records.

If you have any questions regarding this action, please contact Olga Odiott of my team at (703)308-9369.

Signature of Approving Official:



George T. LaRocca, Product Manager (13)
Insecticide Branch/Registration Division (7505P)

Date:

JUN 19 2008

Enclosure

BLACK FLAG HOME INSECT CONTROL

- Water-Based
- For Indoor and Outdoor Use
- Kills on Contact!
- Kills by Contact!
- Kills Fast!
- Long Lasting
- Kills German Cockroaches for Up to 3 months [12 weeks] [Indoors]
- Up to 3 months [12 weeks] German Cockroach control [Indoors]
- Kills German Cockroaches for Up to 9 months [36 weeks][Indoors] on non-porous surfaces
- Up to 9 months [36 weeks] German Cockroach control [Indoors] on non-porous surfaces
- Kills Houseflies for up to 5 months [20 weeks]
- Up to 5 months [20 weeks] control of houseflies
- Keeps killing Carpenter Ants Up To 4 Weeks [30 Days, 1 Month] on non-porous surfaces
- Kills mosquitos, flies, roaches, fleas, ticks, centipedes, scorpions, spiders [on contact]
- Controls [Kills] Ticks that may transmit Lyme Disease
- Kills stable flies for up to 4 months [18 weeks]
- Up to 4 months [18 weeks] control of stable flies
- Leaves no chemical odor
- Odorless
- Non-Staining
- Guaranteed to work or your money back
- America's 1st name in pest control since 1833
- No Scent
- Won't Stain Or Discolor
- Easy-To-Use
- No Drips – No Runs
- Stays where you spray
- No shaking required
- No shake formula
- No drip formula
- Kills home invading pests
- Kills pantry pests
- New [size][30 oz][1.3 gallon size!][1 gallon size!][1.5 gallon size!]
- [New] [12 oz][10.4oz][8oz] refill [conc][concentrate] available
- New formula!
- For indoor and [&] outdoor insect [pest] control [use]
- Ready-to-use

ACCEPTED
with COMMENTS
in EPA Letter Dated
JUN 19 2008
Under the Federal Insecticide,
Fungicide, and Rodenticide Act,
as amended, for the pesticide
registered under EPA Reg. No.
79529-30

- Home [Bug][Pest][Insect] control
- Bug [pest] [insect]control system
- Keeps [listed] insects out of your home
- Kills [hidden] bugs [in cracks][crevices]
- Home barrier
- Bug Shield [keeps bugs outside][keeps insects outside][your home][kills on contact][kills bugs inside]
- Whole house [home] treatment
- Use indoors, kitchens, bathrooms, doors & windows, basements, attics
- For Use Around Horse Stables
- For Use on Houseplants and Ornamental Plants
- For Use on Roses, Asters, Azaleas, Mums, Marigolds, Snapdragons, Zinnias, and Other Ornamentals
- Kills [Controls] Aphids, Japanese Beetles, Armyworms, Lace Bugs, Spider Mites, Mealybugs
- Dual Purpose – Kills Indoor [Pests] and Outdoor Ornamental Garden Pests
- Long Lasting and Gives Immediate Results When Spraying Insects Directly
- No Oily [Greasy] Residue
- Power Pump Sprayer
- The following is marketing language for the 1.5 Gal size only:
 - [Oversized] Easy to Carry
[ergonomic][comfort][pro][professional][commercial] handle [grip]
 - [Long] Extendable [no drip] wand [spray] [applicator] [for difficult to reach places][for added comfort][for easy reach][for hard to reach places]
 - Up to 5 minutes of continuous [non-stop] spray!
 - [Wide spray] [provides] broad [effective] [long-lasting] coverage
 - 50% more than 1 gallon size!
 - Black Flag [Extreme][Xtreme][Commercial][Max][breakthrough system] [is the only pump spray insecticide that] delivers [provides][dispenses] up to 5 minutes of continuous spray
 - Connect, Extend, Pump [15 times], Spray, Depressurize [retighten to store]]

ACTIVE INGREDIENTS:

Deltamethrin.....	0.020%
OTHER INGREDIENTS.....	<u>99.980%</u>
	100.00%

KEEP OUT OF REACH OF CHILDREN
CAUTION

See back panel for additional precautionary statements

Net Contents:

30 Fl oz

1 Gal (128 Fl oz)

1.3 Gal (166 Fl oz)

1.5 Gal (192 Fl oz)

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

For Indoor and Outdoor Residential Home Use Only:

Shake Well Before Using

[Use instructions – 1.5 Gal size

1. CUT (Illustration) – Carefully cut the two white zip ties securing the hose and pump handle with scissors. Use caution not to cut the white hose.
2. CONNECT (Illustration) – Unwind hose. Firmly push the connector at the end of the hose onto the spout on the pump, until it locks into place.
3. EXTEND WAND (Illustration) – Lift sprayer wand off bottle. Push yellow [red][black][white][orange][silver] button while pulling out the wand nozzle tip. Fully extend wand until yellow [red][black][white][orange][silver] button snaps into SPRAY position. NOTE: White trigger will not function until wand is fully extended and yellow [red][black][white][orange][silver] button is visible in the SPRAY position.
4. PUMP (Illustration) – Pump container 10-20 times to pressurize bottle. A full bottle requires fewer pumps than an empty bottle. Pumping to the higher range will provide longer spray duration. After pumping, push pump down and turn handle clockwise to lock into carrying position. NOTE: This bottle is designed to expand under pressure and cannot be over-pressurized.
5. SPRAY (Illustration) – Aim wand. Spray by pushing down white trigger with thumb. Adjust spray pattern by rotating white nozzle tip up to one half rotation. Spray cracks and crevices and other areas where insects live and hide until slightly moist, but not to the point of runoff.
6. STORE (Illustration) – When finished spraying, press the yellow [red][black][white][orange][silver] button and push wand back to the original storage position until the yellow [red][black][white][orange][silver] button snaps into place. Place wand back onto the bottle with nozzle facing down.
7. DEPRESSURIZE (Illustration) – Push pump handle all the way down and turn pump handle and cap counter-clockwise to relieve pressure, then retighten prior to storing.]

[Use instructions – 1.0 Gal size or 1.3 Gal. size – sprayer in a bag

How To Prime and Care For Your Sprayer

1. Remove cap from container and replace with sprayer hose and cap assembly. Tighten securely

- 7/11
2. Turn sprayer nozzle one-half turn counterclockwise. (Illustration) Hold sprayer below the level of container and prime by pumping trigger 10-15 times until product is dispensed. (Illustration) Adjust nozzle to fine spray or jet stream as needed.
 3. After each use, thoroughly flush sprayer and hose with water. (Illustration) Return hose and cap assembly to container, tighten securely. Turn nozzle to "OFF" position and store above level of liquid in container to prevent leakage.

Note: If sprayer does not function properly, remove nozzle cover and check nozzle and holes in rubber component for obstructions. Check to make sure nozzle is not in "OFF" position. Replace nozzle cover, return sprayer assembly to container and use as instructed above.]

[Note to Reviewer: A concentrate refill will not be offered for the 30oz RTU size.]

[Use Instructions - 30 fl oz - RTU]

Adjust sprayer to desired pattern and spray insects directly or treat areas where insects live and hide.]

HOW TO USE:

Hold container upright. Do not spray up into air. Use only for spot treatment. Adjust sprayer to mist or spray. Hold sprayer 12 inches from the insect or surface to be sprayed. Spray until the surface is slightly moist but not to the point of runoff. Repeat treatment as necessary but do not apply more than once per week. Children and pets may re-enter treated areas after the spray has dried.

Cover all food handling surfaces and cover or remove all food and cooking utensils or wash thoroughly after treatment. Exposed food should be covered or removed.

INDOORS:

To Kill Cockroaches, Ants (including Carpenter Ants), Box Elder Bugs, Carpet Beetles, Centipedes, Crickets, Firebrats, Gnats, Ground Beetles, Houseflies, Mosquitos, Palmetto Bugs, Silverfish, Small Flying Moths, Sowbugs, Spiders, and Waterbugs:

Spray directly on insects or indoor areas where these insects may live and hide including in kitchens and bathrooms; behind baseboards; along cracks and crevices; behind and under refrigerators, sinks, stoves, storage areas, and cabinets; around doors and windows; around plumbing; in attics, basements, and crawl spaces; garbage cans; edges of floor coverings and under rugs. Flying insects resting on treated surfaces will be killed.

To Kill Fleas & Ticks:

Remove pet bedding and destroy or clean thoroughly. Spray pet resting quarters until moist. Put fresh bedding down once spray has dried. Do not spray animals directly. For best results, pets should be treated with an appropriate flea and/or tick control product registered for use on pets before allowing them to return to the treated area. Also treat rugs and carpets that may be infested.

Horse Stables: To Kill stable flies, horn flies, houseflies, face flies, horse flies, deer flies, mosquitos and gnats:

Apply thoroughly to surfaces until wet. Insects coming to rest on treated surfaces will be killed or repelled. Do not treat more than once per week. Do not spray animals or humans, or apply to animal feed or watering equipment. Controls stable flies for up to 4 months.

To Kill Pantry Pests including Rusty, Merchant and Saw-Toothed Grain Beetles, Red and Confused Flour Beetles, Chocolate Moths, Cigarette Beetles, Clover Mites, Cluster Flies, Drugstore Beetles, Elm Leaf Beetles, Rice Weevils, Lesser Grain Borers, Spider Beetles, and Tobacco Moths:

Treat exposed stages. Remove all foodstuffs, utensils and shelf paper from area to be treated. Apply spray to shelves and in cracks and crevices behind and under pantry. Allow to dry prior to replacement of shelf paper, food, and utensils. Wash any exposed food handling surfaces and utensils before use.

Webbing Clothes Moth: Apply as a crack and crevice treatment in closets and other storage areas where these pests are found. This treatment will not control moth larvae already on clothes. Do not apply to clothing.

To Kill Bedbugs:

Remove linens and wash before reuse. Lightly spray mattresses, especially tufts, folds and edges. Apply to the interior of the frame. Allow to dry before remaking bed.

OUTDOORS:

Spray with wind if breeze if blowing. Do not contaminate fish ponds or apply directly to water.

To Kill Ants, Crickets, Sowbugs (Pillbugs), Cockroaches including Asian Cockroaches, Centipedes, Dog Ticks, Fleas, Gnats, Houseflies, Lone Star Ticks, Mole Crickets, Mosquitos, Silverfish, and Waterbugs:

Spray directly on insects or outdoor areas where insects live and hide including the perimeter of foundations around homes and residential storage buildings; doors and windows; window screens and frames; light fixtures; eaves; porches; patios, decks; garages; and infested bushes, grass, and weeds. Spray ant trails and hills. Spray ant nests until wet.

To Kill Carpenter Ants or Carpenter Bees:

Apply to voids or channels of damaged wood. Treat cracks and crevices of wooden sections between the wood and foundation of the home or outdoor storage structures.

To Kill Wasps, Hornets, Yellow Jackets and Bees:

Spray directly at nest openings. Applications should be made late in the evening when insects are at rest.

Houseplants: To Kill Aphids, Japanese Beetles, Lace Bugs, Leafminers, Mealybugs, Mites, and Spider Mites. Remove plants from living and eating areas prior to spraying. Plants can be returned after the leaves are dry. If plants cannot be moved, cover or remove exposed food and food handling surfaces.

Spray both leaf surfaces. Avoid wetting blossoms if possible. Do not apply more than once per week.

Ornamental Garden Insects: To Kill Japanese Beetles, Whiteflies, Aphids, Armyworms, Lace Bugs, Mealybugs, Exposed Thrips, Pavement Ants, Spiders, Spider and Red Mites, Clover Mites and Leafminers.

Spray directly to insects on African Violets, Asters, Azaleas, Begonias, Camellias, Carnations, Chrysanthemums[Mums], Dahlias, Delphiniums, Dogwoods, English Ivy, Euonymus, Fushia, Geraniums, Crassula, Grape Vine, Kentia Palm, Laurel, Marigolds, Rhododendrons, Roses, Rubber Plants, Snapdragons, Stocks, Wandering Jew, Zinnias, and other ornamentals.

Apply spray at least 18 inches from plants. Cover both leaf surfaces thoroughly, but not to the point to runoff. Tender foliage, young plants, and new growth may be damaged if temperatures exceed 90° F. Do not apply to vegetable plants or other plants used for food. Not for use on plants grown for sale or other commercial use.

STORAGE AND DISPOSAL

[Note to Reviewer: The following Storage Statement will be used with the 1 Gal, 1.3 Gal, and 1.5 Gal Containers]

STORAGE: Store in a cool, dry area away from [inaccessible to] children. [Do not transport or store below 32° F (0 ° C).] [Protect from freezing.] [Store above 32° F.] If freezing occurs, allow product to thaw and shake well before using [use]. [Some product separation may occur on freezing which is reversible on shaking]. Freezing does not adversely affect [this product][performance]. This is a refillable container. This container can be refilled and reused only with Black Flag Home Insect Control Concentrate [or product name.] However, when ready to dispose of container follow disposal directions below.

[Note to Reviewer: The following Storage Statement will be used with the 30 Fl oz Container.]

STORAGE: Store in a cool, dry area away from [inaccessible to] children. [Do not transport or store below 32° F (0 ° C).] [Protect from freezing.] [Store above 32° F.] If freezing occurs, allow product to thaw and shake well before using [use]. [Some product

separation may occur on freezing which is reversible on shaking]. Freezing does not adversely affect [this product][performance].

DISPOSAL:

If empty: Do not reuse this container. Place in trash or offer for recycling if available.
If partly filled: Call your local solid waste agency for disposal instructions. Never place unused product down any indoor or outdoor drain.

PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION

Contact with product may result in transient tingling and reddening of the skin. Avoid contact with skin or clothing. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, or using tobacco.

FIRST AID

IF INHALED: Move person to fresh air.
If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth if possible.
Call a poison control center or doctor for further treatment advice.

IF ON SKIN: Take off contaminated clothing.
Rinse skin immediately with plenty of water for 15-20 minutes.
Call a poison control center or doctor for treatment advice.

IF IN EYES: Hold eye open and rinse slowly and gently with water for 15-20 minutes.
Remove contact lenses, if present, after the first 5 minutes, then continue rinsing . Call a poison control center or doctor for treatment advice.

Have the product container or label with you when calling a poison control center or doctor or going for treatment. In case of medical emergencies or health and safety inquiries or in case of fire, leaking or damaged containers, information may be obtained by calling 1-888-887-3524.

ENVIRONMENTAL HAZARDS

This product is extremely toxic to fish and aquatic invertebrates. Do not apply directly to water. Do not contaminate water when disposing of washwater or rinsate. This product is highly toxic to bees exposed to direct treatment or residues on blooming crops or weeds. Do not apply this product or allow it to drift to blooming crops or weeds if bees are visiting the treatment area.

11/10

PHYSICAL OR CHEMICAL HAZARDS

Do not apply this product in or on electrical equipment due to possibility of shock hazard.

Notice: To the extent consistent with applicable law, the buyer assumes all responsibility for safety and use not in accordance with directions.

Questions? Comments? Call (800) 887-3524 or
E-mail info@BlackFlagBrands.com

Sold By:
© Black Flag Brands, LLC
3300 Corporate Drive
Joliet, IL 60431
www.blackflag.com

EPA REG NO: 79529-xxxx
EPA EST NO:

The first letter of the lot code corresponds to the establishment.