



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
WASHINGTON, DC 20460

OFFICE OF CHEMICAL SAFETY
AND POLLUTION PREVENTION

February 22, 2016

Christina Swick
Consultant to K2 Concepts Inc.
Lewis & Harrison LLC
122 C Street, N.W., Suite 505
Washington, D.C. 20001

Subject: Label Amendment – Revise Storage and Disposal Statements
Product Name: AQUASTAT-HU
EPA Registration Number: 79630-1
Application Date: November 17, 2015
Decision Number: 511484

Dear Ms. Swick:

The amended label referred to above, submitted in connection with registration under the Federal Insecticide, Fungicide and Rodenticide Act, as amended, is acceptable. This approval does not affect any conditions that were previously imposed on this registration. You continue to be subject to existing conditions on your registration and any deadlines connected with them.

A stamped copy of your labeling is enclosed for your records. This labeling supersedes all previously accepted labeling, you must submit one copy of the final printed labeling before you release the product for shipment with the new labeling. In accordance with 40 CFR 152.130(c), you may distribute or sell this product under the previously approved labeling for 18 months from the date of this letter. After 18 months, you may only distribute or sell this product if it bears this new revised labeling or subsequently approved labeling. "To distribute or sell" is defined under FIFRA section 2(gg) and its implementing regulation at 40 CFR 152.3.

Should you wish to add/retain a reference to the company's website on your label, then please be aware that the website becomes labeling under the Federal Insecticide Fungicide and Rodenticide Act and is subject to review by the Agency. If the website is false or misleading, the product would be misbranded and unlawful to sell or distribute under FIFRA section 12(a)(1)(E). 40 CFR 156.10(a)(5) list examples of statements EPA may consider false or misleading. In addition, regardless of whether a website is referenced on your product's label, claims made on the website may not substantially differ from those claims approved through the registration process. Therefore, should the Agency find or if it is brought to our attention that a website contains false or misleading statements or claims substantially differing from the EPA approved registration, the website will be referred to the EPA's Office of Enforcement and Compliance.

Your release for shipment of the product constitutes acceptance of these conditions. If these conditions are not complied with, the registration will be subject to cancellation in accordance

Page 2 of 2
EPA Reg. No. 79630-1
Decision No. 511484

with FIFRA section 6. If you have any questions, please contact Zebora Johnson by phone at (703) 308-7080, or via email at johnson.zebora@epa.gov

Sincerely,

A handwritten signature in black ink, appearing to read "Julie Chao". The signature is fluid and cursive, with the first name "Julie" being more prominent than the last name "Chao".

Julie Chao, Product Manager 33
Regulatory Management Branch 1
Antimicrobials Division (7510P)
Office of Pesticide Programs

Enclosure: Accepted Label

AQUASTAT-HU

ABNs:

Protec Antimicrobial Cartridge

Aquastat-HUC for CPAP

Protec Humidifier Cleaning Ball

Protec Humidifier Cleaning Fish

Microbistatic [Antimicrobial] Treatment for Residential Humidifier Units

Active Ingredient:

Silver (metallic)	1.4%
Other ingredients	<u>98.6%</u>
TOTAL	100.0%

KEEP OUT OF REACH OF CHILDREN

Do not allow children to play with the [AquaStat-HU cartridge] [brand name]


EPA Reg. No. 79630-1

EPA Est. No. 79630-GA-001

Lot/Batch Number:

Net weight [each cartridge]:
[one or two cartridges per package]

Manufactured for
K2 Concepts, Inc.
805 Peachtree Street NE, Suite 614
Atlanta, GA 30308



ESL 9/18/2008

notif 8/4/2009, notif 5/28/2013, notif 8/21/2015, notif 12/9/2015

S&D amend revised 12/11/2015

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

Remove outer package before placing cartridge into humidifier. Do not open or attempt to empty the cartridge. Retain this label for reference.

[Option 1 Directions]

For use in the following sizes of residential humidifiers: Small portable humidifier units, Console humidifier units, Central humidifier units. For use in the following types of residential humidifiers: ultrasonic, cool mist (impeller), evaporative, steam vaporizer.

1. For every 2 gallons of water contained in the humidifier tank, use 1 AQUASTAT-HU cartridge.
2. For best results, before using for the first time, it is recommended that you clean your humidifier according to the humidifier manufacturer's instructions to remove any buildup that may have accumulated.
3. After humidifier has been cleaned, drop one (1) AQUASTAT-HU cartridge per 2 gallons of water capacity into the humidifier water reservoir and fill tank with fresh water.
4. Operate humidifier according to the manufacturer's directions and replace AQUASTAT-HU cartridge every 30 days. For deep-well reservoir tanks, shut off water and drain tank in order to retrieve the AQUASTAT-HU cartridge.

[Option 2 Directions: Alternate Wording for 1 gram (0.035 oz) cartridges for very small units (≤ 500 ml capacity):]

For Units with Capacity of ≤ 500 ml:

1. For every 500 ml (17 fl oz) of water contained in the humidifier tank, use 1 AQUASTAT-HU cartridge.
2. For best results, before using for the first time, it is recommended that you clean your humidifier according to the humidifier manufacturer's instructions to remove any buildup that may have accumulated.
3. After humidifier has been cleaned, drop one (1) AQUASTAT-HU cartridge per 500 ml (17 fl oz) of water capacity into the humidifier water reservoir and fill tank with fresh water.
4. Operate humidifier according to the manufacturer's directions and replace AQUASTAT-HU cartridge every 30 days. For deep-well reservoir tanks, shut off water and drain tank in order to retrieve the AQUASTAT-HU cartridge.

[Option 3 Directions]

For use with household humidifiers

1. Drop one (1) [AQUASTAT-HU cartridge] [brand name] into the humidifier tank. Use one ball for up to two (2) gallons of water.
2. Fill tank with fresh water.
3. Operate humidifier according to the manufacturer's directions and replace the [AQUASTAT-HU cartridge] [brand name] after 30 days of use.

ESL 9/18/2008

notif 8/4/2009, notif 5/28/2013, notif 8/21/2015, notif 12/9/2015

S&D amend revised 12/11/2015

STORAGE AND DISPOSAL

Storage: Do not store in areas accessible to children. Keep product dry during storage.

Disposal: Do not reuse empty cartridge. Securely wrap cartridge in several layers of newspaper and discard in trash.

Container Disposal: Securely wrap outer carton in several layers of newspaper and discard in trash or offer for recycling, if available.

Notice: Customer is responsible for ensuring compliance with applicable laws and regulations. Any use of this product for purposes other than what is intended is strictly prohibited. Results may vary according to water quality.


[*Optional*] Description of Cartridge [*no more than one of these will appear on the printed label, but either/neither may be used*]

Type 1: Cylinder

Cylinder composed of 100% polypropylene, with caps of 100% LDPE.

Dimensions: 2 inches (L) x 1.25" (D)

Dimensions for smaller size units (\leq 500 ml capacity): 12 mm (L) x 8 mm (D)



Type 2: Sphere

Sphere composed of 100% polystyrene. Dimensions: 30 mm (D)



ESL 9/18/2008

notif 8/4/2009, notif 5/28/2013, notif 8/21/2015, notif 12/9/2015

S&D amend revised 12/11/2015

{Optional product description language}

Why use a [AQUASTAT-HU] [Protec] [brand name] [cartridge]?

Humidifier tanks hold water which is an ideal breeding ground for microorganisms. This can cause odor and buildup, and may require more frequent cleaning. The [AQUASTAT-HU] [Protec] [brand name] [cartridge]: {followed by one or more optional marketing claims listed on label}

{Optional product stewardship language}

- Choking hazard
- This is not a toy[!]
- Questions or comments? [phone number] [email] [website]

{Optional trademark/patent statements}

- [US Patent No. 7,422,759 [and others pending]]
- Aquastat is a registered trademark of K2 Concepts Inc., [Atlanta GA]
- Protec is a registered trademark of Helen of Troy Limited

{Optional Marketing Statements:}

- Contains no [abrasives] or [harsh acids]
- [Contains] no [harsh][harmful][lingering][cleaning] chemicals
- Continually inhibits the growth of up to 99% of odor-causing bacteria, unsightly mold and algae on humidifier surfaces
- Continuously cleans and protects humidifiers [vaporizers] against [bacteria] [mold] [algae]
- Continuously works to control [prevent] [inhibit] growth of [bacteria] [mold] [slime] [buildup of slime] in the water and humidifier [vaporizer] surfaces
- [Controls] [continually inhibits] [[prevents] growth [and buildup] of bacteria, mold and algae in the water tank
- [Controls] [continually inhibits] [prevents] growth of [bacteria] [mold] and [algae] [microorganisms] in the mist of cool-mist humidifiers [vaporizers] during the life of the cartridge.
- Extends the life of the humidifier [vaporizer] by eliminating [preventing] [controlling] slime-causing microorganisms [bacteria] [mold] [algae]
- Extends the life of the humidifier [vaporizer] filter/components [wick] by eliminating [preventing] [controlling] slime-causing microorganisms [bacteria] [mold] [algae]
- [Gentle][mild] cleaning action for your humidifier
- Improves humidifier [vaporizer] performance by eliminating [preventing] [controlling] slime-causing microorganisms [bacteria] [mold] [algae]
- Inhibits the growth of up to 99% of odor-causing bacteria, unsightly mold and algae keeping your humidifier cleaner, longer
- Just as [gentle][mild] as [soap] [and] [water] on your humidifier
- Just as [gentle][mild] as [soap] [and] [water] to humidifier surfaces and components
- Just drop in humidifier tank [!] {already approved elsewhere in conjunction with graphics}

ESL 9/18/2008

notif 8/4/2009, notif 5/28/2013, notif 8/21/2015, notif 12/9/2015

S&D amend revised 12/11/2015



- Keeps working [cleaning] for 30 days
- Keeps your humidifier cleaner, longer
- Kills bacteria [microorganisms] that cause unpleasant odors
- Kills up to 99% of odor-causing bacteria
- Leaves no [harsh] [harmful][lingering][corrosive] residues
- Made in the [USA] [country of origin]
- Non-[corrosive][corroding]
- [Offers] continuous protection against slimy build-up in [humidifier] [vaporizer]
- Prevents the growth of bacteria, mold and algae in the water and on the inside of the humidifier [vaporizer] tank
- Prevents the buildup of slime on the inside of the humidifier [vaporizer] tank
- Provides fresh mist
- Provides both continuous cleaning and protection against odor [slime] causing [microorganisms] [bacteria] [mold] [fungi] [algae]
- Reduces up to 99% of odor-causing bacteria, unsightly mold and algae growth versus untreated humidifier surfaces)
- Simply drop in tank for fresh, clean mist
- Uses the same antimicrobial that has been used for years in drinking water filters to prevent objectionable odors, tastes and colors
- [Will not harm][Non-harmful] to [metal][plastic][humidifier] components
- Works in [virtually] all [residential] [humidifiers] [vaporizers]
- Your humidifier [vaporizer] stays cleaner, longer
- You can actually see the difference!

ESL 9/18/2008

notif 8/4/2009, notif 5/28/2013, notif 8/21/2015, notif 12/9/2015

S&D amend revised 12/11/2015

{Optional graphics}



{Text that may accompany the above graphic:}

{Above or below graphic:} Photograph of actual results using [AQUASTAT-HU] [Protec] [brand name] [cartridge]

{On the left side/Pointing to the left side} Typical humidifier without using [AQUASTAT-HU] [Protec] [brand name] [cartridge]

{On the right side/Pointing to the right side} Typical humidifier using [AQUASTAT-HU] [Protec] [brand name] [cartridge]



(will be placed adjacent to the current claim: *Reduces up to 99% of odor causing bacteria, unsightly mold and algae growth versus untreated humidified surfaces.*)

ESL 9/18/2008

notif 8/4/2009, notif 5/28/2013, notif 8/21/2015, notif 12/9/2015

S&D amend revised 12/11/2015




(will be placed adjacent to the Directions for Use section or adjacent to the claim: *Just drop in humidifier tank* or elsewhere on the label.)



(will be placed adjacent to the Directions for Use section or elsewhere on label; may be adjacent to the claim: *Just drop in humidifier tank.*)

{Optional Marketing Graphic}

Virtually no odor and slime causing bacteria found in humidifier using Aquastat HU



{Aquastat Logo}

