



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY WASHINGTON, D.C. 20460

OFFICE OF PREVENTION, PESTICIDES AND TOXIC SUBSTANCES

Mr. Masuo Robinson Agent for Integro, Inc C/O Robinson Associates 583 Canyon Rd Redwood City, CA 94062

APR 1 8 2012

Subject:

Product Name: Britz Magic Sulfur Dust

EPA Reg. No. 79702-1 Submission date: 3/16/12

Notification for Label Changes per PRN 2007-4

Decision Number 462834

Dear Registrant:

The Agency is in receipt of your Application for Pesticide Notification under Pesticide Registration Notice (PRN) 2007-4. The Registration Division (RD) has conducted a review of this request for applicability under PRN 2007-4 and finds that the action(s) requested falls within the scope of PRN 2007-4. The label submitted with the application has been stamped "Notification" and will be placed in our records.

If you have questions concerning this letter, please call Banza Djapao at 703-305-7269 or you may call me at 703-308-9354.

Sincerely,

Mary Waller

Product Manager 21 Fungicide Branch

Registration Division (7504P)

Mary L. Waller

Form Approved OMB No. 2070-0060

2095

ŞEPA	Environmenta	United States I Protection Ington, DC 204			Regist Amen		OPP Identifier Number
		Application	n for Pestici	de - Sect	ion I		
1. Company/Product Numb 79702-1	er		2. EPA Mary W	Product Mana /aller	eger	3. Pr	roposed Classification
4. Company/Product (Name Britz Magic Sulfur Dust	0)		PM# 21			c c c c c	none ce co nestricted
5. Name and Address of A Integro, Inc. c/o Robinson Associates 583 Canyon Rd. Redwood City, CA 94062	pplicant (Include ZIP Co	ode)	(b)(i), n to: EPA I	ny product is	s similar or ide	ntical in co	FIFRA Section 3(c)(3) omposition and labeling
			Section -				0 0 0
Explanation: Use additional Explaination: Use additional Explanation: Use additional Explanation of label change per PR Notice This notification is consistent with the proceeding of the process of the CPR Systes. In 156.1 Notification of change to the container dishave been made to the labeling or the container dishave been made to the labeling or the container dishave been made to the labeling or the container dishave been made to the labeling or the container dishave been made to the labeling or PR Notice. 1. Material This Product W Child-Resistant Packaging Yes No	ponse to Agency letter n below. 2007-4	y. (For section erquirements of EPA' olation of 18 U.S.C. Se this product may be in This notification is con is product. I understan	s regulations at 40 CFR §§15 c. 1001 to willfully make any violation of FIFRA and I may sistent with the provisions of d that it is a violation of 18 U.	Agency lette "Me Too" A Other - Expli 66.10, 156.140, 156.1 false statement to EP be subject to enforce PR Notice 98-10 and S.C. Sec. 1001 to wil subject to enforcement	pplication. ain below. 44, 156.146, and 156.15 A. I further understand tement action and penaltic the requirements of EP/Ifully make any false stalent action and penalties	6. No other chang hat if the amended as under sections at 'X's regulations at 4 tement to EPA. I fu	I label is not consistent with the 12 and 14 of FIFRA." 12 and 14 of FIFRA." O CFR §§152.46 and no other changes urther understand that if the notification is and 14 of FIFRA."
* Certification must be submitted 3. Location of Net Contents	Unit Packaging wgt.		Peckage wgt	container	5. Location of L	Other (S	
1.1	Container				E		
6. Manner in Which Label is		Lithogr Paper Stencil	raph glued	Other			
			Section - I'	V		A SAGE	
1. Contact Point (Complete	e items directly below f	or identification	n of individual to b	contacted, i	f necessary, to	process this	application.)
Name Masuo Robinson			Title Authorized Age	nt		Telephon 650.36	e No. (Include Area Code) 1.1101
I certify that the state I acknowledge that a both under applicable	ements I have made on ny knowlinglly false or I law.	Certifica this form and misleading star	all attachments the	oreto are true, sishable by fin	, accurate and c ae or imprisonme	omplete.	6. Date Application Received (Stamped)
2. Signature	. ob	A string land	3. Tide Authorized Age	nt			
4. Typed Name	Figure 1		5. Date				

March 16, 2012

Masuo Robinson



March 16, 2012

U.S. Environmental Protection Agency Document Processing Desk (NOTIF) Office of Pesticide Programs (7504P) 1200 Pennsylvania Avenue, N.W. Washington DC 20460-0001

Subject:

Revised Label per PR Notice 2007-4.

Britz Magic Sulfur Dust, EPA Reg. No. 79702-1

Dear Ms. Waller:

On behalf of Integro, Inc., this letter is to submit a notification for the revised label based on compliance with PR Notice 2007-4.

Supporting this request, please find attached the following documents:

- Application for Pesticide Registration form 8570-1 dated March 16, 2012.
- One (1) highlighted copy of the revised label and one clean copy.

Should you have any questions regarding this submission or require additional information, please call me. Please send all correspondence to Robinson Associates..

Sincerely,

ROBINSON ASSOCIATES

Masuo Robinson Agent for Integro, Inc.

attachments

cc: Tim Brown, Integro, Inc.

Regula

notif epa 1-1

Regulatory Affairs
Pesticide Registration

583 Canyon Road Redwood City, CA 94062

Telephone 650.361.1101 Facsimile 650.361.0111

Email

masuo@ix.netcom.com

405

APR 1 8 2012

Britz MAGIC SULFUR DUST

	1																		
		 				. 5		0							, .				98%
,		 	 	 	 		 	 	 	 00000	33555	00000	33866	00000	33800	00000	00000 0 00000 0	000000 0000000000000000000000000000000	* 000 532250 00000 00000

KEEP OUT OF REACH OF CHILDREN CAUTION

-See additional Precautionary Statements on back panel-

Call a poison control center or doctor immediately for treat- ment advice, Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control center or doctor, Do not give anything by mouth to an unconscious person lake off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 min- utes. Dall a poison control center or doctor for treatment advice, Hold eye open and rinse slowly and gently with water for
Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice.
Hold eve open and ringe slowly and gently with water for
15-20 minutes Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Zall a poison control center or doctor for treatment advice.
Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth if pos- sible. Call a poison control center or doctor for treatment advice.
The state of the s

NET CONTENTS 50 Pounds

Integro, Inc.

P.O Box 156. Helm, CA 93627

EPA Reg. No. 79702-1

EPA EST NO. 79702-CA-1



FOR ALL CROP USES LISTED ON THE PRODUCT LABEL (for both ground and air application)

Dusting sulfur can create situations where drift to non-target or sensitive areas can To minimize the occurrence of drift incidents, the following conditions must

1.In addition to specific instructions under directions for use on the main sulfur label,

1.III adultion to Special instructions under unections for use on the final sound tools, the following conditions must also be followed for use in California:

2. The operator of the property and the applicator must establish a buffer zone of enough distance to prevent drift onto non-target areas such as hospitals, clinics, residential areas, schools and any other area designated by the county agricultural com-

3.The operator of the property and the applicator must evaluate the method and equipment for each site to ensure proper and safe use. Evaluations shall include, but

not limited to the appropriateness of ground or air application.

4. Sulfur shall not be applied when the wind velocity exceeds 10 miles per hour.

Applicators should be aware that in some areas in California, "dead calm" conditions are often associated with an inversion situation. In these areas, applying sulfur when there is minimum air movement of 2 miles per hour will help ensure that an inversion situation does not exist.

5.All applicators, prior to use of dust formulations, should read and understand the Best Application Practices Manual.

Before using this product, read and follow all applicable directions, restrictions and precautions on the EPA registered label.

MOLCOLIE

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION:

Harmful if swallowed, inhaled or absorbed through skin. May cause irritation of nose, throat, skin, eyes or clothing. Do not contaminate feed or foodstuffs.

PERSONAL PROTECTIVE EQUIPMENT (PPE)

Applicators and other handlers must wear a long-sleeved shirt and long pants, chemical-resistant gloves made of any waterproof material, shoes plus socks and protective eyewear. Follow manufacturer's instructions for cleaning/maintaining PPE. If no such instructions for washables, use detergent and hot water. Keep and wash PPE separately from other laundry.

ENGINEERING CONTROLS STATEMENTS

When handlers use closed systems, enclosed cabs or aircraft in a manner that meets the requirements listed in the Worker Protection Standard (WPS) for agricultural pesticides [40 CFR 170.240 (d) (4-6)], the handler PPE requirements may be reduced or modified as speelfied in the WPS. IMPORTANT: When reduced PPE is worn because a closed system is being used, handlers must be provided all PPE specified above for "applicators and other handlers" and have such PPE immediately available for use in an emergency, such as a spill or autiment heads-down equipment break-down.

USER SAFETY RECOMMENDATIONS

USERS SHOULD:

Wash hands before eating, drinking, chewing gum, using tobacco or using the

Remove PPE immediately after handling this product. Wash the outside of gloves before removing. As soon as possible, wash thoroughly and change into clean clothing.

ENVIRONMENTAL HAZARDS

This product is toxic to fish. Do not apply directly to water, to areas where surface water is present or to intertidal areas below the mean high water mark. Do not apply when weather conditions favor drift from treated areas. Do not contaminate water when disposing of equipment wash waters.

PHYSICAL AND CHEMICAL HAZARDS

Sulfur dust suspended in air ignites easily. Keep away from heat, sparks and flame. Do not smoke while applying this product. SULFUR IS HIGHLY CORROSIVE AND EQUIPMENT SHOULD BE CLEANED THOROUGHLY.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Do not apply this product in a way that will contact workers or other persons, either directly or through drift. Only protected handlers may be in the area during application. For any requirements specific to your State: sible for pesticide regulation. 23

AGRICULTURAL USE REQUIREMENTS

Use this product only in accordance with its labeling and with the Worker Protection Standard (WPS) 40 CFR part 170. This Standard contains requirements for the protection of agricultural workers on farms, forests, nurseries and greenhouses, and handlers of agricultural pesticides. It contains requirements for training, decontamination, notification, and emergency assistance. It also contains specific instructions and exceptions pertaining to the statements on this label about personal protective equipment (PPE) and restricted-entry interval. The requirements in this box only apply to uses of this product that are covered by the Worker Protection Standard (WPS). Do not enter or allow workers entry into treated areas during the restricted entry interval (REI) of 24 hours.

PPE required for early entry to treated areas that is permitted under the Worker Protection Standard and that involves contact with anything that has been treated, such as plants, soil, or water, is: coveralls, chemical-resistant gloves made of any waterproof material, and shoes plus socks, and protective eyewear.

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

STORAGE: Store unused product in original container only in cool, dry area out of reach of children and animals.

out of reach of children and animals.

PESTICIDE DISPOSAL: Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

CONTAINER DISPOSAL: Nonrefillable container. Do not reuse or refill this container. Offer for recycling if available; Completely empty bag into application equipment. Then dispose of empty bag in sanitary landfill or by incineration or, if allowed by State and local authorities, by burning. If burned, stay out of smoke.

BRITZ MAGIC SULFUR DUST may be applied by ground or aerial application. For disease control at the recommended rates, it is necessary to apply so as to uniformly cover both the upper and lower leaf surfaces. Consult your State Agricultural Experiment Station or Extension Specialist for advice in selecting treatments from this label best for local conditions.

EXCEPT ON COTTON, do not apply when temperatures exceed or are likely to exceed 90°F. When growing crops for processing, consult processor before applying sulfur. Do not use sulfur with oil or within 14 days of an oil spray (for citrus, 21 days), Do not combine with emulsifiable liquids.

and keep along to use this product in a marrier, inconsistent on

To a way that the contact workers or other persons either

Britz MAGIC SULFUR DUST

NOTE: Sulfur will cause severe fruit and leaf injury to sulfur sensitive crops. Do not apply or allow to drift to Apricots, d'Anjou and Comice pears, Cranberries, Cucurbits (cucumbers, cantaloupes, melons and squash), Filberts, Spinach, Turf and Ornamental trees, Wainuts or other sensitive plants. Sulfur may burn foliage and fruit contact of this homographics and under cartain climate contact. during periods of high temperatures and under certain climate con-

DIRECTIONS:
BRITZ MAGIC SULFUR DUST is prepared for use against certain pests and diseases of crops as listed below. Unless otherwise status ed, dosages are given in terms of pounds of this product per acre. Do not apply if temperatures during or within 3 days of application are expected to exceed 90°F in the area to be treated. Use the high rates and shorter repeat application intervals when high disease pressure conditions or high mite population levels exist. Unless otherwise specified, (a) disease control applications should begin when conditions exist which are conducive to disease development and repeat application should be made at 10 to 14 day intervals while weather conditions continue to favor disease development, and (b) mite control applications should be made whenever a sig-nificant population level exists.

ALFALFA: Powdery mildew, apply 15 to 25 lbs. per acre at first sign of powdery milidew and repeat at 14 day intervals or as necessary. Atlantic mite, Clover mite, Two-spotted mite, Pacific mite and Strawberry mite; apply 15 to 50 lbs. per acre when mites first appear and repeat as necessary. May cause flower burn.

ALMONDS, CHERRIES, NECTARINES, PEACHES, PLUMS and PRUNES: Cherry leaf spot (cherries only), Rust and Powdery mildew (nectarines and peaches only), apply 40 to 50 lbs. per acre at pre-bloom, bloom and post-bloom apply 40 to 30 lbs. per acte at pre-bootin, bottom and post-bootin periods. Apply when disease threatens during rain periods and repeat at 7 to 10 day intervals. Brown rot of fruit (except almond), apply 40 to 50 lbs. per acre 4 weeks prior to harvest and again 2 weeks later or every 7 days if wet weather prevails during the period prior to harvest. Peach silver mite (almond, nectarines and peaches only), apply 25 to 50 lbs. per acre after thin-

APPLES and PEARS: Scab, 40 to 50 lbs. per acre at green tip and again at pink bud. Pink bud treatments also control Powdery mildew. Do not apply during or shortly before frost conditions and/or use of Captan. Do not apply to pears after the fruit begins to turn down. Some varieties of apples and pears may be injured by sulfur; check variety tolerance prior to application.

ASPARAGUS: Rust, apply 10 to 35 lbs. per acre. Dust after cutting stops, irrigate, cultivate, and then apply sulfur. Repeat at 7 to 10 day intervals through season.

BEANS: Powdery mildew, Rust, Two-spotted spider mite, Pacific spider mite and Strawberry spider mite, apply 15 to 30 lbs. per acre. For rust control, start applications as soon as the first true leaves form and continue at weekly intervals until blossom time. May cause injury to some varieties. Check tolerance prior to application. Do not apply to varieties susceptible to sulfur injury.

CARROTS: Petrobia mite, apply 30 to 40 lbs. per acre.

CITRUS: Six-spotted mite, Citrus rust mite, apply 80 lbs. per acre from November to June. Citrus flat mite, apply 100 lbs. per acre from Cotober to March 15th. Citrus thrips, apply 100 lbs. per acre at mid-March, petal fall, and again 2 to 4 weeks later. Do not apply within 60 days of oil sprays.

COTTON: Atlantic mite, Strawberry spider mite, apply 45 to 50 lbs. per acre when mites first appear and repeat as necessary.

CUCUMBER, SQUASH: Powdery mildew, apply 15 to 20 lbs. per acre. Do not apply at high temperatures or to varieties susceptible to sulfur injury. Repeat applications in 7 to 10 days if neces-

DATES: Banks grass mite, apply 50 to 125 lbs. per acre applied by ground or air. Apply higher rates by air. Thorough coverage is needed for good control.

FIGS: Fig rust mite, apply 40 lbs. per acre in the spring and again

GRAPES: Powdery mildew, apply 8 to 20 lbs. per acre. Begin applications when shoots are 6 to 8 inches long and repeat when

shoots are 12 to 15 inches long. Repeat every 10 to 14 days until harvest. Do not apply if temperatures during or shortly after treatment are expected to exceed 100°F. When applying sulfur to grapes, do not allow workers to enter the field within 1 day (24 hours) of application. Labrusca type grapes my be injured by sul-

MELONS: Powdery mildew, apply 20 to 25 lbs. per acre. Spider mites, apply 30 to 50 lbs. per acre. Do not apply to varieties susceptible to sulfur injury. Sulfur often injures vines at temperatures above 90°F.

ONION, GARLIC: Petrobia mite and Powdery mildew, apply 10 to 40 lbs, per acre. Apply at first sign of disease or mites and repeat at 14 day intervals or as necessary.

ORNAMENTALS: Powdery mildew of alder, azalea, bittersweet, boston ivy, buttonbush, catalpa, chrysanthemums, dahlia, delphinium, dogwood, honeysuckle, horse chestnut, hydrangea, lilac, linden, magnolia, matrimony vine, phlox, rhododendron, rose, staghorn, sumac, sweet pea, sycamore, trumpet vine, witch hazel and zinnia; Rust of aster, carnation, rose and snapdragon; apply 20 to 40 lbs. per acre on and repeat as necessary. Check variety tolerance before application.

OLIVES: Mites, apply 50 to 70 lbs. per acre. Damage may occur to crop and foliage if applied during or before high temperatures.

PISTACHIO: Citrus flat mite, apply 50 lbs. per acre by air or ground. Apply when mites first appear and repeat as necessary.

POMEGRANITES: Mites, apply 50 lbs. per acre. Apply at first sign of mites and repeat as necessary to maintain control

STRAWBERRIES, BOYSENBERRIES, RASPBERRIES, BLACKBERRIES, GOOSEBERRIES AND LOGANBER-RIES: Powdery mildew, apply 10 to 25 lbs. per acre. Apply at first sign of disease and repeat as necessary. Sulfur may cause some injury under certain climatic conditions.

SUGAR BEETS: Powdery mildew, Two-spotted spider mite, Pacific spider mite and Strawberry spider mite, apply 35 to 50 lbs. per acre. Apply at first sign of disease or mites and repeat at 14 day intervals or as necessary.

TOMATOES: Tomato russet mite, Powdery mildew, apply 15 to 40 lbs. per acre. If the crop is being grown with the aid of stakes or poles, apply 10 to 13 lbs. per acre per foot of average plant

WHEAT: Powdery mildew; apply 35 to 50 lbs. per acre. Apply at first sign of disease and repeat every 14 days or as necessary.

CONTITIONS OF SALE AND WARRANTY

Conditions of sale 1. Integro, Inc. warrants that this material conforms to the chemical description on the label and is reasonable fit for use as directed hereon. Integro, Inc. neither makes, nor authorizes any agent or representative to make any other warranty of fitness or of merchantability, guarantee or representation, expressed or implied concerning the material. 2. Critical and unforeseeable factors beyond the control of Integro, Inc. prevent it from eliminating all risk in connection with the use of chemicals. Such risks include, but are not limited to, damage to plants and crops to which the material is applied, lack of complete control and damage caused by drift to other plants or crops. Such risks occur even though the product is reasonable fit for the uses stated hereon and even though the label directions are followed. Buyer and user acknowledge and assume all risks and liability (except those assumed by Integro, Inc. under 1 above) resulting from handling, storage, and the use of this