MAR-1 0-2011

Vickie A. Forster Agent for Falcon Lab, LLC 230 Steeplechase Circle Wilmington, DE 19808

Subject: New Primary Brand Name: FL-AN405F

EPA Registration No. 79766-4

Application for Notification Dated: 2/14/2011

Dear Ms. Forster:

The Biopesticides and Pollution Prevention Division is in receipt of your application for Notification under PRN 98-10 dated above. A preliminary screen of this request has been conducted for its applicability under PRN 98-10 and it has been determined that the action(s) requested falls within the scope of PRN 98-10. Our records have been duly noted, and the label submitted with this application has been stamped "Notification, received and reviewed" and will be placed accordingly in our records.

Questions concerning this action should be directed to John Fournier at (703) 308-0169 or email at fournier.john@epa.gov.

Sincerely,

Linda Hollis

Linda Hollis, Chief Biochemical Pesticides Branch Biopesticides and Pollution Prevention Division (7511P)

CONCURRENCES								
SYMBOL	17511P							
	Fourier							
DATE	10 Maril							
				P			OFFICE	AL FILE COPY

EPA Form 1320-1A (1/90)

Printed on Recycled Paper

Un				60. Approval expires 2-28-99
Environmental	ited States Protection Ag gton, DC 20460	ency ✓	Registration Amendment Other	OPP Identifier Number
	Application for	Pesticide - Section	I	
1. Company/Product Number Falcon Lab, LLC 79766-4		2. EPA Product Manager John Fournier, RAL	3. F	roposed Classification
4. Company/Product (Name) Falcon Lab, LLC/FL-AN405F		PM# 9		
5. Name and Address of Applicant (Include ZIP Cod Falcon Lab, LLC 4900 Este Avenue Cincinnati, OH 45232 ✓ Check if this is a new address		(b)(i), my product is sir to: EPA Reg. No Product Name	nilar or identical in c	h FIFRA Section 3(c)(3) omposition and labeling
	<u>Se</u>	ction - II		
Amendment - Explain below. Resubmission in response to Agency letter d Notification: Explain below.	lated	Final printed labe Agency letter da "Me Too" Applic Other - Explain b	ation.	
Explanation: Use additional page(s) if necessary. Per PR-Notice 98-10 Primary Brand Name Change to "FL-AN405F" Address Change: 4900 Ester Avenue, Cincinnati, OH		section II.)		
	Sec	ction - III	······································	
Material This Product Will Be Packaged in:				
Child-Resistant Packaging Yes ✓ No Value	Wate	r Soluble Packaging Yes No	2. Type of Containe Metal Plastic Glass	•
* Certification must Unit Packaging wgt.	No. per ontainer If "Ye Pack	es" No. per age wgt container	Paper Other (Specify)
3. Location of Net Contents Information Label Container	l. Size(s) Retail Conto 1 pint, 1 qu	einer 5. Lo uart, 1 gallon	Container	(
6. Manner in Which Label is Affixed to Product	Lithograph Paper glued Stenciled	Other	C-0-1-0-0-0 (((C CC
	Sec	tion - IV	C (((((((((((((((((((((((((((((((((((((((
1. Contact Point (Complete items directly below for	identification of indi	vidual to be contacted, if nec	essary, to process this	s application.)
Name Vickie Forster	Title Agent	for Falcon Lab, LLC	1	ne No. (Include Area Code)
I certify that the statements I have made on the lacknowledge that any knowlingly false or model to the lacknowledge that any knowlingly false or model to the lacknowledge that are lacknowledge.	Certification his form and all attac isleading statement i	hments thereto are true, acc may be punishable by fine or	urate and complete. imprisonment or	6: Date Application c kédélévéd (Stamped)
2. Signature Vickie A. Forster Digitally signed by Vickie A. Forster Distribution A. Forst programmer Associates Constitution of the Constitutio	3. Title onsulting, ou, ends	or Falcon Lab, LLC		
U4(E: 2011.U.2.13 09:2638-45 W	5. Date			-
Vickie A. Forster	3. Date	February 14, 20	11	





Non-selective Herbicide

FOR CONTACT SPRAY CONTROL OR BURNDOWN OF WEEDS AND GRASSES FOR FOOD CROPS, FIELD CROPS, PASTURES, ORNAMENTALS, TURF, LANDSCAPES, INTERIORSCAPES, GREENHOUSES, HOMES AND GARDENS, NON-CROP AREAS ON FARMSTEDS AND AROUND BUILDINGS AND INDUSTRIAL SITES

KEEP OUT OF REACH OF CHILDREN

WARNING "AVISO"

"Si usted no entiende la etiqueta, busque a alguien para que se la explique a usted en detalle. (If you do not understand the label, find someone to explain it to you in detail.)"

Active ingredient: Ammonium Nonanoate	
FL-AN405F contains 0.42 lbs. of ammonium nonanoate per U.S. gallon	
This product is protected by U. S. Patent No. 6,323,156	(, (, (, (,
EPA Reg. No.79766-4	(((((((((((((((((((
Net Contents: 1 pint (16 fl. oz.) NOTIFICATION MAR 10 2011 Date Reviewed: Reviewed By:	

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

WARNING

Causes substantial, but temporary eye injury. Causes skin irritation. Harmful if inhaled. Do not get in eyes, skin, or on clothing. Wash thoroughly with soap and water after handling. Remove and wash contaminated clothing before reuse.

FIRST AID					
If in eyes	 Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice. 				
If on skin or clothing	 Take off contaminated clothing Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice. 				
If inhaled	 Move person to fresh air If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible. Call a poison control center or doctor for treatment advice. 				
HOT LINE NUMBER					

Have the product container or label with you when calling a poison control center or doctor, or going for treatment. You may also contact 1-800-424-9300 for emergency medical advice.



PERSONAL PROTECTIVE EQUIPMENT (PPE)

Applicators and other handlers must wear:

- Coveralls worn over short-sleeve shirt and short pants
- Socks and chemical resistant footwear
- Chemical resistant gloves
- Protective eyewear
- When mixing and loading wear a chemical resistant apron

Discard clothing and other absorbent materials that have been drenched or heavily contaminated with this product's concentrate. Do not reuse them. Follow the manufacturer's instructions for cleaning/maintaining PPE. If no such instructions for washables, use detergents and hot water. Keep and wash PPE separately from other laundry.

USER SAFETY RECOMMENDATIONS

Users should:

- Wash hands before eating, drinking, chewing gum, using tobacco or using the toilet.
- Remove clothing/PPE immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing.
- Remove PPE immediately after handling this product. Wash outside of gloves before removing. As soon as possible, wash thoroughly and change into clean clothing.

ENVIRONMENTAL HAZARDS

For terrestrial uses: This pesticide is toxic to fish and aquatic invertebrates. Use care when applying in areas adjacent to any body of water. Do not apply directly to water, to areas where surface water is present, or to intertidal areas below the mean high water mark. Do not contaminate water when disposing of equipment washwater or rinsate. Drift and runoff may be hazardous to aquatic organisms in water adjacent to treated areas. This product is toxic to bees exposed to direct treatment or residues on blooming crops or weeds. Do not apply this product if bees are visiting the treatment area.

11

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. Do not apply this product in a way that will contact workers or other persons, either directly or through drift. Only protected handlers may be in the area during application. For any requirements specific to your State or Tribe, consult the State/Tribal agency responsible for pesticide regulation.

AGRICULTURAL USE REQUIREMENTS

Use this product only in accordance with its labeling and with the Worker Protection Standard, 40 CFR Part 170. This standard contains requirements for the protection of agricultural workers on farms, forests, nurseries, and greenhouses, and handlers of agricultural pesticides. It contains requirements for training, decontamination, notification, and emergency assistance. It also contains specific instructions and exceptions pertaining to the statements on this label about personal protective equipment (PPE), and restricted-entry interval. The requirements in this box only apply to uses of this product that are covered by the Worker Protection Standard.

Do not enter or allow worker entry into treated areas during the restricted-entry interval (REI) of 12 hours.

PPE required for early entry to treated areas that is permitted under the Worker Protection Standard and that involves contact with anything that has been treated such as plants, soil, or water is:

- Coveralls worn over short-sleeve shirt and short pants
- Socks and chemical resistant footwear
- Chemical resistant gloves
- Protective eyewear

NON-AGRICULTURAL USE REQUIREMENTS

The requirements in this box apply to uses of this product that are NOT within the scope of the Worker Protection Standard for agricultural pesticides (40 CFR Part 170). The WPS applies when this product is used to produce agricultural plants on farms, forests, nurseries, or greenhouses.

Keep unprotected persons out of treated areas until sprays have dried.

METHODS OF USE AND GENERAL APPLICATION INSTRUCTIONS General Instructions:

FL-AN405F is a contact non-selective herbicide for spray application only to undesirable plant growth. Do not allow spray to contact any green plant parts of desirable plants. **FL-AN405F** provides control and burndown suppression of annual and perennial broadleaf and grass-weeds. Spore producing plants such as mosses and liverworts are also controlled. The amount of burndown and the duration of weed suppression may be reduced when weed growth conditions are unfavorable or when plants are mature.

FL-AN405F is a non-volatile and water soluble herbicide for foliar application to weeds. Complete and uniform coverage of weeds by the spray solution is required for the best weed control. Plant foliage will change from a green color to brown/black necrotic tissue within one to two hours after spray application. **FL-AN405F** effect on plant tissue may be more rapid in warm weather than in cold conditions. However, weed control is normally unaffected by temperature.

FL-AN405F herbicide is a soap product which penetrates the cell walls of plants to disrupt the cellular organization of physiological functions which are compartmentalized by membranes within the cell walls. Plant growth ceases when cellular contents are mixed and brown necrotic plant tissue is formed.

FL-AN405F does not migrate through the soil and is not translocated in plants. To ensure satisfactory control, plant leaves must be thoroughly and uniformly covered with the spray solution. FL-AN405F does not provide any residual weed control in soil to affect germinating weed seeds.

Application Instructions:

FL-AN405F is completely soluble in water. No shaking or agitation is required. During application, some foaming may occur; however, weed control is not reduced if the foam is deposited on the plant surface and is not blown away as drift.

Apply FL-AN405F when weed surfaces are dry.

Application Precautions:

- Do not apply to weeds when wet from dew, rain or irrigation.
- Do not irrigate within 2 hours after application
- Do not apply if rainfall is expected within 2 hours.

Difficult to control weeds may require several applications for complete control.

Hand-Held Spray Application

The amount of weed vegetation will determine the spray volume required for complete coverage of undesired plants (weeds). Weed vegetation conditions that affect spray coverage are number of weeds present, leaf shape, weed size and weed species. Thorough saturation of the foliage and stems is required for control. Apply sprays until run-off from weed leaves occurs. Use low spray pressure to reduce foaming and avoid contact with desirable plants.

8

Directed Spray Application

Use a shielded sprayer to prevent spray contact on desirable plants. Avoid spray contact of green plant stems or green bark of young trees and shrubs.

Some visible foam may appear on the leaves as the plants are sprayed. Overspray or drift onto desirable plants is usually not a serious problem because leaves and stems require a thoroughly wet spray coverage for significant injury. Repeat applications as often as necessary to obtain desired control.

Use Methods

Determine the weed control situation and select the use method required as follows:

- A. Vegetative Burndown: Broadcast spray for weed control for no-till planting or seedbed preparation to control weeds prior to seeding or transplanting. Spot sprays may be used in crops, ornamentals, pastures and turf.
- **B. Directed and shielded sprays:** Spray nozzle type or configuration for directed spray or a shield placed around the nozzle to prevent spray contact on the foliage or green stems or bark. Directed/shielded spray applications to area between plastic mulch strips and staked crops for weed control.
- C. Preemergence Spray Before Seeds Germinate and Emerge, and Before Perennial Plants, Tubers, Bulbs or Seed Pieces Sprout and Emerge: Make application before new growth emerges.
- D. Dormant or Post Harvest Spray: Apply after crops are harvested to kill weeds and residual green growth of the crop plants. Apply to dormant crops such as alfalfa or turf.
- **E. Sucker Control, Pruning and Trimming:** Direct sprays to kill small tender basal suckers in crops such as brambles and fruit trees.
- **F. Desiccation and Harvest Aid:** Apply only when crop is ready to harvest and green crop leaves or weeds interfere with harvest. Spray as broadcast application over the crop and weeds for rapid desiccation of green plant growth to facilitate harvest. Apply as an harvest aid for cotton, potatoes and other root, tuber and bulb vegetables.
- **G. Industrial and Building Uses:** Apply to weeds in walkways, driveways, parking areas and around buildings or structures. Broadcast or spot sprays may be applied to open field areas and rights-of-ways.

I. Weeds controlled or suppressed by FL-AN405F:

COMMON NAMES

TAXONOMIC NAMES

Broadleaf Weeds:

Algae

Bittercress, hairy Chickweed, common Chickweed, mouse-ear Cocklebur, common

Corn spurry Cudweed, purple

Groundsel

Lambsquarters, common

Liverwort

Marestail or Horseweed rosettes

Morningglory, annual

Moss **Mustards**

Oxalis or Woodsorrel

Pansy, wild Plantain

Pigweed, smooth and redroot

Mallow, roundleaved

Moneywort Shepherdspurse Sorrel, sheep Spurge, spotted Field pennycress

Velvetleaf

Gloeocapsa magma Cardamine hirsuta Stellaria media Cerastium vulgatum Xanthium strumarium Spergula arvensis Gnaphalium purpureum

Senecio spp.

Chenopodium album Machantia spp. Conyza canadensis

Ipomoea spp. **Bryophyta** Brassica spp. **Oxalis stricta** Viola tricolor Plantago spp. Amaranthus spp.

Malva spp.

Lysimachia nummularia Capsella bursa-pastoris Rumex acetosella Euphorbia maculata Thiaspi arvense Abutilon theophrasti

Grass and Other Weeds:

Bentgrass, colonial Bluegrass, annual Crabgrass, large Fescue, creeping red

Fescue, hard Nimblewill Onion, wild

Ryegrass, perennial Star-of-Bethlehem

Agrostis tenuis

Poa annua

Digitaria sanguinalis

Festuca rubra Festuca ovina

Muhlenbergia scheberi Allium canadense Lolium perenne Ornithogalum nutans

II. Weeds Moderately Difficult to Control

Bermudagrass (Wireweed)

Dandelion

Nutsedge, yellow Ragweed, common Cynodon dactylon Taraxacum officinale Cyperus esculentus Ambrosia artemisiifolia

Crop Uses and Methods of Application* * Refer to the General Instructions section for Use Methods description

Crop Group	Crops	Use Methods
Root Tuber and Perennial Vegetables	Asparagus, artichoke, beet, carrot, ginger, horseradish, parsnip, potato, radish, rutabaga, sweet potato, turnip_and yam	A, B, C, D, F ¹
	Harvest Aid and Desiccation approved for root and tuber crops in this crop group	
Bulb vegetables	Garlic, leek, onion and shallot	A, B ,C, F
Leafy Vegetables	Celery, cilantro, cress, endive, fennel, lettuce, parsley, rhubarb, spinach, Swiss chard	A, B
Cole or Brassica Crops	Broccoli, brussel sprouts, cabbage, cauliflower, collards, kale, kohlrabi, mustard and turnip greens	A, B, C
Legume Vegetables	Beans (Phaseolus spp.: black, green, kidney, lima, mung, navy, pinto, snap and wax), (Vigna spp.: black-eyed, Chinese longbean, cowpea and southern pea), peas (Pisum spp.: garden, green, sugar and snow peas), soybeans	A, B, C
Fruiting Vegetables	Eggplant, okra, pepper, (bell, chili, sweet), pimento, and tomato	A, B, C
Cucurbits and Melons	Cucumber, gourd, muskmelon, cantaloupe, pumpkin, squash, and watermelon	А, В, С
Citrus	Grapefruit, kumquat, lemon, lime, orange, tangerine and tangelo	A, B
Pome Fruit	Apple, crabapple, pear and quince	A, B, E
Stone fruit	Apricot, cherry, nectarine, peach, plum and prune	A, B, E
Small Fruit and Grapes	Blackberry, blueberry, boysenberry, cranberry, currant, dewberry, elderberry, grape (all types), loganberry, olallieberry, raspberry and strawberry	A, B, C, E
Nuts	Almond, brazil nut, chestnut, filbert, macadamia, pecan, pistachio and walnut	A, B, E
Tropical and Other Fruit	Avocado, banana, coconut, date, fig, guava, kiwi, mango, olive, persimmon, papaya and banana	A, B, E
Agronomic Crops and Cereal Grains	Barley, buckwheat, canola, corn (field, popcorn and sweet), cotton, cowpea, flax, millet, oat, peanut, rice, rye, safflower, sorghum, soybean, sugarcane, sunflower and wheat	A, B, C, F ¹
	Harvest Aid and Desiccation approved for cotton, soybean and wheat Alfalfa, clovers, trefoil, vetch, bromegrass, fescue, bluegrass, lespedeza,	A, C, D
Forages and Pastures (Forage or Seeds)	ryegrass, sudangrass, timothy, range grasses and crops grown for livestock feed	м, С, П
Herbs and Spices	Anise, basil. Caraway, chive, cumin, curry, dill, fennel, oregano, mints, rosemary, sage, savory, sweet bay, tarragon, thyme and wintergreen	A, B, C, D
Beverage and Specialty Crops	Cocoa, coffee, hops, tea, tobacco and jojoba	A, B, E

Non-Crop Uses and Methods of Application*

* Refer to the General Instructions section for Use Methods description

Non-Crop Group	Crops	Use Methods
Turf, Flowers, Container, Bedding and Landscape Plants	Turfgrass (maintenance, sod or seed production), bedding plants, flowers and ornamental plants	A, B, C, D, E, F
Trees and Shrubs	Christmas trees, forest and commercial trees, landscape trees, nursery production of trees and shrubs	A, B, E
Greenhouse and Indoor Use	All crops, plants and structures	A, B, C, G
Non-Crop, Industrial, Parks and Public Areas	Farmstead, homestead, fallow land, storage areas, schools, paved areas, rights-of-ways (road, railroad, utilities, etc.), parking lots, recreational areas (athletic fields, campgrounds, golf courses, playgrounds, etc.), walks, industrial sites (tank farms, lumberyard, warehouses and other structures, etc.)	A, B. G
Buildings, Driveways, Walkways and Other Structures	Benches, decks, equipment, floors, roofs, wall, walks and evaporative cooling pads	G
Dry Aquatic Sites, Dry Drainage Systems, and Around Aquatic Sites	Applications must be made 72 hours prior to reflooding of dry aquatic sites. Dry ditches, dry canals, ditch banks, and for use above the water line or after drawdown of agricultural irrigation water and ditch systems, industrial ponds and disposal systems, and impounded water areas.	A, G

STORAGE AND DISPOSAL

DO NOT contaminate water, food or feed by storage or disposal.

Pesticide Storage: Store container in cool place until used.

Pesticide Disposal: Wastes resulting from use of this product must be disposed of on-site or at an approved waste disposal facility.

Homeowner Container Disposal:

If empty: Nonrefillable Do not reuse or refill this container. Offer for recycling, if available. If partly filled: Call your local solid waste agency or 1-800-CLEANUP for disposal instructions. Never place unused product down any indoor or outdoor drain.

Batch Code:

Lot No. XXXX

Produced for: Falcon Lab LLC 4900 Este Avenue Cincinnati, OH 45232 513-762-2500 www.falconlabllc.com