

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY WASHINGTON, DC 20460

OFFICE OF CHEMICAL SAFETY AND POLLUTION PREVENTION

January 6, 2016

Abigail T.D. Wacek Regulatory Consultant to PoolRx Worldwide Technology Sciences Group Inc. 1150 18th Street, NW Suite 1000 Washington, DC 20036

Subject: Label Amendment – Revised Directions for Use, Product Sizing, and Marketing Claims/Information Product Name: PoolRx EPA Registration Number: 79817-3 Application Date: July 8, 2015 Decision Number: 507215

Dear Ms. Wacek:

The amended label referred to above, submitted in connection with registration under the Federal Insecticide, Fungicide and Rodenticide Act, as amended, is acceptable. This approval does not affect any conditions that were previously imposed on this registration. You continue to be subject to existing conditions on your registration and any deadlines connected with them.

A stamped copy of your labeling is enclosed for your records. This labeling supersedes all previously accepted labeling. You must submit one copy of the final printed labeling before you release the product for shipment with the new labeling. In accordance with 40 CFR 152.130(c), you may distribute or sell this product under the previously approved labeling for 18 months from the date of this letter. After 18 months, you may only distribute or sell this product if it bears this new revised labeling or subsequently approved labeling. "To distribute or sell" is defined under FIFRA section 2(gg) and its implementing regulation at 40 CFR 152.3.

Should you wish to add/retain a reference to the company's website on your label, then please be aware that the website becomes labeling under the Federal Insecticide Fungicide and Rodenticide Act and is subject to review by the Agency. If the website is false or misleading, the product would be misbranded and unlawful to sell or distribute under FIFRA section 12(a)(1)(E). 40 CFR 156.10(a)(5) list examples of statements EPA may consider false or misleading. In addition, regardless of whether a website is referenced on your product's label, claims made on the website may not substantially differ from those claims approved through the registration process. Therefore, should the Agency find or if it is brought to our attention that a website contains false or misleading statements or claims substantially differing from the EPA approved registration, the website will be referred to the EPA's Office of Enforcement and Compliance.

Page 2 of 2 EPA Reg. No. 79817-3 Decision No. 507215

Your release for shipment of the product constitutes acceptance of these conditions. If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA section 6. If you have any questions, please contact Terria Northern by phone at 703-347-0265, or via email at <u>northern.terria@epa.gov</u>.

Sincerely,

Juin Anne ale

Julie Chao, Product Manager 33 Regulatory Management Branch 1 Antimicrobials Division (7510P) Office of Pesticide Programs

Enclosure: Accepted Label

PoolRx

[Mineral Algaecide for Residential and Commercial Swimming Pools]

Active Ingredient: Copper Sulphate Pentahydrate (chelated)..... 52.8% Other Ingredients..... Total 100.0%

> CAS #7758-99-8 Copper as metallic not less than 25%

KEEP OUT OF REACH OF CHILDREN DANGER

47.2%

ACCEPTED

Jan 06, 2016

Under the Federal Insecticide, Fungicide and Rodenticide Act as amended, for the pesticide registered under EPA Reg. No. 79817-3

FIRST AID

IF SWALLOWED: Call a poison Control Center or doctor immediately for treatment advice. Have person Sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a Poison Control Center or Doctor. Do not give anything by mouth to an unconscious person.

IF IN EYES: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice.

NOTE TO PHYSICIAN: Probable mucosal damage may contraindicate use of gastric lavage. Have product container or label with you when calling a Poison Control Center or doctor for treatment advice.

See [insert] [back/side panel] for additional precautionary statements [,] [directions for use] [and] [Quick Start Guide].

EPA Reg. No. 79817-3 EPA Est. No. 79817-CA-1

NSF Cert No. C0055333 NSF Facility No. C0055334 Net Weight: Part No.: _____

Any Questions Please Call 1.800.376.6579 or e-mail info@poolrx.com

Manufactured by PoolRx 60 Post Irvine, CA 92618

poolrx.com

PRECAUTIONARY STATEMENTS

Hazards to humans and domestic animals.

DANGER: Corrosive. Causes irreversible eye damage Harmful if swallowed. Do not get in eyes or on clothing. Wear goggles, face shield, or safety glasses. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco, or using the restroom. Remove and decontaminate clothing before reuse.

ENVIRONMENTAL HAZARDS: This pesticide is toxic to fish and aquatic invertebrates and may contaminate water through runoff. For terrestrial uses, do not apply directly to water. Do not contaminate water when disposing of equipment wash waters or rinsate.

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed my storage or disposal. PESTICIDE STORAGE: Keep Product in provided box and container until use. Keep product dry in tightly closed container when not in use and below 120°F - 50°C. Leaking or damaged containers should be placed in a plastic bag and discarded in trash. CONTAINER DISPOSAL: Non-refillable container. Do not reuse or refill this container. Offer for recycling if available. Rinse thoroughly before recycling or discarding in trash. PESTICIDE DISPOSAL: Pesticides wastes are acutely hazardous. Improper disposal of this pesticide is a violation of federal law. If this product cannot be used in accordance to labeling contact your state pesticide or environmental control Agency. [Note to reviewer: For large and small pools.]

Net weight: [0.72lbs(327 Grams)] [1.2 lbs (544 Grams)] Treats [7.5k - 20k Gal] [20k - 30k Gal]

PoolRx contains a proprietary blend of minerals that continuously and effectively eliminate algae. The specially treated alloy cylinder is packed with PoolRx mineral formulation. These minerals immediately dissolve out of the cylinder and form a stable residual throughout the pool water for up to 6 months. The minerals eliminate the algae while freeing up low levels of chlorine to be more active and productive in the water. During the pools filtration process the minerals are rejuvenated every time they return and pass through the cylinder. PoolRx works synergistically with a constant low level of chlorine. Residential (0.5 - 1.0 ppm); Commercial (1.0 - 5.0 ppm)

Ideal for Salt Pools

PoolRx improves the saltwater experience. The minerals reduce the salt chlorine production needed to keep your salt pool algae free. Less salt chlorine production extends the life of the salt cell and reduces the amount of acid needed to balance the pH. PoolRx prolongs the life of your equipment, saves you money, and improves the quality of your water.

DIRECTIONS FOR USE

It is a violation of federal law to use the product in a manner inconsistent with its labelling.

- Clean or backwash your filter before adding PoolRx.
- Place the PoolRx unit into Pump Basket or Skimmer. Ideally place in pump basket for increased water flow.
- The PoolRx unit should be added to the pool when the pump has at least 3 to 4 hours left on run cycle. This will ensure the minerals completely dissolve out of the unit and through the filter into the pool.
- Pump should run during the heat of the day.
- The pool should turn over its volume of water at least 1.5 times per day, this normally requires 6 to 8 hours per day this depends on gallons of your pool and pump flow rate.
- Do not re-clean or backwash filter for at least 2 weeks after PoolRx unit is installed so minerals can dissolve through the filter, whether it is a cartridge, D.E. or sand filter

Maintenance

[Maintain normal pool chemistry ranges] [Maintain normal chemistry]:

0.5ppm – 1.0ppm
1.0ppm- 5.0ppm
7.2-7.8
80-120
10-80

Replace the Poolrx unit in basket every 12 months.

Add a PoolRx booster after 4-6 Months if needed. If you see algae coming back or the water looks a little dull you know it's time to replace these lost minerals with the PoolRx booster (Part number 102001). In warmer climates or year round pool seasons, add the PoolRx booster

minerals when needed or after 6 months. Start with a new PoolRx Unit at the beginning of each season.

Sizing

PoolRx mineral unit (blue unit: Part #101001) 7,500-20,000 gallons Replacement minerals need to be added every 4-6 months (8oz of booster mineral; part #102001).

PoolRx mineral unit (black unit; Part #101066) 20,000-30,000 gallons Replacement minerals need to be added every 4-6 months (2 x 8oz booster mineral; part #102001). [Note to reviewer: For boosters.]

Treats 7.5k to 20k Gal Net Weight: 8 oz (227 grams) [Bucket contains 20 boosters: 10 lbs (160 oz.) (4536 grams)]

The PoolRx booster contains the additional minerals needed to replace minerals that are lost through back wash, splash out and algae kill. PoolRx booster can also be used for larger pools that need additional minerals when initially installing a PoolRx unit. The minerals must be used with your previously purchased PoolRx unit. **These minerals do not need to go back into the PoolRx unit**; they just need to dissolve back into the pool water. These minerals generally need to be replaced every 4 - 6 months, depending on your swim conditions.

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

- Clean and backwash the filter before adding the PoolRx booster, you do not want the minerals to get stuck on the dirt and then backwashed out.
- Add 8 ounces of booster mineral per 7.5k 20k gal into the skimmer or pump basket. Do not remove the existing PoolRx unit. The minerals will start dissolving immediately. Make sure there is at least 3 4 hours of the pump run cycle. This will ensure the minerals completely dissolve without getting caught up in the filter.
- Pump should run during the heat of the day
- The pool should turn over its volume of water at least 1.5 times per day, this normally requires 6 to 8 hours per day this depends on gallons of your pool and pump flow rate.
- Do not re-clean or backwash filter for at least 2 weeks so minerals can dissolve through the filter, whether it is a cartridge, D.E. or sand filter

Maintenance

[Maintain normal pool chemistry ranges] [Maintain normal chemistry]:

Chlorine (ppm)	0.5 - 1.0
pН	7.2-7.8
Alkalinity	80-120
Cyanuric Acid	10-80

Replace the unit in basket every 12 months.

[Note to reviewer: For spas.]

Treats [100-400 Gal] [400 – 1000 Gal] Net weight: [0.44 oz (12.5 grams)] [0.88 oz (25 grams)]

The spa unit contains a proprietary blend of minerals that continuously and effectively eliminate algae. The specially treated alloy cylinder is packed with PoolRx mineral formulation. These minerals immediately dissolve out of the cylinder and form a stable residual throughout the spa water. The minerals eliminate the algae while freeing up low levels of chlorine to be more active and productive in the water. During the spa's filtration process the minerals are rejuvenated every time they return and pass through the cylinder. PoolRx minerals works synergistically with a constant low level of chlorine. Residential (0.5 - 1.0 ppm) Commercial (1.0 - 5.0 ppm)

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

- Clean your filter before adding the PoolRx spa unit.
- Place the spa unit into the skimmer or stick between the filter pleats.
- The spa unit should be added when the spa has a full run cycle to ensure the minerals dissolve out of the unit and through the filter into the whole body of water.
- The spa should turn over it swater volume at least 1.5 times per day.

Maintenance

Maintain normal chemistry:

Chlorine (ppm)	0.5ppm – 1.0
рН	7.2-7.8
Alkalinity	80-120

Replace the PoolRx spa unit every time the spa is drained or every 4 - 6 months (this will depend on bather load and splash out). If you see algae coming back or the water looks a little dull you know it's time to replace your spa unit. [Note to reviewer: For Sundance® Spas.]

Treats 400 – 1000 Gal Net weight: 0.88 oz (25 grams)

This product is intended for use with Sundance® Spa hot tubs. The spa unit contains a proprietary blend of minerals that continuously and effectively eliminate algae. The specially treated alloy cylinder is packed with PoolRx mineral formulation. These minerals immediately dissolve out of the cylinder and form a stable residual throughout the spa water. The minerals eliminate the algae while freeing up low levels of chlorine to be more active and productive in the water. During the spas filtration process the minerals are rejuvenated every time they return and pass through the cylinder. PoolRx minerals works synergistically with a constant low level of chlorine. Residential (0.5 - 1.0 ppm) Commercial (1.0 - 5.0 ppm)

DIRECTIONS FOR USE

It is a violation of federal law to use the product in a manner inconsistent with its labelling.

- Clean your filter before adding the spa unit
- Install the spa unit into the Sundance® Spa filter gate chamber. If installing in a non-Sundance® Spa, place the spa unit in the skimmer basket or place the unit on the bottom of your spa.]
- The sundance spa unit should be added when the spa has a full run cycle to ensure the minerals dissolve out of the unit and through the filter into the whole body of water
- The spa should turn over its water volume at least 1.5 times per day

Maintenance

Maintain normal chemistry:

Chlorine (ppm)	0.5ppm – 1.0
pН	7.2-7.8
Alkalinity	80-120

Replace the PoolRx spa unit every time the spa is drained or every 4 - 6 months (this will depend on bather load and splash out). If you see algae coming back or the water looks a little dull you know it's time to replace your spa unit.

Sizing

The variance, 4 to 6 months is dependent on backwash, splash out, bather load, algae kill. Also available for spas/hot tubs: spa unit (part #101057 for 100-400 gallons) & (part # 10105 5 for 400-1000 gallons)

NOTE: The hazards and information contained in this warning are for the product, as delivered. The product is intended to be diluted into large amounts of water, where the dissolved solution will not pose the same hazards or concerns.

{Optional Additional Text for use on Product Label or Collateral Labeling}

- The EPA Registered, NSF Certified PoolRx is non-corrosive and do not adversely affect water chemistry. Normal pool chemistry ranges required. The PoolRx method is proven to provide algae free water with less chemicals providing a healthier, safer, eco-friendly swimming environment.
- #1 choice of pool professionals
- 4pack blue units
- 4pack boosters
- 4pack extremes
- 6 Month Algaecide
- Amazing formula
- Best kept secret for sparkling clear pool
- Blue unit
- Booster
- Booster mineral bucket
- Booster minerals
- Certified to NSF/ANSI 60
- Chelated minerals
- Commercial unit
- Don'ts:

NO Ccl hypo directly to pool dilute in water firstNO algaecidesNO phosphate removersNO sodium bromide

- **NO** clarifiers
- Eliminates all [types of] algae
- Eliminates algae
- Fast acting and long lasting
- For use in residential and commercial pools and spas
- Green to clear half the time, half the money
- Healthier water
- Ideal for salt pools
- Ideal for chlorine and salt pools
- Improves water quality
- Improves look and feel of your water
- Improves the quality of water and bather experience

- Less chemicals
- Less money
- Less work
- Mineral algaecide
- Mineral booster [7.5k to 20k gallons]
- Mineral commercial unit
- Mineral extreme unit [20k-30k gallons]
- Mineral granular bucket: equals 20x boosters
- Mineral spa unit: [100-400 Gal] [400 1000 Gal]
- Mineral technology
- Mineral unit
- No installation
- Non-staining
- Patented chelating agents
- Pools [7,500 to 20,000] [20,000 to 30,000] gallons
- PoolRx 4pack blue units: 7.5-20k gallons
- PoolRx 4pack booster mineral; 7.5k-20k gallons
- PoolRx 4pack extreme black units; 20k-30k gallons
- PoolRx blue unit; 7.5k-20k gallons
- PoolRx booster mineral bucket: contains 20x boosters
- PoolRx booster mineral; 7.5k-20k gallons
- PoolRx commercial unit only; (needs part#; 102003) 75k-500k gallons
- PoolRx extreme black unit; 20k-30k gallons
- PoolRx spa unit: 400-1000 gallons
- PoolRx spa unit; 100-400 gallons
- Prolongs life of pool equipment
- Prolongs water life
- Prolongs life of pool equipment and surfaces
- Proprietary mineral blend
- Reduces chemicals
- Reduces chemical demand
- Reduces energy use
- Simple to use
- Simplifies pool care
- Simplifies spa care
- Simplifying pool care
- Simplifies pool maintenance
- Simply drop unit into skimmer or pump basket
- Spa unit black
- Spa unit yellow Support for any size swimming pool
- Salt Pools:
 - o Ideal for Salt Pools

- Reduces the need for salt chlorine production to eliminate algae
- Less high pH chlorine will be produced, only 0.5 to 1.0 ppm will be needed
- This will reduce acid demand as there will be less high pH chlorine being produced
- This will extend the life of salt cell. (Salt Cells are at least \$600.00 to replace)
- Less scale build up on salt cell and pool surface, the PoolRx minerals are an effective descaler.
- PoolRx improves the saltwater experience. The minerals reduce the salt chlorine production needed to keep your salt pool algae free. Less salt chlorine production extends the life of the salt cell and reduces the amount of acid needed to balance the pH. PoolRx prolongs the life of your equipment, saves you money and improves the quality of your water.

• [Pictograms]



• [Logo]



Quick Start Guide

[Note to Reviewer: The Quick Start Guide is reference material and is not part of the pesticide label.]

- Clean or backwash your filter before adding PoolRx
- Place the correct sized PoolRx Unit/s based on total gallons into Pump Basket or Skimmer (See below for other PoolRx products)
- Ideally place in pump basket for increased water flow, and leave Unit in basket for 1 year. Add Booster if needed in 4-6 months
- PoolRx should be added to the pool during the heat of the day, when the pool has at least 3 4hours remaining of run time. This will ensure the minerals completely dissolve out of the Unit and disburse through the filter, into the body of water.
- The Pool should turn over its volume of water at least 1.5 times per day, this normally is 6 8 hours per day, depending on the total gallons of your pool and pool pump flow rate.
- Maintain normal pool chemistry with as little as 0.5ppm of chlorine and no specialty chems. You can maintain a higher chlorine ppm if desired, however it is just not necessary.
- Do not re-clean or backwash filter for at least 2 weeks so after installation so that minerals can completely dissolve through the filter, whether it is a cartridge, DE or sand filter
- Filter pressure may rise slightly, but will come back down after minerals dissolve through filter into solution, this is normal.

Part1

What happens when you add PoolRx?

- The minerals are packed inside the rejuvenating cylinder and once added to water, completely dissolve out of the PoolRx Unit (normally within one pump cycle).
- The minerals then form a stable residual throughout the entire body of water eliminating algae wherever it is in the pool/spa and keep it from coming back even when the pump is not running.
- It is important to start with a clean filter as you do not want those precious minerals to get stuck on the dirt in the filter and get backwashed or cleaned out before they can work for you.

Part 2

- The PoolRx Unit which has the cylinder in the center needs to be placed where it gets good water flow over it, because the minerals are rejuvenated or re-energized when they pass back over the cylinder during circulation.
- The connectivity with the minerals and the alloy cylinder is what makes PoolRx so effective and able to last 4 6 months.
- The longevity of the minerals is determined by the amount of algae kill, backwash, filter cleaning and splash out. Over time the minerals are continually being used up and/or diluted by these factors.

When do I need to add more Minerals?

If you see algae coming back or the water looks a little dull you know it's time to replace these lost minerals with the PoolRx Booster (Part number 102001). In warmer climates or year round

pool seasons, add the PoolRx Booster minerals when needed or after 6 months. Start with a new PoolRx Unit at the beginning of each season.

Where do I add the PoolRx Booster?

Same as the PoolRx Unit; start with a clean filter and simply add the PoolRx Booster to the skimmer or pump basket. The PoolRx Booster does not go back inside the PoolRx Unit. Simply open the white tub and dump the contents in the skimmer or pump basket, they will start to dissolve immediately. The new minerals will boost the mineral content in the water to again be effective against algae in the entire body of water, and rejuvenate as they pass back over the original PoolRx Unit (now empty) during circulation. Unfortunately the longevity of the minerals is not an exact science, as each pool is different with different conditions. However pools may differ, PoolRx will work in any pool or spa. If the correct dosage is added and basic pool chemistry and the "Pool Basics" are adhered too, PoolRx will eliminate all types of algae and reduce chemicals for up to 6 months.

How often do I replace the PoolRx Unit?

The PoolRx unit should be replaced every year. The rejuvenating cylinder gets calcified and oxidized during the year and will not rejuvenate the minerals as effectively after the first year. We recommend starting with a new PoolRx Unit every year for best results and cost effectiveness.

What type of Filter can I use?

PoolRx will work with any type of filter. Please make sure it is clean and that there is at least 3 hours of pump run time left before adding PoolRx as the minerals dissolve out of the PoolRx Unit immediately and it's important to get as much of the minerals dissolving consistently to form a stable residual in the water to eliminate algae.

Will I see an increase in Filter pressure?

It's quite normal to see a slight increase in pressure for a couple of hours while the minerals dissolve into solution and work through the filter. It's not uncommon for the minerals to take a few weeks to completely dissolve. This is why we suggest you do not backwash for at least 2 weeks after installing the PoolRx Unit or PoolRx Booster. The minerals will still work, eliminating algae if still stuck in filter after initial installation.

Why don't I need Phosphate Removers, Clarifiers or Algaecides anymore?

PoolRx and a low residual of chlorine replaces the need for these ineffective specialty chemicals. Phosphates are just food for algae. So if there is little ALGAE, it does not matter how high your phosphate level is. With PoolRx in the water, Algae CAN NOT survive, so phosphates are not an issue. You don't need a Clarifier because PoolRx minerals free up low levels of chlorine to be more active and available in the water, so your chlorine can now really clarify the water. Finally, you don't need another Algaecide, because PoolRx is effective.

Do I need to follow normal pool maintenance procedures?

Yes, with or without using PoolRx you should maintain normal pool chemistry ranges and test and balance your water weekly. You should also test for excessive minerals and metals at least once per year that may be coming from source water, old plumbing etc. If you have natural metals in your water, we recommend using a product called CUlator by Periodic Products. This product will pull any metals or minerals out of the water. In the rare event this is necessary, use prior to installing PoolRx. Please see below for normal pool chemistry ranges: Residential (0.5 - 1.0 ppm); Commercial (1.0 - 5.0 ppm)

Maintenance

Residential Chlorine (ppm)	0.5 - 1.0
Commercial Chlorine (ppm)	1.0- 5.0
pH	7.2-7.8
Alkalinity	80-120
TDS	0-5000
Calcium Hardness	200-500
Cyanuric Acid	10-80