



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
WASHINGTON, DC 20460

OFFICE OF CHEMICAL SAFETY
AND POLLUTION PREVENTION

May 6, 2021

Georgia Anastasiou
PromChemie Ag
c/o Lewis & Harrison, LLC
2461 S. Clark St., Suite 710
Arlington, VA 22202

Subject: Label Amendment – Correct Typographical Errors and Revise Technical Bulletin
Product Name: Promex 10S
EPA Registration Number: 80285-1
Received Date: 10/10/2019
Action Case Number: 00221047

Dear Ms. Anastasiou:


The amended label referred to above, submitted in connection with registration under the Federal Insecticide, Fungicide and Rodenticide Act (FIFRA), as amended, is acceptable. This approval does not affect any conditions that were previously imposed on this registration. You continue to be subject to existing conditions on your registration and any deadlines connected with them.

A stamped copy of your labeling is enclosed for your records. This labeling supersedes all previously accepted labeling. Pursuant to 40 CFR 156.10(a)(6) you must submit one copy of the final printed labeling before you release the product for shipment with the new labeling. In accordance with 40 CFR 152.130(c), you may distribute or sell this product under the previously approved labeling for 18 months from the date of this letter. After 18 months, you may only distribute or sell this product if it bears this new revised labeling or subsequently approved labeling. "To distribute or sell" is defined under FIFRA section 2(gg) and its implementing regulation at 40 CFR 152.3.

Should you wish to add/retain a reference to the company's website on your label, then please be aware that the website becomes labeling under FIFRA and is subject to review by the Agency. See FIFRA section 2(p)(2). If the website is false or misleading, the product would be misbranded and unlawful to sell or distribute under FIFRA section 12(a)(1)(E). 40 CFR 156.10(a)(5) lists examples of statements EPA may consider false or misleading. In addition, regardless of whether a website is referenced on your product's label, claims made on the website may not substantially differ from those claims approved through the registration process, FIFRA section 12(a)(1)(B). Therefore, should the Agency find or if it is brought to our attention that a website contains false or misleading statements or claims substantially differing from the EPA approved registration, the website will be referred to the EPA's Office of Enforcement and Assurance.

Your release for shipment of the product constitutes acceptance of these conditions. If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA section 6. If you have any questions, please contact Terria Northern via email at northern.terria@epa.gov.

Sincerely,

A handwritten signature in black ink that reads "Steven Snyderman". The signature is written in a cursive style with a horizontal line underneath the name.

Steven Snyderman, Product Manager 33
Regulatory Management Branch II
Antimicrobials Division (7510P)
Office of Pesticide Programs

Enclosure: Accepted label

PROMEX™ 10S

For industrial use only as an antimicrobial to protect aqueous compositions such as latices, oil-in-water emulsions, paints and coatings, inks and font solutions, water-based adhesives, aqueous pigment or mineral slurries, building and construction compositions, pesticide formulations, home cleaning products, liquid laundry additives, car care products, oil recovery materials (not for use in California), secondary oil recovery fluids (not for use in California), paper or textile coating compositions, pulp and paper mill systems (not for use in California), or leather processing solutions, or intended to protect fresh animal hides or skins.

Manufactured for:
PromChemie AG
Austrasse 79, P.O. Box 26
FL-9490 Vaduz, Liechtenstein
Telephone (Int'l): +(011) 423-236-1818

EPA Reg. No. 80285-1
 EPA Est. No:

PROMEX™ is a registered trademark of Prom Chem Ltd, licensed to PromChemie AG.



NET WEIGHT

AVG. GROSS WEIGHT

AVG. TARE WEIGHT

LOT / BATCH NO.

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS **DANGER**

Corrosive. Causes irreversible eye damage. Causes skin burns. Do not get in eyes, on skin, or on clothing. May be fatal if inhaled. Do not breathe vapor or spray mist. Harmful if swallowed. Harmful if absorbed through skin. Wear protective eyewear such as goggles or face shield, chemical resistant footwear, and chemical resistant gloves (such as Barrier Laminate, Butyl, Nitrile or Neoprene Rubber, Polyvinyl Chloride (PVC) or Viton). Wear appropriate respiratory protection for handling activities, use either a respirator with an organic-vapor removing cartridge with a prefilter approved for pesticides (MSHN/NIOSH approval number prefix TC-23C), or a canister approved for pesticides (MSHN/NIOSH approval number prefix TC-140G), or a NIOSH approved respirator with an organic vapor (OV) cartridge or canister with any N, R, P, or HE prefilter. Prolonged or frequently repeated skin contact may cause allergic reactions in some individuals. Wear goggles or face shield, long-sleeved shirt and long pants, shoes and socks, and chemical resistant gloves made of any waterproof materials.

USER SAFETY RECOMMENDATIONS

User should wash hands before, eating, drinking, chewing gum, using tobacco, or using the toilet. User should remove clothing/PPE immediately. If pesticide gets inside, then wash thoroughly and put on clean clothing. User should remove PPE immediately after handling this product. As soon as possible, wash thoroughly and change into clean clothing. Follow manufacturer's instructions for cleaning/maintaining PPE. If no such instructions for washables exist, use detergent and hot water. Keep and wash PPE separately from other laundry. Discard clothing and other absorbent materials that have been drenched or heavily contaminated with this product's concentrate. Do not reuse them.

WARRANTIES AND WARRANTY DISCLAIMERS

PromChemie AG ("PROM") warrants that this product conforms to the chemical description on the label and that it is reasonably fit for the purposes stated on the label when used in accordance with PROM's directions under normal conditions of use. This warranty does not extend to the use of this product contrary to label instructions, or under abnormal use conditions, or under conditions not reasonably foreseeable to PROM, and the buyer assumes the risk of any such use. PROM DISCLAIMS ALL OTHER WARRANTIES, EXPRESS OR IMPLIED, INCLUDING ANY WARRANTY OF MERCHANTABILITY.

IN NO EVENT SHALL PROM BE LIABLE FOR ANY SPECIAL, INCIDENTAL, OR CONSEQUENTIAL DAMAGES, INCLUDING LOST PROFITS, ON ANY THEORY WHATSOEVER, INCLUDING NEGLIGENCE, AND PROM's sole liability and Buyer's and User's exclusive remedy shall be limited to the refund of the purchase price. Statements concerning the use of products or the formulations described therein are not to be construed as recommending the infringement of any patent and no liability for infringement arising out of any such use is assumed by PROM.

ACCEPTED
 05/06/2021
Under the Federal Insecticide, Fungicide and Rodenticide Act as amended, for the pesticide registered under EPA Reg. No. 80285-1

ACTIVE INGREDIENT:
 1,2-Benzisothiazolin-3-one 09.0%
INERT INGREDIENTS: 91.0%
TOTAL: 100.0%

KEEP OUT OF REACH OF CHILDREN

[Note to Reviewer: In accordance with 40 CFR 156.68(d), all first aid statements, as prescribed, will appear on the front panel of the product label.]

FIRST AID

- | | |
|--------------------------------|---|
| If in eyes: | <ul style="list-style-type: none"> ● Hold eye open and rinse slowly and gently with water for 15-20 minutes. ● Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. ● Call a poison control center or doctor for treatment advice. |
| If on skin or clothing: | <ul style="list-style-type: none"> ● Take off contaminated clothes. ● Rinse skin immediately with plenty of water for 15-20 minutes. ● Call a poison control center or doctor for treatment advice. |
| If inhaled: | <ul style="list-style-type: none"> ● Move person to fresh air. ● If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth if possible. ● Call a poison control center or doctor for further treatment advice. |
| If swallowed: | <ul style="list-style-type: none"> ● Call a poison control center or doctor immediately for treatment advice. ● Have person sip a glass of water if able to swallow. ● Do not induce vomiting unless told to do so by a poison control center or doctor ● Do not give anything by mouth to an unconscious person. |

Call a poison control center or doctor immediately for treatment advice. Have the product container or label with you when calling a poison control center or doctor, or going for treatment.
 POISON CONTROL CENTER: CALL 1-800-222-1222
 NOTE TO PHYSICIAN: Probable mucosal damage may contraindicate the use of gastric lavage. Measures against circulatory shock and respiratory depression and convulsion may be needed.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

(Extract from Technical Information Bulletin for PROMEX™ 10S)
 PROMEX™ 10S is an effective preservative in most aqueous compositions. The concentration required to give protection depends on several factors. These include the susceptibility of the system to microbiological degradation, the extent to which micro-organisms can gain access, the species involved, pH, temperature, and length of time for which protection is required. For protection against bacterial attack, a concentration within the range 0.04-0.5% PROMEX™ 10S is almost invariably sufficient. The control of mold growth, particularly on paste products of high solids content, may occasionally require demand dosages above 0.5%. In dilute fluid systems, spoilage is usually controlled with dosages not greater than 0.18%. Do not use at concentration greater than 1.0%.

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage or disposal. **PESTICIDE STORAGE:** Protect from frost. If frozen, allow to thaw and stir well before use. **PESTICIDE DISPOSAL:** Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide, spray mixture, or rinsate is a violation of Federal law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance. **CONTAINER DISPOSAL:** Nonrefillable container. Do not reuse or refill this container. Offer for recycling, if available. Triple rinse as follows: Empty the remaining contents into application equipment or a mix tank. Fill the container 1/4 full with water. Replace and tighten closures. Tip container on its side and roll it back and forth, ensuring at least one complete revolution, for 30 seconds. Stand the container on its end and tip it back and forth several times. Turn the container over onto its other end and tip it back and forth several times. Empty the rinsate into application equipment or a mix tank or store rinsate for later use or disposal. Repeat this procedure two more times. **EMERGENCIES: In emergency situations, such as spills, fire, or exposure, call 1-800-424-9300**

ENVIRONMENTAL HAZARDS

This product is toxic to fish. Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans or other waters unless in accordance with the requirements of a National Pollutant Discharge Elimination System (NPDES) permit and the permitting authority has been notified in writing prior to discharge. Do not discharge effluent containing this product to sewer systems without previously notifying the local sewage treatment plant authority. For guidance contact your State Water Board or Regional Office of the EPA. Do not contaminate water by cleaning of equipment or disposal of wastes. Do not apply in marine or estuarine oil fields.

REV20200603

PromChemie AG

PROMEX™ 10S Technical Information Bulletin and PROMEX™ CLEAR (*Alternate Brand Name*)

General

Many aqueous dispersions and emulsions can be spoiled during storage and use due to the growth in them of bacteria, fungi, molds, or other microorganisms. PROMEX™10S, an aqueous solution of 1,2-benzisothiazolin-3-one (BIT), is an efficient microbial preservative for many aqueous systems, and exhibits:

- Effective control of a wide range of organisms at cost-effective concentrations.
- Long-term storage stability.
- Ease of use due to its liquid form and good compatibility in most aqueous compositions.
- A clear light color, with attendant advantages.

PROMEX™10S protects against growth of microbial agents in aqueous systems such as the following:

Latices, such as polymer latices based on monomers such as acrylate, butadiene, PVA, or styrene; synthetic rubber/latex

Water-based adhesives, including animal glues, carboxymethylcellulose (CMC) and derivatives, and adhesives based on gelatin and/or latex

Aqueous slurries of pigments, such as titanium dioxide, or of **minerals**, such as kaolin, calcium carbonate, calcium sulfate, or magnesium sulfate

Oil in water emulsions, such as textile spin-finish solutions, cutting/rolling oils, soluble oils (metal and engineering industries), and photographic emulsions

Paints and coatings, such as aqueous coatings, water-based or emulsion paints

Inks and font solutions

Building and construction materials, such as caulks, sealants, grouts, spackling, ready-mixed cement and wallboard compounds (*Not for use in California*), and tape joint compounds

Pesticide formulations, including in-can protection and protection of use dilutions

Cleaning products, including floor waxes and polishes, surface cleaners, window cleaners, and dish detergents

Liquid laundry additives, including laundry detergents, fabric softeners, and stain removers

Car care products, including car washing products, car waxes, and silicone emulsions

Oil recovery materials, (*Not for use in California*), such as drill muds, packer fluids, and completion fluids

Secondary oil recovery injection water with additives (*Not for use in California*)

Leather processing solutions, to protect the solution
Fresh animal hides and skins, to preserve the integrity of the hides and skins before or during processing

Paper coatings to be used in papermaking, including rosin dispersions and starch and casein based products

Pulp & paper mill system (*Not for use in California*) slime control by shock dosing or continuous dosing

U.S. REGULATORY CLEARANCES: PROMEX™10S is registered with the U.S. Environmental Protection Agency and has been granted EPA registration Number 80285-1.

Under 40 CFR 180.1001(d) its components are exempt from the requirement for a tolerance when used in accordance with good agricultural practice as inert (or occasionally active) ingredients in pesticides applied to growing agricultural crops. Not more than 0.1% of the active ingredient, BIT, is allowed in such pesticide formulations.

BIT, the active ingredient of PROMEX™10S, is cleared for use under the following FDA clearances:

- 21 CFR 175.105, as a preservative of adhesives
- 21 CFR 176.170, as preservative for paper coating compositions, at level not to exceed 0.01 mg/in² of finished paper or paperboard in contact with fatty & aqueous food
- 21 CFR 176.180, as preservative for paper coating compositions, at level not to exceed 0.02 mg/in² of finished paper or paperboard in contact with dry food
- 21 CFR 176.300, slimicides (in manufacture of food-contact paper or paperboard) at level not to exceed 0.06 lb per ton of dry weight fiber
- 21 CFR 177.2600(c)(4)(ix), uncured latex rubber (consult regulation for limitations)

PromChemie AG

PROMEX™ 10S Technical Information Bulletin and PROMEX™ CLEAR

Properties of PROMEX™ 10S

| | |
|-------------------------------|---|
| Composition: | A solution of 1,2-Benzisothiazolin-3-one at 9% average in <u>propylene glycol</u> & water |
| Physical form and appearance: | Clear amber liquid. |
| Viscosity: | 124 mm ² /s at 20°C |
| Specific gravity: | 1.12 at 25°C |
| pH | 10.1 at 25°C |
| Boiling point: | ~100°C |
| Solubility: | Soluble in water |
| Stability: | Stable under all normal storage conditions |

Properties of PROMEX™ CLEAR

| | |
|-------------------------------|--|
| Composition: | A solution of 1,2-Benzisothiazolin-3-one at 9% average <u>in water</u> |
| Physical form and appearance: | Clear amber liquid. |
| Viscosity: | 124 mm ² /s at 20°C |
| Specific gravity: | 1.05 at 25°C |
| pH | 10.1 at 25°C |
| Boiling point: | ~100°C |
| Solubility: | Soluble in water |
| Stability: | Stable under all normal storage conditions |

PromChemie AG

PROMEX™ 10S Technical Information Bulletin

and PROMEX™ CLEAR (*Alternate Brand Name*)

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

PROMEX™10S is an effective preservative in most aqueous compositions. The concentration required to give protection depends on several factors. These include the susceptibility of the system to microbiological degradation, the extent to which micro-organisms can gain access, the species involved, pH, temperature, and length of time for which protection is required.

For protection against bacterial attack, a concentration within the range 0.04 - 0.70% PROMEX™ 10S is almost invariably sufficient. In dilute fluid systems, spoilage is usually controlled with dosages not greater than 0.18%. Control of mold growth, particularly on paste products of high solids content, may occasionally require demand dosages above 0.50%. Do not use concentrations greater than 1.0%.

Trials at different concentrations are recommended. Typical applications, and the suggested range of concentrations on which trials can be based, are:

| Type of material to be protected | Lbs PROMEX™10S to use per 1000 Lb of material to be protected |
|--|--|
| Latices , such as: polymer latices based on monomers such as acrylate, butadiene, PVA or styrene; synthetic rubber/latex | 1 to 5 lb (0.10 - 0.50%) |
| Oil-in-water emulsions , such as textile spin-finish solutions, cutting/rolling oils, soluble oils (metal and engineering industries), and photographic emulsions. Note: limit amount of PROMEX™ 10S in metalworking fluid concentrate (to be diluted before use) to 3.0 % to reduce the possibility of dermal sensitization. | 1 to 3.6 lb (0.10 – 0.36%) |
| Paints and coatings , such as aqueous coatings, water-based paints, and emulsion paints | 1 to 5 lb (0.10 – 0.50%) |
| Inks and font solutions | 1 to 5 lb (0.10 – 0.50%) |
| Water-based adhesives , including animal glues, adhesives based on carboxymethylcellulose (CMC) and derivatives, gelatin and/or latex | 1 to 5 lb (0.10 – 0.50%) |
| Aqueous slurries of pigments such as titanium dioxide slurries or of minerals such as kaolin, calcium carbonate, calcium sulfate, or magnesium sulfate | 0.8 to 2.5 lb (0.08 - 0.25%) |
| Building and construction materials , such as caulks, sealants, grouts, spackling, ready-mixed cement and wallboard compounds (Not for use in California), and tape joint compounds | 1.6 to 5 lb (0.16 – 0.50%) |
| Pesticide formulations , including in-can protection and protection of use dilutions | 1 to 5 lb (0.10 – 0.50%) |
| Home cleaning products , including floor waxes and polishes, surface cleaners, window cleaners, and dish detergents | 1 to 3 lb (0.10 – 0.30%) |
| Liquid laundry additives , including laundry detergents, fabric softeners, and stain removers | 1 to 3 lb (0.10 – 0.30%) |
| Car care products , including car washing products, car waxes, and silicone emulsions | 1.5 to 3 lb (0.15 – 0.30%) |
| Oil recovery materials (Not for use in California), such as drill muds, packer fluids, and completion fluids, containing polysaccharide fluid loss control agents and/or thickeners such as starch, guar, or xanthan gum | 1 to 3 lb per 1000 lb of fluid (0.10 – 0.30%), or 30 to 90 lb per 1000 lb of dry polysaccharide added to fluid |

PromChemie AG

PROMEX™ 10S Technical Information Bulletin and PROMEX™ CLEAR

| | |
|--|---|
| <p>Secondary oil recovery injection water (<i>Not for use in California</i>) containing additives, such as polymer or micellar/polymer waterfloods using thickeners such as xanthan gum and/or polyacrylamides</p> | <p>0.3 to 3 lb (0.03 – 0.30%) of total weight of fluid</p> |
| <p>Leather processing solutions, to preserve the solutions</p> | <p>0.5 to 4 lb (0.05 – 0.40%)</p> |
| <p>Fresh animal skins and hides, to preserve the integrity of the hides and skins before or during processing. Add the appropriate quantity of PROMEX™ 10S to the brine solution during the curing operation or treat hides or skins with an appropriately diluted aqueous solution during other portions of the processing operation. The specific use rate and contact time needed to control microbial attack will depend on the degree of decomposition of the hides or skins prior to treatment.</p> | <p>2 to 48 pounds (26 fluid ounces to 5.0 gallons) of PROMEX™ 10S per 1000 pounds of hides or skins</p> |
| <p>Paper coatings to be used in papermaking, including rosin dispersions, starch and casein based products</p> | <p>1 to 3 lb (0.10 – 0.30%)</p> |
| <p>Pulp & paper mill system slime control (<i>Not for use in California</i>)</p> <p>The preferred method of addition is by shock dosing because this ensures that a high concentration of PROMEX™10S is present in the system for several hours. If a slime control agent is added by continuous methods over periods of several hours, its concentration in the system at all times is low. This can lead to the development of resistant organisms, which is less likely to occur when the shock dosing method is used.</p> <p>It is not possible to give precise recommendations as to the quantity of PROMEX™10S to add to control slime formation, because the magnitude of the problem varies greatly from mill to mill, depending on the furnish employed, the cleanliness of the mill system, and the additional nutrients (for example, starch) that may be added to the stock.</p> <p>The following quantities of PROMEX™10S are suggested for trial:</p> <p>Shock dosing: If this preferred method is adopted, add 5 to 18 fluid ounces of PROMEX™10S for each ton of paper produced per day as a single shock dose, the actual quantity to be used depending on the severity of the slime problem. This addition may be made to any part of the stock preparation or backwater system. Alternatively, the addition may be made to those parts of the system where it is known that slime deposits accumulate.</p> <p>Continuous addition: If this method is adopted, add PROMEX™10S continuously for either the single period of 8 hours during every 24 hours or for two separate periods of 4 hours during every 24 hours. Meter PROMEX™10S into the recirculated backwater at a rate of 14 to 17 fluid ounces for each ton of paper produced during the dosing period.</p> | |

PromChemie AG
PROMEX™ 10S Technical Information Bulletin
 and **PROMEX™ CLEAR** (*Alternate Brand Name*)

**PRECAUTIONARY STATEMENTS HAZARDS TO
 HUMANS AND DOMESTIC ANIMALS**

DANGER

Corrosive. Causes irreversible eye damage. Causes skin burns. Do not get in eyes, on skin, or on clothing. May be fatal if inhaled. Do not breathe vapor or spray mist. Harmful if swallowed. Harmful if absorbed through skin. Wear protective eyewear such as goggles or face shield, chemical resistant footwear, and chemical resistant gloves (such as Barrier Laminate, Butyl, Nitrile or Neoprene Rubber, Polyvinyl Chloride (PVC) or Viton). Wear appropriate respiratory protection for handling activities, use either a respirator with an organic-vapor removing cartridge with a prefilter approved for pesticides (MSHN/NIOSH approval number prefix TC-23C), or a canister approved for pesticides (MSHN/NIOSH approval number prefix TC-140G), or a NIOSH approved respirator with an organic vapor (OV) cartridge or canister with any N, R, P, or HE prefilter, Prolonged or frequently repeated skin contact may cause allergic reactions in some individuals. Wear goggles or face shield, long-sleeved shirt and long pants, shoes and socks, and chemical resistant gloves made of any waterproof materials.

USER SAFETY RECOMMENDATIONS

User should wash hands before, eating, drinking, chewing gum, using tobacco, or using the toilet. User should remove clothing/PPE immediately. If pesticide gets inside, then wash thoroughly and put on clean clothing. User should remove PPE immediately after handling this product. As soon as possible, wash thoroughly and change into clean clothing. Follow manufacturer's instructions for cleaning/maintaining PPE. If no such instructions for washables exist, use detergent and hot water. Keep and wash PPE separately from other laundry. Discard clothing and other absorbent materials that have been drenched or heavily contaminated with this product's concentrate. Do not reuse them.

KEEP OUT OF REACH OF CHILDREN
DANGER

| FIRST AID | |
|---|---|
| If in eyes: | <ul style="list-style-type: none"> ● Hold eye open and rinse slowly and gently with water for 15-20 minutes. ● Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. ● Call a poison control center or doctor for treatment advice. |
| If on skin or clothing | <ul style="list-style-type: none"> ● Take off contaminated clothes. ● Rinse skin immediately with plenty of water for 15-20 minutes. ● Call a poison control center or doctor for treatment advice. |
| If inhaled: | <ul style="list-style-type: none"> ● Move person to fresh air. ● If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth if possible. ● Call a poison control center or doctor for further treatment advice. |
| If swallowed: | <ul style="list-style-type: none"> ● Call a poison control center or doctor immediately for treatment advice. ● Have person sip a glass of water if able to swallow. ● Do not induce vomiting unless told to do so by a poison control center or doctor ● Do not give anything by mouth to an unconscious person. |
| Call a poison control center or doctor immediately for treatment advice. Have the product container or label with you when calling a poison control center or doctor, or going for treatment. POISON CONTROL CENTER: CALL 1-800-222-1222 NOTE TO PHYSICIAN: Probable mucosal damage may contraindicate the use of gastric lavage. Measures against circulatory shock and respiratory depression and convulsion may be needed. | |

PromChemie AG
PROMEX™ 10S Technical Information Bulletin
and **PROMEX™ CLEAR**

ENVIRONMENTAL HAZARDS

This product is toxic to fish. Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans or other waters unless in accordance with the requirements of a National Pollutant Discharge Elimination System (NPDES) permit and the permitting authority has been notified in writing prior to discharge. Do not discharge effluent containing this product to sewer systems without previously notifying the local sewage treatment plant authority. For guidance contact your State Water Board or Regional Office of the EPA. Do not contaminate water by cleaning of equipment or disposal of wastes. Do not apply in marine or estuarine oil fields.

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage or disposal.

PESTICIDE STORAGE: Protect from frost. If frozen, allow to thaw and stir well before use.

PESTICIDE DISPOSAL: Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide, spray mixture, or rinsate is a violation of Federal law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

CONTAINER DISPOSAL: Nonrefillable container. Do not reuse or refill this container. Offer for recycling, if available.

Triple rinse as follows: Empty the remaining contents into application equipment or a mix tank. Fill the container 1/4 full with water. Replace and tighten closures. Tip container on its side and roll it back and forth, ensuring at least one complete revolution, for 30 seconds. Stand the container on its end and tip it back and forth several times. Turn the container over onto its other end and tip it back and forth several times. Empty the rinsate into application equipment or a mix tank or store rinsate for later use or disposal. Repeat this procedure two more times.

EMERGENCIES: In emergency situations, such as spills, fire, or exposure, call 1-800-424-9300

Warranties and Warranty Disclaimers

PromChemie AG ("PROM") warrants that this product conforms to the chemical description on the label and that it is reasonably fit for the purposes stated on the label when used in accordance with PROM's directions under normal conditions of use. This warranty does not extend to the use of this product contrary to label instructions, or under abnormal use conditions, or under conditions not reasonably foreseeable to PROM, and the buyer assumes the risk of any such use. PROM DISCLAIMS ALL OTHER WARRANTIES, EXPRESS OR IMPLIED, INCLUDING ANY WARRANTY OF MERCHANTABILITY.

IN NO EVENT SHALL PROM BE LIABLE FOR ANY SPECIAL, INCIDENTAL, OR CONSEQUENTIAL DAMAGES, INCLUDING LOST PROFITS, ON ANY THEORY WHATSOEVER, INCLUDING NEGLIGENCE, and PROM's sole liability and Buyer's and User's exclusive remedy shall be limited to the refund of the purchase price. Statements concerning the use of products or the formulations described therein re not to be construed as recommending the infringement of any patent and no liability for infringement arising out of any such use is assumed by PROM.

For technical information, literature, sample and order information, please contact PromChemie AG at the following address:

PromChemie AG
Austrasse 79, P.O. Box 26
FL-9490 Vaduz, Liechtenstein
Phone (011) 423-236-1818

EPA Reg. No. 80285-1

EPA Est. No: