



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
WASHINGTON, D.C. 20460

OFFICE OF
PREVENTION, PESTICIDES AND
TOXIC SUBSTANCES

Adams Technology System
c/o for PromChemie AG
5145 Forest Run Trace – Suite B
Alpharetta, GA 30022-4504

APR 24 2008

Attention: Rob Adams, Jr.

Subject: PROMEX 20S
EPA Registration No. 80285-2
Amendment Application Date: October 25, 2007

The amendment referred to above, submitted in connection with registration under the Federal Insecticide, Fungicide and Rodenticide Act, as amended, is acceptable. EPA has no objection to the change of an alternate inert for the basic registration. In addition, based on changes to the inert, the specific gravity and viscosity has been altered. The Agency considers these changes minor and, therefore, should pose no adverse effects.

The alternate Confidential Statement of Formula (CSF) submitted with respect to registration under the Federal Insecticide, Fungicide and Rodenticide Act, as amended, meets the requirements of PR 91-2 and 40 CFR 158.155 (Product Identity and Composition) and accurately reflects the Nominal Concentration for the active and inert ingredients.

The Agency also has no objection to adding an Alternate Brand Name (**PROMEX 20TS**). A stamped copy of the accepted labeling is enclosed.

If you have any question or comments concerning this letter, please contact me at (703) 308 6341 or Demson Fuller at (703) 308-8062.

Sincerely,

Marshall Swindell
Product Manager (33)
Regulatory Management Branch I
Antimicrobials Division (7510)

PROMEX™ 20S

[ABN: PROMEX 20TS]

FOR INDUSTRIAL USE ONLY AS AN ANTIMICROBIAL TO PROTECT AQUEOUS COMPOSITIONS SUCH AS LATICES, OIL-IN-WATER EMULSIONS, PAINTS AND COATINGS, INKS AND FONT SOLUTIONS, WATER-BASED ADHESIVES, AQUEOUS PIGMENT OR MINERAL SLURRIES, BUILDING AND CONSTRUCTION COMPOSITIONS, PESTICIDE FORMULATIONS, HOME CLEANING PRODUCTS, LIQUID LAUNDRY ADDITIVES, CAR CARE PRODUCTS, OIL RECOVERY MATERIALS, SECONDARY OIL RECOVERY FLUIDS, PAPER OR TEXTILE COATING COMPOSITIONS, PULP AND PAPER MILL SYSTEMS, OR LEATHER PROCESSING SOLUTIONS, OR INTENDED TO PROTECT FRESH ANIMAL HIDES OR SKINS

ACCEPTED

APR 24 2008

Under the Federal Insecticide, Fungicide, and Rodenticide Act as amended, for the pesticide, registered under EPA Reg. No. 80285-2

ACTIVE INGREDIENT:

1,2-benzisothiazolin-3-one..... 19.0%

INERT INGREDIENTS: 81.0%

Total 100.0%

KEEP OUT OF REACH OF CHILDREN

DANGER

FIRST AID

CALL A POISON CONTROL CENTER OR DOCTOR IMMEDIATELY FOR TREATMENT ADVICE. HAVE THE PRODUCT CONTAINER OR LABEL WITH YOU WHEN CALLING A POISON CONTROL CENTER OR DOCTOR, OR GOING FOR TREATMENT.

EYES	If in eyes: <ul style="list-style-type: none"> • Hold eye open and rinse slowly and gently with water for 15-20 minutes. • Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. • Call a poison control center or doctor for treatment advice.
SKIN	If skin irritation or dermal exposure: <ul style="list-style-type: none"> • Take off contaminated clothes. • Rinse skin immediately with plenty of water for 15-20 minutes. • Call a poison control center or doctor for treatment advice.
INHALATION	If inhaled: <ul style="list-style-type: none"> • Move person to fresh air. • If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth if possible. • Call a poison control center or doctor for further treatment advice.
INGESTION	If swallowed: <ul style="list-style-type: none"> • Call a poison control center or doctor immediately for treatment advice. • Have person sip a glass of water if able to swallow. • Do not induce vomiting unless told to do so by a poison control center or doctor • Do not give anything by mouth to an unconscious person.

POISON CONTROL CENTER: CALL 1-800-222-1222

NOTE TO PHYSICIAN: Probable mucosal damage may contraindicate the use of gastric lavage.



PROMEX is a registered trademark of Prom Chem Ltd, licensed to PromChemie AG.

Manufactured for: PromChemie AG
Austrasse 79, P.O. Box 26,
FL-9490 Vaduz, Liechtenstein
(011) 423-236-1818

EPA Reg. No. 80285-2
EPA Est. No. 81110-GBR-001

NET WEIGHT:

BATCH NO:

3/18

**PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS AND DOMESTIC ANIMALS
DANGER**

Corrosive. Causes skin burns and irreversible eye damage. May be fatal if inhaled. Harmful if swallowed or absorbed through skin. Do not get in eyes, on skin, or on clothing. Do not breathe vapor or spray mist. Wear goggles or face shield, chemical resistant gloves, long pants and long sleeved shirt. Wear a mask or pesticide respirator approved by the National Institute for Occupational Safety and Health. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, or using tobacco. Remove and wash contaminated clothing before reuse. Prolonged or frequently repeated skin contact may cause allergic reactions in some individuals.

ENVIRONMENTAL HAZARDS

This product is toxic to fish. Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans or other waters unless in accordance with the requirements of a National Pollutant Discharge Elimination System (NPDES) permit and the permitting authority has been notified in writing prior to discharge. Do not discharge effluent containing this product to sewer systems without previously notifying the local sewage treatment plant authority. For guidance contact your State Water Board or Regional Office of the EPA. Do not contaminate water by cleaning of equipment or disposal of wastes. Do not apply in marine or estuarine oil fields.

STORAGE AND DISPOSAL

PROHIBITIONS: Do not contaminate water, food, or feed by storage or disposal. Open dumping is prohibited.
PESTICIDE STORAGE: Protect from frost. If frozen, allow to thaw and stir well before use.
PESTICIDE DISPOSAL: Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide, spray mixture, or rinsate is a violation of Federal Law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.
CONTAINER DISPOSAL: Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or incineration, or, if allowed by state and local authorities, by burning. If burned, stay out of smoke.
EMERGENCIES: In emergency situations, such as spills, fire, or exposure, call 1-800-424-9300

WARRANTIES AND WARRANTY DISCLAIMERS


PromChemie AG ("PROM") warrants that this product conforms to the chemical description on the label and that it is reasonably fit for the purposes stated on the label when used in accordance with PROM's directions under normal conditions of use. This warranty does not extend to the use of this product contrary to label instructions, or under abnormal use conditions, or under conditions not reasonably foreseeable to PROM, and the buyer assumes the risk of any such use. PROM DISCLAIMS ALL OTHER WARRANTIES, EXPRESS OR IMPLIED, INCLUDING ANY WARRANTY OF MERCHANTABILITY.

IN NO EVENT SHALL PROM BE LIABLE FOR ANY SPECIAL, INCIDENTAL, OR CONSEQUENTIAL DAMAGES, INCLUDING LOST PROFITS, ON ANY THEORY WHATSOEVER, INCLUDING NEGLIGENCE, and PROM's sole liability and Buyer's and User's exclusive remedy shall be limited to the refund of the purchase price. Statements concerning the use of products or the formulations described therein re not to be construed as recommending the infringement of any patent and no liability for infringement arising out of any such use is assumed by PROM.

DIRECTIONS FOR USE (Extract from Technical Information Bulletin for PROMEX™ 20S)

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.
PROMEX™ 20S is an effective preservative in most aqueous compositions. The concentration required to give protection depends on several factors. These include the susceptibility of the system to microbiological degradation, the extent to which micro-organisms can gain access, the species involved, pH, temperature, and length of time for which protection is required. For protection against bacterial attack, a concentration within the range 0.02-0.25% PROMEX™ 20S is almost invariably sufficient. The control of mold growth, particularly on paste products of high solids content, may occasionally require demand dosages above 0.25%. In dilute fluid systems, spoilage is usually controlled with dosages not greater than 0.09%. Do not use at concentration greater than 0.5%.

See other panel for directions for specific applications.



4/8

ACCEPTED
APR 24 2008

DIRECTIONS FOR USE (continued)

Typical applications, and the suggested range of concentrations on which trials can be based, are:

Type of Material To Be Protected	Lbs PROMEX™ 20S To Use Per 1000 Lb Of Material To Be Protected	Concentration Range
Latices , such as: polymer latices based on monomers such as acrylate, butadiene, PVA or styrene; synthetic rubber/latex	0.5 to 1.5 lb	(0.05 - 0.15%)
Oil-in-water emulsions , such as textile spin-finish solutions, cutting/rolling oils, soluble oils (metal and engineering industries), and photographic emulsions. Note: limit amount of PROMEX™ 20S in metalworking fluid concentrate (to be diluted before use) to 3.0 % to reduce the possibility of dermal sensitization.	0.5 to 1.8 lb	(0.05 - 0.18%)
Paints and coatings , such as aqueous coatings, water-based paints, and emulsion paints	0.5 to 2.5 lb	(0.05 - 0.25%)
Inks and font solutions	0.5 to 2.5 lb	(0.05 - 0.25%)
Water-based adhesives , including animal glues, adhesives based on carboxymethylcellulose (CMC) and derivatives, gelatin and/or latex	0.5 to 2.5 lb	(0.05 - 0.25%)
Aqueous slurries of pigments such as titanium dioxide or of minerals such as kaolin, calcium carbonate, calcium sulfate, or magnesium sulfate	0.4 to 1.25 lb	(0.04 - 0.125 %)
Building and construction compositions , such as tape joint compounds, caulks, and sealants	0.8 to 2.5 lb	(0.08 - 0.25 %)
Pesticide formulations , including in-can protection and protection of use dilutions	0.5 to 2.5 lb	(0.05 - 0.5%)
Home cleaning products , including floor waxes and polishes, surface cleaners, window cleaners, and dish detergents	0.5 to 1.5 lb	(0.05 - 0.15 %)
Liquid laundry additives , including laundry detergents, fabric softeners, and stain removers	0.5 to 1.5 lb	(0.05 - 0.15 %)
Car care products , including car washing products, car waxes, and silicone emulsions	0.75 to 1.5 lb	(0.075 - 0.15 %)
Oil recovery materials , such as drill muds, packer fluids, and completion fluids, containing polysaccharide fluid loss control agents and/or thickeners such as starch, guar, or xanthan gum	0.5 to 1.5 lb per 1000 lb of fluid	(0.05 -0.15 %), or 15 to 45 lb per 1000 lb of dry polysaccharide added to fluid (1.5 -4.5%)
Secondary oil recovery injection water containing additives, such as polymer or micellar/polymer waterfloods using thickeners such as xanthan gum and/or polyacrylamides	0.15 to 1.5 lb	(0.015 - 0.15 %) of total weight of fluid
Leather processing solutions , to preserve the solutions	0.25 to 2 lb	(0.025 - 0.2 %)
Fresh animal skins and hides , to preserve the integrity of the hides and skins before or during processing. Add the appropriate quantity of PROMEX™ 20S to the brine solution during the curing operation or treat hides or skins with an appropriately diluted aqueous solution during other portions of the processing operation. The specific use rate and contact time needed to control microbial attack will depend on the degree of decomposition of the hides or skins prior to treatment.	1 to 24 pounds	(13 fluid ounces to 2.5 gallons) of PROMEX™ 20S per 1000 pounds of hides or skins
Paper coatings and textile coatings , including rosin dispersions, starch and casein based products	0.5 to 1.5 lb	(0.05 - 0.15 %)
<p>Pulp & paper mill system slime control—The preferred method of addition is by shock dosing because this ensures that a high concentration of PROMEX™ 20S is present in the system for several hours. If a slime control agent is added by continuous methods over periods of several hours, its concentration in the system at all times is low. This can lead to the development of resistant organisms, which is less likely to occur when the shock dosing method is used.</p> <p>It is not possible to give precise recommendations as to the quantity of PROMEX™ 20S to add to control slime formation, because the magnitude of the problem varies greatly from mill to mill, depending on the furnish employed, the cleanliness of the mill system, and the additional nutrients (for example, starch) that may be added to the stock. The following quantities of PROMEX™ 20S are suggested for trial: Shock dosing: If this preferred method is adopted, add 2.5 to 9 ounces of PROMEX™ 20S for each ton of paper produced per day as a single shock dose, the actual quantity to be used depending on the severity of the slime problem. This addition may be made to any part of the stock preparation or backwater system. Alternatively, the addition may be made to those parts of the system where it is known that slime deposits accumulate. Continuous addition: If this method is adopted, add PROMEX 20S continuously for either the single period of 8 hours during every 24 hours or for two separate periods of 4 hours during every 24 hours. Meter PROMEX™ 20S into the recirculated backwater at a rate of 7 to 8.5 ounces for each ton of paper produced during the dosing period.</p>		

General

Many aqueous dispersions and emulsions can be spoiled during storage and use due to the growth in them of bacteria, fungi, molds, or other microorganisms. PROMEX™20S, an aqueous solution of 1,2-benziso-thiazolin-3-one (BIT), is an efficient microbial preservative for many aqueous systems, and exhibits:

- Effective control of a wide range of organisms at cost-effective concentrations.
- Long-term storage stability.
- Ease of use due to its liquid form and good compatibility in most aqueous compositions.
- A clear light color, with attendant advantages.

PROMEX™20S protects against growth of microbial agents in aqueous systems such as the following:

Latices, such as: polymer latices based on monomers such as acrylate, butadiene, PVA, or styrene; synthetic rubber/latex

Water-based adhesives, including animal glues, carboxymethylcellulose (CMC) and derivatives, and adhesives based on gelatin and/or latex

Aqueous slurries of pigments, such as titanium dioxide, or of **minerals**, such as kaolin, calcium carbonate, calcium sulfate, or magnesium sulfate

Oil in water emulsions, such as textile spin-finish solutions, cutting/rolling oils, soluble oils (metal and engineering industries), and photographic emulsions

Paints and coatings, such as aqueous coatings, water-based paints, and emulsion paints

Inks and font solutions

Building and construction materials, such as caulks, sealants, grouts, spackling, ready-mixed cements and wallboard compounds, and tape joint compounds

Pesticide formulations, including in-can protection and protection of use dilutions

Cleaning products, including floor waxes and polishes, surface cleaners, window cleaners, and dish detergents

Liquid laundry additives, including laundry detergents, fabric softeners, and stain removers

Car care products, including car washing products, car waxes, and silicone emulsions

Oil recovery materials, such as drill muds, packer fluids, and completion fluids

Secondary oil recovery injection water with additives

Leather processing solutions, to protect the solution

Fresh animal hides and skins, , to preserve the integrity of the hides and skins before or during processing

Paper coatings to be used in papermaking, including rosin dispersions and starch and casein based products

Pulp & paper mill system slime control by shock dosing or continuous dosing


U.S. REGULATORY CLEARANCES:

PROMEX™20S is registered with the U.S. Environmental Protection Agency and has been granted EPA registration Number 80285-2.

Under 40 CFR 180.1001(d) its components are exempt from the requirement for a tolerance when used in accordance with good agricultural practice as inert (or occasionally active) ingredients in pesticides applied to growing agricultural crops. Not more than 0.1% of the active ingredient, BIT, is allowed in such pesticide formulations.

BIT, the active ingredient of PROMEX™20S, is cleared for use under the following FDA clearances:

- 21 CFR 175.105, as a preservative of adhesives
- 21 CFR 176.170, as preservative for paper coating compositions, at level not to exceed 0.01 mg/in² of finished paper or paperboard in contact with fatty & aqueous food
- 21 CFR 176.180, as preservative for paper coating compositions, at level not to exceed 0.02 mg/in² of finished paper or paperboard in contact with dry food
- 21 CFR 176.300, slimicides (in manufacture of food-contact paper or paperboard) at level not to exceed 0.06 lb per ton of dry weight fiber
- 21 CFR 177.2600(c)(4)(ix), uncured latex rubber (consult regulation for limitations)



PromChemie AG
PROMEX™ 20S Technical Information Bulletin

Properties of PROMEX™ 20S

Composition: A solution of 1,2-benzisothiazolin-3-one at 19% average in dipropylene glycol and water

Physical form and appearance: Clear amber liquid.

Viscosity: 124 mm²/s at 20°C

Specific gravity: 1.12 at 25°C

pH: 10.1 at 25°C

Boiling point: ~100°C

Solubility: Soluble in water

Stability: Stable under all normal storage conditions

[For use with ABN: PROMEX 20TS Label]

Properties of PROMEX™ 20TS

Composition: A solution of 1,2-benzisothiazolin-3-one at 19% average in triethylene glycol and water

Physical form and appearance: Clear amber liquid.

Viscosity: 40mm²/s, at 20°C


Specific gravity: 1.18 at 25°C

pH: 11.0 – 12.0 at 25°C

Boiling point: ~100°C min.

Solubility: Soluble in water

Stability: Stable under all normal storage conditions



DIRECTIONS FOR USE


It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

PROMEX™20S is an effective preservative in most aqueous compositions. The concentration required to give protection depends on several factors. These include the susceptibility of the system to microbiological degradation, the extent to which micro-organisms can gain access, the species involved, pH, temperature, and length of time for which protection is required.

For protection against bacterial attack, a concentration within the range 0.02 - 0.25% PROMEX™ 20S is almost invariably sufficient. In dilute fluid systems, spoilage is usually controlled with dosages not greater than 0.09%. Control of mold growth, particularly on paste products of high solids content, may occasionally require demand dosages above 0.25%. Do not use concentrations greater than 0.5%.

Trials at different concentrations are recommended. Typical applications, and the suggested range of concentrations on which trials can be based, are:


Type of material to be protected	Lbs PROMEX™ 20S to use per 1000 Lb of material to be protected
Latices , such as polymer latices based on monomers such as acrylate, butadiene, PVA, or styrene; synthetic rubber/latex	0.5 to 1.5 lb (0.05 - 0.15%)
Oil-in-water emulsions such as textile spin-finish solutions, cutting/rolling oils, soluble oils (metal and engineering industries), and photographic emulsions. Note: limit amount of PROMEX™ 20S in metalworking fluid concentrate (to be diluted before use) to 3.0 % to reduce the possibility of dermal sensitization.	0.5 to 1.8 lb (0.05 - 0.18%)
Paints and coatings , such as aqueous coatings, water-based paints, and emulsion paints	0.5 to 2.5 lb (0.05 - 0.25%)
Inks and font solutions	0.5 to 2.5 lb (0.05 - 0.25%)
Water-based adhesives , including animal glues, adhesives based on carboxymethylcellulose (CMC) and derivatives, gelatin and/or latex	0.5 to 2.5 lb (0.05 - 0.25%)
Aqueous slurries of pigments such as titanium dioxide or of minerals such as kaolin, calcium carbonate, calcium sulfate, or magnesium sulfate	0.4 to 1.25 lb (0.04 - 0.125%)
Building materials , such as caulks, sealants, grouts, spackling, ready-mixed cement and wallboard compounds, and tape joint compounds	0.8 to 2.5 lb (0.08 - 0.25%)
Pesticide formulations , including in-can protection and protection of use dilutions	0.5 to 2.5 lb (0.05 - 0.25%)
Home cleaning products , including floor waxes and polishes, surface cleaners, window cleaners, and dish detergents	0.5 to 1.5 lb (0.05 - 0.15%)
Liquid laundry additives , including laundry detergents, fabric softeners, and stain removers	0.5 to 1.5 lb (0.05 - 0.15%)
Car care products , including car washing products, car waxes, and silicone emulsions.	0.75 to 1.5 lb (0.075 - 0.15%)



8/18

PromChemie AG
PROMEX™ 20S Technical Information Bulletin

<p>Oil recovery materials, such as drill muds, packer fluids, and completion fluids, containing polysaccharide fluid loss control agents and/or thickeners such as starch, guar or xanthan gum</p>	<p>0.5 to 1.5 lb (0.05 – 0.15%) of total weight of the fluid, or 15 to 45 lb per 1000 lb of dry polysaccharide added</p>
<p>Secondary oil recovery injection water containing additives, such as polymer or micellar/polymer waterfloods using thickeners such as xanthan gum and/or polyacrylamides</p>	<p>0.15 to 1.5 lb (0.015 – 0.15%) of total weight of fluid</p>
<p>Leather processing solutions, to preserve the solutions</p>	<p>0.25 to 2 lb (0.025 – 0.20%)</p>
<p>Fresh animal skins and hides, to preserve the integrity of the hides and skins before or during processing. Add the appropriate quantity of PROMEX™ 20S to the brine solution during the curing operation or treat hides or skins with an appropriately diluted aqueous solution during other portions of the processing operation. The specific use rate and contact time needed to control microbial attack will depend on the degree of decomposition of the hides or skins prior to treatment.</p>	<p>1 to 24 pounds (13 fluid ounces to 2.5 gallons) of PROMEX™ 20S per 1000 pounds of hides or skins</p>
<p>Paper coatings to be used in papermaking, including rosin dispersions, starch and casein based products</p>	<p>0.5 to 1.5 lb (0.05 – 0.15%)</p>
<p>Pulp & paper mill system slime control The preferred method of addition is by shock dosing because this ensures that a high concentration of PROMEX™20S is present in the system for several hours. If a slime control agent is added by continuous methods over periods of several hours, its concentration in the system at all times is low. This can lead to the development of resistant organisms, which is less likely to occur when the shock dosing method is used.</p> <p>It is not possible to give precise recommendations as to the quantity of PROMEX™20S to add to control slime formation, because the magnitude of the problem varies greatly from mill to mill, depending on the furnish employed, the cleanliness of the mill system, and the additional nutrients (for example, starch) that may be added to the stock.</p> <p>The following quantities of PROMEX™20S are suggested for trial:</p> <p>Shock dosing: If this preferred method is adopted, add 2.5 to 9 ounces of PROMEX™20S for each ton of paper produced per day as a single shock dose, the actual quantity to be used depending on the severity of the slime problem. This addition may be made to any part of the stock preparation or backwater system. Alternatively, the addition may be made to those parts of the system where it is known that slime deposits accumulate.</p> <p>Continuous addition: If this method is adopted, add PROMEX™20S continuously for either the single period of 8 hours during every 24 hours or for two separate periods of 4 hours during every 24 hours. Meter PROMEX™20S into the recirculated backwater at a rate of 7 to 8.5 ounces for each ton of paper produced during the dosing period.</p>	



PRECAUTIONARY STATEMENTS

Keep Out of Reach of Children
DANGER

Hazards to Humans and Domestic Animals

Corrosive. Causes skin burns and irreversible eye damage. May be fatal if inhaled. Harmful if swallowed or absorbed through skin. Do not get in eyes, on skin, or on clothing. do not breathe vapor or spray mist. Wear goggles or face shield, chemical resistant gloves, long pants and long sleeved shirt. Wear a mask or pesticide respirator approved by the National Institute for Occupational Safety and Health. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, or using tobacco. Remove and wash contaminated clothing before reuse. Prolonged or frequently repeated skin contact may cause allergic reactions in some individuals.

FIRST AID:

If in Eyes: Hold eye open and rinse slowly and gently with water for 15 – 20 minutes. Remove contact lenses, if present, after the first 5 minutes then continue rinsing. Call a poison control center or doctor for treatment advice.

If Swallowed: Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to by a poison control centre doctor.

If Inhaled: Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth if possible. Call a poison control center or doctor for further treatment advice.

If on Skin: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15 – 20 minutes. Call a poison control centre or doctor for treatment. Wash contaminated clothing and footwear before reuse.

Poison Control Center:

Call 1-800-222-1222

Have the product container or label or this Bulletin with you when calling a poison control center, doctor, or going for treatment.

Note to Physician: Probable mucosal damage may contraindicate the use of gastric lavage. Measures against circulatory shock, respiratory depression and convulsion may be needed.

ENVIRONMENTAL HAZARDS

This product is toxic to fish. Do not discharge into lakes, streams, ponds, estuaries, oceans or other waters unless in accordance with the requirements of a National Pollutant Discharge Elimination System (NPDES) permit and the permitting authority has been notified in writing prior to discharge. Do not discharge effluent containing this product to sewer systems without previously notifying the local sewage treatment plant authority. For guidance contact your State Water Board or Regional Office of the EPA. Do not contaminate water by cleaning of equipment or disposal of wastes. Do not apply in marine and estuarine oil fields.

STORAGE AND DISPOSAL

Prohibitions

Do not contaminate water, food, or feed by storage or disposal. Open dumping is prohibited.

Storage

Protect from frost. If frozen, allow to thaw and stir well before use.

Pesticide Disposal

Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide, spray mixture, or rinsate is a violation of Federal law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.


Container Disposal

Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or by other procedures approved by state and local authorities.

**For information on spills, call
1-800-424-9300**

Safe Handling Information

Refer to the Material Safety Data Sheet (MSDS) available from PromChemie AG for information on the safe use, handling and disposal of this product.



ESL090904 REV042308


Warranties and Warranty Disclaimers

PromChemie AG ("PROM") warrants that this product conforms to the chemical description on the label and that it is reasonably fit for the purposes stated on the label when used in accordance with PROM's directions under normal conditions of use. This warranty does not extend to the use of this product contrary to label instructions, or under abnormal use conditions, or under conditions not reasonably foreseeable to PROM, and the buyer assumes the risk of any such use. **PROM DISCLAIMS ALL OTHER WARRANTIES, EXPRESS OR IMPLIED, INCLUDING ANY WARRANTY OF MERCHANTABILITY.**

IN NO EVENT SHALL PROM BE LIABLE FOR ANY SPECIAL, INCIDENTAL, OR CONSEQUENTIAL DAMAGES, INCLUDING LOST PROFITS, ON ANY THEORY WHATSOEVER, INCLUDING NEGLIGENCE, and PROM's sole liability and Buyer's and User's exclusive remedy shall be limited to the refund of the purchase price. Statements concerning the use of products or the formulations described therein re not to be construed as recommending the infringement of any patent and no liability for infringement arising out of any such use is assumed by PROM.

For technical information, literature, sample and order information, please contact PromChemie AG at:

PromChemie AG
Austrasse 79, P.O. Box 26
FL-9490 Vaduz, Liechtenstein
Phone (011) 423-236-1818



11/18

PROMEX™ 20S (+20TS)

FOR INDUSTRIAL USE ONLY AS AN ANTIMICROBIAL TO PROTECT AQUEOUS COMPOSITIONS SUCH AS LATICES, OIL-IN-WATER EMULSIONS, PAINTS AND COATINGS, INKS AND FONT SOLUTIONS, WATER-BASED ADHESIVES, AQUEOUS PIGMENT OR MINERAL SLURRIES, BUILDING AND CONSTRUCTION COMPOSITIONS, PESTICIDE FORMULATIONS, HOME CLEANING PRODUCTS, LIQUID LAUNDRY ADDITIVES, CAR CARE PRODUCTS, OIL RECOVERY MATERIALS, SECONDARY OIL RECOVERY FLUIDS, PAPER OR TEXTILE COATING COMPOSITIONS, PULP AND PAPER MILL SYSTEMS, OR LEATHER PROCESSING SOLUTIONS, OR INTENDED TO PROTECT FRESH ANIMAL HIDES OR SKINS

ACTIVE INGREDIENT:
 1,2-benzisothiazolin-3-one 19.0%

INERT INGREDIENTS: 81.0%

Total 100.0%

KEEP OUT OF REACH OF CHILDREN

DANGER

FIRST AID

CALL A POISON CONTROL CENTER OR DOCTOR IMMEDIATELY FOR TREATMENT ADVICE. HAVE THE PRODUCT CONTAINER OR LABEL WITH YOU WHEN CALLING A POISON CONTROL CENTER OR DOCTOR, OR GOING FOR TREATMENT.

EYES	If in eyes: <ul style="list-style-type: none"> • Hold eye open and rinse slowly and gently with water for 15-20 minutes. • Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. • Call a poison control center or doctor for treatment advice.
SKIN	If skin irritation or dermal exposure: <ul style="list-style-type: none"> • Take off contaminated clothes. • Rinse skin immediately with plenty of water for 15-20 minutes. • Call a poison control center or doctor for treatment advice.
INHALATION	If inhaled: <ul style="list-style-type: none"> • Move person to fresh air. • If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth if possible. • Call a poison control center or doctor for further treatment advice.
INGESTION	If swallowed: <ul style="list-style-type: none"> • Call a poison control center or doctor immediately for treatment advice. • Have person sip a glass of water if able to swallow. • Do not induce vomiting unless told to do so by a poison control center or doctor • Do not give anything by mouth to an unconscious person.

POISON CONTROL CENTER: CALL 1-800-222-1222

NOTE TO PHYSICIAN: Probable mucosal damage may contraindicate the use of gastric lavage.



PROMEX is a registered trademark of Prom Chem Ltd, licensed to PromChemie AG.

NET WEIGHT:

ACCUMULATED
with COMMENTS
EPA Letter Dated:

Manufactured for: PromChemie AG
Austrasse 79, P.O. Box 26,
FL-9490 Vaduz, Liechtenstein
(011) 423-236-1818

BATCH NO:

APR 24 2008

Under the Federal Insecticide, Fungicide, and Rodenticide Act as amended, for the pesticide, registered under EPA Reg. No. **80285-2**
EPA Reg. No. 80285-2
EPA Est. No. 81110-GBR-001
80285-2

12/18

**PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS AND DOMESTIC ANIMALS
DANGER**

Corrosive. Causes skin burns and irreversible eye damage. May be fatal if inhaled. Harmful if swallowed or absorbed through skin. Do not get in eyes, on skin, or on clothing. Do not breathe vapor or spray mist. Wear goggles or face shield, chemical resistant gloves, long pants and long sleeved shirt. Wear a mask or pesticide respirator approved by the National Institute for Occupational Safety and Health. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, or using tobacco. Remove and wash contaminated clothing before reuse. Prolonged or frequently repeated skin contact may cause allergic reactions in some individuals.

ENVIRONMENTAL HAZARDS

This product is toxic to fish. Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans or other waters unless in accordance with the requirements of a National Pollutant Discharge Elimination System (NPDES) permit and the permitting authority has been notified in writing prior to discharge. Do not discharge effluent containing this product to sewer systems without previously notifying the local sewage treatment plant authority. For guidance contact your State Water Board or Regional Office of the EPA. Do not contaminate water by cleaning of equipment or disposal of wastes. Do not apply in marine or estuarine oil fields.

STORAGE AND DISPOSAL

PROHIBITIONS: Do not contaminate water, food, or feed by storage or disposal. Open dumping is prohibited.

PESTICIDE STORAGE: Protect from frost. If frozen, allow to thaw and stir well before use.

PESTICIDE DISPOSAL: Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide, spray mixture, or rinsate is a violation of Federal Law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

CONTAINER DISPOSAL: Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or incineration, or, if allowed by state and local authorities, by burning. If burned, stay out of smoke.

EMERGENCIES: In emergency situations, such as spills, fire, or exposure, call 1-800-424-9300

WARRANTIES AND WARRANTY DISCLAIMERS

PromChemie AG ("PROM") warrants that this product conforms to the chemical description on the label and that it is reasonably fit for the purposes stated on the label when used in accordance with PROM's directions under normal conditions of use. This warranty does not extend to the use of this product contrary to label instructions, or under abnormal use conditions, or under conditions not reasonably foreseeable to PROM, and the buyer assumes the risk of any such use. PROM DISCLAIMS ALL OTHER WARRANTIES, EXPRESS OR IMPLIED, INCLUDING ANY WARRANTY OF MERCHANTABILITY.

IN NO EVENT SHALL PROM BE LIABLE FOR ANY SPECIAL, INCIDENTAL, OR CONSEQUENTIAL DAMAGES, INCLUDING LOST PROFITS, ON ANY THEORY WHATSOEVER, INCLUDING NEGLIGENCE, and PROM's sole liability and Buyer's and User's exclusive remedy shall be limited to the refund of the purchase price. Statements concerning the use of products or the formulations described therein re not to be construed as recommending the infringement of any patent and no liability for infringement arising out of any such use is assumed by PROM.

DIRECTIONS FOR USE (Extract from Technical Information Bulletin for PROMEX™ 20S)

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

PROMEX™ 20S is an effective preservative in most aqueous compositions. The concentration required to give protection depends on several factors. These include the susceptibility of the system to microbiological degradation, the extent to which micro-organisms can gain access, the species involved, pH, temperature, and length of time for which protection is required. For protection against bacterial attack, a concentration within the range 0.02-0.25% PROMEX™ 20S is almost invariably sufficient. The control of mold growth, particularly on paste products of high solids content, may occasionally require demand dosages above 0.25%. In dilute fluid systems, spoilage is usually controlled with dosages not greater than 0.09%. Do not use at concentration greater than 0.5%.

See other panel for directions for specific applications.

ACCEPTED
with COMMENTS
EPA Letter Dated:

APR 24 2008

Under the Federal Insecticide,
Fungicide, and Rodenticide Act as
amended, for the pesticide,
registered under EPA Reg. No. 80A85-2

13/18

ACCEPTED
with COMMENTS
EPA Letter Dated
APR 24 2008

DIRECTIONS FOR USE (continued)

Typical applications, and the **suggested** range of concentrations on which trials can be based, are:

Type of Material To Be Protected	Lbs PROMEX™ 20S To Use Per 1000 Lbs Of Material To Be Protected
Latices , such as: polymer latices based on monomers such as acrylate, butadiene, PVA or styrene; synthetic rubber/latex	0.5 to 1.5 lb (0.05 - 0.15%)
Oil-in-water emulsions , such as textile spin-finish solutions, cutting/rolling oils, soluble oils (metal and engineering industries), and photographic emulsions. Note: limit amount of PROMEX™ 20S in metalworking fluid concentrate (to be diluted before use) to 3.0 % to reduce the possibility of dermal sensitization.	0.5 to 1.8 lb (0.05 - 0.15%) <i>Under the Federal Insecticide, Fungicide and Rodenticide Act as amended, for the pesticide, registered under EPA Reg. No. 80283-</i>
Paints and coatings , such as aqueous coatings, water-based paints, and emulsion paints	0.5 to 2.5 lb (0.05 - 0.25%)
Inks and font solutions	0.5 to 2.5 lb (0.05 - 0.25%)
Water-based adhesives , including animal glues, adhesives based on carboxymethylcellulose (CMC) and derivatives, gelatin and/or latex	0.5 to 2.5 lb (0.05 - 0.25%)
Aqueous slurries of pigments such as titanium dioxide or of minerals such as kaolin, calcium carbonate, calcium sulfate, or magnesium sulfate	0.4 to 1.25 lb (0.04 - 0.125 %)
Building and construction compositions , such as tape joint compounds, caulks, and sealants	0.8 to 2.5 lb (0.08 - 0.25 %)
Pesticide formulations , including in-can protection and protection of use dilutions	0.5 to 2.5 lb (0.05 - 0.5%)
Home cleaning products , including floor waxes and polishes, surface cleaners, window cleaners, and dish detergents	0.5 to 1.5 lb (0.05 - 0.15 %)
Liquid laundry additives , including laundry detergents, fabric softeners, and stain removers	0.5 to 1.5 lb (0.05 - 0.15 %)
Car care products , including car washing products, car waxes, and silicone emulsions	0.75 to 1.5 lb (0.075 - 0.15 %)
Oil recovery materials , such as drill muds, packer fluids, and completion fluids, containing polysaccharide fluid loss control agents and/or thickeners such as starch, guar, or xanthan gum	0.5 to 1.5 lb per 1000 lb of fluid (0.05 - 0.15 %), or 15 to 45 lb per 1000 lb of dry polysaccharide added to fluid (1.5 - 4.5%)
Secondary oil recovery injection water containing additives, such as polymer or micellar/polymer waterfloods using thickeners such as xanthan gum and/or polyacrylamides	0.15 to 1.5 lb (0.015 - 0.15 %) of total weight of fluid
Leather processing solutions , to preserve the solutions	0.25 to 2 lb (0.025 - 0.2 %)
Fresh animal skins and hides , to preserve the integrity of the hides and skins before or during processing. Add the appropriate quantity of PROMEX™ 20S to the brine solution during the curing operation or treat hides or skins with an appropriately diluted aqueous solution during other portions of the processing operation. The specific use rate and contact time needed to control microbial attack will depend on the degree of decomposition of the hides or skins prior to treatment.	1 to 24 pounds (13 fluid ounces to 2.5 gallons) of PROMEX™ 20S per 1000 pounds of hides or skins
Paper coatings and textile coatings , including rosin dispersions, starch and casein based products	0.5 to 1.5 lb (0.05 - 0.15 %)
<p>Pulp & paper mill system slime control—The preferred method of addition is by shock dosing because this ensures that a high concentration of PROMEX™ 20S is present in the system for several hours. If a slime control agent is added by continuous methods over periods of several hours, its concentration in the system at all times is low. This can lead to the development of resistant organisms, which is less likely to occur when the shock dosing method is used.</p> <p>It is not possible to give precise recommendations as to the quantity of PROMEX™ 20S to add to control slime formation, because the magnitude of the problem varies greatly from mill to mill, depending on the furnish employed, the cleanliness of the mill system, and the additional nutrients (for example, starch) that may be added to the stock. The following quantities of PROMEX™ 20S are suggested for trial: Shock dosing: If this preferred method is adopted, add 2.5 to 9 ounces of PROMEX™ 20S for each ton of paper produced per day as a single shock dose, the actual quantity to be used depending on the severity of the slime problem. This addition may be made to any part of the stock preparation or backwater system. Alternatively, the addition may be made to those parts of the system where it is known that slime deposits accumulate. Continuous addition: If this method is adopted, add PROMEX™ 20S continuously for either the single period of 8 hours during every 24 hours or for two separate periods of 4 hours during every 24 hours. Meter PROMEX™ 20S into the recirculated backwater at a rate of 7 to 8.5 ounces for each ton of paper produced during the dosing period.</p>	

PromChemie AG
PROMEX™ 20S Technical Information Bulletin 2008

General

Many aqueous dispersions and emulsions can be spoiled during storage and use due to the growth in them of bacteria, fungi, molds, or other microorganisms. PROMEX™20S, an aqueous solution of 1,2-benzisothiazolin-3-one (BIT), is an efficient microbial preservative for many aqueous systems, and exhibits:

- Effective control of a wide range of organisms at cost-effective concentrations.
- Long-term storage stability.
- Ease of use due to its liquid form and good compatibility in most aqueous compositions.
- A clear light color, with attendant advantages.

PROMEX™20S protects against growth of microbial agents in aqueous systems such as the following:

Latices, such as: polymer latices based on monomers such as acrylate, butadiene, PVA, or styrene; synthetic rubber/latex

Water-based adhesives, including animal glues, carboxymethylcellulose (CMC) and derivatives, and adhesives based on gelatin and/or latex

Aqueous slurries of pigments, such as titanium dioxide, or of **minerals**, such as kaolin, calcium carbonate, calcium sulfate, or magnesium sulfate

Oil in water emulsions, such as textile spin-finish solutions, cutting/rolling oils, soluble oils (metal and engineering industries), and photographic emulsions

Paints and coatings, such as aqueous coatings, water-based paints, and emulsion paints

Inks and font solutions

Building and construction materials, such as caulks, sealants, grouts, spackling, ready-mixed cements and wallboard compounds, and tape joint compounds

Pesticide formulations, including in-can protection and protection of use dilutions

Cleaning products, including floor waxes and polishes, surface cleaners, window cleaners, and dish detergents

Liquid laundry additives, including laundry detergents, fabric softeners, and stain removers

Car care products, including car washing products, car waxes, and silicone emulsions

Oil recovery materials, such as drill muds, packer fluids, and completion fluids

Secondary oil recovery injection water with additives

Leather processing solutions, to protect the solution

Under the Federal Insecticide, Fungicide, and Rodenticide Act, amended by the Federal Insecticide, Fungicide, and Rodenticide Act, registration No. 80285-2

Paper coatings to be used in papermaking, including rosin dispersions and starch and casein based products

Pulp & paper mill system slime control by shock dosing or continuous dosing

U.S. REGULATORY CLEARANCES:

PROMEX™20S is registered with the U.S. Environmental Protection Agency and has been granted EPA registration Number 80285-2.

Under 40 CFR 180.1001(d) its components are exempt from the requirement for a tolerance when used in accordance with good agricultural practice as inert (or occasionally active) ingredients in pesticides applied to growing agricultural crops. Not more than 0.1% of the active ingredient, BIT, is allowed in such pesticide formulations.

BIT, the active ingredient of PROMEX™10S, is cleared for use under the following FDA clearances:

- 21 CFR 175.105, as a preservative of adhesives
- 21 CFR 176.170, as preservative for paper coating compositions, at level not to exceed 0.01 mg/in² of finished paper or paperboard in contact with fatty & aqueous food
- 21 CFR 176.180, as preservative for paper coating compositions, at level not to exceed 0.02 mg/in² of finished paper or paperboard in contact with dry food
- 21 CFR 176.300, slimicides (in manufacture of food-contact paper or paperboard) at level not to exceed 0.06 lb per ton of dry weight fiber
- 21 CFR 177.2600(c)(4)(ix), uncured latex rubber (consult regulation for limitations)

Properties of PROMEX™20S

Composition:	A solution of 1,2-benzisothiazolin-3-one at 19% average in dipropylene glycol and water
Physical form and appearance:	Clear amber liquid.
Viscosity:	124 mm ² /s at 20°C
Specific gravity:	1.12 at 25°C
pH	10.1 at 25°C
Boiling point:	~100°C
Solubility:	Soluble in water
Stability:	Stable under all normal storage conditions

15/18

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

PROMEX™20S is an effective preservative in most aqueous compositions. The concentration required to give protection depends on several factors. These include the susceptibility of the system to microbiological degradation, the extent to which micro-organisms can gain access, the species involved, pH, temperature, and length of time for which protection is required.

For protection against bacterial attack, a concentration within the range 0.02 - 0.25% PROMEX™ 20S is almost invariably sufficient. In dilute fluid systems, spoilage is usually controlled with dosages not greater than 0.09%. Control of mold growth, particularly on paste products of high solids content, may occasionally require demand dosages above 0.25%. Do not use concentrations greater than 0.5%.

Trials at different concentrations are recommended. Typical applications, and the suggested range of concentrations on which trials can be based, are:

Type of material to be protected	Lbs PROMEX™20S to use per 1000 Lb of material to be protected
Latices , such as polymer latices based on monomers such as acrylate, butadiene, PVA, or styrene; synthetic rubber/latex	0.5 to 1.5 lb (0.05 - 0.15%)
Oil-in-water emulsions such as textile spin-finish solutions, cutting/rolling oils, soluble oils (metal and engineering industries), and photographic emulsions. Note: limit amount of PROMEX™ 20S in metalworking fluid concentrate (to be diluted before use) to 3.0 % to reduce the possibility of dermal sensitization.	0.5 to 1.8 lb (0.05 - 0.18%)
Paints and coatings , such as aqueous coatings, water-based paints, and emulsion paints	0.5 to 2.5 lb (0.05 - 0.25%)
Inks and font solutions	0.5 to 2.5 lb (0.05 - 0.25%)
Water-based adhesives , including animal glues, adhesives based on carboxymethylcellulose (CMC) and derivatives, gelatin and/or latex	0.5 to 2.5 lb (0.05 - 0.25%)
Aqueous slurries of pigments such as titanium dioxide or of minerals such as kaolin, calcium carbonate, calcium sulfate, or magnesium sulfate	0.4 to 1.25 lb (0.04 - 0.125%)
Building materials , such as caulks, sealants, grouts, spackling, ready-mixed cement and wallboard compounds, and tape joint compounds	0.8 to 2.5 lb (0.08 - 0.25%)
Pesticide formulations , including in-can protection and protection of use dilutions	0.5 to 2.5 lb (0.05 - 0.25%)
Home cleaning products , including floor waxes and polishes, surface cleaners, window cleaners, and dish detergents	0.5 to 1.5 lb (0.05 - 0.15%)
Liquid laundry additives , including laundry detergents, fabric softeners, and stain removers	0.5 to 1.5 lb (0.05 - 0.15%)
Car care products , including car washing products, car waxes, and silicone emulsions	0.75 to 1.5 lb (0.075 - 0.15%)

ACCEPTED
with COMMENTS
EPA Letter Dated:

APR 24 2008

Under the Federal Insecticide,
Fungicide, and Rodenticide Act as
amended, for the pesticide,
registered under EPA Reg. No. 80285-9

16/18

PromChemie AG
PROMEX™ 20S Technical Information Bulletin

<p>Oil recovery materials, such as drill muds, packer fluids, and completion fluids, containing polysaccharide fluid loss control agents and/or thickeners such as starch, guar or xanthan gum</p>	<p>0.5 to 1.5 lb (0.05 – 0.15%) of total weight of the fluid, or 15 to 45 lb per 1000 lb of dry polysaccharide added</p>
<p>Secondary oil recovery injection water containing additives, such as polymer or micellar/polymer waterfloods using thickeners such as xanthan gum and/or polyacrylamides</p>	<p>0.15 to 1.5 lb (0.015 – 0.15%) of total weight of fluid</p>
<p>Leather processing solutions, to preserve the solutions</p>	<p>0.25 to 2 lb (0.025 – 0.20%)</p>
<p>Fresh animal skins and hides, to preserve the integrity of the hides and skins before or during processing. Add the appropriate quantity of PROMEX™ 20S to the brine solution during the curing operation or treat hides or skins with an appropriately diluted aqueous solution during other portions of the processing operation. The specific use rate and contact time needed to control microbial attack will depend on the degree of decomposition of the hides or skins prior to treatment.</p>	<p>1 to 24 pounds (13 fluid ounces to 2.5 gallons) of PROMEX™ 20S per 1000 pounds of hides or skins</p>
<p>Paper coatings to be used in papermaking, including rosin dispersions, starch and casein based products</p>	<p>0.5 to 1.5 lb (0.05 – 0.15%)</p>
<p>Pulp & paper mill system slime control The preferred method of addition is by shock dosing because this ensures that a high concentration of PROMEX™20S is present in the system for several hours. If a slime control agent is added by continuous methods over periods of several hours, its concentration in the system at all times is low. This can lead to the development of resistant organisms, which is less likely to occur when the shock dosing method is used. It is not possible to give precise recommendations as to the quantity of PROMEX™20S to add to control slime formation, because the magnitude of the problem varies greatly from mill to mill, depending on the furnish employed, the cleanliness of the mill system, and the additional nutrients (for example, starch) that may be added to the stock. The following quantities of PROMEX™20S are suggested for trial: Shock dosing: If this preferred method is adopted, add 2.5 to 9 ounces of PROMEX™20S for each ton of paper produced per day as a single shock dose, the actual quantity to be used depending on the severity of the slime problem. This addition may be made to any part of the stock preparation or backwater system. Alternatively, the addition may be made to those parts of the system where it is known that slime deposits accumulate. Continuous addition: If this method is adopted, add PROMEX™20S continuously for either the single period of 8 hours during every 24 hours or for two separate periods of 4 hours during every 24 hours. Meter PROMEX™20S into the recirculated backwater at a rate of 7 to 8.5 ounces for each ton of paper produced during the dosing period.</p>	

ACCEPTED
with COMMENTS
EPA Letter Dated:

APR 24 2008

Under the Federal Insecticide,
Fungicide, and Rodenticide Act as
amended, for the pesticide,
registered under EPA Reg. No. 80285-2

PRECAUTIONARY STATEMENTS

Keep Out of Reach of Children

DANGER

Hazards to Humans and Domestic Animals

Corrosive. Causes skin burns and irreversible eye damage. May be fatal if inhaled. Harmful if swallowed or absorbed through skin. Do not get in eyes, on skin, or on clothing. do not breathe vapor or spray mist. Wear goggles or face shield, chemical resistant gloves, long pants and long sleeved shirt. Wear a mask or pesticide respirator approved by the National Institute for Occupational Safety and Health. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, or using tobacco. Remove and wash contaminated clothing before reuse. Prolonged or frequently repeated skin contact may cause allergic reactions in some individuals.

FIRST AID:

If in Eyes: Hold eye open and rinse slowly and gently with water for 15 – 20 minutes. Remove contact lenses, if present, after the first 5 minutes then continue rinsing. Call a poison control center or doctor for treatment advice.

If Swallowed: Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to by a poison control centre doctor.

If Inhaled: Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth if possible. Call a poison control center or doctor for further treatment advice.

If on Skin: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15 – 20 minutes. Call a poison control centre or doctor for treatment. Wash contaminated clothing and footwear before reuse.

Poison Control Center:

Call 1-800-222-1222

Have the product container or label or this Bulletin with you when calling a poison control center, doctor, or going for treatment.

Note to Physician: Probable mucosal damage may contraindicate the use of gastric lavage. Measures against circulatory shock, respiratory depression and convulsion may be needed.

ENVIRONMENTAL HAZARDS

This product is toxic to fish. Do not discharge into lakes, streams, ponds, estuaries, oceans or other waters unless in accordance with the requirements of a National Pollutant Discharge Elimination System (NPDES) permit and the permitting authority has been notified in writing prior to discharge. Do not discharge effluent containing this product to sewer systems without previously notifying the local sewage treatment plant authority. For guidance contact your State Water Board or Regional Office of the EPA. Do not contaminate water by cleaning of equipment or disposal of wastes. Do not apply in marine and estuarine oil fields.

STORAGE AND DISPOSAL

Prohibitions

Do not contaminate water, food, or feed by storage or disposal. Open dumping is prohibited.

Storage

Protect from frost. If frozen, allow to thaw and stir well before use.

Pesticide Disposal

Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide, spray mixture, or rinsate is a violation of Federal law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

Container Disposal

Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or by other procedures approved by state and local authorities.

**For information on spills, call
1-800-424-9300**

Safe Handling Information

Refer to the Material Safety Data Sheet (MSDS) available from PromChemie AG for information on the safe use, handling and disposal of this product.

ACCEPTED
with COMMENTS
EPA Letter Dated:

APR 24 2008

Under the Federal Insecticide,
Fungicide, and Rodenticide Act, 7 U.S.C. 136-136a-104 REV102507
amended, for the pesticide,
registered under EPA Reg. No. 80205-2

18/18

PromChemie AG
PROMEX™ 20S Technical Information Bulletin

Page 5

Warranties and Warranty Disclaimers

PromChemie AG ("PROM") warrants that this product conforms to the chemical description on the label and that it is reasonably fit for the purposes stated on the label when used in accordance with PROM's directions under normal conditions of use. This warranty does not extend to the use of this product contrary to label instructions, or under abnormal use conditions, or under conditions not reasonably foreseeable to PROM, and the buyer assumes the risk of any such use. PROM DISCLAIMS ALL OTHER WARRANTIES, EXPRESS OR IMPLIED, INCLUDING ANY WARRANTY OF MERCHANTABILITY.

IN NO EVENT SHALL PROM BE LIABLE FOR ANY SPECIAL, INCIDENTAL, OR CONSEQUENTIAL DAMAGES, INCLUDING LOST PROFITS, ON ANY THEORY WHATSOEVER, INCLUDING NEGLIGENCE, and PROM's sole liability and Buyer's and User's exclusive remedy shall be limited to the refund of the purchase price. Statements concerning the use of products or the formulations described therein re not to be construed as recommending the infringement of any patent and no liability for infringement arising out of any such use is assumed by PROM.

For technical information, literature, sample and order information, please contact PromChemie AG at:

PromChemie AG
Austrasse 79, P.O. Box 26
FL-9490 Vaduz, Liechtenstein
Phone (011) 423-236-1818

ACCEPTED
with COMMENTS
EPA Letter Dated:
APR 24 2008

Under the Federal Insecticide,
Fungicide, and Rodenticide Act as
amended, for the pesticide,
registered under EPA Reg. No. 80285-2