


80289-16

02/02/2012

1/7

 <p>U.S. ENVIRONMENTAL PROTECTION AGENCY Office of Pesticide Programs Registration Division (7505P) 1200 Pennsylvania Ave., N.W. Washington, D.C. 20460</p> <p>NOTICE OF PESTICIDE: <input checked="" type="checkbox"/> Registration <input type="checkbox"/> Reregistration (under FIFRA, as amended)</p>	<p>EPA Reg. Number: 80289-16</p>	<p>Date of Issuance: FEB 02 2012</p>
	<p>Terms of Issuance: Unconditional</p>	
	<p>DIPRON 10 EC</p>	
<p>Name and Address of Registrant (include ZIP Code):</p> <p>Isagro USA, Inc. 430 Davis Dr, Suite 240 Morrisville, NC 27560</p> <p>Attention: Mel Graben</p>		
<p>Note: Changes in labeling differing in substance from that accepted in connection with this registration must be submitted to and accepted by the Registration Division prior to use of the label in commerce. In any correspondence on this product always refer to the above EPA registration number.</p>		
<p>On the basis of information furnished by the registrant, the above named pesticide is hereby registered/reregistered under the Federal Insecticide, Fungicide and Rodenticide Act (FIFRA).</p> <p>Registration is in no way to be construed as an endorsement or recommendation of this product by the Agency. In order to protect health and the environment, the Administrator, on his motion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by others.</p> <p>This product is unconditionally registered in accordance with FIFRA section 3(c)(5) provided that you:</p>		
<p>Signature of Approving Official:</p>  <p>John Hebert Product Manager (07) Insecticide-Rodenticide Branch Registration Division (7505P)</p>	<p>Date:</p> <p>FEB 02 2012</p>	

Notice of Registration (continued)
EPA Reg. No. 80289-16

- A. Submit and/or cite all data required for registration/reregistration of your product when the Agency requires all registrants of similar products to submit such data.
- B. Make the following label changes before you release the product for shipment:
 - 1. revise your registration number to "EPA Reg. No. 80289-16",
- C. Submit one (1) copy of final printed labeling for the record before you release the product for shipment.

A copy of your label stamped "Accepted" is enclosed for your records.

Reference to Website on Label

Should you wish to add a reference to the company's website on your label, please be aware that the website becomes labeling under the Federal Insecticide Fungicide and Rodenticide Act and is subject to review by the Agency. If the website is false or misleading, the product would be misbranded and unlawful to sell or distribute under FIFRA section 12(a)(1)(E). 40 CFR 156.10(a)(5) list examples of statements EPA may consider false or misleading. In addition, **regardless of whether a website is referenced on your product's label**, claims made on the website may not substantially differ from those claims approved through the registration process. Therefore should the Agency find or if it is brought to our attention that a website contains false or misleading statements or claims substantially differing from the EPA approved registration, the website will be referred to the EPA's Office of Enforcement and Compliance Assurance.

Confidential Statement of Formula

The acceptable Confidential Statement of Formula (CSF) for this product is dated November 11, 2011 (Basic Formulation). All other versions are obsolete.

If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA section 6(e). Your release for shipment of the product constitutes acceptance of these conditions.

If you have any questions or comments regarding this letter, please contact Jennifer Gaines by phone (703- 305-5967) or e-mail (gaines.jennifer@epa.gov).

Enclosures: 1. Stamped Label

3/7

ACCEPTED
FEB 02 2012
 Under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, for the pesticide Registered under EPA Reg. No. 80289-116

DIPRON 10 EC

Group 15 Insecticide

For Control of listed Insect Pests on Container and Field Grown Ornamentals in Greenhouses, Shadehouses, and Nurseries

ACTIVE INGREDIENT:	% BY WT.
Novaluron: 1-[3-chloro-4-(1,1,2-trifluoro-2-trifluoro-methoxyethoxy)phenyl]-3-(2,6-difluorobenzoyl)urea* 8.9%
OTHER INGREDIENTS 91.1%
TOTAL 100.0%

*Contains 0.83 lbs. novaluron per gallon

**KEEP OUT OF REACH OF CHILDREN
CAUTION**

Si usted no entiende la etiqueta, busque a alguien para que se la explique a usted en detalle. [If you do not understand this label, find someone to explain it to you in detail.]

FIRST AID	
If swallowed:	<ul style="list-style-type: none"> • Call poison control center or doctor immediately for treatment advice. • Have person sip a glass of water if able to swallow. • Do not induce vomiting unless told to do so by the poison control center or doctor. • Do not give anything by mouth to an unconscious person.
If on skin or clothing:	<ul style="list-style-type: none"> • Take off contaminated clothing • Rinse skin immediately with plenty of water for 15-20 minutes. • Call a poison control center or doctor for further treatment advice.
If in eyes:	<ul style="list-style-type: none"> • Hold eye open and rinse slowly and gently with water for 15-20 minutes. • Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. • Call a poison control center or doctor for further treatment advice.
If inhaled:	<ul style="list-style-type: none"> • Move person to fresh air. • If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible. • Call a poison control center or doctor for further treatment advice.
<p>Have the product container or label with you when calling a poison control center or doctor, or going for treatment. You may also contact ProSAR at 1-877-250-9291 for emergency medical treatment information.</p>	

EPA Reg No 80289-

EPA Est No



Net Contents:

Manufactured by Isagro SpA for:
 Isagro USA, Inc
 430 Davis Drive, Suite 240
 Morrisville, NC 27560

**PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS AND DOMESTIC ANIMALS**

CAUTION. Harmful if swallowed or absorbed through skin. Avoid contact with skin, eyes, or clothing. Causes moderate eye irritation. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum or using tobacco. Remove and wash contaminated clothing before reuse. Wear PPE specified in the Precautionary Statements listed below.

ENVIRONMENTAL HAZARDS

This pesticide may be toxic to fish and invertebrates. Do not apply directly to water, to areas where surface water is present, or to intertidal areas below the mean high water mark. Drift and runoff may be hazardous to aquatic organisms in water adjacent to treated areas. Do not contaminate water when disposing of equipment wash waters or rinsate. This product may contaminate water through drift of spray in wind. This product has a potential for runoff for several days to weeks after application. Poorly draining soil with shallow water tables is more prone to produce runoff. A level, well maintained vegetative (grass) buffer strip between areas to which this product is applied and the surface water features such as ponds streams, and springs will reduce the potential for contamination of water from rainfall runoff. Runoff of this product will be reduced by avoiding applications when rainfall is forecasted to occur within 48 hours. Sound erosion control practices will reduce this product's contribution to surface water contamination.

PERSONAL PROTECTIVE EQUIPMENT (PPE)

Some materials that are chemical-resistant to this product are listed below. If you want more options, follow the instructions for category E on an EPA chemical resistance category selection chart.

Applicators and other handlers must wear:

- Long-sleeved shirt and long pants
- Chemical resistant gloves such as barrier laminate, nitrile rubber, neoprene rubber, or Viton
- Shoes plus socks

Follow manufacturers instructions for cleaning/maintaining PPE If no such instructions for washables, use detergent and hot water Keep and wash PPE separately from other laundry.

User Safety Recommendations

Users should:

- Wash hands before eating, drinking, chewing gum, using tobacco or using the toilet.
- Remove clothing immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. Do not apply this product in a way that will contact workers or other persons, either directly or through drift. Only protected handlers may be in the area during application. For any requirements specific to your State or Tribe, consult the agency responsible for pesticide regulation.

AGRICULTURAL USE REQUIREMENTS

Use this product only in accordance with the Worker Protection Standard, 40 CFR Part 170. This Standard contains requirements for the protection of agricultural workers on farms, forests, nurseries, and greenhouses, and handlers of agricultural pesticides. It contains requirements for training, decontamination, notification, and emergency assistance. It also contains specific instructions and exceptions pertaining to the statements on this label about personal protective equipment (PPE) and restricted-entry interval. The requirements in this box only apply to uses of this product that are covered by the Worker Protection Standard.

Do not enter or allow worker entry into treated areas during the restricted entry interval (REI) of 4 hours.

PPE required for early entry to treated areas that is permitted under the Worker Protection Standard and that involves contact with anything that has been treated, such as plants, soil, or water is:

- Coveralls over long-sleeved shirt and long pants
- Chemical resistant gloves such as barrier laminate, nitrite rubber, neoprene rubber, or Viton
- Shoes plus socks

DIPRON 10 EC provides an effective means for controlling whiteflies, thrips, leafminers, armyworms, and certain other foliar feeding insects on container and field grown ornamentals in greenhouses, shadehouses, and nurseries. DIPRON 10 EC is applied as a foliar spray to control immature stages of the target pests. For best results, read all directions thoroughly. Consult your local agricultural specialist for the spray schedule best suited to your conditions

CHEMIGATION STATEMENT: Do not apply this product through any type of irrigation system.

NOTE: The compatibility of DIPRON 10 EC with concurrent releases of all insects used for biocontrol of plant pests has not been fully established. When used as directed, DIPRON 10 EC affects developing immature stages of insects by disrupting the molting process. Consequently, fully developed adult stages of pest and beneficial species are not affected.

MIXING INSTRUCTIONS: Prepare solution concentrations in a clean, empty spray tank. Use clean spray filters. Add water to 1/3 level of tank. Add the appropriate amount of DIPRON 10 EC to the tank and agitate to insure proper mixture. Continue filling tank with water until desired dilution is achieved. Shake or re-agitate spray tank before use if application is interrupted. Make up only the amount of application volume as required. Dispose of any unused spray material at the end of each day according to the instructions found in the STORAGE AND DISPOSAL section of this label.

TANK MIXING: DIPRON 10 EC may also be used in tank mixtures. Test compatibility of the intended tank mixture before adding DIPRON 10 EC to the spray or tank mix. Add proportionate amounts of each ingredient to a pint or quart jar, cap, shake, and let set 15 minutes. Formation of precipitates that do not readily redisperse indicates an incompatible mixture that must not be used. Add other products in the following order: water-soluble bags, wettable powders, dry flowables, liquid flowables, emulsifiable concentrates, and soluble materials such as fertilizers. If tank mixing with other products, especially soluble fertilizers containing nitrogen or boron, allow products packed in water soluble bags to dissolve first. Read and observe label directions of all products used in the tank mix before using. When tank mixing, always read all individual manufacturers' labels. In interpreting all labels for the tank mix, the most restrictive situations must apply. Tank mixtures are permitted only in those states where the tank mix partner is registered.

SPRAY COVERAGE: All parts of the crop must receive uniform spray coverage or else desired result may not occur. Consult your local agricultural specialist for specific information on the best rates, timings, and spray volumes for your region.

DIPRON 10 EC is an insect growth regulator for control of certain foliar insect pests on ornamentals grown in greenhouses, shadehouses, and outdoor nurseries. The primary mode of action is by disrupting cuticle formation and deposition occurring when insects change from one developmental stage to another resulting in death at molting. Due to this mode of action, DIPRON 10 EC has no effect on adult stages of insects that have completed all of the successive molts through larval or nymphal stages of development.

APPLICATION INSTRUCTIONS: Apply by compressed air, hydraulic, groundboom or handheld sprayers. Do not apply with high volume airblast sprayers or by aircraft. Minimize drift and movement to non-target areas by directing spray to foliage.

FOLIAR FEEDING AND SUCKING INSECTS CONTROLLED BY DIPRON 10 EC:

Whiteflies, such as:	Greenhouse Whitefly	Silverleaf Whitefly	Sweetpotato Whitefly
Thrips, such as:	Citrus Thrips	Flower Thrips	Gladiolus Thrips
	Western Flower Thrips		
Leafminers, such as:	Citrus Leafminer	Serpentine Leafminer	
Armyworms, such as:	Beet Armyworm	Lawn Armyworm	Yellow Striped Armyworm
	Fall Armyworm	Southern Armyworm	

WHITEFLIES, THRIPS, LEAFMINERS, and ARMYWORMS:

Mix 3 to 12 fl ozs of DIPRON 10 EC in 100 gals of water and apply as a spray to the foliage through conventional spray equipment. One gallon of finished spray will treat 200 sq. ft. of greenhouse bench area. When pest population pressure is high, use the higher label rates.

RESISTANCE MANAGEMENT: DIPRON 10 EC combines activity against labeled pests with selectivity to beneficial / predacious mites and insects. To reduce selection pressure that can lead to the development of resistance, use DIPRON 10 EC in moderation. To help achieve this, the following strategies are recommended:

- Incorporate IPM techniques into your insect control program
- Use only one application of DIPRON 10 EC before rotation with other classes of insecticides with different modes of action
- Use at least two alternative products between applications of DIPRON 10 EC
- Always apply DIPRON 10 EC at the required rates and according to label directions. Do not use less than required rates alone or in tank mixtures
- Use DIPRON 10 EC as part of an insect management program that includes cultural and biological control where possible
- Scout pest populations and begin DIPRON 10 EC applications before the pest becomes established. Focus treatments on early immature stages for best results. For optimum control, ensure thorough spray coverage to all foliage.

USE RESTRICTIONS:

- Do not make more than two (2) applications of DIPRON 10 EC per crop per year
- Do not apply more than 52 fl oz of DIPRON 10 EC per acre per year per crop

PLANT TOLERANCE: Neither the manufacturer nor the seller has determined whether DIPRON 10 EC can be used safely on all ornamental plants. Before any large-scale application, determine the safety of DIPRON 10 EC by testing a small number of the type of plants to be treated at the required rates and under the desired growing conditions. Observe the treated plants for symptoms of phytotoxicity, which may occur as chlorosis on sensitive plants. The user assumes all risks arising out of application to untested plants.

STORAGE AND DISPOSAL

DO NOT contaminate water, food or feed by storage or disposal. Open dumping is prohibited.

PESTICIDE STORAGE

Store in original container in a dry, temperature-controlled, secure, place.

PESTICIDE DISPOSAL

Waste resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

CONTAINER HANDLING

For rigid, non-refillable containers: Nonrefillable container. Do not reuse or refill this container. Clean container promptly after emptying. Triple rinse as follows: Empty the remaining contents into application equipment or a mix tank and drain for 10 seconds after the flow begins to drip. Fill the container one-fourth full with water and recap. Shake for 10 seconds. Pour rinsate into application equipment or a mix tank or store rinsate for later use or disposal. Drain for 10 seconds after the flow begins to drip. Repeat this procedure two more times. Then offer for recycling, if available or puncture and dispose of in a sanitary landfill, or by incineration, or, if allowed by state and local authorities, by burning. If burned, stay out of resulting smoke.

LIMITATION OF WARRANTY AND LIABILITY

Read the entire label before using this product, including this Limitation of Warranty and Liability.

If the terms are not acceptable, return the product at once unopened for a refund of the purchase price.

This Company warrants that this product conforms to the chemical description on the label and is reasonably fit for the purposes set forth in the Directions for Use, subject to the inherent risks described below, when used in accordance with the Directions for Use under normal conditions.

TO THE EXTENT CONSISTENT WITH APPLICABLE LAW, ISAGRO MAKES NO OTHER EXPRESS OR IMPLIED WARRANTY OF FITNESS OR MERCHANTABILITY OR ANY OTHER EXPRESS OR IMPLIED WARRANTY.

Buyers and Users of this product must be aware that there are inherent unintended risks associated to the use of this product, independent from the control of Isagro. These risks include, but are not limited to, weather conditions, soil factors, moisture conditions, diseases, irrigation practices, condition of the crop at the time of application, materials which are present in the tank mix with this product or prior to the application of it, cultural practices or the manner of use or application, all risks which are impossible to eliminate. The Buyers and Users should be aware that these factors may cause: ineffectiveness of the product, reduction of harvested yield of the crop (entirely or partially), crop injury or injury to non-target crops or plants or to rotational crops caused by carryover in the soil, resistance of the target weeds to this product. Therefore additional care, treatment and expense are required to take the crop to harvest.

If the Buyer does not agree with the acceptance of these risks, then **THE PRODUCT SHOULD NOT BE APPLIED**. To the extent consistent with applicable law, by applying this product the Buyer acknowledges and accepts these inherent unintended risks and **AGREES THAT ALL SUCH RISKS ASSOCIATED WITH THE APPLICATION AND USE ARE ASSUMED BY THE BUYER**.

To the extent consistent with applicable law, in no event shall ISAGRO or Seller be liable for any incidental, consequential or special damages resulting from the use or handling of this product (including claims based in contract, negligence, strict liability, other tort or otherwise). To the extent consistent with applicable law, the exclusive remedy of the User or Buyer and the exclusive Liability of Isagro or Seller shall be the return of the purchase price of the product, or at the election of Isagro or Seller, the replacement of the product.

To the extent consistent with applicable law, this Company does not warrant any product reformulated or repackaged from this product except in accordance with this Company's stewardship requirements and with express written permission from this Company.

Isagro or its Seller must have prompt notice of any claim so that an immediate inspection of Buyer's or User's can be made. To the extent consistent with applicable law, if Buyer and User do not notify Isagro or Seller of any claims, in proper time, it shall be barred from obtaining any remedy.

To the extent consistent with applicable law, Buyers and Users are deemed to have accepted the terms of this Limitation of Warranty and Liability, which may not be modified by any verbal or written agreement.

18jan12 clean